



भारत सरकार

GOVERNMENT OF INDIA

भारतीय पौधा किस्म जरनल

भारत के राजपत्र के समतुल्य

(नियमावली 12, पौ.कि. और कृ.अ. संरक्षण नियमावली, 2006)

PLANT VARIETY JOURNAL OF INDIA

Equivalent to Gazette of India

(Regulation 12, PPV&FR Regulation, 2006)

खण्ड-20, अंक-8 (अगस्त, 2026)

Vol.-20, No.-8 (August, 2026)

प्रकाशन की तिथि: सितम्बर 1, 2026

Date of Publication: September 1, 2026



पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण

(संसद के अधिनियम द्वारा निर्मित सांविधिक निकाय)

प्लांट अथॉरिटी भवन, देव प्रकाश शास्त्री मार्ग, निकट एनएएससी काम्प्लेक्स, टोडापुर गांव के सामने, नई दिल्ली-110012.

PROTECTION OF PLANT VARIETIES & FARMERS' RIGHTS AUTHORITY

(A Statutory Body created by an Act of Parliament)

Plant Authority Bhawan, DPS MARG, Near NASC Complex, Opp. Todapur Village,
New Delhi-110012.



भारत सरकार
GOVERNMENT OF INDIA

भारतीय पौधा किस्म जरनल, खण्ड 20, अंक 8
अगस्त, 2026/ भाद्रपद मास, कृष्ण पक्ष, चतुर्थी, शक 1948

Plant Variety Journal of India, Vol. 20, No. 8
August, 2026 / Bhadrapada Maas, Krishna Paksha, Chaturthi, Saka 1948



पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण
प्लांट अथॉरिटी भवन, देव प्रकाश शास्त्री मार्ग, निकट एनएससी काम्प्लेक्स, टोडापुर गांव के
सामने, नई दिल्ली-110012

PROTECTION OF PLANT VARIETIES & FARMERS' RIGHTS AUTHORITY
Plant Authority Bhawan, DPS MARG, Near NASC Complex, Opp. Todapur Village, New
Delhi-110012

‘भारतीय पौधा किस्म जरनल’ पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण (पौ.कि.कृ.अ.सं.प्रा.) का आधिकारिक जरनल है। पीपीवी और एफआर अधिनियम, 2001 तथा पीपीवी और एफआर नियमावली, 2003 के नियम 2 (जी) के अंतर्गत अध्यक्ष, पीपीवी और एफआरए, प्लांट अथॉरिटी भवन, देव प्रकाश शास्त्री मार्ग, निकट एनएएससी काम्प्लेक्स, टोडापुर गांव के सामने, नई दिल्ली-110012 की ओर से प्राधिकरण के रजिस्ट्रार द्वारा प्रकाशित किया जा रहा है।

Plant Variety Journal of India is the Official Journal of the Protection of Plant Varieties and Farmers' Rights Authority (PPV & FRA) published by the Registrar on behalf of the Chairperson, PPV & FRA, Plant Authority Bhawan, Dev Prakash Shastri Marg, Near NASC Complex, Opposite Todapur Village, New Delhi -110 012 under the PPV & FR Act, 2001 and Rule 2 (g) of the PPV & FR Rules, 2003.

ध्यान दीजिये/Nota Bene

“यद्यपि भारतीय पौधा किस्म जरनल का अनुवाद करने में पूरी सावधानी बरती गयी है, तथापि हिन्दी और अंग्रेजी संस्करण में कोई विसंगति होती है तो अंग्रेजी संस्करण अंतिम रूप से मान्य होगा।”

“Due care has been taken in the translation of Plant Variety Journal of India. However, if any discrepancy is found between the Hindi & the English versions, the English version of PVJ will be treated as final.”

DIPAL ROY
CHOU DHU
RY

Digitally signed by
DIPAL ROY
CHOU DHURY
Date: 2026.09.01
21:04:34 +05'30'

विषय-सूची

क्र.सं.	मद	पृष्ठ सं.
(1)	सार्वजनिक सूचना: कृषक किस्मों के पंजीकरण के लिए पौधा किस्म और कृषक अधिकार संरक्षण अधिनियम, 2001 की धारा 21 की उप धारा (2) और (3) के अंतर्गत दिया गया विज्ञापन पीपीवी और एफआर नियमावली 2003 के नियम 30 और 31 के साथपढ़ी जानेवाली धारा 2(i)(ii)	1
(2)	शुद्धिपत्र	2
(3)	सार्वजनिक सूचना 2026 का 02	3
(4)	सार्वजनिक सूचना 2026 का 03	4
(5)	सार्वजनिक सूचना 2026 का 04	5
(6)	सार्वजनिक सूचना 2026 का 05	6
(7)	संबंधित व्यक्तियों से आपत्ति(यां) आमंत्रित करने के लिए (यदि कोई हों), 271 किस्मों के प्रकाशित पासपोर्ट आंकड़े	8
(8)	फोटोग्राफ	1047
(9)	विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) दिशानिर्देश (नई)	देखने के लिए क्लिक करें
(i)	नाइजर (गुइज़ोटिया एबिसिनिका (एल.एफ.) कैस.)	
(ii)	समर स्कवैश (कुकुर्बिता पेपो एल.)	
(iii)	रबर (हेविया ब्रासिलिएन्सिस म्यूएल. आर्ग)	
(iv)	महुआ (मधुका लॉन्गिफोलिया)	
(v)	एल्स्ट्रोमेरिया (एल्स्ट्रोमेरिया एसपीपी)	
(vi)	ट्यूलिप (ट्यूलिपा प्रजाति)	
(10)	36 विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) दिशानिर्देश (संशोधित)	

Contents

S.No.	Index	Page No.
(1)	Public Notice: Advertisement is given under sub-section (2) and (3) of Section 21 of the Protection of Plant Varieties and Farmers' Rights Act, 2001 and Rules 30 and 31 of PPV & FR Rules, 2003.	584
(2)	CORRIGENDUM	585
(3)	Public Notice 02 of 2026	586
(4)	Public Notice 03 of 2026	587
(5)	Public Notice 04 of 2026	588
(6)	Public Notice 05 of 2026	589
(7)	Passport data of 271 varieties published for calling objection(s) if any from persons in the matter.	591
(8)	Photographs	1047
(9)	Crop DUS Guidelines (New)	Click to view
(i)	Niger (Guizotia abyssinica (L.f.) Cass.)	
(ii)	Summer Squash (Cucurbita pepo L.)	
(iii)	Rubber (Hevea brasiliensis Muell. Arg)	
(iv)	Mahua (Madhuca longifolia)	
(v)	Alstromeria (Alstroemeria spp)	
(vi)	Tulip (Tulipa sp.)	
(10)	36 Crop Guidelines (Revised)	

सार्वजनिक सूचना

सं.पीपीजे/2026/8-1

दिनांक: 01 सितम्बर, 2026

विषय: पौधा किस्म और कृषक अधिकार संरक्षण अधिनियम, 2001 की धारा 21 की उप धारा (2) और (3) तथा पीपीवी और एफआर नियमावली 2003 के नियम 30 और 31 के अंतर्गत दिया गया विज्ञापन।

प्रत्येक किस्म के आवेदक द्वारा दिए गए पासपोर्ट आंकड़े व्यक्तियों से आपत्तियां आमंत्रित हेतु, जैसा कि विज्ञापन में निर्दिष्ट है, जो यहां विज्ञापित किए जाते हैं।

वह स्थान या वे स्थान जहां किस्म के नमूने का निरीक्षण किया जा सकता है, से संबंधित सूचना पीपीवी और एफआर प्राधिकरण के पंजीकार से लिखित में प्राप्त की जा सकती है।

आवेदन (आवेदनों) के विज्ञापन के तीन माह के अंदर कोई भी व्यक्ति पादप किस्म के पंजीकरण के आवेदन का विरोध करते हुए लिखित आपत्ति/नोटिस दे सकता है (पीपीवी एवं एफआर नियमावली, 2003 की प्रथम अनुसूची के फार्म पीवी.3 में)। पंजीकरण के विरुद्ध आपत्तियां, यदि कोई हों तो, तीन प्रतियों में रजिस्ट्रार, पौधा किस्म एवं कृषक अधिकार संरक्षण प्राधिकरण, प्लांट अथॉरिटी भवन, देव प्रकाश शास्त्री मार्ग, निकट एनएससी कॉम्प्लेक्स, टोडापुर गांव के सामने, नई दिल्ली-110012 को प्रस्तुत की जा सकती हैं जिसके साथ शुल्क के रूप में रु.10,000/- (दस हजार रुपये मात्र) डिमांड ड्राफ्ट के रूप में संलग्न चाहिए। यह डिमांड ड्राफ्ट “पौधा किस्म एवं कृषक अधिकार संरक्षण प्राधिकरण (पीपीवी एवं एफआर प्राधिकरण)” के नाम से नई दिल्ली में देय होगा।

* कृषक(ओ) को पीपीवी और एफआर अधिनियम, 2001 की धारा 44 के तहत कार्यवाही में किसी भी शुल्क के भुगतान से छूट दी गई है।

-हस्ताक्षरित-

(दिनेश कुमार अग्रवाल)
रजिस्ट्रार जनरल

शुद्धिपत्र

सं.पीवीजे/2026/8-2

दिनांक: 01 सितम्बर, 2026

दिनांक 04 मई, 2026 को प्रकाशित भारतीय पौधा किस्म जर्नल के खंड संख्या 20, अंक 4, के क्रम संख्या 67 पृष्ठ संख्या 320-321 में निम्नलिखित किस्म को विरोध आमंत्रित करने के लिए प्रकाशित किया गया था, किन्तु स्वीकृति तिथि गलत उल्लिखित हो गई थी (टंकण त्रुटि के कारण) और उसे ठीक कर दिया गया है और इसे निम्नवत पढ़ा जा सकता है:

फसल	किस्म का नाम	गलत उल्लिखित स्वीकृति तिथि	स्वीकृति तिथि को निम्नवत ठीक किया गया
कपास	यूसी102015बीजीआई	27/05/2026	27/04/2026

अन्य सभी आंकड़े अपरिवर्तित रहेंगे।
इस स्थिति से हुई असुविधा के लिए हमें खेद है।

हस्ताक्षरित/-
(दीपल रॉय चौधरी)
रजिस्ट्रार

सार्वजनिक सूचना

सं.पीवीजे/2026/8-3

दिनांक: 01 सितम्बर, 2026

2026 का 02

पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण द्वारा दिनांक 28 जुलाई, 2026 को आयोजित अपनी 42वीं बैठक में, पौधा किस्म और कृषक अधिकार नियम, 2003 के नियम 29(9) के अंतर्गत निम्नलिखित फसल प्रजातियों के लिए विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण के लिए दिशानिर्देशों को स्वीकृति प्रदान की गयी है। इन्हें पौधा किस्म जरनल के इस अंक में प्रकाशित किया जा रहा है, अर्थात:-

क्रमांक	फसल प्रजाति का नाम	पौधा किस्म जरनल में प्रकाशित
1.	नाइजर (गुइजोटिया एबिसिनिका (एल.एफ.) कैस.)	खण्ड-20 अंक 08 (अगस्त 2026) (प्रकाशन की दिनांक): 1 सितंबर, 2026)
2.	समर स्कवेश (कुकुर्बिता पेपो एल.)	
3.	रबर (हेविया ब्रासिलिएन्सिस म्यूएल. आर्ग)	
4.	महुआ (मधुका लॉन्गिफोलिया)	
5.	एल्स्ट्रोमेरिया (एल्स्ट्रोमेरिया एसपीपी)	
6.	ट्यूलिप (ट्यूलिपा प्रजाति)	

इन फसल प्रजातियों के सम्बन्ध में विद्यमान किस्मों के पंजीकरण के लिए आवेदन प्राप्त करना पौधा किस्म जरनल में सार्वजनिक सूचना के प्रकाशन की दिनांक से आरम्भ किया जाता है। ऊपर बताई गई फसल प्रजातियों की नई किस्मों के सम्बन्ध में आवेदन पौधा किस्म और कृषक अधिकार संरक्षण अधिनियम, 2001 की धारा 29(2) के अंतर्गत कार्यालय राजपत्र में फसल प्रजाति के अधिसूचित किए जाने से लिए जाएंगे।

हस्ताक्षरित/-

(दिनेश कुमार अग्रवाल)

रजिस्ट्रार जनरल

सार्वजनिक सूचना

सं.पीवीजे/2026/8-4

दिनांक: 01 सितम्बर, 2026

2026 का 03

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 22(2) के अंतर्गत, पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण द्वारा दिनांक 28 जुलाई, 2026 को हुई अपनी 42वीं बैठक में, निम्नलिखित फसल प्रजातियों की विद्यमान किस्मों के पंजीकरण के लिए समय सीमा को स्वीकृति प्रदान की गयी है, जो निम्नवत हैं:-

क्रमांक	फसल प्रजाति का नाम	पौधा किस्म जरनल में प्रकाशित
1.	नाइजर (गुइजोटिया एबिसिनिका (एल.एफ.) कैस.)	खण्ड-20 अंक 08 (अगस्त 2026) (प्रकाशन की दिनांक): 1 सितंबर, 2026)
2.	समर स्कवैश (कुकुर्बिता पेपो एल.)	
3.	रबर (हेविया ब्रासिलिएन्सिस म्यूएल. आर्ग)	
4.	महुआ (मधुका लॉन्गिफोलिया)	
5.	एल्स्ट्रोमेरिया (एल्स्ट्रोमेरिया एसपीपी)	
6.	ट्यूलिप (ट्यूलिपा प्रजाति)	

हस्ताक्षरित/-

(दिनेश कुमार अग्रवाल)

रजिस्ट्रार जनरल

सार्वजनिक सूचना

सं.पीवीजे/2026/8-5

दिनांक: 01 सितम्बर, 2026

2026 का 04

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29(1)(ए) के अंतर्गत, पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण द्वारा दिनांक 28 जुलाई, 2026 को आयोजित अपनी 42वीं बैठक में निम्नलिखित फसल प्रजातियों के विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण शुल्क को स्वीकृति प्रदान की गयी है, जो निम्नवत हैं:-

क्रमांक	फसल प्रजाति का नाम	नई किस्मों के लिए शिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण शुल्क	नई किस्मों के लिए ऑन-साइट शुल्क
(1)	(2)	(3)	(4)
1.	नाइजर (गुइज़ोटिया एबिसिनिका (एल.एफ.) कैस.)	Rs. 20,000/-	-
2.	समर स्कवैश (कुकुर्बिता पेपो एल.)	Rs. 55,000/-	-
3.	रबर (हेविया ब्रासिलिएन्सिस म्यूएल. आर्ग)	Rs. 60,000/-	Rs. 80,000/-
4.	महुआ (मधुका लॉनिगोलिया)	Rs. 50,000/-	Rs. 70,000/-
5.	एल्स्ट्रोमेरिया (एल्स्ट्रोमेरिया एसपीपी)	Rs. 40,000/-	-
6.	ट्यूलिप (ट्यूलिपा प्रजाति)	Rs. 30,000/-	-

विद्यमान किस्मों के लिए विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण शुल्क नई किस्मों के शुल्क का 50% होगी।

हस्ताक्षरित/-
(दिनेश कुमार अग्रवाल)
रजिस्ट्रार जनरल

सार्वजनिक सूचना

सं.पीवीजे/2026/8-6

दिनांक: 01 सितम्बर, 2026

2026 का 05

पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण द्वारा दिनांक 28 जुलाई, 2026 को हुई अपनी 42वीं बैठक में, पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29(9) के अंतर्गत निम्नलिखित फसल प्रजातियों के लिए संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण दिशानिर्देशों को स्वीकृति प्रदान की गई है। इन्हें पौधा किस्म जर्नल के इस अंक में प्रकाशित किया जा रहा है, जो निम्नवत हैं:-

क्रमांक	फसल प्रजाति का नाम	पौधा किस्म जर्नल में प्रकाशन
1.	चावल (ओरिजा सैटिवा एल.)	खण्ड-20 अंक 08 (अगस्त 2026) (प्रकाशन की दिनांक): 1 सितंबर, 2026)
2.	मक्का (ज़िया मेस एल.)	
3.	चना (सिसर एरिएटिनम एल.)	
4.	मटर (पाइसम सैटिवम एल.)	
5.	मसूर (लेंस कलिनारिस मेडिक.)	
6.	मूंग (विग्ना रेडिएटा (एल.) R. विल्जेक)	
7.	उड़द (विग्ना मुंगो (एल.) हेपर)	
8.	अरहर (कैजानस कैजान (एल.) मिलस्प.)	
9.	सोयाबीन (ग्लाइसिन मैक्स (एल.) मेर.)	
10.	चतुर्गुणित कपास (गॉसिपियम हिरसुटम एल.)	
11.	द्विगुणित कपास (गॉसिपियम आर्बोरियम एल.)	
12.	पालक (पालक) (स्पिनेशिया ओलेरासिया एल.)	
13.	तोरई (लुफा एक्वूटैंगुला (एल.) रॉक्सब.)	
14.	सब्जी चौलाई (एमार्थस ट्राइकलर एल.)	
15.	टमाटर (सोलेनम लाइकोपर्सिकम एल.)	
16.	आलू (सोलेनम ट्यूबरोसम एल.)	
17.	फूलगोभी (ब्रैसिका ओलेरासिया एल. Var. बोटाइटिस)	
18.	बंदगोभी (ब्रैसिका ओलेरासिया एल. Var. कैपिटटा)	
19.	प्याज (एलियम सेपा एल.)	
20.	लहसुन (एलियम सैटिवम एल.)	
21.	बोगनविलिया (बोगनविलिया spp.)	
22.	गेंदा (टैगेट्स spp.)	
23.	गुलदाउदी (क्राइसेन्थेमम × मोरिफोलियम रामत)	
24.	सेब (मालस डोमेस्टिका बोर्ख.)	
25.	खुबानी (प्रूनस आर्मेनियाका एल.)	
26.	चेरी (प्रूनस एवियम एल.)	

27.	आड़ू (प्रूनस पर्सिका (एल.) बैट्रश)	
28.	आलूबुखारा (प्रूनस डोमेस्टिका एल.)	
29.	अखरोट (जुग्लान्स रेजिया एल.)	
30.	नाशपाती (पाइरस कम्युनिस एल.)	
31.	जामुन (सिजीगियम क्यूमिनी (एल.) स्कील्स)	
32.	अंगूर (विटिस विनीफेरा एल.)	
33.	बेल (एगल मार्मेलोस (एल.) कोरिया)	
34.	अमरूद (सिडियम गुआजावा एल.)	
35.	अनार (पुनिका ग्रेनेटम एल.)	
36.	चिरौंजी (बुकानानिया लैज़न स्प्रेग.)	

उपरोक्त फसलों की किस्मों के लिए विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण की संशोधित दिशानिर्देशों, जो इस पौधा किस्म जर्नल में प्रकाशित हुई हैं, दिनांक 01 अक्टूबर 2026 से लागू होंगी। तदनुसार, आवेदकों को ध्यान देना चाहिए कि दिनांक 01 अक्टूबर 2026 या उसके बाद उपरोक्त 36 फसल किस्मों के लिए सभी आवेदन केवल संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण दिशानिर्देशों के अनुसार ही किए जाने चाहिए।

जो किस्में पूर्व में ही विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण के अंतर्गत हैं (चाहे परीक्षण किसी भी वर्ष से शुरू हुआ हो), उन्हें पूर्व की बिना संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) दिशानिर्देशों के अनुसार ही माना जाएगा। अन्य सभी मामलों में- जिनमें वे मामले भी सम्मिलित हैं जिनके लिए आवेदन तो प्राप्त हो चुके हैं लेकिन विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण अभी आरम्भ नहीं हुआ है, और साथ ही सभी नए आवेदनों पर- संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) दिशानिर्देशों के अनुसार ही कार्रवाई की जाएगी।

कोई भी आवेदक जो संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) परीक्षण दिशानिर्देशों में उल्लिखित विशिष्ट गुणों का दावा करता है, उसे दिशानिर्देशों में निर्धारित किया गया शुल्क देना होगा। परीक्षण करने के लिए स्थान/प्रयोगशाला का उल्लेख संशोधित विशिष्टता, एकरूपता और स्थायित्व (D.U.S.) दिशानिर्देशों में किया गया है। यदि किसी आवेदक द्वारा दावा किए गए विशिष्ट गुणों के लिए परीक्षण, परीक्षण विधि, परीक्षण शुल्क और परीक्षण का स्थान/प्रयोगशाला का उल्लेख संशोधित दिशानिर्देशों में नहीं है, तो इस विषय में पौधा किस्म और कृषक अधिकार संरक्षण प्राधिकरण द्वारा बनाई गई स्टैंडिंग समिति निर्धारित करेगी।

हस्ताक्षरित/-
(दिनेश कुमार अग्रवाल)
रजिस्ट्रार जनरल

(7) संबंधित व्यक्तियों से आपत्ति(यां) आमंत्रित करने के लिए (यदि कोई हों), 271 किस्मों के प्रकाशित पासपोर्ट आंकड़े

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
1.	आरईजी/2024/0022	इटुमथर्टीन	अंगूर	नई	21
2.	आरईजी/2024/0023	इटुमसेर्वेटीन	अंगूर	नई	23
3.	आरईजी/2024/0013	इटुमटू	अंगूर	नई	25
4.	आरईजी/2024/0015	इटुमनाइन	अंगूर	नई	27
5.	आरईजी/2024/0021	इटुमसिक्स	अंगूर	नई	29
6.	आरईजी/2025/0136	आईटमफाइव	अंगूर	नई	31
7.	आरईजी/2025/0137	आईटमऐट	अंगूर	नई	33
8.	आरईजी/2025/0135	आईटीयूएमटीवेल्व	अंगूर	नई	35
9.	आरईजी/2024/0014	इटुमफिफटीन	अंगूर	नई	37
10.	आरईजी/2026/0596	बड़की जामुन	जामुन	कृषक	39
11.	आरईजी/2026/0105	अदिति जामुन	जामुन	कृषक	40
12.	आरईजी/2026/0536	आरोही जामुन	जामुन	कृषक	42
13.	आरईजी/2026/0537	अमित जामुन	जामुन	कृषक	43
14.	आरईजी/2026/0601	अमित जंबो	जामुन	कृषक	45
15.	आरईजी/2026/0498	सुशीला जामुन	जामुन	कृषक	46
16.	आरईजी/2026/0499	मुंशीराम जामुन	जामुन	कृषक	47
17.	आरईजी/2024/1243	धमाल एफ1	फूलगोभी	विद्यमान (वीसीके)	49
18.	आरईजी/2025/0002	मौसमी एफ1	फूलगोभी	विद्यमान (वीसीके)	51
19.	आरईजी/2025/0005	रोहन 46 एफ1	फूलगोभी	विद्यमान (वीसीके)	53
20.	आरईजी/2026/0779	अर्का जामुन (जेएन-1/1)	जामुन	कृषक	55
21.	आरईजी/2026/0527	बिलौवा पीएम	जामुन	कृषक	57
22.	आरईजी/2026/0534	गौरी जामुन	जामुन	कृषक	58
23.	आरईजी/2024/0174	भूदेव झिंगली	तोरेई	कृषक	60
24.	आरईजी/2024/0721	विवेकानंद घिंगली	तोरेई	कृषक	61
25.	आरईजी/2013/686	एसवाईएन-एसएफ-एस-275 पीआर प्लस	सूरजमुखी	नई	63
26.	आरईजी/2026/1096	टीकेएम 15 [टीएम 12077] (आईईटी 26645)	चावल	विद्यमान (अधिसूचित)	65
27.	आरईजी/2026/1850	वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212)	चावल	विद्यमान (अधिसूचित)	69

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
28.	आरईजी/2025/1127	हिम पालम धन 1 (एचपीआर 2656)	चावल	विद्यमान (अधिसूचित)	71
29.	आरईजी/2025/1128	हिम पालम धन 2 (एचपीआर 2880)	चावल	विद्यमान (अधिसूचित)	74
30.	आरईजी/2023/0142	महाबीज-2006	चना	नई	77
31.	आरईजी/2025/1355	अरणजिका जैक	कटहल	कृषक	79
32.	आरईजी/2025/1356	राज जैक	कटहल	कृषक	80
33.	आरईजी/2025/1364	केएनके जैक	कटहल	कृषक	82
34.	आरईजी/2025/1363	केकेएन एम्बर जैक	कटहल	कृषक	84
35.	आरईजी/2025/1048	अज्जीभट महाराजा	कटहल	कृषक	85
36.	आरईजी/2025/1286	हुलगोल रुद्राक्षी	कटहल	कृषक	87
37.	आरईजी/2026/1803	एसएमएच-9099	मक्का	विद्यमान (अधिसूचित)	88
38.	आरईजी/2026/1851	भीम-115 (आईईटी-28964) (वीएनआर 227)	चावल	विद्यमान (अधिसूचित)	90
39.	आरईजी/2025/0007	दर्श गोल्ड एफ1	टमाटर	विद्यमान (वीसीके)	93
40.	आरईजी/2026/1092	बिधान स्निग्ध	रजनीगंधा	विद्यमान (अधिसूचित)	96
41.	आरईजी/2026/1093	बिधान उज्ज्वल	रजनीगंधा	विद्यमान (अधिसूचित)	98
42.	आरईजी/2026/1094	बिधान गोल्ड	गेंदा	विद्यमान (अधिसूचित)	101
43.	आरईजी/2026/1095	विधान बसंती	गेंदा	विद्यमान (अधिसूचित)	105
44.	आरईजी/2026/0977	अर्का चंद्रा (क्लोन 18-5)	पुमेलो	विद्यमान (अधिसूचित)	108
45.	आरईजी/2026/0978	अर्का अनंत (क्लोन 25-5)	पुमेलो	विद्यमान (अधिसूचित)	110
46.	आरईजी/2026/1822	फुले गौरव	केला	विद्यमान (अधिसूचित)	112
47.	आरईजी/2025/0533	पूसा बायो फोर्टिफाइड मक्का हाइब्रिड-4 (एपीएच-4)	मक्का	विद्यमान (अधिसूचित)	115
48.	आरईजी/2026/1821	एमएएच 14-138	मक्का	विद्यमान	117

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
				(अधिसूचित)	
49.	आरईजी/2026/1802	एसएमएच-4555	मक्का	विद्यमान (अधिसूचित)	119
50.	आरईजी/2026/1852	वीएनआर-2228 (आईईटी-24951) (वीएनआर 218)	चावल	विद्यमान (अधिसूचित)	122
51.	आरईजी/2025/0739	एचवीटीएम-259	टमाटर	विद्यमान (वीसीके)	124
52.	आरईजी/2026/1830	हिम पालम मिर्च-1	मिर्च	विद्यमान (अधिसूचित)	127
53.	आरईजी/2026/1831	हिम पालम मिर्च-2	मिर्च	विद्यमान (अधिसूचित)	130
54.	आरईजी/2026/0360	डीआरआर धन 91 (आईईटी-32061)	चावल	विद्यमान (अधिसूचित)	132
55.	आरईजी/2023/0132	नागोरी अश्वगंधा	अश्वगंधा	कृषक	136
56.	आरईजी/2024/0454	सिम-पुष्टि	अश्वगंधा	विद्यमान (वीसीके)	137
57.	आरईजी/2026/1138	फुले मावल-7 (वीडीएन - 1808)	चावल	विद्यमान (अधिसूचित)	140
58.	आरईजी/2026/1139	सुरमा धन (एएयू-केएमजे धान-46)(आईईटी-28296)	चावल	विद्यमान (अधिसूचित)	142
59.	आरईजी/2026/1024	पटेल अकाल	जामुन	कृषक	146
60.	आरईजी/2026/0533	नैना जामुन	जामुन	कृषक	148
61.	आरईजी/2026/1023	पटेल जंबो	जामुन	कृषक	149
62.	आरईजी/2025/0729	अविनाश-2	आम	कृषक	151
63.	आरईजी/2024/0332	कंचन खोसा	आम	कृषक	152
64.	आरईजी/2026/1159	वैनी	कटहल	कृषक	154
65.	आरईजी/2026/1166	इंदुरा	कटहल	कृषक	155
66.	आरईजी/2026/1268	दरख मोटा	कटहल	कृषक	157
67.	आरईजी/2026/1245	झूला बनबा	कटहल	कृषक	159
68.	आरईजी/2026/1189	रारानी	कटहल	कृषक	160
69.	आरईजी/2026/1196	अवंती	कटहल	कृषक	162
70.	आरईजी/2026/1214	लैम्ब्राडर	कटहल	कृषक	163
71.	आरईजी/2026/1217	जोगिन्या	कटहल	कृषक	165
72.	आरईजी/2026/1234	गेरुआ	कटहल	कृषक	166
73.	आरईजी/2026/1240	लोढ़ा कथार	कटहल	कृषक	167

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
74.	आरईजी/2026/1206	मंत्री	कटहल	कृषक	169
75.	आरईजी/2026/1264	वेरांगा	कटहल	कृषक	171
76.	आरईजी/2026/1296	कन्या मोती	कटहल	कृषक	173
77.	आरईजी/2026/1614	केबीसी-12	लोबिया	विद्यमान (अधिसूचित)	174
78.	आरईजी/2026/1036	बीआरजी-3	अरहर	विद्यमान (अधिसूचित)	176
79.	आरईजी/2026/1615	अर्का मंगला	यार्डलॉन्ग बीन	विद्यमान (अधिसूचित)	178
80.	आरईजी/2026/1828	हिम पालम मटर-1(डीपीपी- एसपी-22)	मटर	विद्यमान (अधिसूचित)	181
81.	आरईजी/2026/1829	हिम पालम मीठी फली- 2(डीपीईपीपी-10-1)	मटर	विद्यमान (अधिसूचित)	183
82.	आरईजी/2026/1875	काशी अग्रिम(वीआरएफबीबी- 91)	राजमा	विद्यमान (अधिसूचित)	185
83.	आरईजी/2026/1878	काशी राजहंस(वीआरएफबीबी- 2/एनआर/बीकेएस-2)	राजमा	विद्यमान (अधिसूचित)	187
84.	आरईजी/2026/1876	काशी बैंगानी(वीआरएफबीपी- 14)	राजमा	विद्यमान (अधिसूचित)	189
85.	आरईजी/2026/1877	काशी संपन्न(वीआरएफबीबी- 2/एनआर/बीकेएस-1)	राजमा	विद्यमान (अधिसूचित)	191
86.	आरईजी/2026/1880	काशी संपदा	बाकला	विद्यमान (अधिसूचित)	193
87.	आरईजी/2026/1874	काशी निधि (वीआरसीपी-6)	लोबिया	विद्यमान (अधिसूचित)	195
88.	आरईजी/2025/1365	केवीएन जैक	कटहल	कृषक	198
89.	आरईजी/2025/1357	चॉकलेट जैक	कटहल	कृषक	199
90.	आरईजी/2026/0053	आर-42 (रामासामी 42 ब्रिक्स)	कटहल	कृषक	201
91.	आरईजी/2025/1366	वीआईएआर एफएल-वाईएल जैक	कटहल	कृषक	202
92.	आरईजी/2024/1129	लक्ष्मी कटहल	कटहल	कृषक	204

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
93.	आरईजी/2024/1134	गौतम कटहल	कटहल	कृषक	205
94.	आरईजी/2024/1118	अजीत कटहल	कटहल	कृषक	207
95.	आरईजी/2025/0823	प्रताप आम	आम	कृषक	209
96.	आरईजी/2025/0820	तापसी	आम	कृषक	210
97.	आरईजी/2026/0058	शरद आम	आम	कृषक	211
98.	आरईजी/2025/1020	नेहाल पसंद	आम	कृषक	213
99.	आरईजी/2025/0561	एचवीसीबी-094	बंदगोभी	विद्यमान (वीसीके)	214
100.	आरईजी/2025/0562	एचवीसीबी-094एफ	बंदगोभी	विद्यमान (वीसीके)	217
101.	आरईजी/2025/0824	माधुरी-रसीली	आम	कृषक	219
102.	आरईजी/2025/0733	कमला	आम	कृषक	221
103.	आरईजी/2025/0819	दिव्या	आम	कृषक	222
104.	आरईजी/2026/1867	काशी आभा (वीआर-339)	मिर्च	विद्यमान (अधिसूचित)	223
105.	आरईजी/2026/1866	काशी गरिमा (सीसीएच-11)	मिर्च	विद्यमान (अधिसूचित)	226
106.	आरईजी/2026/1869	काशी रत्न (सीसीएच-12)	मिर्च	विद्यमान (अधिसूचित)	228
107.	आरईजी/2026/1868	काशी तेज (सीसीएच-4)	मिर्च	विद्यमान (अधिसूचित)	231
108.	आरईजी/2026/1857	काशी टमाटर-8 (काशी चयन)	टमाटर	विद्यमान (अधिसूचित)	233
109.	आरईजी/2026/1858	काशी अभिमान (वीआरटीएच-101)	टमाटर	विद्यमान (अधिसूचित)	236
110.	आरईजी/2026/1873	काशी बसंत (वीआरपीके- 230)	कद्दू	विद्यमान (अधिसूचित)	239
111.	आरईजी/2026/1888	काशी शिवानी (वीआरपीजी- 27)	तोर्ई	विद्यमान (अधिसूचित)	241
112.	आरईजी/2022/0127	पूसा बासमती 1886	चावल	विद्यमान (अधिसूचित)	244
113.	आरईजी/2021/0045	पूसा बासमती 1979	चावल	विद्यमान (अधिसूचित)	248
114.	आरईजी/2026/1901	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल	मक्का	विद्यमान (अधिसूचित)	250

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
		सुपोषित) (एफएमएच 24)			
115.	आरईजी/2026/1899	वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच 165)	मक्का	विद्यमान (अधिसूचित)	252
116.	आरईजी/2026/1898	वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131)	मक्का	विद्यमान (अधिसूचित)	255
117.	आरईजी/2022/0129	पूसा बासमती 1847	चावल	विद्यमान (अधिसूचित)	257
118.	आरईजी/2026/1883	काशी सुहावनी (ब्रम-42)	सब्जी चौलाई	विद्यमान (अधिसूचित)	260
119.	आरईजी/2026/1870	काशी नूतन (वीआरसीयूएच - 1)	खीरा	विद्यमान (अधिसूचित)	263
120.	आरईजी/2026/1893	काशी सुफल (वीआरपीजी-2)	परवल	विद्यमान (अधिसूचित)	265
121.	आरईजी/2026/1887	काशी नंदा (वीआरआरजी- 6A)	तोरई	विद्यमान (अधिसूचित)	268
122.	आरईजी/2026/1855	काशी तपस (वीआरएनटीएच- 19095)	टमाटर	विद्यमान (अधिसूचित)	271
123.	आरईजी/2026/1512	पूसा सरसों 37 (एनपीजे-253)	भारतीय सरसों	विद्यमान (अधिसूचित)	274
124.	आरईजी/2017/1880	लालबाबू	आम	कृषक	276
125.	आरईजी/2026/1955	अर्का कनक	प्रियदर्श	विद्यमान (अधिसूचित)	278
126.	आरईजी/2026/1956	अर्का चेन्ना	प्रियदर्श	विद्यमान (अधिसूचित)	280
127.	आरईजी/2026/1903	सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092)	द्विगुणित कपास	विद्यमान (अधिसूचित)	282
128.	आरईजी/2026/1902	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल लोफी)	मक्का	विद्यमान (अधिसूचित)	284
129.	आरईजी/2026/1900	वीएल पोषक (एफक्यूएच- 160)	मक्का	विद्यमान (अधिसूचित)	287
130.	आरईजी/2022/0128	पूसा बासमती 1885	मक्का	विद्यमान (अधिसूचित)	289

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
131.	आरईजी/2026/1954	वीएल त्रिपोशी (एफक्यूपीएलएच-20)	मक्का	विद्यमान (अधिसूचित)	292
132.	आरईजी/2026/0300	कल्कि भोग	आम	कृषक	294
133.	आरईजी/2026/1856	काशी अद्भुत (वृंत-18283)	टमाटर	विद्यमान (अधिसूचित)	296
134.	आरईजी/2026/1859	काशी उत्सव (आईवीबीएचएल-22)	बैंगन	विद्यमान (अधिसूचित)	298
135.	आरईजी/2026/1860	काशी उत्तम (बीआर-14)	बैंगन	विद्यमान (अधिसूचित)	301
136.	आरईजी/2026/1861	काशी मोदक (आईवीबीएसआर-1)	बैंगन	विद्यमान (अधिसूचित)	303
137.	आरईजी/2026/1862	काशी बैंगन हरा राउंड (आईवीबीआर-17)	बैंगन	विद्यमान (अधिसूचित)	306
138.	आरईजी/2026/1863	काशी विजय (आईवीबीएल-23)	बैंगन	विद्यमान (अधिसूचित)	308
139.	आरईजी/2026/1864	काशी हिमानी (आईवीबीएल-26)	बैंगन	विद्यमान (अधिसूचित)	311
140.	आरईजी/2026/1865	काशी मनोहर (आईवीबीएचएल-20)	बैंगन	विद्यमान (अधिसूचित)	313
141.	आरईजी/2026/1879	काशी सृष्टि (वीआरओएच-12; आईसी628085)	भिंडी	विद्यमान (अधिसूचित)	316
142.	आरईजी/2026/1881	काशी चमन (वीआरओ-109; आईसी0610502)	भिंडी	विद्यमान (अधिसूचित)	318
143.	आरईजी/2026/1882	काशी लालिमा (वीआरओआर-157; आईसी628076)	भिंडी	विद्यमान (अधिसूचित)	321
144.	आरईजी/2026/1958	पूसा 1824 (आईईटी-28442)	चावल	विद्यमान (अधिसूचित)	324
145.	आरईजी/2024/0942	लाल चुआ	अनाज चौलाई	कृषक	326
146.	आरईजी/2026/1960	पूसा बासमती 1882 (आईईटी 28788)	चावल	विद्यमान (अधिसूचित)	328
147.	आरईजी/2013/173	6317-2 बीजीआईआई	चतुर्गुणित कपास	विद्यमान (वीसीके)	330
148.	आरईजी/2026/0829	ज्वार के 13	ज्वार	विद्यमान	332

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
				(अधिसूचित)	
149.	आरईजी/2026/2058	पूसा बहार	गेंदा	विद्यमान (अधिसूचित)	336
150.	आरईजी/2021/0072	पूसा बासमती 1985	चावल	विद्यमान (अधिसूचित)	339
151.	आरईजी/2026/1849	वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216)	चावल	विद्यमान (अधिसूचित)	342
152.	आरईजी/2026/1957	पूसा 2090 (आईईटी-29217)	चावल	विद्यमान (अधिसूचित)	344
153.	आरईजी/2025/9370	आत्मा पसंद	आम	कृषक	347
154.	आरईजी/2026/1115	बिरसा सोयाबीन-4 (बीएयूएस- 96)	सोयाबीन	विद्यमान (अधिसूचित)	348
155.	आरईजी/2026/1114	बिरसा सोयाबीन-3 (बीएयूएस- 40)	सोयाबीन	विद्यमान (अधिसूचित)	351
156.	आरईजी/2025/0825	गुलाब पसंद	आम	कृषक	353
157.	आरईजी/2025/1023	मुलायम आम	आम	कृषक	354
158.	आरईजी/2026/1025	पटेल समृद्धि	जामुन	कृषक	356
159.	आरईजी/2026/1984	एएलआर 4 (सीआरपी 738) (आईसी 610371)	नारियल	विद्यमान (अधिसूचित)	357
160.	आरईजी/2026/1973	एनआरसी 130	सोयाबीन	विद्यमान (अधिसूचित)	360
161.	आरईजी/2026/1972	एनआरसी 157	सोयाबीन	विद्यमान (अधिसूचित)	362
162.	आरईजी/2026/2064	गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच- 1	मक्का	विद्यमान (अधिसूचित)	364
163.	आरईजी/2026/2060	पूसा जवाहर अरहर बौना 22- 01	अरहर	विद्यमान (अधिसूचित)	366
164.	आरईजी/2026/2061	पूसा जवाहर अरहर 22-02	अरहर	विद्यमान (अधिसूचित)	369
165.	आरईजी/2026/2088	पूसा भिंडी-5 (डीओवी-66)	भिंडी	विद्यमान (अधिसूचित)	371

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
166.	आरईजी/2026/1896	वीएल माधुरी (वीपी एसपी 906-1)	मटर	विद्यमान (अधिसूचित)	373
167.	आरईजी/2026/1897	वीएल उपहार (वीपी 1429)	मटर	विद्यमान (अधिसूचित)	376
168.	आरईजी/2026/1933	मोथ बीन काजरी मोठ-4 (सीजैडएमओ-18-2)	मोठ बीन	विद्यमान (अधिसूचित)	378
169.	आरईजी/2026/1974	पूसा चना 20211 (पूसा चना मानव)	चना	विद्यमान (अधिसूचित)	380
170.	आरईजी/2026/1975	पूसा चना विजय (बीजीएम 10217)	चना	विद्यमान (अधिसूचित)	383
171.	आरईजी/2026/1976	पूसा चना 10216 (बीजीएम 10216)	चना	विद्यमान (अधिसूचित)	385
172.	आरईजी/2026/1977	पूसा चना 3057 (बीजी 3057)	चना	विद्यमान (अधिसूचित)	387
173.	आरईजी/2026/1978	पूसा पार्वती (भ.गी. 3062)	चना	विद्यमान (अधिसूचित)	390
174.	आरईजी/2026/2062	पूसा जवाहर अरहर 21-29	अरहर	विद्यमान (अधिसूचित)	392
175.	आरईजी/2026/2063	केसीडी-11 (केसीडी-2019-05)	चना	विद्यमान (अधिसूचित)	394
176.	आरईजी/2025/1367	क्वाक हनी जैक	कटहल	कृषक	397
177.	आरईजी/2025/1368	केकेवीआर ओरेड जैक	कटहल	कृषक	398
178.	आरईजी/2026/1104	आरआरडी-2	कटहल	कृषक	400
179.	आरईजी/2024/1230	शहरी कटहल	कटहल	कृषक	401
180.	आरईजी/2024/1126	सुप्रकाश कटहल	कटहल	कृषक	403
181.	आरईजी/2024/1229	कौशलिया कटहल	कटहल	कृषक	404
182.	आरईजी/2024/1179	बिजॉय कटहल	कटहल	कृषक	406
183.	आरईजी/2024/1227	सुकलाल कटहल	कटहल	कृषक	407
184.	आरईजी/2024/1224	पद्मलोचन कटहल	कटहल	कृषक	409
185.	आरईजी/2024/1212	अमर कटहल	कटहल	कृषक	410
186.	आरईजी/2024/1220	पूर्णचंद्र कटहल	कटहल	कृषक	412
187.	आरईजी/2024/1133	गंगामुनि कटहल	कटहल	कृषक	413
188.	आरईजी/2024/1203	स्वप्न कटहल	कटहल	कृषक	415

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
189.	आरईजी/2024/1219	चंदन कटहल	कटहल	कृषक	417
190.	आरईजी/2024/1186	परितोष कटहल	कटहल	कृषक	418
191.	आरईजी/2026/1082	नलबाड़ी (वीटीएल-75)	सुपारी	विद्यमान (अधिसूचित)	420
192.	आरईजी/2026/1083	मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1)	सुपारी	विद्यमान (अधिसूचित)	422
193.	आरईजी/2026/1795	सीटीआरआई नव्या (एफसीएच 2)	फलू-क्योर्ड वर्जीनिया (FCV)	विद्यमान (अधिसूचित)	424
194.	आरईजी/2026/2170	आईआईएसआर सूर्या	हल्दी	विद्यमान (अधिसूचित)	427
195.	आरईजी/2025/1350	आईआईएसआर मनुश्री	छोटी इलाइची	विद्यमान (अधिसूचित)	429
196.	आरईजी/2025/1351	आईआईएसआरकावेरी	छोटी इलाइची	विद्यमान (अधिसूचित)	431
197.	आरईजी/2026/2076	पूसा सिंदूरी	ग्लैडियोलस	विद्यमान (अधिसूचित)	433
198.	आरईजी/2026/2075	सीओ 3(केला)	केला	विद्यमान (अधिसूचित)	436
199.	आरईजी/2026/1961	जेएचओ-21-1 (बुंदेलखंड जय 2021-1)	जई	विद्यमान (अधिसूचित)	438
200.	आरईजी/2026/1962	बुडेल दीनानाथ-3 (जेएचडी- 19-4)	दीनानाथ घास	विद्यमान (अधिसूचित)	440
201.	आरईजी/2026/1971	गुजरात गेहूं 1346 (जीडब्ल्यू 1346)	ड्यूरम गेहूं	विद्यमान (अधिसूचित)	443
202.	आरईजी/2026/1979	(पूसा चना अश्विनी) बीजी4037	चना	विद्यमान (अधिसूचित)	446
203.	आरईजी/2026/1980	पूसा चना 4005	चना	विद्यमान (अधिसूचित)	448
204.	आरईजी/2026/1981	(पूसा सुमंगला)बीजीडी 133	चना	विद्यमान (अधिसूचित)	450
205.	आरईजी/2026/1982	पूसा जेजी-16(बीजीएम 10221)	चना	विद्यमान (अधिसूचित)	452
206.	आरईजी/2026/1983	बीजीडी 111-1	चना	विद्यमान	454

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
				(अधिसूचित)	
207.	आरईजी/2024/0333	गोबिंद भोग	आम	कृषक	457
208.	आरईजी/2026/0278	आलमजाम	आम	कृषक	458
209.	आरईजी/2025/0857	मूल	धनिया	कृषक	459
210.	आरईजी/2025/1067	कुम्हाई	धनिया	कृषक	461
211.	आरईजी/2026/2085	पूसा सोना (सेल.153-1) (ओएसआर1347)	प्याज	विद्यमान (अधिसूचित)	462
212.	आरईजी/2026/2084	पूसा शोभा (एसईएल.126)	प्याज	विद्यमान (अधिसूचित)	465
213.	आरईजी/2026/2086	पूसा हाइब्रिड 5 (डीबीजीएच 159)	करेला	विद्यमान (अधिसूचित)	467
214.	आरईजी/2026/2087	पूसा हाइब्रिड 6 (डीबीजीएच - 542)	करेला	विद्यमान (अधिसूचित)	469
215.	आरईजी/2026/0316	रेशम	खजूर	कृषक	471
216.	आरईजी/2026/0297	चेप्टी गुटी	आम	कृषक	473
217.	आरईजी/2026/2077	पूसा नूतन	तोरई	विद्यमान (अधिसूचित)	474
218.	आरईजी/2026/2090	पूसा कृष्णा (डीबीआर-03)	बैंगन	विद्यमान (अधिसूचित)	477
219.	आरईजी/2026/2080	पूसा ओइशिकी (डीबीएल- 175)	बैंगन	विद्यमान (अधिसूचित)	480
220.	आरईजी/2026/2083	पूसा पर्पल ब्रोकोली-1 (डीपीबी-1)	ब्रोकोली	विद्यमान (अधिसूचित)	482
221.	आरईजी/2026/2078	डीसी-82 (पूसा बरखा)	खीरा	विद्यमान (अधिसूचित)	485
222.	आरईजी/2026/2079	पूसा पार्थोकार्पिक खीरा-6 (डीपीएसी-6)	खीरा	विद्यमान (अधिसूचित)	488
223.	आरईजी/2026/1963	बुंदेल बाजरा 1 (जेएचपीएम- 22-2)	बाजरा	विद्यमान (अधिसूचित)	490
224.	आरईजी/2026/2059	एमएच 2417 (पूसा- 1801)	बाजरा	विद्यमान (अधिसूचित)	493
225.	आरईजी/2025/1354	मारिया जैक	कटहल	कृषक	495
226.	आरईजी/2026/1871	काशी कीर्ति (वीआरबीओजी-	लौकी	विद्यमान	497

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
		63-02)		(अधिसूचित)	
227.	आरईजी/2026/1872	काशी कुंडल (वीआरबीओजी-16)	लौकी	विद्यमान (अधिसूचित)	499
228.	आरईजी/2026/1885	काशी कल्याणी (वीआरएसजी-195)	तरोई	विद्यमान (अधिसूचित)	502
229.	आरईजी/2026/1886	काशी रक्षिता (वृषभ-1)	तरोई	विद्यमान (अधिसूचित)	504
230.	आरईजी/2026/1889	काशी सौम्या (वृषभ-3)	तरोई	विद्यमान (अधिसूचित)	507
231.	आरईजी/2026/1890	काशी श्रेया (वीआरएसजी-194)	तरोई	विद्यमान (अधिसूचित)	510
232.	आरईजी/2026/1891	काशी वंदना (वीआरएसजी-17-2)	तरोई	विद्यमान (अधिसूचित)	512
233.	आरईजी/2026/1892	काशी ज्योति (वीआरएसजी-1-17)	तरोई	विद्यमान (अधिसूचित)	515
234.	आरईजी/2026/2081	पूसा कार्तिकी (डीसी 23000)	फूलगोभी	विद्यमान (अधिसूचित)	518
235.	आरईजी/2026/2082	पूसा अश्विनी {डीसी 31(सेल. 67)}	फूलगोभी	विद्यमान (अधिसूचित)	520
236.	आरईजी/2025/1231	देसी अजवाइन	अजवाइन	कृषक	523
237.	आरईजी/2025/1352	सवारी जैक	कटहल	कृषक	524
238.	आरईजी/2025/1353	रूबी जैक	कटहल	कृषक	526
239.	आरईजी/2025/0355	वामु	अजवाइन	कृषक	527
240.	आरईजी/2025/0356	दानियालु	धनिया	कृषक	529
241.	आरईजी/2017/1751	रारही	आम	कृषक	530
242.	आरईजी/2026/0266	दिलखुश कटहल	कटहल	कृषक	532
243.	आरईजी/2024/1089	रसबिहारी जैम	जामुन	कृषक	533
244.	आरईजी/2026/0298	सिंदुरिया गुटी	आम	कृषक	535
245.	आरईजी/2026/0299	कलठी गुटी	आम	कृषक	536
246.	आरईजी/2025/1114	देहाती धनिया नवाडीह	धनिया	कृषक	537
247.	आरईजी/2026/206	खुरमानी मिश्री	खुबानी	कृषक	539
248.	आरईजी/2026/207	चुआरू	खुबानी	कृषक	540
249.	आरईजी/2025/1049	जेने कल्लू चंद्रा	कटहल	कृषक	542

क्र.सं.	पावती सं.	नाम	फसल	किस्म का प्रकार	पृष्ठ सं.
250.	आरईजी/2025/1113	विनायक एफ1	तोरी	विद्यमान (वीसीके)	543
251.	आरईजी/2025/1380	श्रीकर अनीता एसवी-657	तोरी	विद्यमान (वीसीके)	546
252.	आरईजी/2025/1111	आरणा एफ1	खीरा	विद्यमान (वीसीके)	548
253.	आरईजी/2025/1379	श्रीकर बलराम-999	खीरा	विद्यमान (वीसीके)	551
254.	आरईजी/2025/1263	केएसपी 1614	खीरा	विद्यमान (वीसीके)	553
255.	आरईजी/2024/0787	दसाऊ गोथम	चपाती गेहूं	कृषक	555
256.	आरईजी/2024/0789	वाह गेहून	चपाती गेहूं	कृषक	557
257.	आरईजी/2024/0507	पारुल	बैंगन	विद्यमान (वीसीके)	558
258.	आरईजी/2024/0508	नैनो	बैंगन	विद्यमान (वीसीके)	561
259.	आरईजी/2024/0735	एशिका गोल्ड	चपाती गेहूं	कृषक	563
260.	आरईजी/2024/0736	सोनम	चपाती गेहूं	कृषक	565
261.	आरईजी/2024/0785	सुडोल गोधाम	चपाती गेहूं	कृषक	566
262.	आरईजी/2026/2165	कल्प नक्षत्र	नारियल	विद्यमान (अधिसूचित)	568
263.	आरईजी/2024/0841	जावा चुआ	अनाज चौलाई	कृषक	570
264.	आरईजी/2024/0842	मोह चुलाई	अनाज चौलाई	कृषक	571
265.	आरईजी/2024/0844	चामुख चौलाई	अनाज चौलाई	कृषक	573
266.	आरईजी/2024/0847	असरदार चुवाई	अनाज चौलाई	कृषक	574
267.	आरईजी/2024/0848	प्रसाद चौलाई	अनाज चौलाई	कृषक	576
268.	आरईजी/2024/0850	थाईना चौलाई	अनाज चौलाई	कृषक	577
269.	आरईजी/2024/0856	चुलबुल चौलाई	अनाज चौलाई	कृषक	578
270.	आरईजी/2025/0870	कृष्णा सुगंधी मेथी	मेथी	कृषक	580
271.	आरईजी/2025/1216	चकरोड मेथी	मेथी	कृषक	582

1. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 23/1/2024 को नई किस्म की **इटमथर्टीन** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N5	VS5	24	22

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटमथर्टीन**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन सं. :

N5	VS5	24	22

प्राप्ति तिथि : 23/1/2024
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **इटमथर्टीन**
किस्म का प्रकार : नई
किस्म का वर्गीकरण : संकर
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : इटम 02-12-15 x प्रिंसेस
पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम : **थॉम्पसन सीडलेस**
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच
अंगूर की कार्याकीय परिपक्वता (गुण 18)	मध्यम
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम
गुच्छा: आकृति/प्रकार (गुण 23)	शंकु के आकार का
अंगूर: आकृति (गुण 26)	छोटा अंडाकार

अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	प्रारंभिक	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमथर्टीन के प्रत्याशी किस्म के विशिष्ट गुण है पूर्णता विकसित पत्ती: फलक की चौड़ाई (cm) बहुत अधिक; गुच्छा: अंगूर आकार की समरूपता: एकसमानता; और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): कम।		
ग. संदर्भ किस्म के विशिष्ट गुण: थॉम्पसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है पूर्णता विकसित पत्ती: फलक की चौड़ाई (cm) मध्यम; गुच्छा: अंगूर आकार की समरूपता: एकसमानता नहीं; और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): उच्च।		
घ. किस्म के व्यावसायीकरण की तिथि	02/9/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	क्षैतिज – पिनोट नॉयर
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	मध्यम 121-130 दिन (किशमिश चेर्नी)
3.	गुच्छे का आकार	पंखदार शंक्वाकार (डायमंड जुबली)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	130 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	16 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	36.36 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित
10.	मस्ट की कुल एसिड सामग्री (g/l टार्टरिक एसिड)	80
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कम 3-6 (पर्लेट)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं

13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमथर्टीन के डीयूएस गुण

2. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 23/1/2024 को नई किस्म की **इटमसेवेन्टीन** नामक अंगूर (विटिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N6	VS6	24	23

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटमसेवेन्टीन**
 आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
 आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन
 आवेदक की राष्ट्रीयता : स्पेन
 आवेदन का विवरण :
 आवेदन स. :

N6	VS6	24	23

 प्राप्ति तिथि : 23/1/2024
 स्वीकृति तिथि : 07/8/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (विटिस विनीफेरा)
 नाम : **इटमसेवेन्टीन**
 किस्म का प्रकार : नई
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : इटम 150-242 x सुपीरियर
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **थॉम्पसन सीडलेस**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच
अंगूर की कार्याकीय परिपक्वता (गुण 18)	मध्यम

गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	बेलनाकार	
अंगूर: आकृति (गुण 26)	छोटा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	मस्कट	
अंगूर: बीजों का बनना (गुण 34)	अविकसित	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	मध्यम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमसेवेन्टीन के प्रत्याशी किस्म के विशिष्ट गुण है प्ररोह: फलदेय आधारीय कलिकाएं (3 कलिकाओं का औसत: मध्यम; गुच्छा: अंगूर आकार की समरूपता: एकसमानता		
ग. संदर्भ किस्म के विशिष्ट गुण: थॉम्पसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है प्ररोह: फलदेय आधारीय कलिकाएं (3 कलिकाओं का औसत: बहुत कम ; गुच्छा: अंगूर आकार की समरूपता: एकसमानता नहीं		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	क्षैतिज – पिनोट नॉयर
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	शीघ्र <110 (पर्लेट)
3.	गुच्छे का आकार	बेलनाकार (अरकावती)
4.	गुच्छे का वजन (ग्राम)	बड़ी > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	105 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	14 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	31.82 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बिना बीज वाली
10.	मस्ट की कुल एसिड सामग्री (g/l टार्टरिक एसिड)	80
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कम 3-6 (पर्लेट)

12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	चूर्णिल आसिता / पाउडरी मिल्ड्यू
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमसेवेन्टीन के डीयूएस गुण

3. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरैस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निज़ामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 18/1/2024 को नई किस्म की **इटमटू** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N1	VS1	24	13

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटमटू**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरैस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन सं. :

N1	VS1	24	13

प्राप्ति तिथि : 18/1/2024
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **इटमटू**
किस्म का प्रकार : नई
किस्म का वर्गीकरण : संकर
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : इटम 150-242 x सुपीरियर
पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम : **थॉम्पसन सीडलेस**
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व पत्ती: फलक आकृति और पालियों की	पंचकोणीय और पाँच

संख्या (गुण 9 और 10)		
अंगूर की कार्यिकीय परिपक्वता (गुण 18)	मध्यम	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	शंक्वाकार	
अंगूर: आकृति (गुण 26)	लंबा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	प्रारंभिक	
रस में शर्करा अंश (गुण 37)	कम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमटू के प्रत्याशी किस्म के विशिष्ट गुण है गुच्छा: अंगूर आकार की समरूपता: एकसमानता; और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): कम और कलिका स्फुटन का समय (फल छंटाई के बाद दिन): कम		
ग. संदर्भ किस्म के विशिष्ट गुण: थॉम्पसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है गुच्छा: अंगूर आकार की समरूपता: एकसमानता नहीं; और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): विलंब और कलिका स्फुटन का समय (फल छंटाई के बाद दिन): उच्च		
घ. किस्म के व्यावसायीकरण की तिथि	02/9/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	अर्द्ध-सीधा
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	मध्यम 121-130 दिन
3.	गुच्छे का आकार	शंकु के आकार का (पर्लेंट)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	115 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	14 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	31.82 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित

10.	मस्ट की कुल एसिड सामग्री (g/1 टार्टरिक एसिड)	78
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कम 3-6 (पर्लेट)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमटू के डीयूएस गुण

4. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निज़ामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 18/1/2024 को नई किस्म की **इटमनाइन** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N3	VS3	24	15

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को-----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटमनाइन**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन स. :

N3	VS3	24	15

प्राप्ति तिथि : 18/1/2024
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **इटमनाइन**
किस्म का प्रकार : नई
किस्म का वर्गीकरण : संकर
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : ऑटम रॉयल x प्रिंसेस
पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम : **शरद सीडलेस**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच	
अंगूर की कार्याकीय परिपक्वता (गुण 18)	विलंब	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	शंक्वाकार	
अंगूर: आकृति (गुण 26)	लंबा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	नीला-काला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	प्रारंभिक	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमनाइन के प्रत्याशी किस्म के विशिष्ट गुण है अंगूर: मध्य भाग का एंथोसियानिन रंग: अनुपस्थित, गुच्छा: अंगूर घनत्व/ताजे अंगूरों में ठोसपन: मध्यम और अंगूर: रस की प्राप्ति (आयतन/भार प्रतिशत): मध्यम		
ग. संदर्भ किस्म के विशिष्ट गुण: शरद सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है अंगूर: मध्य भाग का एंथोसियानिन रंग: उपस्थित, गुच्छा: अंगूर घनत्व/ताजे अंगूरों में ठोसपन: सघन और अंगूर: रस की प्राप्ति (आयतन/भार प्रतिशत): थोड़ा		
घ. किस्म के व्यावसायीकरण की तिथि	27/8/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	अर्द्ध-सीधा (सॉविन्याँन ब्लैक)
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	विलंब 131-140 दिन (रेड ग्लोब)
3.	गुच्छे का आकार	पंख जैसा शंक्वाकार (डायमंड जुबली)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	140 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	18 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-60 प्रति एकड़

8.	बेरी: बीज निर्माण	40-90 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित
10.	मस्ट की कुल एसिड सामग्री (g/1 टार्टरिक एसिड)	80
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	अधिक 9-12 (थॉम्पसन सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमनाइन के डीयूएस गुण

5. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 23/1/2024 को नई किस्म की **इटमसिक्स** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N4	VS4	24	21

 को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटमसिक्स**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन सं. :

N4	VS4	24	21

प्राप्ति तिथि : 23/1/2024
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **इटमसिक्स**
किस्म का प्रकार : नई
किस्म का वर्गीकरण : संकर
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : इटम 02-12-97 x प्रिंसेस

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम : थॉम्पसन सीडलेस
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	दिल के आकार का और पांच	
अंगूर की कार्याकीय परिपक्वता (गुण 18)	विलंब	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	बेलनाकार	
अंगूर: आकृति (गुण 26)	लंबा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	प्रारंभिक	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमसिक्स के प्रत्याशी किस्म के विशिष्ट गुण है प्ररोह: फलदेय आधारीय कलिकाएं (3 कलिकाओं का औसत): लंबा अंडाकार और रस का कुल अम्ल अंश: कम।		
ग. संदर्भ किस्म के विशिष्ट गुण: थॉम्पसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है प्ररोह: फलदेय आधारीय कलिकाएं (3 कलिकाओं का औसत): अधिक कम और रस का कुल अम्ल अंश: उच्च ।		
घ. किस्म के व्यावसायीकरण की तिथि	2/9/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	अर्द्ध-सीधा (सॉविन्यॉन ब्लैक)
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	मध्यम 121-130 दिन (किशमिश चेर्नी)
3.	गुच्छे का आकार	शंकु के आकार का (पर्लेट)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	145 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	16 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	40-60 प्रति एकड़

	प्रति बेल उपज (औसत) (किलोग्राम)	
8.	बेरी: बीज निर्माण	36.36 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित
10.	मस्ट की कुल एसिड सामग्री (g/1 टार्टरिक एसिड)	81
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	मध्यम 6-9 (फ्लेम सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमसिक्स के डीयूएस गुण

6. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 10/2/2025 को नई किस्म की **आईटीयूएमएफाइव** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N2	VS4	25	136

 को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आईटीयूएमएफाइव**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण
आवेदन सं. :

N2	VS4	25	136

प्राप्ति तिथि : 10/2/2025
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **आईटीयूएमएफाइव**
किस्म का प्रकार : नई
किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: इटम 91-89-56 x प्रिंसेस
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: थॉम्पसन सीडलेस
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच	
अंगूर की कार्यिकीय परिपक्वता (गुण 18)	विलंब	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	शंकु के आकार का	
अंगूर: आकृति (गुण 26)	छोटा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	शीघ्र अवस्था वाला	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: आईटीयूएमएफाइव के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प क्रम: प्रति प्ररोह पुष्प क्रमों की औसत संख्या: <1 और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): कम		
ग. संदर्भ किस्म के विशिष्ट गुण: थॉम्पसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प क्रम: प्रति प्ररोह पुष्प क्रमों की औसत संख्या: 2 से <3 और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): उच्च		
घ. किस्म के व्यावसायीकरण की तिथि	2/9/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	अर्द्ध-सीधा (सॉविन्यॉन ब्लैक)
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	विलंब पकने वाला 131-140 दिन (किशमिश चेर्नी)
3.	गुच्छे का आकार	शंकु के आकार का (पर्लेंट)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	150 दिन

6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	14 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	10-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	31.82 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित
10.	मस्ट की कुल एसिड सामग्री (g/1 टार्टरिक एसिड)	79
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	मध्यम 6-9 (फ्लेम सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		आईटीयूएमएफाइव के डीयूएस गुण

7. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निज़ामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 10/2/2025 को नई किस्म की **इटुमएट** नामक अंगूर (वितिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N3	VS5	25	137

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **इटुमएट**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन स. :

N3	VS5	25	137

प्राप्ति तिथि : 10/2/2025
स्वीकृति तिथि : 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अंगूर (वितिस विनीफेरा)
नाम : **इटुमएट**

किस्म का प्रकार	: नई
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: ऑटम रॉयल x प्रिंसेस
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: क्रिमसन सीडलेस
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच	
अंगूर की कार्यिकीय परिपक्वता (गुण 18)	विलंब	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	शंकु के आकार का	
अंगूर: आकृति (गुण 26)	छोटा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	हरा-पीला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	शीघ्र अवस्था वाला	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटुमएट के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व पत्ती: पत्रदल के निचले छोर पर लताओं के बीच उठे हुए रोग: उपस्थित और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): कम		
ग. संदर्भ किस्म के विशिष्ट गुण: क्रिमसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व पत्ती: पत्रदल के निचले छोर पर लताओं के बीच उठे हुए रोग: अनुपस्थित और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): उच्च		
घ. किस्म के व्यावसायीकरण की तिथि	2/9/2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	थोड़ी झुकी हुई (वॉल्थम क्रॉस)
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	मध्यम 121-130 दिन (किशमिश चेर्नी)
3.	गुच्छे का आकार	बेलनाकार (अर्कावती)

4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	120 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	16 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	36.36 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बिना बीज वाली
10.	मस्ट की कुल एसिड सामग्री (g/l टार्टरिक एसिड)	78
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	अधिक 9-12 (थॉम्पसन सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटुमएट के डीयूएस गुण

8. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 06/2/2025 को नई किस्म की **आईटीयूएमटीवेल्वे** नामक अंगूर (विटिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन

N1	VS3	25	135

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आईटीयूएमटीवेल्वे**
आवेदक का नाम : इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,
आवेदक का पता : एस.एल., कैले सैन मार्टिन डे पोरेस, एन0 3-10, मर्सिया 30001, स्पेन
आवेदक की राष्ट्रीयता : स्पेन
आवेदन का विवरण :
आवेदन स. :

N1	VS3	25	135

प्राप्ति तिथि : 06/2/2025
स्वीकृति तिथि : 07/8/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: अंगूर (विटिस विनीफेरा)
नाम	: आईटीयूएमटीवेल्वे
किस्म का प्रकार	: नई
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: ऑटम रॉयल x क्रिमसन
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: क्रिमसन सीडलेस
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	पंचकोणीय और पाँच	
अंगूर की कार्यिकीय परिपक्वता (गुण 18)	मध्यम	
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम	
गुच्छा: आकृति/प्रकार (गुण 23)	शंकु के आकार का	
अंगूर: आकृति (गुण 26)	छोटा अंडाकार	
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	नीला-काला	
अंगूर: गंध (गुण 31)	तटस्थ	
अंगूर: बीजों का बनना (गुण 34)	शीघ्र अवस्था वाला	
रस में शर्करा अंश (गुण 37)	मध्यम	
रस का कुल अम्ल अंश (गुण 38)	कम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: आईटीयूएमटीवेल्वे के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व पत्ती: पत्रदल के निचले छोर पर लताओं के बीच उठे हुए रोग: उपस्थित और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): कम		
ग. संदर्भ किस्म के विशिष्ट गुण: क्रिमसन सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व पत्ती: पत्रदल के निचले छोर पर लताओं के बीच उठे हुए रोग: अनुपस्थित और रस का कुल अम्ल अंश (ग्रा./लि. टार्टरिक अम्ल): उच्च		
घ. किस्म के व्यावसायीकरण की तिथि	12/1/2022	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	वाणिज्यिक गुण	विवरण
1.	बेल की वृद्धि की आदत	क्षैतिज – पिनोट नॉयर (वाल्थम क्रॉस)
2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	मध्यम 121-130 दिन (किशमिश चेर्नी)

3.	गुच्छे का आकार	पंखदार शंक्वाकार (डायमंड जुबली)
4.	गुच्छे का वजन (ग्राम)	बड़ा > 500 (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	120 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	14 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	31.82 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बीज रहित
10.	मस्ट की कुल एसिड सामग्री (g/l टार्टरिक एसिड)	82
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	अधिक 9-12 (थॉम्पसन सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	कोई नहीं
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		आईटीयूएमटीवेल्वे के डीयूएस गुण

9. इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा, एस.एल., कैले सैन मार्टिन डे पोर्रेस, एन0 3-10, मर्सिया 30001, स्पेन की ओर नीति विल्सन, बी-41, निजामुद्दीन पूर्व नई दिल्ली 110013, भारत ने दिनांक 18/1/2024 को नई किस्म की **इटमफ़िफ़टीन** नामक अंगूर (विटिस विनीफेरा) फसल को पंजीकरण हेतु आवेदन संख्या

N2	VS2	24	14

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

: **इटमफ़िफ़टीन**

आवेदक का नाम

: इन्वेस्टिगेशन वाई टेक्नोलोजिया डे उवा डे मेसा,

आवेदक का पता

: एस.एल., कैले सैन मार्टिन डे पोर्रेस, एन0 3-10, मर्सिया 30001, स्पेन

आवेदक की राष्ट्रीयता

: स्पेन

आवेदन का विवरण

आवेदन स.

:

N2	VS2	24	14

प्राप्ति तिथि

: 18/1/2024

स्वीकृति तिथि	: 07/8/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: अंगूर (विटिस विनीफेरा)
नाम	: इटमफ़िफ़टीन
किस्म का प्रकार	: नई
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: इटम150-242 x सुपीरियर
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: फ्लेम सीडलेस
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व पत्ती: फलक आकृति और पालियों की संख्या (गुण 9 और 10)	वेज के आकार का और पांच
अंगूर की कार्यात्मक परिपक्वता (गुण 18)	शीघ्र
गुच्छा: डंठल की लंबाई (गुण 22)	मध्यम
गुच्छा: आकृति/प्रकार (गुण 23)	बेलनाकार
अंगूर: आकृति (गुण 26)	छोटा अंडाकार
अंगूर: पुष्पन हटाने के पश्चात छिलके का रंग (गुण 27)	लाल
अंगूर: गंध (गुण 31)	मस्कट
अंगूर: बीजों का बनना (गुण 34)	बीज रहित
रस में शर्करा अंश (गुण 37)	मध्यम
रस का कुल अम्ल अंश (गुण 38)	कम
ख. प्रत्याशी किस्म के विशिष्ट गुण: इटमफ़िफ़टीन के प्रत्याशी किस्म के विशिष्ट गुण है नव पत्ती: पत्रदल की ऊपरी सतह का रंग: हरा और परिपक्व पत्ती: पत्रदल के निचले छोर पर नोक की लता का एंथोसियानिन रंग: अनुपस्थित	
ग. संदर्भ किस्म के विशिष्ट गुण: फ्लेम सीडलेस के प्रत्याशी किस्म के विशिष्ट गुण है नव पत्ती: पत्रदल की ऊपरी सतह का रंग: तांबा और परिपक्व पत्ती: पत्रदल के निचले छोर पर नोक की लता का एंथोसियानिन रंग: उपस्थित	
घ. किस्म के व्यावसायीकरण की तिथि	22/11/2021
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र. स.	वाणिज्यिक गुण
1.	बेल की वृद्धि की आदत
	विवरण
	अर्ध-सीधा (सॉविन्याँन ब्लैक)

2.	बेरी की शारीरिक परिपक्वता (फलों की छंटाई के कुछ दिन बाद)	शीघ्र, 110 दिन (पर्लेट)
3.	गुच्छे का आकार	शंकु के आकार की (पर्लेट)
4.	गुच्छे का वजन (ग्राम)	बड़ी > 500 ग्राम (रेड ग्लोब)
5.	गुच्छा: कटाई की परिपक्वता (दिन)	105 दिन
6.	प्रति एकड़ उपज क्षमता (औसत) (q/ac)	14 किग्रा (प्रति एकड़)
7.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़ प्रति बेल उपज (औसत) (किलोग्राम)	40-8-60 प्रति एकड़
8.	बेरी: बीज निर्माण	31.82 किग्रा प्रति बेल
9.	बेरी: मस्ट रिकवरी (वी/डब्ल्यू %)	बिना बीज वाली
10.	मस्ट की कुल एसिड सामग्री (g/1 टार्टरिक एसिड)	83
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	मध्यम 6-9 (फ्लेम सीडलेस)
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	पाउडरी मिल्ड्यू (फफूंदी रोग)
13.	बेल की वृद्धि की आदत	कोई नहीं
चित्र: उपलब्ध नहीं		इटमफ्रिफटीन के डीयूएस गुण

10. अमित दुबे, पुत्र लक्ष्मी दुबे, ग्राम: खड़गपुर, डाकघर: खड़गपुर, बांसगांव, जिला: आजमगढ़-276126 ने दिनांक 17/04/2026 को कृषक किस्म की **बड़की जामुन** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F12	SC12	26	596

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **बड़की जामुन**

आवेदक का नाम : अमित दुबे,

आवेदक का पता : पुत्र लक्ष्मी दुबे, ग्राम: खड़गपुर, डाकघर: खड़गपुर, बांसगांव, जिला: आजमगढ़-276126

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>F12</td><td>SC12</td><td>26</td><td>596</td></tr></table>	F12	SC12	26	596
F12	SC12	26	596			
प्राप्ति तिथि	:	17/04/2026				
स्वीकृति तिथि	:	12/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	जामुन (सिज़ीजियम क्यूमिनी स्किल्स)				
नाम	:	बड़की जामुन				
किस्म का प्रकार	:	कृषक				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	गोमा प्रियंका				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	चपटा
गूदा: बीज अनुपात (गुण 26)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
बड़की जामुन के प्रत्याशी किस्म के विशिष्ट गुण है पर्णवृंत की लंबाई: लंबी (गुण 9), पुष्पक्रम की लंबाई और व्यास का अनुपात: अधिक (गुण 13)	
ग. संदर्भ किस्म के विशिष्ट गुण :	
गोमा प्रियंका के प्रत्याशी किस्म के विशिष्ट गुण है पर्णवृंत की लंबाई: मध्यम (गुण 9), पुष्पक्रम की लंबाई और व्यास का अनुपात : कम (गुण 13)	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	बड़की जामुन के डीयूएस गुण

11. श्री पंकज कुमार सिंह, ग्राम: जलहा, डाक: मंगलापुर, ब्लॉक: संग्रामपुर, जिला: पूर्वी चंपारण-845434 की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर, काकोरी, लखनऊ-

227107ने दिनांक 09/02/2026 को कृषक किस्म की **अदिति जामुन** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F3	SC3	26	105

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अदिति जामुन**
 आवेदक का नाम : श्री पंकज कुमार सिंह,
 आवेदक का पता : ग्राम: बहेराडीह, डाकघर: सिवनी, तहसील: चांपा, जिला: जांजगीर-चांपा-495671

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F3	SC3	26	105

प्राप्ति तिथि : 09/02/2026

स्वीकृति तिथि : 12/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)

नाम : **अदिति जामुन**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

संदर्भ किस्मों का नाम : **कोंकण बहाडोली**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ

गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: अदिति जामुन के प्रत्याशी किस्म के विशिष्ट गुण है आंतरिक गांठ: लंबाई: मध्यम (गुण 8), परिपक्व फल की लंबाई: छोटी (गुण 20)	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है आंतरिक गांठ: लंबाई – लंबा (गुण 8), परिपक्व फल की लंबाई: मध्यम (गुण 20)	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र:	अदिति जामुन के डीयू एस गुण

12. देवीदीन, पुत्र ब्रह्मादीन, 12, हिंदूपुर, डाक: बैरी अकबरपुर, बिठूर, जिला: कानपुर-208017, उत्तर प्रदेश ने दिनांक 08/04/2026 को कृषक किस्म की **आरोही जामुन** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F10	SC10	26	536

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: आरोही जामुन				
आवेदक का नाम	: देवीदीन,				
आवेदक का पता	: पुत्र ब्रह्मादीन, 12, हिंदूपुर, डाक: बैरी अकबरपुर, बिठूर, जिला: कानपुर-208017, उत्तर प्रदेश				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F10</td><td>SC10</td><td>26</td><td>536</td></tr></table>	F10	SC10	26	536
F10	SC10	26	536		
प्राप्ति तिथि	: 08/04/2026				
स्वीकृति तिथि	: 14/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: जामुन (सिजीजियम क्यूमिनी स्किल्स)				
नाम	: आरोही जामुन				

किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **कोंकण बहाडोली**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: आरोही जामुन के प्रत्याशी किस्म के विशिष्ट गुण है आंतरिक गांठ: लंबाई: कम और बीज का वजन: कम।	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है आंतरिक गांठ: लंबाई: लंबा और बीज का वजन: उच्च।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	आरोही जामुन के डीयूएस गुण

13. अमित कुमार, पुत्र सुरेश, 182, भोपाल पुरवा, कटारिजियोरा, नवाबगंज, जिला: कानपुर-208002, उत्तर प्रदेश ने दिनांक 08/04/2026 को कृषक किस्म की **अमित जामुन** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F11	SC11	26	537

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अमित जामुन**
 आवेदक का नाम : अमित कुमार,

आवेदक का पता

: पुत्र सुरेश, 182, भोपाल पुरवा, कटारिजियोरा, नवाबगंज, जिला: कानपुर-208002, उत्तर प्रदेश

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन स.

:

F11	SC11	26	537

प्राप्ति तिथि

: 08/04/2026

स्वीकृति तिथि

: 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: जामुन (सिज़ीजियम क्यूमिनी स्किल्स)

नाम

: अमित जामुन

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम

: कोंकण बहाडोली

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: अमित जामुन के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का शीर्ष: नुकीला और गूदे में टीएसएस की मात्रा: अधिक।	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का शीर्ष: तीव्र और गूदे में टीएसएस की मात्रा: मध्यम।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	अमित जामुन के डीयूएस गुण

14. अमित कुमार सिंह, पुत्र विनोद कुमार सिंह, ग्राम कटहां, डाक: सिंहपुर, बांसगांव, जिला: आजमगढ़-276126, उत्तर प्रदेश ने दिनांक 17/04/2026 को कृषक किस्म की **अमित जम्बो** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F13	SC13	26	601

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ---
----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अमित जम्बो**

आवेदक का नाम : अमित कुमार सिंह

आवेदक का पता : पुत्र विनोद कुमार सिंह, ग्राम कटहां, डाक: सिंहपुर, बांसगांव,
जिला: आजमगढ़-276126, उत्तर प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F13	SC13	26	601

प्राप्ति तिथि : 17/04/2026

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)

नाम : **अमित जम्बो**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **गोमा प्रियंका**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	सीधा
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र

परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	चपता
गूदा: बीज अनुपात (गुण 26)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: अमित जम्बो के प्रत्याशी किस्म के विशिष्ट गुण है पौधा वृद्धि स्वभाव अर्द्ध -फैलावदार और आंतरिक गांठ लम्बाई :छोटा	
ग. संदर्भ किस्म के विशिष्ट गुण : गोमा प्रियंका के प्रत्याशी किस्म के विशिष्ट गुण है पौधा वृद्धि स्वभाव फैलावदार और आंतरिक गांठ लम्बाई :लंबा	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	अमित जम्बो के डीयूएस गुण

15. किशोर एक्का पुत्र मुंशी रामग्राम: परपटिया, जिला: सरगुजा-497111 (छत्तीसगढ़) ने दिनांक 06/04/2026 को कृषक किस्म की **सुशीला जामुन** नामक जामुन (सिज़ीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F4	SC4	26	498

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सुशीला जामुन**
 आवेदक का नाम : किशोर एक्का
 आवेदक का पता : पुत्र मुंशी रामग्राम: परपटिया, जिला: सरगुजा-497111 (छत्तीसगढ़)
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F4	SC4	26	498

 प्राप्ति तिथि : 06/04/2026
 स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: जामुन (सिजीजियम क्यूमिनी स्किल्स)
नाम	: सुशीला जामुन
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: कोंकण बहाडोली
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
सुशीला जामुन के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल का आकार: लंबाई (औसत): छोटा , : गूदे की मात्रा: कम ।	
ग. संदर्भ किस्म के विशिष्ट गुण :	
कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल का आकार: लंबाई (औसत): मध्यम, : गूदे की मात्रा: मध्यम।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	सुशीला जामुन के डीयूएस गुण

16. किशोर एक्का पुत्र मुंशी रामग्राम: परपटिया, जिला: सरगुजा-497111 (छत्तीसगढ़) ने दिनांक 06/04/2026 को कृषक किस्म की मुंशीराम जामुन नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F5	SC5	26	499

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **मुंशीराम जामुन**
 आवेदक का नाम : किशोर एक्का
 आवेदक का पता : पुत्र मुंशी रामग्राम: परपटिया, जिला: सरगुजा-497111
 (छत्तीसगढ़)
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F5	SC5	26	499

 प्राप्ति तिथि : 06/04/2026
 स्वीकृति तिथि : 14/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)
 नाम : **मुंशीराम जामुन**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **कोंकण बहाडोली**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	सीधा
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीखा
परिपक्व फल: आकार (गुण 14)	लंबा
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: मुंशीराम जामुन के प्रत्याशी किस्म के विशिष्ट गुण है बीज वजन: कम	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है बीज वजन: उच्च	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं

चित्र: उपलब्ध नहीं	मुंशीराम जामुन के डीयूएस गुण

17. एचएम. क्लॉज, रुए लुई सेलेंट, जेड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस की ओर से श्री गिलाउम लेगल, एचएम क्लॉज इंडिया प्राइवेट लिमिटेड, #6-98/4, सर्वे नंबर 563/पार्ट, गौडावेल्ली गांव, मेडचल मंडल, जिला मेडचल-501401, तेलंगाना ने दिनांक 17/12/2024 को विद्यमान (वीसीके) किस्म की **धमाल एफ1** नामक पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोट्रीटिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	BB1	24	1243

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **धमाल एफ1**

आवेदक का नाम : एचएम. क्लॉज,

आवेदक का पता : रुए लुई सेलेंट, जेड.आई.ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस

आवेदक की राष्ट्रीयता : फ्रांस

आवेदन का विवरण

आवेदन सं. :

E1	BB1	24	1243

प्राप्ति तिथि : 17/12/2024

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोट्रीटिस एल)

नाम : **धमाल एफ1**

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : सीए8967 पीएल x सीए2935 पीएल

पैतृक सामग्री का स्रोत : अपना जर्मप्लास्म

संदर्भ किस्मों का नाम : **पूसा शरद**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पोदप्: बीज पत्राधर का एंथोसायनिन रंग (गुण 1)	अनुपस्थित

गोभी : आंतरिक पत्तियों द्वारा आवरण(गुण 16)		ढका नहीं गया
गोभी : लम्बवत काट में आकृति (गुण 19)		विस्तृत अण्डाकार
गोभी: परिपक्वता समूह (गुण 26)		मध्य-शीघ्र
ख. प्रत्याशी किस्म के विशिष्ट गुण: धमाल एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: आकार: चौड़ा अंडाकार और पुष्पगोभी का पुष्प: सघनता: सघन		
ग. संदर्भ किस्म के विशिष्ट गुण: पूसा शरद प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: आकार: अंडाकार और पुष्पगोभी का गुच्छा: सघनता: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		28/07/2023
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	दक्षिण
	: बुवाई का समय	अगस्त-सितंबर
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:50:50 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	मध्यम
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	लागू नहीं
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	मध्यम
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	लागू नहीं
8.	शीतकालीन – वसंत फसल मौसम प्रकार	मानसून
9.	फल की उपज (क्यू/एकड़)	101.2 क्विंटल/एकड़
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	0.9-1.2 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लागू नहीं
12.	फल चुनने का कार्यक्रम	लागू नहीं
13.	परिवहन क्षमता (दिन)	लागू नहीं
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लागू नहीं

15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	सीधा, प्रबल, जोरदार
धमाल एफ1 के डीयूएस गुण		

18. एचएम. क्लॉज, रुए लुई सेलेंट, जेड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस की ओर से श्री गिलाउम लेगल, एचएम क्लॉज इंडिया प्राइवेट लिमिटेड, #6-98/4, सर्वे नंबर 563/पार्ट, गौडावेल्ली गांव, मेडचल मंडल, जिला मेडचल-501401, तेलंगाना ने दिनांक 01/01/2025 को विद्यमान (वीसीके) किस्म की **मौसुमी एफ1** नामक पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोट्रीटिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	BB1	25	2

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

: **मौसुमी एफ1**

आवेदक का नाम

: एचएम. क्लॉज,

आवेदक का पता

: रुए लुई सेलेंट, जेड.आई.ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस

आवेदक की राष्ट्रीयता

: फ्रांस

आवेदन का विवरण

आवेदन स.

E1	BB1	25	2

प्राप्ति तिथि

: 01/01/2025

स्वीकृति तिथि

: 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोट्रीटिस एल.)

नाम

: **मौसुमी एफ1**

किस्म का प्रकार

: विद्यमान (वीसीके)

किस्म का वर्गीकरण

: संकर

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: सीए2142 पीएल x सीए3355पीएल

पैतृक सामग्री का स्रोत

: अपना जर्मप्लास्म

संदर्भ किस्मों का नाम

: **पूसा मेघना**

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पोदपू: बीज पत्राधर का एंथोसायनिन रंग (गुण 1)		अनुपस्थित
गोभी : आंतरिक पत्तियों द्वारा आवरण(गुण 16)		ढका नहीं गया
गोभी : लम्बवत काट में आकृति (गुण 19)		विस्तृत अण्डाकार
गोभी: परिपक्वता समूह (गुण 26)		शीघ्र
ख. प्रत्याशी किस्म के विशिष्ट गुण: मौसमी एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती के रूप में: रंग: नीला हरा और पुष्प: डंठल की लंबाई (सेमी): छोटा		
ग. संदर्भ किस्म के विशिष्ट गुण: पूसा मेघना प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: रंग: हल्का हरा और पुष्प: डंठल की लंबाई (सेमी): मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		13/06/2023
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्योरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	पश्चिम और उत्तर
	: बुवाई का समय	जून-जुलाई
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:50:50 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	मध्यम
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	लागू नहीं
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	मध्यम
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	लागू नहीं
8.	शीतकालीन – वसंत फसल मौसम प्रकार	वसंत
9.	फल की उपज (क्यू/एकड़)	111.33 क्विंटल/एकड़
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	0.5-0.7 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लागू नहीं
12.	फल चुनने का कार्यक्रम	लागू नहीं
13.	परिवहन क्षमता (दिन)	लागू नहीं

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लागू नहीं
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	अर्द्ध-सीधा, अच्छी बढ़त
मौसमी एफ1 के डीयूएस गुण		

19. एचएम. क्लॉज, रुए लुई सेलेंट, जेड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस की ओर से श्री गिलाउम लेगल, एचएम क्लॉज इंडिया प्राइवेट लिमिटेड, #6-98/4, सर्वे नंबर 563/पार्ट, गौडावेल्ली गांव, मेडचल मंडल, जिला मेडचल-501401, तेलंगाना ने दिनांक 01/01/2025 को विद्यमान (वीसीके) किस्म की रोहन 46 एफ1 नामक पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस एल.) फसल को पंजीकरण हेतु

E2	BB3	25	5

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : रोहन 46 एफ1

आवेदक का नाम : एचएम. क्लॉज,

आवेदक का पता : रुए लुई सेलेंट, जेड.आई.ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस

आवेदक की राष्ट्रीयता : फ्रांस

आवेदन का विवरण

आवेदन स. :

E2	BB3	25	5

प्राप्ति तिथि : 01/01/2025

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस एल.)

नाम : रोहन 46 एफ1

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : सीए7840 पीएल x सीए6296पीएल

पैतृक सामग्री का स्रोत : अपना जर्मप्लास्म

संदर्भ किस्मों का नाम : पूसा पौषजा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पोदपू: बीज पत्राधर का एंथोसायनिन रंग (गुण 1)	अनुपस्थित
गोभी : आंतरिक पत्तियों द्वारा आवरण(गुण 16)	आंशिक रूप से ढका हुआ
गोभी : लम्बवत काट में आकृति (गुण 19)	चौड़ा अंडाकार
गोभी: परिपक्वता समूह (गुण 26)	मध्य-शीघ्र
ख. प्रत्याशी किस्म के विशिष्ट गुण: रोहन 46 एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है गोभी: उभार : प्रबल और गोभी: सघनता: सघन	
ग. संदर्भ किस्म के विशिष्ट गुण: पूसा पौषजा प्रत्याशी किस्म के विशिष्ट गुण है गोभी: उभार : मध्यम और गोभी: सघनता: मध्यम	
घ. किस्म के व्यावसायीकरण की तिथि	29/06/2023
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/वर्षा सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील
6.	कीटों के प्रति प्रतिरोध/सहनशीलता
7.	स्टेकिंग और प्रूनिंग प्रथाएँ
8.	शीतकालीन – वसंत फसल मौसम प्रकार
9.	फल की उपज (क्यू/एकड़)
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)
11.	फल की गुणवत्ता और फल की दृढ़ता
12.	फल चुनने का कार्यक्रम

13.	परिवहन क्षमता (दिन)	लागू नहीं
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लागू नहीं
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	सीधा और प्रबल विकास
रोहन 46 एफ1 के डीयूएस गुण		

20. भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर ., बैंगलोर-560089, (कर्नाटक) की ओर से निदेशक आईसीएआर-भारतीय बागवानी अनुसंधान संस्थान (आईआईएचआर), हेसरघट्टा लेक पीओ, बैंगलोर-560089 (कर्नाटक) ने दिनांक 18/05/2026 को विद्यमान (वीसीके) किस्म की **अर्का जामुन (जेएन-1/1)** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

E1	SC14	26	779

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अर्का जामुन (जेएन-1/1)**

आवेदक का नाम : भारतीय बागवानी अनुसंधान संस्थान,

आवेदक का पता : हेसरघट्टा झील डाकघर ., बैंगलोर-560089, (कर्नाटक)

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	SC14	26	779

प्राप्ति तिथि : 18/05/2026

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)

नाम : **अर्का जामुन (जेएन-1/1)**

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण :

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : अपना सामग्री

संदर्भ किस्मों का नाम : गोमा प्रियंका

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)		फैला हुआ
पत्ती का शीर्ष (गुण 5)		तीव्र
पत्ती का आधार (गुण 6)		तीव्र
परिपक्व फल: आकार (गुण 14)		अण्डाकार
परिपक्व फल: आधार डंठल अंत (गुण 16)		सपाट
गूदा: बीज अनुपात (गुण 26)		निम्न
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
अर्का जामुन (जेएन-1/1) के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल का आकार: छोटा, बीज का वजन : कम, गूदे: बीज का अनुपात: कम		
ग. संदर्भ किस्म के विशिष्ट गुण :		
गोमा प्रियंका के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल का आकार: बड़ा, बीज का वजन : मध्यम, गूदे: बीज का अनुपात: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		04/03/2021
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	व्यौरा
1.	पकने में लगने वाला समय: शीघ्र / मध्यम / देर से	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उष्णकटिबंधीय
	बुवाई का समय	जून-जुलाई
	सिंचित / वर्षा-आधारित	बारिश और सिंचाई पर निर्भर
	कम उपजाऊ मिट्टी / अधिक उपजाऊ मिट्टी	कम उपजाऊ मिट्टी
3.	अधिकतम पैदावार के लिए खाद का प्रयोग (एन: पी: के)	एन:पी:के – 500:600:300
4.	प्रतिकूल तापमान / पाला और गर्मी के प्रति सहनशीलता – संवेदनशील / सहनशील	सूखे और गर्मी को सहने की क्षमता
5.	जल-जमाव के प्रति सहनशीलता – संवेदनशील / सहनशील	पानी जमा होने के प्रति संवेदनशील
6.	कीटों के प्रति प्रतिरोध / सहनशीलता	कोई नहीं
7.	पुष्प आने में लगने वाला समय	पाँच साल
8.	फल की पैदावार	36.75 टन/हेक्टेयर

9.	व्यापार के लिहाज से उस किस्म/हाइब्रिड से जुड़ी कोई अन्य महत्वपूर्ण जानकारी	‘अर्का J-1/1’ में अच्छी गुणवत्ता वाले गुण हैं, जैसे कि ज्यादा टोटल सॉल्युबल सॉलिड्स (14.53 °ब्रिक्स) और 66.94 mg/100 g एंथोसायनिन की मात्रा, जो इसके स्वाद और पोषण मूल्य को बेहतर बनाते हैं। शीघ्र पकने (लगभग 80 दिन), बड़े फल के आकार, छोटे बीज और ज्यादा गूदे (कम कसैलेपन के साथ) की वजह से ग्राहक इसे ज्यादा पसंद करते हैं।
	चित्र: उपलब्ध नहीं	अर्का जामुन (जेएन-1/1) के डीयूएस गुण

21. प्राण सिंह, 173, हरिजन बस्ती, वार्ड क्रमांक 02, बिलौवा, आंतरी, ग्वालियर-475001 की ओर से निदेशक, आईसीएआर- केंद्रीय उपोष्ण बागवानी संस्थान, रहमानखेड़ा, डाकघर काकोरी, लखनऊ-227107 ने दिनांक 08/04/2026 को कृषक किस्म की **बिलौवा पीएम** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F6	SC6	26	527

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **बिलौवा पीएम**

आवेदक का नाम : प्राण सिंह,

आवेदक का पता : 173, हरिजन बस्ती, वार्ड क्रमांक 02, बिलौवा, आंतरी, ग्वालियर-475001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F6	SC6	26	527

प्राप्ति तिथि : 08/04/2026

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: जामुन (सिजीजियम क्यूमिनी स्किल्स)
नाम	: बिलौवा पीएम
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: कोंकण बहाडोली
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिलौवा पीएम के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का शीर्ष: उच्च ।	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का शीर्ष: कम ।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	बिलौवा पीएम के डीयूएस गुण

22. प्राण सिंह, 173, हरिजन बस्ती, वार्ड क्रमांक 02, बिलौवा, आंतरी, ग्वालियर-475001 की ओर से निदेशक, आईसीएआर- केंद्रीय उपोष्ण बागवानी संस्थान, रहमानखेड़ा, डाकघर काकोरी, लखनऊ-227107 ने दिनांक 08/04/2026 को कृषक किस्म की गौरी जामुन नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F8	SC8	26	534

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **गौरी जामुन**
 आवेदक का नाम : प्राण सिंह,
 आवेदक का पता : 173, हरिजन बस्ती, वार्ड क्रमांक 02, बिलौवा, आंतरी, ग्वालियर-475001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F8	SC8	26	534

 प्राप्ति तिथि : 08/04/2026
 स्वीकृति तिथि : 14/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)
 नाम : **गौरी जामुन**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **कोंकण बहाडोली**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	नीचा
ख. प्रत्याशी किस्म के विशिष्ट गुण: गौरी जामुन के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल की चौड़ाई : कम (गुण 21), गूदे का टीएसएस: अधिक।	
ग. संदर्भ किस्म के विशिष्ट गुण : कोंकण बहाडोली के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल की चौड़ाई: मध्यम (गुण 21), गूदे का	

टीएसएस – मध्यम	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	गौरी जामुन के डीयूएस गुण

23. भूदेव महतो, गांव: निपनिया, पंचायत: निपनिया, ब्लॉक: गोड्डा, जिला: गोड्डा-814153, झारखंड ओर से डॉ. रविशंकर, जी.वी.टी.-कृषि विज्ञान केंद्र, जिला: गोड्डा-814133, झारखंड ने दिनांक 20/05/2024 को कृषक किस्म की **भूदेव झिंगली** नामक तोरई तोरी (लुफ़ा एक्वूटेंगुला (एल.) रॉक्सबर्ग) फसल को पंजीकरण हेतु आवेदन संख्या

F1	LA2	24	174

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **भूदेव झिंगली**
 आवेदक का नाम : भूदेव महतो,
 आवेदक का पता : गांव: निपनिया, पंचायत: निपनिया, ब्लॉक: गोड्डा, जिला: गोड्डा-814153, झारखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

F1	LA2	24	174

 ख. प्राप्ति तिथि : 20/05/2024
 ग. स्वीकृति तिथि : 14/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरी (लुफ़ा एक्वूटेंगुला (एल.) रॉक्सबर्ग)
 नाम : **भूदेव झिंगली**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : दीप्थी

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 10)	5 लोब
फल: लंबाई (गुण 17)	मध्यम (20.1-30सेमी)
फल: घेरा (गुण 18)	बड़ा (>14सेमी)
फल: आकृति (गुण 19)	लंबा
फल: छिलके का रंग (गुण 20)	हल्का हरा
फल: रिज आकृति (गुण 23)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: भूदेव झिंगली के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती : लंबाई (15-20 गांठे) : छोटी (<10 सेमी), पत्ती : चौड़ाई (15-20 गांठे): छोटी (<15 सेमी), विपणन योग्य फलों के छिलके की कोमलता: कोमल और विपणन परिपक्वन का समय :शीघ्र (<60 दिन)।	
36. संदर्भ किस्मों के विशिष्ट गुण: दीप्थी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती : लंबाई (15-20 गांठे): मध्यम (10.1-15 सेमी), पत्ती : चौड़ाई (15-20 गांठे): मध्यम (15.1-20 सेमी), विपणन योग्य फलों के छिलके की कोमलता: हल्का कोमल और विपणन परिपक्वन का समय: मध्यम (60.1-70 दिन)।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
भूदेव झिंगली के डीयूएस गुण	

24. विवेकानन्द कुमार, ग्राम: निपनिया, पंचायत: निपनिया, ब्लॉक: गोड्डा, जिला: गोड्डा-814153, झारखण्ड ओर से डॉ. रविशंकर, जी.वी.टी.-कृषि विज्ञान केंद्र, जिला: गोड्डा-814133, झारखंड ने दिनांक 20/05/2024 को कृषक किस्म की विवेकानंद धिंगली नामक तोरई तोरी (लुफा एक्यूटैंगुला (एल.) रॉक्सबर्ग) फसल को पंजीकरण हेतु आवेदन संख्या

F2	LA3	24	721

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : विवेकानंद धिंगली
 आवेदक का नाम : भूदेव महतो,
 आवेदक का पता : गांव: निपनिया, पंचायत: निपनिया, ब्लॉक: गोड्डा, जिला:
 गोड्डा-814153, झारखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

F2	LA3	24	721

 ख. प्राप्ति तिथि : 20/05/2024
 ग. स्वीकृति तिथि : 14/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरी (लुफा एक्यूटैंगुला (एल.) रॉक्सबर्ग)
 नाम : विवेकानंद धिंगली
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : पूसा नासदार

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 10)	5 लोब
फल: लंबाई (गुण 17)	मध्यम (20.1-30सेमी)
फल: घेरा (गुण 18)	बड़ा (>14सेमी)
फल: आकृति (गुण 19)	लंबा
फल: छिलके का रंग (गुण 20)	हल्का हरा
फल: रिज आकृति (गुण 23)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: विवेकानंद धिंगली के प्रत्याशी किस्म के विशिष्ट गुण है तना: अंतरगांठ की लंबाई (15वें और 20वें गांठे के बीच): लंबी (>15सेमी), पर्णवृंत की लंबाई (15-20 गांठे के बीच): छोटी (<8सेमी) और पादप बढ़वार: वृद्धि : मध्यम (3.51 – 5.5एम)।	
36. संदर्भ किस्मों के विशिष्ट गुण:	

पूसा नासदार के प्रत्याशी किस्म के विशिष्ट गुण है तना: अंतरगांठ की लंबाई (15वें और 20वें गांठ के बीच): मध्यम, पर्णवृंत की लंबाई (15-20 गांठ के बीच): लंबी (>10 सेमी) और पादप बढ़वार: छोटी बेल वाली (<3.5 मीटर)।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
विवेकानंद धिंगली के डीयूएस गुण	

25. सिंजेंटा इंडिया लिमिटेड, अमर पैराडाइम, क्रमांक 110/11/3, बानेर रोड, बानेर, पुणे-411005, महाराष्ट्र के मध्यम से अनुराधा वर्मा, एपीएसी फ़ील्ड क्रॉप्स वैरायटी रजिस्ट्रेशन और प्रोटेक्शन लीड, रजिस्ट्रेशन और रेगुलेटरी, सिंजेंटा इंडिया प्राइवेट लिमिटेड, हैदराबाद इनोवेशन सेंटर, संपानबोले-500101, तेलंगाना ने दिनांक 31/10/2013 को नई किस्म की **एसवाईएन-एसएफ-एस-275 पीआर प्लस** नामक सूरजमुखी (हेलिअन्थस एनस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

N24	HA17	13	686

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एसवाईएन-एसएफ-एस-275 पीआर प्लस**
आवेदक का नाम : सिंजेंटा इंडिया लिमिटेड,
आवेदक का पता : अमर पैराडाइम, क्रमांक 110/11/3, बानेर रोड, बानेर, पुणे-411005, महाराष्ट्र
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
क. आवेदन सं. :

N24	HA17	13	686

ख. प्राप्ति तिथि : 31/10/2013
ग. स्वीकृति तिथि : 17/02/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सूरजमुखी (हेलिअन्थस एनस एल.)
नाम : **एसवाईएन-एसएफ-एस-275 पीआर प्लस**

किस्म का प्रकार	: नई
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: एफएस 703, एफ703 x आरडब्लू 66645
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: केबीएसएच-41

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पौधा: 50% पुष्पन का समय (गुण 2)	मध्यम	
पत्ती: दांतुए (गुण 7)	मध्यम	
पौधा: उंचाई (गुण 24)	लंबा	
पौधा: शाखन(गुण 25)	अनुपस्थित	
बीज कवच: धारियां (गुण 31)	उपस्थित	
ख. प्रत्याशी किस्म के विशिष्ट गुण: एसवाईएन-एसएफ-एस-275 पीआर प्लस के प्रत्याशी किस्म के विशिष्ट गुण है शीर्ष: दाना छोर की आकृति: उत्तल		
संदर्भ किस्मों के विशिष्ट गुण: केबीएसएच-41 के विशिष्ट गुण है शीर्ष: दाना छोर की आकृति: चपता		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के लिए दिन: अगेती/ मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक, आंध्रप्रदेश, मध्यप्रदेश
	बुवाई का समय	रबी
	सिंचित/ वर्षा सिंचित	-
	कम प्रजनन क्षमता/उच्च प्रजनन क्षमता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	24:26:24
4.	संभावित पैदावार पाने के लिए अनुशंसित	6 से 8

	पोषण, मात्रा (क्विंटल/एकड़) और प्रयोग का समय:	
5.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	--
6.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	--
7.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	नेक्रोसिस वायरस के प्रति सहनशीलता
8.	बीज उपज/हेक्टेयर (औसत)	2 किग्रा/एकड़
9.	बीज: वजन (100 बीज का वजन ग्राम में)	48.03
10.	बीज: छिलका सामग्री (%)	--
11.	बीज: तेल सामग्री (%)	--
12.	व्यापार की दृष्टि से किस्म/संकर से संबंधित कोई अन्य प्रासंगिक मूल्य संवर्धन जानकारी	सिंचित स्थिति के लिए अनुशंसित उर्वरक।
चित्र- उपलब्ध नहीं		* एसवाईएन-एसएफ-एस-275 पीआर प्लस के डीयूएस गुण

26. तमिलनाडु कृषि विश्वविद्यालय कोयंबटूर-641003 की ओर से निदेशक, पादप प्रजनन एवं आनुवंशिकी केंद्र, तमिलनाडु कृषि विश्वविद्यालय, कोयंबटूर-641003 ने दिनांक 22/06/2026 को विद्यमान(अधिसूचित) किस्म की टीकेएम 15 [टीएम 12077] (आईईटी 26645) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन E43 OS247 26 1096 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : टीकेएम 15 [टीएम 12077] (आईईटी 26645)

आवेदक का नाम : तमिलनाडु कृषि विश्वविद्यालय

आवेदक का पता	:	पादप प्रजनन एवं आनुवंशिकी केंद्र, तमिलनाडु कृषि विश्वविद्यालय, कोयंबटूर-641003				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन स.	:	<table><tr><td>E43</td><td>OS47</td><td>26</td><td>1096</td></tr></table>	E43	OS47	26	1096
E43	OS47	26	1096			
ख. प्राप्ति तिथि	:	22/06/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)				
नाम	:	टीकेएम 15 [टीएम 12077] (आईईटी 26645)				
किस्म का प्रकार	:	विद्यमान(अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	टीकेएम (आर) /आईईटी 21620				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लास्म				
संदर्भ किस्मों का नाम	:	अन्ना (आर) & सीओ 53				
अधिसूचना विवरण	:	एस.ओ. 4065(ई) दिनांक 31.08.2022				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	शीघ्र (3)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा (1)
छिला हुआ दाना: लंबाई (गुण 54)	मध्यम (3)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	मध्यम पतला (3)
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
टीकेएम 15 [टीएम 12077] (आईईटी 26645) प्रत्याशी किस्म के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष का वक्रता : झुकी हुई और छिला हुआ दाना: आकार: मध्यम पतला ।	
संदर्भ किस्मों के विशिष्ट गुण:	

अन्ना (आर) के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष की वक्रता: नीचे की ओर और छिला हुआ दाना: आकार: लंबा पतला ।		
सीओ 53 के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष का झुकाव: झुकी हुई और छिला हुआ दाना: आकार: छोटा मोटा ।		
घ. किस्म के व्यावसायीकरण की तिथि		02.06.2022
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	86-88 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	शीघ्र
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	सीधी बुआई; तमिलनाडु के बारिश पर निर्भर और कम पानी वाले इलाके जैसे कांचीपुरम, चेंगलपट्टू, तिरुवल्लूर, पुदुकोट्टई, रामनाथपुरम, विरुधुनगर, शिवगंगई और थूथुकुडी
4.	बुवाई का समय	सितंबर-अक्टूबर में बुआई
	बीज दर (किलोग्राम/एकड़)	30 किग्रा/एकड़ (सीधी बुआई के लिए)
	रोपाई के बीच अंतराल	20 x 15 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	बारिश पर निर्भर/कम पानी वाला इलाका
	मिट्टी की कम उर्वरता/उच्च उर्वरता	कम/मध्यम उपजाऊ मिट्टी
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	20:10:10 किग्रा एनपीके/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	ब्लास्ट, शीथ ब्लाइट, ब्राउन स्पॉट और आरटीडी के प्रति मध्यम प्रतिरोधक क्षमता। स्टेम बोरर, लीफ फोल्डर और गैल मिज जैसे मुख्य कीटों के प्रति खेत में सहनशील।
	आईपीएम विवरण अनुसूची	स्टेम बोरर और लीफ फोल्डर: फ्लुबेंडियामाइड 20% WG 125 ग्राम/हेक्टेयर कार्ताप हाइड्रोक्लोराइड 50% SP 1000 ग्राम/हेक्टेयर थियामेथोक्सम 25% WG 100 ग्राम/हेक्टेयर

		BPH/WBPH: अज़ाडिरेक्टिन 0.03% 1000 मिली/हेक्टेयर फिप्रोनिल 5% SC 1000-1500 मिली इमिडाक्लोप्रिड 17.8 SL 100-125 मिली श्रिप्स: थियामेथोक्सम 25% WG 100 ग्राम/हेक्टेयर लीफ स्पॉट, शीथ रॉट, शीथ ब्लाइट: कार्बेन्डाज़िम 250 ग्राम/हेक्टेयर या मेटोमिनोस्ट्रोबिन @ 500 मिली/हेक्टेयर या हेक्साकोनाज़ोल 75% WG @ 100 मिलीग्राम/लीटर ब्लास्ट: ट्राइसाइक्लाज़ोल 75 WP @ 500 ग्राम/हेक्टेयर या मेटोमिनोस्ट्रोबिन 20 SC @ 500 मिली/हेक्टेयर या एज़ोक्सीस्ट्रोबिन 25 SC @ 500 मिली/हेक्टेयर
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	सूखे और ज़्यादा तापमान को सहने की क्षमता
7.	अनाज के गुण	विवरण
	भौतिक:	
	क) दाने का आकार (मिमी)	मध्यम और पतले
	ख) ल./चौ. अनुपात	3.1 मिमी
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	15.98 क्विंटल/एकड़
9.	बीज: वज़न (1000 बीज का वजन g में)	15 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	टीकेएम 15 [टीएम 12077] (आईईटी 26645) का एग्रोनॉमी ट्रायल में मूल्यांकन किया गया। इसमें 20 x 15 सेमी की दूरी और 100% एनपीके (50:25:25 किग्रा/हेक्टेयर) फ़र्टिलाइज़र के इस्तेमाल के साथ, सेमी-ड्राई डायरेक्ट सोइंग (सीधे बुवाई) की स्थिति में ज़्यादा टिलर/पौधे, प्रति पैनिकल ज़्यादा दाने और ज़्यादा अनाज की पैदावार दर्ज करके बेहतर एग्रोनॉमिक क्षमता दिखाई

	दी।
चित्र- 1	* टीकेएम 15 [टीएम 12077] (आईईटी 26645) के डीयूएस गुण

27. वीएनआर सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 की ओर से डॉ. कृष्ण चंद्र उपाध्याय, प्रमुख – अनुसंधान और विकास, सीएस-वीएसपीएल, वीएनआर सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 ने दिनांक 22/06/2026 को विद्यमान(अधिसूचित) किस्म की वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E59	OS359	26	1850

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

क. आवेदन स.

ख. प्राप्ति तिथि

ग. स्वीकृति तिथि

फसल (वर्गीकरण विज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

: वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212)

: वीएनआर सीड्स प्राइवेट लिमिटेड,

: कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006

: भारतीय

E59	OS359	26	1850

: 22/06/2026

: 24/08/2026

: चावल (ओरिजा सैटिवा एल.)

: वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212)

: विद्यमान(अधिसूचित)

: संकर

: लागू नहीं

पैतृक सामग्री का नाम : वीएनआरएफ -121 x वीएनआरआरबी -1968
 पैतृक सामग्री का स्रोत : अपना जर्मप्लास्म
 संदर्भ किस्मों का नाम : पीएसी 807 और एमटीयू1010
 अधिसूचना विवरण : एस.ओ. 6318 (ई) दिनांक 26.12.2018
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	शुरुआती (3)	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	छोटा (3)	
छिला हुआ दाना: लंबाई (गुण 54)	लंबा (5)	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	लंबा और मोटा (4)	
छिला हुआ दाना: रंग (गुण 57)	हल्का भूरा (2)	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)	
छिला हुआ दाना: सुगंध (गुण 62)	मौजूद नहीं (1)	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष का वक्रता : अर्द्ध-सीधी और छिला हुआ दाना की चौड़ाई: चौड़ा ।		
संदर्भ किस्मों के विशिष्ट गुण:		
पीएसी 807 और एमटीयू1010 के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष की वक्रता: झुकी हुई और छिला हुआ दाना की चौड़ाई: मध्यम ।		
घ. किस्म के व्यावसायीकरण की तिथि	07.05.2020	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	85-90 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	शीघ्र
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तराखंड, हरियाणा, ओडिशा, पश्चिम बंगाल, उत्तर प्रदेश, झारखंड, मध्य प्रदेश, छत्तीसगढ़ और महाराष्ट्र के सिंचित इलाकों के लिए उपयुक्त।
4.	बुवाई का समय	खरीफ़ (जून-जुलाई)

	बीज दर (किलोग्राम/एकड़)	6 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित क्षेत्र
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम से अधिक उपजाऊ मिट्टी के लिए उपयुक्त।
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	50:24:24 किग्रा एनपीके/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	लीफ और नेक ब्लास्ट के प्रति मध्यम प्रतिरोधक क्षमता
	आईपीएम विवरण अनुसूची	धान की फसल की सुरक्षा के लिए मानक सुझावों का पालन करें।
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	लंबाई: 6.22 एमएम और चौड़ाई: 2.30 एमएम
	ख) ल./चौ. अनुपात	2.71 एमएम
	ग) दाने का रंग	हल्का भूरा
8.	अनाज की उपज (क्विंटल/एकड़)	25.23 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	23-24 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	ज़्यादा स्पाइकलेट फर्टिलिटी और एचआरआर प्रतिशत
चित्र- 2,3		* वीएनआर-2111 प्लस (आईईटी 24075) (वीएनआर 212) के डीयूएस गुण

28. चौधरी सरवन कुमार हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, हिमाचल प्रदेश-176062 की ओर से अनुसंधान निदेशक, सीएसकेएचपीकेवी, पालमपुर, हिमाचल प्रदेश-176062 ने दिनांक 17/09/2025 को विद्यमान(अधिसूचित) किस्म की हिम पालम धान 1 (एचपीआर 2656) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E67	OS285	25	1127

को निम्नलिखित

विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर -----
-- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के
लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	हिम पालम धान 1 (एचपीआर 2656)			
आवेदक का नाम	:	चौधरी सरवन कुमार हिमाचल प्रदेश			
आवेदक का पता	:	कृषि विश्वविद्यालय, पालमपुर, हिमाचल प्रदेश-176062			
आवेदक की राष्ट्रीयता	:	भारतीय			
आवेदन का विवरण	:				
क. आवेदन स.	:	E67	OS285	25	1127
ख. प्राप्ति तिथि	:	17/09/2025			
ग. स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)			
नाम	:	हिम पालम धान 1 (एचपीआर 2656)			
किस्म का प्रकार	:	विद्यमान(अधिसूचित)			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	आरपी 2421/वीएल धान 221			
पैतृक सामग्री का स्रोत	:	आरपी 2421- भारतीय कृषि अनुसंधान संस्थान, हैदराबाद से विधिपूर्वक प्राप्त किया गया।और वीएल धान 221 – वीपीकेएस, अल्मोड़ा से विधिपूर्वक प्राप्त।			
संदर्भ किस्मों का नाम	:	हिम पालम धान-2 और हिम पालम धान-3			
अधिसूचना विवरण	:	एस.ओ. 99 (ई) दिनांक 06.01.2020			
किस्म का विवरण:	:				

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	शीघ्र

तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	छोटा	
छिला हुआ दाना: लंबाई (गुण 54)	मध्यम	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	छोटा और मोटा	
छिला हुआ दाना: रंग (गुण 57)	हल्का भूरा	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम	
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
हिम पालम धान 1 (एचपीआर 2656) के प्रत्याशी किस्म के विशिष्ट गुण है छिला हुआ दाना का आकार छोटा और मोटा होता है, और उसका रंग हल्का भूरा होता है।		
36. संदर्भ किस्मों के विशिष्ट गुण:		
हिम पालम धान-2 के विशिष्ट गुण है छिला हुआ दाना का आकार मध्यम पतला और उसका रंग सफ़ेद होता है। हिम पालम धान-3 के विशिष्ट गुण है छिला हुआ दाना का आकार लंबा और मोटा होता है, और उसका रंग सफ़ेद होता है।		
घ. किस्म के व्यावसायीकरण की तिथि	22.05.2017	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	78 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	हिमाचल प्रदेश
4.	बुवाई का समय	जून का पहला हफ़्ता
	बीज दर (किलोग्राम/एकड़)	25 किग्रा/एकड़
	रोपाई के बीच अंतराल	पौधे से पौधे की दूरी (15 सेमी), कतार से कतार की दूरी (20 सेमी)
	सिंचित/वर्षा आधारित स्थितियाँ	ऊँची ज़मीन, बारिश पर निर्भर खेती
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की कम उपजाऊ क्षमता
	संभावित पैदावार पाने के लिए खाद की आवश्यकता(एन:पी:के) किलोग्राम/एकड़	एन.पी.के.: 24:16:16 किग्रा/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	लीफ ब्लास्ट, नेक ब्लास्ट, फॉल्स स्मट और राइस हिस्पा के प्रति सहनशील।

	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	कम तापमान के प्रति सहनशील
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	लंबाई: 5.69 मिमी और चौड़ाई: 2.38 मिमी
	ख) ल./चौ. अनुपात	2.39 मिमी
	ग) दाने का रंग	-
8.	अनाज की उपज (क्विंटल/एकड़)	13 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	23.4 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 4		* हिम पालम धान 1 (एचपीआर 2656) के डीयूएस गुण

29. चौधरी सरवन कुमार हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, हिमाचल प्रदेश-176062 की ओर से अनुसंधान निदेशक, सीएसकेएचपीकेवी, पालमपुर, हिमाचल प्रदेश-176062 ने दिनांक 17/09/2025 को विद्यमान(अधिसूचित) किस्म की हिम पालम धान 2 (एचपीआर 2880) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E68	OS286	25	1128

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : हिम पालम धान 2 (एचपीआर 2880)
आवेदक का नाम : चौधरी सरवन कुमार हिमाचल प्रदेश

आवेदक का पता	: कृषि विश्वविद्यालय, पालमपुर, हिमाचल प्रदेश-176062
आवेदक की राष्ट्रीयता	: भारतीय
आवेदन का विवरण	
क. आवेदन सं.	: E68 OS286 25 1128
ख. प्राप्ति तिथि	: 17/09/2025
ग. स्वीकृति तिथि	: 24/08/2026
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	: चावल (ओरिजा सैटिवा एल.)
नाम	: हिम पालम धान 2 (एचपीआर 2880)
किस्म का प्रकार	: विद्यमान(अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: एचपीयू 2216/टेटाप
पैतृक सामग्री का स्रोत	: एचपीयू 2216- अपना जर्मप्लाज्म और टेटैप – आईआरआरआई, मनीला, फिलीपींस से कानूनी तौर पर प्राप्त।
संदर्भ किस्मों का नाम	: हिम पालम धान-3 और हिम पालम धान-4
अधिसूचना विवरण	: एस.ओ. 99 (ई) दिनांक 06.01.2020
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	शीघ्र
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	-
छिला हुआ दाना: लंबाई (गुण 54)	मध्यम
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	मध्यम और पतला
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
हिम पालम धान 2 (एचपीआर 2880) के प्रत्याशी किस्म के विशिष्ट गुण है पताका पत्ती: फलक की प्रवृत्ति (आरंभिक पर्यवेक्षण): सीधा छिला हुआ दाना की आकृति: मध्यम पतला होता है और छिला हुआ दाना: सुगंध: अनुपस्थित।	

संदर्भ किस्मों के विशिष्ट गुण:		
हिम पालम धान-3 के विशिष्ट गुण है पताका पत्ती: फलक की प्रवृत्ति (आरंभिक पर्यवेक्षण): अर्द्ध-सीधा छिला हुआ दाना की आकृति: लंबा मोटा हिम पालम धान-4 के विशिष्ट गुण है पताका पत्ती: फलक की प्रवृत्ति (आरंभिक पर्यवेक्षण): अर्द्ध-सीधा छिला हुआ दाना की आकृति: लंबा पतला और छिला हुआ दाना: सुगंध: उपस्थित		
घ. किस्म के व्यावसायीकरण की तिथि		06.05.2017
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	87 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	हिमाचल प्रदेश
4.	बुवाई का समय	मई का आखिरी हफ़्ता
	बीज दर (किलोग्राम/एकड़)	10 किग्रा/एकड़
	रोपाई के बीच अंतराल	पौधे से पौधे की दूरी (15 सेमी), कतार से कतार की दूरी (20 सेमी)
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
	संभावित पैदावार पाने के लिए खाद की आवश्यकता(एन:पी:के) किलोग्राम/एकड़	एन.पी.के.: 36:24:15 किग्रा/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	लीफ ब्लास्ट, नेक ब्लास्ट, फॉल्स स्मट और राइस हिस्पा के प्रति सहनशील।
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	कम तापमान के प्रति सहनशील
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	लंबाई: 6.55 मिमी और चौड़ाई: 2.26 मिमी
	ख) ल./चौ. अनुपात	2.9 मिमी

	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	20 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	24.1 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और जरूरी जानकारी।	-
चित्र- 5		* हिम पालम धान 2 (एचपीआर 2880) के डीयूएस गुण

30. महाराष्ट्र राज्य बीज निगम लिमिटेड, महाबीज भवन, कृषि नगर अकोला 444104, महाराष्ट्र की ओर से डॉ. प्रफुल्ल लहाने महाप्रबंधक (क्यू.सी एवं अनुसंधान), महाबीज भवन, कृषि नगर, अकोला-444104, महाराष्ट्र ने दिनांक 05/12/2023 को नई किस्म की **महाबीज-2006** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

N1	CA2	23	142

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं----- स्वीकार किया ----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **महाबीज-2006**

आवेदक का नाम : महाराष्ट्र राज्य बीज निगम लिमिटेड

आवेदक का पता : महाबीज भवन, कृषि नगर अकोला 444104, महाराष्ट्र

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

N1	CA2	23	142

प्राप्ति तिथि : 05/12/2023

स्वीकृति तिथि : 17/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : **महाबीज-2006**

किस्म का प्रकार : नई

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : विशाल x जाकी-9218
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : दिग्विजय और विजय
 किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)		मध्यम, शीघ्र
पुष्प: रंग (गुण 9)		गुलाबी
बीज: रंग (गुण 15)		भूरा, नारंगी
बीज: आकार (गुण 16)		मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
महाबीज-2006 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव(गुण 4): अर्द्ध-सीधा , पुष्पवृंत: लंबाई (गुण 11): लंबी और बीज: आकार (10% नमी पर 100 बीजों का वजन) (गुण16): मध्यम		
संदर्भ किस्मों के विशिष्ट गुण:		
दिग्विजय और विजय के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव(गुण 4): फैलावदार, पुष्पवृंत: लंबाई (गुण 11): मध्यम और बीज: आकार (10% नमी पर 100 बीजों का वजन) (गुण16): छोटा विजय के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव(गुण 4): फैलावदार, और बीज: आकार (10% नमी पर 100 बीजों का वजन) (गुण16): अधिक छोटा		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	महाराष्ट्र
	: बुवाई का समय	20 अक्टूबर – 10 नवंबर
	: सिंचित/वर्षा सिंचित	लागू नहीं
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की मध्यम उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	10:20:12
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	सहनशीलता
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	प्रमुख कीटों के प्रति सहनशीलता

6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	महाराष्ट्र: रबी का मौसम
7.	प्रति पौधे फलियों की संख्या (औसत)	61
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (q/एकड़))	8.60
9.	बीज उपज q/एकड़ (औसत)	8.10
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	मध्यम
महाबीज-2006 के डीयूएस गुण		

31. सुश्री एस.के. राजन्ना, पुत्र स्वर्गीय केम्पन्ना, डाक: कोडियाला, मुख्यालय: गुब्बी, सुलायाना पाल्या, जिला: तुमकुरु-572117 के मध्यम से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बैंगलोर-560065 ने दिनांक 19/12/2025 को कृषक किस्म की **अरंजिका जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F12	AHL13	25	1355

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अरंजिका जैक**

आवेदक का नाम : सुश्री एस.के. राजन्ना

आवेदक का पता : पुत्र स्वर्गीय केम्पन्ना, डाक: कोडियाला, मुख्यालय: गुब्बी, सुलायाना पाल्या, जिला: तुमकुरु-572117

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F12	AHL13	25	1355

प्राप्ति तिथि : 19/12/2025

स्वीकृति तिथि : 17/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
नाम	: अरंजिका जैक
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: रेड-आरटीबी

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	-
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	तांबे जैसा लाल
ख. प्रत्याशी किस्म के विशिष्ट गुण: अरंजिका जैक के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक चौड़ाई: मध्यम (51-75 मिमी) और परिपक्व फल के छिलके का रंग: हरे-पीले रंग।	
संदर्भ किस्म के विशिष्ट गुण: रेड-आरटीबी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक: चौड़ाई ज्यादा (> 75 मिमी) और परिपक्व फल के छिलके का रंग भूरा।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
अरंजिका जैक के डीयूएस गुण	

32. सुश्री एस.के. राजन्ना, पुत्र स्वर्गीय केम्पन्ना, डाक: कोडियाला, मुख्यालय: गुब्बी, सुलायाना पाल्या, जिला: तुमकुरु-572117 के मध्यम से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बेंगलोर-560065 ने दिनांक 19/12/2025 को कृषक किस्म की

राज जैक नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F13	AHL14	25	1356

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **राज जैक**
 आवेदक का नाम : सुश्री एस.के. राजन्ना
 आवेदक का पता : पुत्र स्वर्गीय केम्पन्ना, डाक: कोडियाला, मुख्यालय: गुब्बी, सुलायाना पाल्या, जिला: तुमकुरु-572117
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

F13	AHL14	25	1356

 आवेदन सं. :
 प्राप्ति तिथि : 19/12/2025
 स्वीकृति तिथि : 17/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **राज जैक**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **स्वर्ण**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना

परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	प्रबल
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: राज जैक के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव: धंसा हुआ और बीज का आकार आयताकार (लंबा)	
संदर्भ किस्म के विशिष्ट गुण: स्वर्ण के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव फूला हुआ और बीज का आकार गुर्दे जैसा	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
राज जैक के डीयूएस गुण	

33. सुश्री कृष्णा नाइक के., पुत्र कसानु नाइक #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बैंगलोर नॉर्थ-560065 के मध्यम से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बैंगलोर-560065 ने दिनांक 22/12/2025 को कृषक किस्म की **केएनके जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F16	AHL17	25	1364

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केएनके जैक**

आवेदक का नाम : सुश्री कृष्णा नाइक के

आवेदक का पता : पुत्र कसानु नाइक #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बैंगलोर नॉर्थ-560065

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	F16	AHL17	25	1364
प्राप्ति तिथि	:	22/12/2025			
स्वीकृति तिथि	:	18/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैम.)			
नाम	:	केएनके जैक			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	जनागेरे			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	-
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
केएनके जैक के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: अंडाकार और बीज का आकार लंबा	
संदर्भ किस्म के विशिष्ट गुण:	
जनागेरे के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: पिरामिड जैसा और बीज का आकार: वृक्काकार	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
केएनके जैक के डीयूएस गुण	

34. सुश्री कृष्णा नाइक के., सुपुत्र कसानु नाइक #89, 22वां क्रॉस, 16वां मेन, ज्युडिशियल लेआउट, बैंगलोर नॉर्थ-560065 के मध्यम से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बैंगलोर-560065 ने दिनांक 22/12/2025 को कृषक किस्म की **केकेएन एम्बर जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F15	AHL16	25	1363

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केकेएन एम्बर जैक**
 आवेदक का नाम : सुश्री कृष्णा नाइक के
 आवेदक का पता : पुत्र कसानु नाइक #89, 22वां क्रॉस, 16वां मेन, ज्युडिशियल लेआउट, बैंगलोर नॉर्थ-560065

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F15	AHL16	25	1363

प्राप्ति तिथि : 22/12/2025

स्वीकृति तिथि : 18/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : **केकेएन एम्बर जैक**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **स्वर्ण**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	छाले
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: केकेएन एम्बर जैक के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: अंडाकार और फल से डंठल का जुड़ाव: धंसा हुआ।	
संदर्भ किस्म के विशिष्ट गुण: स्वर्ण के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार मोटे तौर पर पिरामिड जैसा होता है और फल का डंठल: फूला हुआ।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
केकेएन एम्बर जैक के डीयूएस गुण	

35. सुश्री सुब्रमण्यम ए एस, गांव: नमना, एट और डाक: केलाडी, मुख्यालय: सागर, जिला: शिवमोग्गा, कर्नाटक के मध्यम से डॉ. जी.एस.के. स्वामी, प्रोफेसर और विभागाध्यक्ष, फल विज्ञान विभाग, बागवानी महाविद्यालय, यूएचएस परिसर, जीकेवीके, बेंगलुरु-560065 ने दिनांक 25/08/2025 को कृषक किस्म की **अज्जीभट महाराज** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F6	AHL17	25	1048

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अज्जीभट महाराज**

आवेदक का नाम : सुश्री सुब्रमण्यम ए एस,

आवेदक का पता

: गांव: नमना, एट और डाक: केलाडी, मुख्यालय: सागर, जिला: शिवमोगा, कर्नाटक

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

:

F6	AHL17	25	1048

आवेदन स.

प्राप्ति तिथि

: 25/08/2025

स्वीकृति तिथि

: 18/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम

: अज्जीभट महाराज

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: लागू नहीं

पैतृक सामग्री का स्रोत

: लागू नहीं

संदर्भ किस्मों का नाम

: लालबाग मधुरा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	छाले
परिपक्व फल का आकार (गुण 15)	-
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घने (>50)
फल के छिलके की मोटाई (गुण 21)	मोटे (>5 mm)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
अज्जीभट महाराज के प्रत्याशी किस्म के विशिष्ट गुण है फल का आकार: गदानुमा और बीज का रंग (बीज के आवरण सहित): भूरा।	
संदर्भ किस्म के विशिष्ट गुण:	
लालबाग मधुरा के प्रत्याशी किस्म के विशिष्ट गुण है फल का आकार: दीर्घवृत्ताभ और बीज का रंग (बीज के	

आवरण सहित): क्रीम ।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं ।
अज्जीभट महाराज के डीयूएस गुण	

36. सुश्री इंदिरा गोपाल हेगड़े, हुलगोल, सिरसी, हुलगोल, ज़िला: उत्तर कन्नड़, कर्नाटक-581402 के मध्यम से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बैंगलोर-560065 ने दिनांक 20/11/2025 को कृषक किस्म की **हलगोल रुद्राक्षी** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F8	AHL19	25	1286

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: हलगोल रुद्राक्षी				
आवेदक का नाम	: सुश्री इंदिरा गोपाल हेगड़े,				
आवेदक का पता	: हुलगोल, सिरसी, हुलगोल, ज़िला: उत्तर कन्नड़, कर्नाटक-581402				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table><tr><td>F8</td><td>AHL19</td><td>25</td><td>1286</td></tr></table>	F8	AHL19	25	1286
F8	AHL19	25	1286		
प्राप्ति तिथि	: 20/11/2025				
स्वीकृति तिथि	: 20/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)				
नाम	: हलगोल रुद्राक्षी				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				

पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : रुद्राक्षी
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	छोटा (>3-6 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: हल्गोल रुद्राक्षी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक का आकार ओबोवेट और फल केवल शाखाओं (प्राथमिक, द्वितीयक और तृतीयक शाखाओं) पर लगते हैं।	
संदर्भ किस्म के विशिष्ट गुण: रुद्राक्षी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक का आकार: अंडाकार और फल तने, मुख्य शाखाओं और द्वितीयक शाखाओं पर लगते हैं।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
हल्गोल रुद्राक्षी के डीयूएस गुण	

37. इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड, 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत की ओर से श्री वीरंजनेयुलु द्रोणदुला, प्रबंध निदेशक, इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड, 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत ने दिनांक 10/08/2026 को विद्यमान (अधिसूचित) किस्म की एसएमएच-9099 नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन

E29	ZM95	26	1803

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एसएमएच-9099**
 आवेदक का नाम : इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड,
 आवेदक का पता : 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत
 आवेदक की राष्ट्रियता : भारतीय
 आवेदन का विवरण :
 आवेदन स. :

E29	ZM95	26	1803

 प्राप्ति तिथि : 10/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)
 नाम : **एसएमएच-9099**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : 900एफ X 900एम
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : बीआईओ 9637 और डीएचएम 117
 अधिसूचना विवरण : एस.ओ. 6133 (ई) दिनांक 31/12/2025
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	शीघ्र
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	लंबा
भुट्टा: दाने का प्रकार (गुण 22)	अर्द्ध -चकमक

ख. प्रत्याशी किस्म के विशिष्ट गुण:		
एसएमएच-9099 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृति (भुट्टा के ठीक ऊपर वाली पत्ती): सीधी और वल्लर: उपशूकियों का घनत्व: सघन		
संदर्भ किस्मों के विशिष्ट गुण:		
बीआईओ 9637 और डीएचएम 117 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृति (भुट्टा के ठीक ऊपर वाली पत्ती): झुका हुआ और वल्लर: उपशूकियों का घनत्व: विरल		
घ. किस्म के व्यावसायीकरण की तिथि		24/03/2025
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	शीघ्र
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	आंध्र प्रदेश और तेलंगाना
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	61 किग्रा एन, 21 किग्रा पी2O5, 24 किग्रा के2O
	अन्य उर्वरक किग्रा/एकड़	ZnSO4: 10 किग्रा/एकड़
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	ज़ोन V- सेंट्रल वेस्ट ज़ोन: राजस्थान, गुजरात और मध्य प्रदेश।
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	खेत की स्थितियों में यह हाइब्रिड सीएलएस के प्रति प्रतिरोधी है और एफएसआर, फॉल आर्मी वर्म और चिलो पार्टेलस के प्रति मध्यम रूप से प्रतिरोधी है।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	31 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	16-19 क्विंटल/एकड़
9.	बीज: भार (100 बीज वजन ग्राम में)	290-350 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	उपलब्ध नहीं
	चित्र: 157	एसएमएच-9099 के डीयूएस गुण

38. वीएनआर सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 की ओर से डॉ. कृष्ण चंद्र उपाध्याय, प्रमुख – अनुसंधान और विकास, सीएस-वीएसपीएल, वीएनआर

सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 ने दिनांक 22/06/2026 को विद्यमान(अधिसूचित) किस्म की **भीम-115 (आईईटी-28964) (वीएनआर 227)** नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E60	OS360	26	1851

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है। उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	भीम-115 (आईईटी-28964) (वीएनआर 227)				
आवेदक का नाम	:	वीएनआर सीड्स प्राइवेट लिमिटेड,				
आवेदक का पता	:	कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन स.	:	<table border="1" data-bbox="695 1084 1163 1151"><tr><td>E60</td><td>OS360</td><td>26</td><td>1851</td></tr></table>	E60	OS360	26	1851
E60	OS360	26	1851			
ख. प्राप्ति तिथि	:	22/06/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)				
नाम	:	भीम-115 (आईईटी-28964) (वीएनआर 227)				
किस्म का प्रकार	:	विद्यमान(अधिसूचित)				
किस्म का वर्गीकरण	:	संकर				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	ए लाइन: वीएनआरएफ-48, बी लाइन: वीएनआरएम-48 और आरलाइन: वीएनआरआरबी -5770				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लास्म				
संदर्भ किस्मों का नाम	:	पीए6444 और महामाया				
अधिसूचना विवरण	:	एस.ओ. 1560 (ई) दिनांक 26/03/2024				
किस्म का विवरण:						

क. समूह के गुण		टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)		हल्का बैंगनी
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)		शीघ्र
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)		छोटा
छिला हुआ दाना: लंबाई (गुण 54)		लंबा
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)		लंबा और मोटा
छिला हुआ दाना: रंग (गुण 57)		सफेद
भ्रूणपोष: एमाइलोज अंश (गुण 59)		मध्यम
छिला हुआ दाना: सुगंध (गुण 62)		अनुपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
भीम-115 (आईईटी-28964) (वीएनआर 227) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पगुच्छ: शूकी : अनुपस्थित और छिला हुआ दाना का रंग: सफेद ।		
संदर्भ किस्मों के विशिष्ट गुण:		
पीए6444 के विशिष्ट गुण है पुष्पगुच्छ: शूकी : उपस्थित और छिला हुआ दाना का रंग: हल्का भूरा। महामाया के विशिष्ट गुण है पुष्पगुच्छ: शूकी : उपस्थित और छिला हुआ दाना का रंग: भूरा ।		
घ. किस्म के व्यावसायीकरण की तिथि		31/05/2021
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	-
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	शीघ्र
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	यूपी, बिहार, झारखंड और ओडिशा के सिंचित इलाके
4.	बुवाई का समय	खरीफ़ (जून-जुलाई)
	बीज दर (किलोग्राम/एकड़)	6 किग्रा/एकड़
	रोपाई के बीच अंतराल	पौधे से पौधे की दूरी: 15 सेमी पंक्ति से पंक्ति की दूरी: 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित इलाके
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम से अधिक उपजाऊ मिट्टी
	संभावित पैदावार पाने के लिए खाद की	50:24:24 किग्रा/एकड़

	आवश्यकता (एन:पी:के) किलोग्राम/एकड़	
5.	रोग और कीटों के प्रति सहनशीलता	लीफ और नेक ब्लास्ट के प्रति मध्यम प्रतिरोधक क्षमता
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	विवरण
7.	अनाज के गुण भौतिक:	लंबाई: 6.3 मिमी और चौड़ाई: 2.7 मिमी
	क) दाने का आकार (मिमी)	2.3 मिमी
	ख) ल./चौ. अनुपात	हल्का भूरा
	ग) दाने का रंग	-
8.	अनाज की उपज (क्विंटल/एकड़)	23.68 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	26-27 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और जरूरी जानकारी।	अधिक स्पाइकलेट फर्टिलिटी और HRR प्रतिशत
चित्र- 6,7		* भीम-115 (आईईटी-28964) (वीएनआर 227) के डीयूएस गुण

39. एच एम क्लॉज, रुए लुई सेलेंट, जेड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस फ्रांस की ओर से गिलाउम लेगल, एच एम क्लॉज इंडिया प्राइवेट लिमिटेड, 6-98/4, सर्वे नंबर 563/पार्ट, गोडावेली गांव, मेडचल मंडल, जिला-मेडचल, तेलंगाना ने दिनांक 01/01/2025 को विद्यमान (वीसीके) किस्म की दर्श गोल्ड एफ1 नामक टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्स्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E2	LL2	25	7

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।----- उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को---लागू नहीं----- में ----- दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: दर्श गोल्ड एफ1				
आवेदक का नाम	: एच एम क्लॉज,				
आवेदक का पता	: रुए लुई सेलेंट, जेड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस फ्रांस				
आवेदक की राष्ट्रीयता	: फ्रांस				
आवेदन का विवरण					
आवेदन स.	: <table><tr><td>E2</td><td>LL2</td><td>25</td><td>7</td></tr></table>	E2	LL2	25	7
E2	LL2	25	7		
प्राप्ति तिथि	: 01/01/2025				
स्वीकृति तिथि	: 17/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्स्टन पूर्व)				
नाम	: दर्श गोल्ड एफ1				
किस्म का प्रकार	: विद्यमान (वीसीके)				
किस्म का वर्गीकरण	: संकर				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: टीओ2585PL और टीओ7785पीएल				
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	: अभिनव और अभिलाष				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)	निश्चित (1)
पत्रक: दाँतेदार (गुण 12)	कम दाँतेदार (3)
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)	मौजूद (9)
फल: अनुदैर्घ्य खंड में आकार (गुण 33)	थोड़ा चपटा (2)
फल: परिपक्वता पर रंग (गुण 43)	लाल (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
दर्श गोल्ड एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है पर्णच्छद: चौड़ाई मध्यम, फल: लंबाई की दिशा में काटने पर आकार थोड़ा चपटा और फल: पेरिकार्प (फल-भित्ति) की मोटाई मध्यम।	
संदर्भ किस्म के विशिष्ट गुण:	
अभिनव के प्रत्याशी किस्म के विशिष्ट गुण है पर्णच्छद: चौड़ाई ज्यादा; फल: लंबाई में काटने पर आकार अंडाकार (ऊपर की तरफ चौड़ा); फल: छिलके (पेरिकार्प) की मोटाई ज्यादा।	

अभिलाष के प्रत्याशी किस्म के विशिष्ट गुण है पर्णच्छद: चौड़ाई कम; फल: लंबाई के रख में काटने पर आकार थोड़ा चपटा।		
घ. किस्म के व्यावसायीकरण की तिथि		03/06/2021
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	भारत में सभी जगहों पर
	बुवाई का समय	जुलाई से दिसंबर
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	दोनों
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:60:40 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	ज्यादा तापमान सहने की अच्छी क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	—
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	टीओएलसीवी और पत्तियों की बीमारियों को सहने की ज्यादा क्षमता।
7.	स्टेकिंग और छंटाई प्रथाएँ	स्टेकिंग (सहारा देना)
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	बारिश और सर्दी का मौसम
9.	फल उपज (क्विंटल/एकड़)	350-400 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	4-6 किग्रा/पीआई
11.	फल की गुणवत्ता और फल की दृढ़ता	फल का साइज, रंग, आकार और कसावट बहुत अच्छी।
12.	फल चुनने का कार्यक्रम	हर 2 दिन के अंतराल पर
13.	परिवहन क्षमता (दिन में)	7 से 9 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	बहुत अच्छी मजबूती, पत्तियों की सेहत, फल का साइज, आकार, रंग और कसावट
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी	—

	जानकारी	
	दर्श गोल्ड एफ1 के डीयूएस गुण	

40. बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल की ओर से डॉ. तपस कुमार चौधरी, प्रोफेसर, फ्लोरीकल्चर और लैंडस्केप आर्किटेक्चर विभाग, बागवानी संकाय और प्रभारी अधिकारी, फ्लोरीकल्चर पर एआईसीआरपी, बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल ने दिनांक 22/06/2026 को विद्यमान (अधिसूचित) किस्म की बिधान स्निग्ध नामक रजनीगंधा (पोलियान्थेस ट्यूबरोसा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	PT1	26	1092

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : बिधान स्निग्ध

आवेदक का नाम : बिधान चंद्र कृषि विश्वविद्यालय

आवेदक का पता : मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E1	PT1	26	1092

प्राप्ति तिथि : 22/06/2026

स्वीकृति तिथि : 24/08/2025

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : रजनीगंधा (पोलियान्थेस ट्यूबरोसा एल.)

नाम : बिधान स्निग्ध

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : अर्का निरंतर और अर्का प्रज्वल

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : अर्का निरंतर
अधिसूचना विवरण : एस.ओ.4917 (ई) 13.11.2024
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का रंग-रूप (गुण 2)	अनुपस्थित
पत्ती के आधार पर अक्षीय भाग पर रंजकता (गुण 5)	-
कली का रंग (गुण 7)	हरा
पुष्प का प्रकार (गुण 9)	एकल
पुष्प का आकार (गुण 16)	संकीर्ण
पुष्पक्रम की लंबाई (गुण 19)	-
वर्तिकाग्र का प्रकार (गुण 27)	-
वर्तिकाग्र पालियां (गुण 28)	त्रिशिखा
वंत पर रंजकता (गुण 31)	अनुपस्थित
पुष्प आने में लगे दिन (गुण 32)	-
फलों का स्थान (गुण 34)	लागू नहीं
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिधान स्निग्ध के प्रत्याशी किस्म के विशिष्ट गुण है- कली का रंग- हरा और पुष्पक्रम- सीधा है।	
संदर्भ किस्मों के विशिष्ट गुण: अर्का निरंतर के विशिष्ट गुण है- कली का रंग- गुलाबी और पुष्पक्रम- वक्र है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
क्र. महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	विवरण
1. पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	मध्यम से पछेती (100-140 दिन)
2. उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	पंजाब, उत्तर प्रदेश, मध्य प्रदेश, छत्तीसगढ़, बिहार, गुजरात, झारखण्ड, उड़ीसा, आंध्र प्रदेश, तेलंगाना, कर्नाटक, तमिलनाडु, आंध्र प्रदेश, राजस्थान और असम
: बुवाई का समय	मार्च अप्रैल
: सिंचित/वर्षा आधारित	सिंचित
: कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता

3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K)	एनपीके:200-200-200 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील	प्रतिकूल तापमान के प्रति सहनशीलता (15-40°C)
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	पानी के ठहराव के प्रति संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/सहनशीलता	यह पत्ती धब्बा (11%), स्कलेरोटियल विल्ट (2.5%), रूट गॉल इंडेक्स मीन (1.34) के प्रति कम संवेदनशील है और रूट नॉट नेमाटोड के प्रति सहनशील है।
7.	पुष्प आने में लगने वाले दिन	100-110 दिन
8.	फूलों की उपज/हेक्टेयर (औसत)	181.47 क्विंटल प्रति हेक्टेयर
9.	बाली की संख्या/हेक्टेयर	5.33 पौधा/वर्ष = 4.5-5.0 लाख/हेक्टेयर
10.	व्यापार की दृष्टि से किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	छोटे पुष्प ढीले पुष्प बनाने के लिए सही हैं। चमकीले सफेद रंग के पुष्प गुलाबी रंग के होते हैं जो माला बनाने और सजावट के लिए सही हैं। इसका इस्तेमाल कटे हुए फूलों को बनाने के लिए भी किया जाता है। मोटे फूलों की वजह से, कटाई के बाद पुष्प लंबे समय तक चलते हैं।
चित्र: 8		*अर्का वैभव के डीयूएस गुण

41. बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल की ओर से डॉ. तपस कुमार चौधरी, प्रोफेसर, फ्लोरीकल्चर और लैंडस्केप आर्किटेक्चर विभाग, बागवानी संकाय और प्रभारी अधिकारी, फ्लोरीकल्चर पर एआईसीआरपी, बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल ने दिनांक 22/06/2026 को विद्यमान (अधिसूचित) किस्म की **बिधान उज्ज्वल** नामक रजनीगंधा (पोलियान्थेस ट्यूबरोसा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	PT2	26	1093

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **बिधान उज्ज्वल**
 आवेदक का नाम : बिधान चंद्र कृषि विश्वविद्यालय
 आवेदक का पता : मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E2	PT2	26	1093

 प्राप्ति तिथि : 22/06/2026
 स्वीकृति तिथि : 24/08/2025
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : रजनीगंधा (पोलियान्थेस ट्यूबरोसा एल.)
 नाम : **बिधान उज्ज्वल**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : सिक्किम चयन और फुले रजनी
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **कलकत्ता सिंगल**
 अधिसूचना विवरण : एस.ओ.4917 (ई) 13.11.2024
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का रंग-रूप (गुण 2)	अनुपस्थित
पत्ती के आधार पर अक्षीय भाग पर रंजकता (गुण 5)	-
कली का रंग (गुण 7)	हरा
पुष्प का प्रकार (गुण 9)	एकल
पुष्प का आकार (गुण 16)	संकीर्ण
पुष्पक्रम की लंबाई (गुण 19)	-
वर्तिकाग्र का प्रकार (गुण 27)	-
वर्तिकाग्र पालियां (गुण 28)	त्रिशिखा
वृंत पर रंजकता (गुण 31)	अनुपस्थित

पुष्प आने में लगे दिन (गुण 32)		-
फलों का स्थान (गुण 34)		एनए
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिधान उज्ज्वल के प्रत्याशी किस्म के विशिष्ट गुण है- कली का रंग- हरा और पुष्पक्रम- सीधा ।		
संदर्भ किस्मों के विशिष्ट गुण: कलकत्ता सिंगल के विशिष्ट गुण है- कली का रंग- गुलाबी और पुष्पक्रम- वक्र है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	विवरण
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	अगेती (80-100 दिन)
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	पंजाब, उत्तर प्रदेश, मध्य प्रदेश, छत्तीसगढ़, बिहार, गुजरात, झारखण्ड, उड़ीसा, आंध्र प्रदेश, तेलंगाना, कर्नाटक, तमिलनाडु, आंध्र प्रदेश, राजस्थान और असम
	: बुवाई का समय	मार्च अप्रैल
	: सिंचित/वर्षा आधारित	सिंचित
	: कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K)	एनपीके:200-200-200 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील	प्रतिकूल तापमान के प्रति सहनशीलता (15-40°C)
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	पानी के ठहराव के प्रति संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/सहनशीलता	यह पत्ती धब्बा (11%), स्कलेरोटियल विल्ट (2.5%), रूट गॉल इंडेक्स मीन (1.34) के प्रति कम संवेदनशील है और रूट नॉट नेमाटोड के प्रति सहनशील है।
7.	पुष्प आने में लगने वाले दिन	80-85 दिन
8.	फूलों की उपज/हेक्टेयर (औसत)	171.0 क्विंटल प्रति हेक्टेयर
9.	बाली की संख्या/हेक्टेयर	4.88 पौधा/वर्ष = 4.0-4.5 लाख/हेक्टेयर
10.	व्यापार की दृष्टि से किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	छोटे पुष्प ढीले पुष्प बनाने के लिए सही हैं। चमकीले सफेद रंग के पुष्प माला/माला बनाने और सजावट के

		लिए सही हैं। पुष्प में अच्छी मीठी खुशबू होती है। इसका इस्तेमाल कटे हुए पुष्प बनाने के लिए भी किया जाता है। एक बार में बहुत सारे स्पाइक दिखने से कटे हुए पुष्प बनते हैं।
चित्र: 9		*बिधान उज्ज्वल के डीयूएस गुण

42. बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल की ओर से डॉ. तपस कुमार चौधरी, प्रोफेसर, फ्लोरीकल्चर और लैंडस्केप आर्किटेक्चर विभाग, बागवानी संकाय और प्रभारी अधिकारी, फ्लोरीकल्चर पर एआईसीआरपी, बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल ने दिनांक 22/06/2026 को विद्यमान (अधिसूचित) किस्म की **बिधान गोल्ड** नामक गेंदा (टैगेटेस प्र.) फसल को पंजीकरण हेतु आवेदन संख्या

E4	TS6	26	1094

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	बिधान गोल्ड				
आवेदक का नाम	:	बिधान चंद्र कृषि विश्वविद्यालय				
आवेदक का पता	:	मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन सं.	:	<table><tr><td>E4</td><td>TS6</td><td>26</td><td>1094</td></tr></table>	E4	TS6	26	1094
E4	TS6	26	1094			
ख. प्राप्ति तिथि	:	22/06/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	गेंदा (टैगेटेस प्र.)				
नाम	:	बिधान गोल्ड				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				

किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सिराकोल सेल-2, ऑरेंज सिंगल-1
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: पूसा नारंगी गेंदा
अधिसूचना विवरण	: एस.ओ.4272 (ई) 26.11.2019
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: ऊंचाई (गुण 5)	मध्यम
पौधा: बढ़वार स्वभाव (गुण 6)	फैलावदार
पुष्प का सिरा: पुष्प प्रकार (गुण 17)	सभी लिग्युलेट
पुष्प का सिरा: व्यास (गुण 18)	मध्यम
केवल नलिकाकार और लिग्युलेट पुष्पक वाली किस्में प्रकार: पुष्प शीर्ष: लिग्युलेट पुष्पक चक्रों की संख्या (गुण 19)	--
पुष्प का सिरा: रंगों की संख्या (गुण 25)	एक
केवल एक पुष्प के रंग वाली किस्म: पुष्प का सिरा: निम्न समूह के साथ रंग- (गुण: 26) सफेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	नारंगी
ट्यूबुलेट और/या ट्यूबुलिगुलेट फ्लोरेट: निम्नलिखित समूहों के साथ मुख्य रंग- (गुण: 28) सफेद हल्का पीला पीला हल्का नारंगी	--

नारंगी लाल अन्य	
केवल दो पुष्प सिर रंगों वाली किस्में: लिग्युलेट फ्लोरेट्स: निम्नलिखित समूहों के साथ मुख्य रंग:- गुण: 31 सफ़ेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	--
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिधान गोल्ड के प्रत्याशी किस्म के विशिष्ट गुण है- तना: एंथोसियानिन रंजकता की गहनता- दुर्बल और पुष्प के सिरे की आकृति- ऊपर से देखने पर गोल है।	
संदर्भ किस्मों के विशिष्ट गुण: पूसा नारंगी गेंदा के विशिष्ट गुण है- तना: एंथोसियानिन रंजकता की गहनता- मध्यम और पुष्प के सिरे की आकृति- ऊपर से देखने पर अनियमित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र.	विवरण
1.	पौधों बढवार स्वभाव
2.	परिपक्वता के लिए दिन: अगेती/मध्यम/पछेती
	ब्यौरा
	पौधे का बढवार स्वभाव फैलावदार है और यह पौधा मध्यम ऊंचाई वाली श्रेणी का है। पत्ती पिननेट होती है जिसकी लंबाई मध्यम और चौड़ाई पतली होती है। पत्ती के किनारे के इंडेंटेशन की गहराई कम होती है, जिसके ऊपर और नीचे की तरफ एक-एक करके गहरा हरा और हल्का हरा रंग होता है। फ्लोरेट टाइप लिगुलेट होता है, मध्यम आकार के पुष्प जिनमें नारंगी रंग के गोल गुच्छे होते हैं।
	मध्यम (50-60 दिन)

3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	जम्मू और कश्मीर, हरियाणा, उत्तर प्रदेश, पंजाब, उत्तर प्रदेश, मध्य प्रदेश, छत्तीसगढ़, बिहार, गुजरात, झारखण्ड, उड़ीसा, आंध्र प्रदेश, तेलंगाना, कर्नाटक, तमिलनाडु, आंध्र प्रदेश, राजस्थान और असम
	: बुवाई का समय	पूरे वर्ष
	: सिंचित/वर्षा सिंचित	सिंचित
4.	निम्न उर्वरता/उच्च उर्वरता	उच्च उर्वरता
5.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	एनपीके: 40-40-30 किग्रा/एकड़
6.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	खराब तापमान को सहने की क्षमता, 15-40° C तापमान तक बढ़ सकता है
7.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
8.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	अल्टरनेरिया ब्लाइट के लिए ठीक-ठाक रेसिस्टेंट, रेड स्पाइडर माइट के लिए कम सेंसिटिव और थ्रिप्स के लिए कम रेसिस्टेंट
9.	पुष्प आने में लगने वाले दिन	पुष्प आने में लगने वाले दिन-55 दिन पुष्प आने का समय-55 दिन
10.	पुष्प का सिरा: पुष्प प्रकार	गोल, सभी लिग्युलेट
11.	पुष्प: रंग	नारंगी
12.	पुष्प: सुगंध	हाँ
13.	पुष्प उपज किलोग्राम/एकड़ (औसत)	3868-4000किग्रा/एकड़
14.	व्यापार की दृष्टि से किस्म/हाइब्रिड से संबंधित कोई अन्य प्रासंगिक मूल्य संवर्धन जानकारी	यह गर्मी सहने वाली और फोटो असंवेदनशील किस्म है, जो पूरे साल ढीले पुष्प देती है। इसके पुष्प छोटे होते हैं, कटाई के बाद ज्यादा समय तक चलते हैं, यह माला बनाने और लंबी दूरी तक ले जाने के लिए सही है।
चित्र- 10		*बिधान गोल्ड के डीयूएस गुण

43. बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल की ओर से डॉ. तपस कुमार चौधरी, प्रोफेसर, फ्लोरीकल्चर और लैंडस्केप आर्किटेक्चर विभाग, बागवानी संकाय और प्रभारी अधिकारी, फ्लोरीकल्चर पर एआईसीआरपी, बिधान चंद्र कृषि विश्वविद्यालय, मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल ने दिनांक 22/06/2026 को विद्यमान (अधिसूचित) किस्म की **बिधान बसंती** नामक गेंदा (टैगेटेस प्र.) फसल को पंजीकरण हेतु आवेदन संख्या

E5	TS7	26	1095

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	बिधान बसंती				
आवेदक का नाम	:	बिधान चंद्र कृषि विश्वविद्यालय				
आवेदक का पता	:	मोहनपुर-741252, जिला: नादिया, पश्चिम बंगाल				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन स.	:	<table border="1" data-bbox="695 1151 1163 1214"><tr><td>E5</td><td>TS7</td><td>26</td><td>1095</td></tr></table>	E5	TS7	26	1095
E5	TS7	26	1095			
ख. प्राप्ति तिथि	:	22/06/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	गेंदा (टैगेटेस प्र.)				
नाम	:	बिधान बसंती				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	सिराकोल सेल-2, येलो सिंगल-1				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	पूसा नारंगी गेंदा				
अधिसूचना विवरण	:	एस.ओ.4272 (ई) 26.11.2019				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: ऊंचाई (गुण 5)	मध्यम
पौधा: बढ़वार स्वभाव (गुण 6)	फैलावदार
पुष्प का सिरा: पुष्प प्रकार (गुण 17)	सभी लिग्युलेट
पुष्प का सिरा: व्यास (गुण 18)	मध्यम
केवल नलिकाकार और लिग्युलेट पुष्पक वाली किस्में प्रकार: पुष्प शीर्ष: लिग्युलेट पुष्पक चक्रों की संख्या (गुण 19)	--
पुष्प का सिरा: रंगों की संख्या (गुण 25)	एक
केवल एक पुष्प के रंग वाली किस्म: पुष्प का सिरा: निम्न समूह के साथ रंग- (गुण: 26) सफेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	पीला
ट्यूबुलेट और/या ट्यूबुलिगुलेट फ्लोरेट: निम्नलिखित समूहों के साथ मुख्य रंग- (गुण: 28) सफेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	--
केवल दो पुष्प सिर रंगों वाली किस्में: लिग्युलेट फ्लोरेट्स: निम्नलिखित समूहों के साथ मुख्य रंग:- गुण: 31 सफेद	--

हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य		
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिधान बसंती के प्रत्याशी किस्म के विशिष्ट गुण है- पौधा: बढ़वार स्वभाव- फैलावदार, पुष्प के सिरे की आकृति- ऊपर की ओर से गोल और केवल एक पुष्प वाले सिर के रंग वाली किस्में पीला-6A है।		
संदर्भ किस्मों के विशिष्ट गुण: पूसा नारंगी गेंदा के विशिष्ट गुण है- पौधा: बढ़वार स्वभाव- अर्ध ऊपर की ओर सीधा, पुष्प के सिरे की आकृति- ऊपर की ओर से अनियमित और केवल एक पुष्प वाले सिर के रंग हल्का नारंगी है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.	विवरण	ब्यौरा
1.	पौधों बढ़वार स्वभाव	पौधे का बढ़वार स्वभाव फैलावदार है और यह पौधा मध्यम ऊंचाई वाली श्रेणी का है। पत्ती पिननेट होती है जिसकी लंबाई मध्यम और चौड़ाई पतली होती है। पत्ती के किनारे के इंडेंटेशन की गहराई कम होती है, जिसके ऊपर और नीचे की तरफ एक-एक करके गहरा हरा और हल्का हरा रंग होता है। फ्लोरेट टाइप लिगुलेट होता है, मध्यम आकार के पुष्प जिनमें नारंगी रंग के गोल गुच्छे होते हैं।
2.	परिपक्वता के लिए दिन: अगेती/मध्यम/पछेती	मध्यम (40-60 दिन)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	जम्मू और कश्मीर, हरियाणा, उत्तर प्रदेश, पंजाब, उत्तर प्रदेश, मध्य प्रदेश, छत्तीसगढ़, बिहार, गुजरात, झारखण्ड, उड़ीसा, आंध्र प्रदेश, तेलंगाना, कर्नाटक, तमिलनाडु, आंध्र प्रदेश, राजस्थान और असम
	: बुवाई का समय	पूरे वर्ष
	: सिंचित/वर्षा सिंचित	सिंचित

4.	निम्न उर्वरता/उच्च उर्वरता	उच्च उर्वरता
5.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	एनपीके: 40-40-30 किग्रा/एकड़
6.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	खराब तापमान को सहने की क्षमता, 15-40° C तापमान तक बढ़ सकता है
7.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
8.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	अल्टरनेरिया ब्लाइट के लिए ठीक-ठाक रेसिस्टेंट, रेड स्पाइडर माइट के लिए कम सेंसिटिव और थ्रिप्स के लिए कम रेसिस्टेंट
9.	पुष्प आने में लगने वाले दिन	पुष्प आने में लगने वाले दिन-48 दिन पुष्प आने का समय-51 दिन
10.	पुष्प का सिरा: पुष्प प्रकार	गोल, सभी लिग्युलेट
11.	पुष्प: रंग	पीला
12.	पुष्प: सुगंध	हाँ
13.	पुष्प उपज किलोग्राम/एकड़ (औसत)	3496-3500किग्रा/एकड़
14.	व्यापार की दृष्टि से किस्म/हाइब्रिड से संबंधित कोई अन्य प्रासंगिक मूल्य संवर्धन जानकारी	यह गर्मी सहने वाली और फोटो असंवेदनशील किस्म है, जो पूरे साल ढीले पुष्प देती है। इसके पुष्प छोटे होते हैं, कटाई के बाद ज्यादा समय तक चलते हैं, यह माला बनाने और लंबी दूरी तक ले जाने के लिए सही है।
चित्र- 11		*विधान बसंती के डीयूएस गुण

44. भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक की ओर से निदेशक, भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक ने दिनांक 29/05/2026 को विद्यमान (अधिसूचित) किस्म की **अर्का चंद्रा** नामक पम्पेलो (साइट्रस मैक्सिमा (जे. बर्म.) मेर.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	CMM1	26	977

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : अर्का चंद्रा

आवेदक का नाम : भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान

आवेदक का पता : हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E1	CMM1	26	977

प्राप्ति तिथि : 29/05/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पम्पेलो (साइट्रस मैक्सिमा (जे. बर्म.) मेर.)

नाम : अर्का चंद्रा

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : अक्सेशन 18-5

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : मिदनापुर चयन

अधिसूचना विवरण : एस.ओ.4000 (ई) 01.9.2025

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती फलक का आकार (गुण- 3)	दीर्घवृत्ताकार
पेटियोल विंग का आकार (गुण- 6)	कॉर्डिफॉर्म
फल का आकार (गुण- 11)	चपटा
फल का कोर (विशेषता- 14)	ठोस
फल के गूदे का रंग (गुण- 18)	सफेद
बीज (गुण- 20)	उपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

अर्का चंद्रा प्रत्याशी किस्म के विशिष्ट गुण है- पेटियोल विंग का आकार- कॉर्डिफॉर्म और फल का कोर- ठोस है।		
संदर्भ किस्म के विशिष्ट गुण:		
मिदनापुर चयन के विशिष्ट गुण है- पेटियोल विंग का आकार- त्रिकोणीय और फल का कोर- खोखला है।		
घ. किस्म के व्यावसायीकरण की तिथि		27/02/2024
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	विवरण
1.	वृक्ष का बढ़वार स्वभाव	फैलावदार
2.	पकने में लगने वाले दिन	पछेती
3.	फल: कटाई का समय (दिन)	8-9 महीने
4.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन.पी.के) किग्रा/एकड़	600:200:400 किलो प्रति पेड़
5.	प्रति एकड़ पैदावार की संभावना (औसत) (क्यू/एकड़)	35-40 फल/पौधा/मौसम
6.	प्रति पौधे फलों की पैदावार (औसत)	35-40 फल/पौधा
7.	फल का भार (ग्राम)	0.8-1.0 किग्रा
8.	फलों का रसीलापन: कम रसीला/मध्यम/रसीला	उच्च
9.	फल: गूदे का सख्त पन: नरम/मध्यम/सख्त	-
10.	फलों के गूदे का रंग और जूस की रिकवरी (%)	सफेद
11.	कीटों/बीमारियों के प्रति प्रतिरोधक क्षमता/सहनशीलता	कैंकर और लीफ माइनर के प्रति सहनशील
12.	किस्म से जुड़ी कोई और ज़रूरी जानकारी	-
चित्र- 12		*अर्का चंद्रा के डीयूएस गुण

45. भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक की ओर से निदेशक, भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक ने दिनांक 29/05/2026 को विद्यमान (अधिसूचित) किस्म की अर्का अनंत नामक पम्पेलो (साइट्रस मैक्सिमा (जे. बर्म.) मेर.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CMM2	26	978

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : अर्का अनंत

आवेदक का नाम : भा.कृ.अ.प.- भारतीय बागवानी अनुसंधान संस्थान

आवेदक का पता : हेसरघट्टा लेक पोस्ट, बेंगलुरु-560089, कर्नाटक

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E2	CMM2	26	978

प्राप्ति तिथि : 29/05/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पम्पेलो (साइट्रस मैक्सिमा (जे. बर्म.) मेर.)

नाम : अर्का अनंत

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : अक्सेशन 25-5

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : देवनहल्ली चयन

अधिसूचना विवरण : एस.ओ.4000 (ई) 01.9.2025

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती फलक का आकार (गुण- 3)	दीर्घवृत्ताकार
पेटियोल विंग का आकार (गुण- 6)	कॉर्डिफॉर्म
फल का आकार (गुण- 11)	अंडाकार
फल का कोर (विशेषता- 14)	खोखला
फल के गूदे का रंग (गुण- 18)	लाल
बीज (गुण- 20)	उपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

अर्का अनंत प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकार- अंडाकार और फल: गूदे का रंग- लाल है।		
संदर्भ किस्म के विशिष्ट गुण:		
देवनहल्ली चयन के विशिष्ट गुण है- फल: आकार- गोलाकार और फल: गूदे का रंग- लाल एवं बैंगनी है।		
घ. किस्म के व्यावसायीकरण की तिथि		27/02/2024
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	विवरण
1.	वृक्ष का बढ़वार स्वभाव	झुका हुआ
2.	पकने में लगने वाले दिन	पछेती
3.	फल: कटाई का समय (दिन)	8-9 महीने
4.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन.पी.के) किग्रा/एकड़	600:200:400 किलो प्रति पेड़
5.	प्रति एकड़ पैदावार की संभावना (औसत) (क्यू/एकड़)	35-40 फल/पौधा/मौसम
6.	प्रति पौधे फलों की पैदावार (औसत)	35-40 फल/पौधा
7.	फल का भार (ग्राम)	0.8-1.0 किग्रा
8.	फलों का रसीलापन: कम रसीला/मध्यम/रसीला	-
9.	फल: गूदे का सख्त पन: नरम/मध्यम/सख्त	-
10.	फलों के गूदे का रंग और जूस की रिकवरी (%)	लाल
11.	कीटों/बीमारियों के प्रति प्रतिरोधक क्षमता/सहनशीलता	कैंकर और लीफ माइनर के प्रति सहनशील
12.	किस्म से जुड़ी कोई और आवश्यक जानकारी	-
चित्र- 13		*अर्का अनंत के डीयूएस गुण

46. महात्मा फूले कृषि विद्यापीठ, राहुरी, जिला अहमदनगर, 413722, महाराष्ट्र की ओर से डॉ. ए. बी. भोसले, फलों पर एआईसीआरपी केला, जलगांव, पुराना राष्ट्रीय राजमार्ग संख्या 06, नीमखेड़ी रोड, जलगांव, 4250001, महाराष्ट्र ने दिनांक 11/08/2026 को विद्यमान (अधिसूचित) किस्म की फूले प्राइड नामक केला (मूसा प्रजाति) फसल को पंजीकरण हेतु आवेदन संख्या E4 MS24 26 1822 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **फूले प्राइड**
 आवेदक का नाम : महात्मा फूले कृषि विद्यापीठ
 आवेदक का पता : राहुरी, जिला अहमदनगर, 413722, महाराष्ट्र
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E4	MS24	26	1822

 प्राप्ति तिथि : 11/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : केला (मूसा प्रजाति)
 नाम : **फूले प्राइड**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : बीआरएस 2013-3
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **ग्रेंड नैन**
 अधिसूचना विवरण : एस.ओ.1480 (ई) 01.4.2021
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
छद्म तने की दिखावट (गुण- 1 और 2)	अत्यधिक छोटा हरा
पत्ती अभिविन्यास (गुण- 5) पत्ती फलक: आधार की आकृति (गुण- 8)	फैलावदार दोनों ओर से गोल
डंठल की लंबाई (गुण- 9) डंठल का रंग (गुण- 10)	छोटा हल्का हरा
गुच्छा आकार (गुण- 12)	बेलनाकार

पुष्पक्रम (गुण- 15, 16 एवं 18) नर कली (गुण- 18, 19, 20 एवं 21)		ऊर्ध्वाधर सिरे के साथ घुमावदार उपस्थित
फल: अभिविन्यास (गुण- 26) फल: आकृति (गुण- 28) डंठल (गुण- 32, 33 एवं 34) छिलका (गुण- 35, 36 एवं 38) गूदा (गुण- 39)		ऊपर की ओर घुमावदार हल्का घुमावदार रोमिलता हल्का हरा क्रीम
ख. प्रत्याशी किस्म के विशिष्ट गुण: फूले प्राइड प्रत्याशी किस्म के विशिष्ट गुण है- छद्म तने की लंबाई- अत्यधिक छोटा और फल: शीर्ष- कुंद सिरा है।		
संदर्भ किस्म के विशिष्ट गुण: ग्रैंड नैन के विशिष्ट गुण है- छद्म तने की लंबाई- मध्यम और फल: शीर्ष- नुकीला है।		
घ. किस्म के व्यावसायीकरण की तिथि		14/06/2021
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.	विवरण	विवरण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	महाराष्ट्र, गुजरात और आंध्र प्रदेश
	: बुवाई का समय	जून-जुलाई, अक्टूबर-नवंबर, फरवरी
	: सिंचित/वर्षा आधारित	सिंचित
	: निम्न उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित पैदावार पाने के लिए खाद की जरूरत (नाइट्रोजन:फास्फोरस:पोटेशियम) किग्रा/एकड़	200:60:200
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	अधिक तापमान, गर्मी और ठहराव के प्रति सहनशील
5.	पानी के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/ सहनशीलता	सहनशील
7.	प्रति पौधे गुच्छों की संख्या	01
8.	फल उपज (औसत) किंटल/एकड़	38-40 टन/एकड़
9.	व्यापार के हिसाब से किस्म/संकार से सम्बन्धित	टेबल उद्देश्य किस्म

	कोई अन्य अतिरिक्त जानकारी	
चित्र- 14		*फूले प्राइड के डीयूएस गुण

47. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर-आईएआरआई, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 02/05/2025 को विद्यमान (अधिसूचित) किस्म की पूसा बायो-फोर्टिफाइड मैज हाइब्रिड-4 (एपीएच -4) नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E36	ZM80	25	533

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को-----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा बायो-फोर्टिफाइड मैज हाइब्रिड-4 (एपीएच -4)

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E36	ZM80	25	533

प्राप्ति तिथि : 02/05/2025

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)

नाम : पूसा बायो-फोर्टिफाइड मैज हाइब्रिड-4 (एपीएच -4)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पीएमआई-पीवी5 x पीएमआई-पीवी13

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : एचक्यूपीएम-5

अधिसूचना विवरण

: एस.ओ. 4388 (ई) दिनांक 08.10.2024

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)		मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)		मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)		मौजूदा
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)		लंबा
भुट्टा: दाने का प्रकार (गुण 22)		चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा बायो-फोर्टिफाइड मैज हाइब्रिड-4 (एपीएच -4) के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टे: बिना छिलके के व्यास (बीच में) ज्यादा है और भुट्टे के दाने का प्रकार (भुट्टे के बीच के तीसरे हिस्से में): चकमक और प्रोविटामिन A (6.7 माइक्रोग्राम/ग्राम) की भरपूर मात्रा ।		
संदर्भ किस्मों के विशिष्ट गुण:		
एचक्यूपीएम-5 के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: छिलके के बिना व्यास (बीच में) मध्यम है और भुट्टा: दाने का प्रकार (भुट्टे के बीच के तीसरे हिस्से में) चकमक और इसमें प्रोविटामिन A (5.7 µg/g) की मात्रा कम होती है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया ।
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
11.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	मध्यम
12.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ
13.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	पंजाब, हरियाणा, दिल्ली, उत्तराखंड (मैदानी), उत्तर प्रदेश (पश्चिमी क्षेत्र), महाराष्ट्र, कर्नाटक, आंध्र प्रदेश, तेलंगाना और तमिलनाडु, गुजरात, मध्य प्रदेश, छत्तीसगढ़ और राजस्थान।
14.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	60एन:24पी:24K किग्रा/एकड़
	अन्य उर्वरक किग्रा/एकड़	जिंक 10 किग्रा/एकड़
15.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए	पंजाब, हरियाणा, दिल्ली, उत्तराखंड

	संस्तुत किस्म	(मैदानी), उत्तर प्रदेश (पश्चिमी क्षेत्र), महाराष्ट्र, कर्नाटक, आंध्र प्रदेश, तेलंगाना और तमिलनाडु, गुजरात, मध्य प्रदेश, छत्तीसगढ़ और राजस्थान।
16.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	-
17.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	एनडब्ल्यूपीजेड: 33.73 क्विं/एकड़ पीजेड: 25.38 क्विं/एकड़ सीडब्लूजेड: 20.31 क्विं/एकड़
18.	बीज उपज / एकड़ (औसत)	-
19.	बीज: भार (100 बीज वजन ग्राम में)	354 g
20.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	-
	चित्र: 15,16	पूसा बायो-फोर्टिफाइड मैज हाइब्रिड-4 (एपीएच -4) के डीयूएस गुण

48. यूनिवर्सिटी ऑफ एग्रीकल्चरल साइंसेज, जीकेवीके, बेंगलोर-560065 की ओर से डॉ. पी. महादेवू, प्रोफेसर और प्रमुख, एआईसीआरपी (मक्का), जोनल एग्रीकल्चरल रिसर्च स्टेशन, वी.सी.फार्म, मांड्या ने दिनांक 11/08/2026 को विद्यमान (अधिसूचित) किस्म की **एमएच 14-138** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E30	ZM96	26	1821

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एमएच 14-138**

आवेदक का नाम : यूनिवर्सिटी ऑफ एग्रीकल्चरल साइंसेज,

आवेदक का पता : जीकेवीके, बेंगलोर-560065

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E30	ZM96	26	1821
प्राप्ति तिथि	:	11/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मक्का (जिया मेस एल.)			
नाम	:	एमएच 14-138			
किस्म का प्रकार	:	विद्यमान (अधिसूचित)			
किस्म का वर्गीकरण	:	संकर			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	(एमआई-729 x एमआई-105)			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म			
संदर्भ किस्मों का नाम	:	एमएच 14-5			
अधिसूचना विवरण	:	एस.ओ. 4388 (ई) दिनांक 08.10.2024			

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)		विलंब
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)		विलंब
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)		उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)		लंबा
भुट्टा: दाने का प्रकार (गुण 22)		अर्द्ध -चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
एमएएच 14-138 के प्रत्याशी किस्म के विशिष्ट गुण है तना: ब्रेस जड़ों का एंथोसियानिन रंग : अनुपस्थित और भुट्टा: सिल्क (रेशों) पर एंथोसायनिन का रंग: उपस्थित ।		
संदर्भ किस्मों के विशिष्ट गुण:		
एमएएच 14-5 के प्रत्याशी किस्म के विशिष्ट गुण है तना: ब्रेस जड़ों का एंथोसियानिन रंग : उपस्थित और भुट्टा: सिल्क (रेशों) पर एंथोसायनिन का रंग: अनुपस्थित ।		
घ. किस्म के व्यावसायीकरण की तिथि		26/06/2023
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	-

2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ और रबी
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	एन:पी:के: 60: 30: 16 किग्रा/एकड़
	अन्य उर्वरक किग्रा/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	कर्नाटक
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम लीफ ब्लाइट के प्रति प्रतिरोधी, ज्वार के डाउनी मिल्ड्यू रोग के प्रति मध्यम प्रतिरोधी।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	35-38 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	35-38 क्विंटल/एकड़
9.	बीज: भार (100 बीज वजन ग्राम में)	250-300 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	मध्यम अवधि (115-120 दिन), ज्यादा बीज उत्पादन क्षमता के साथ अनाज की अधिक पैदावार। बेहतर बीज बनने के लिए एंथेसिस-सिल्किंग (पुष्प आने और सिल्क निकलने) के बीच सही अंतराल और लंबे समय तक हरा-भरा रहना।
	चित्र: 17,18	एमएच 14-138 के डीयूएस गुण

49. इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड, 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत की ओर से श्री वीरंजनेयुलु द्रोणदुला, प्रबंध निदेशक, इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड, 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत ने दिनांक 10/08/2026 को विद्यमान (अधिसूचित) किस्म की **एसएमएच-4555** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन

E28	ZM94	26	1802

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एसएमएच-4555**
 आवेदक का नाम : इनविक्टा एग्रीटेक इंडिया प्राइवेट लिमिटेड,
 आवेदक का पता : 5-31, फ्लैट नंबर 301, एग्रीनिवास, महालक्ष्मी लेआउट, डुलापल्ली-500014, सिकंदराबाद, हैदराबाद, तेलंगाना, भारत
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E28	ZM94	26	1802

 प्राप्ति तिथि : 10/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)
 नाम : **एसएमएच-4555**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : 901एफ X 901एम
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : बीआईओ 9637 और डीएचएम 117
 अधिसूचना विवरण : एस.ओ. 2128 (ई) दिनांक 13/05/2025
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	शीघ्र
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	लंबा
भुट्टा: दाने का प्रकार (गुण 22)	अर्द्ध -चकमक

ख. प्रत्याशी किस्म के विशिष्ट गुण: एसएमएच-4555 के प्रत्याशी किस्म के विशिष्ट गुण है वल्लर: उपशूकियों का घनत्व: सघन और भुट्टा आकृति बेलनाकार		
संदर्भ किस्मों के विशिष्ट गुण: एमएच 14-5 के प्रत्याशी किस्म के विशिष्ट गुण है वल्लर: उपशूकियों का घनत्व: विरल और भुट्टा आकृति शंकुकार-बेलनाकार		
घ. किस्म के व्यावसायीकरण की तिथि		26/11/2024
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्योरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	शीघ्र
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	आंध्र प्रदेश और तेलंगाना
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	61 किग्रा N, 21 किग्रा P ₂ O ₅ , 24 किग्रा K ₂ O
	अन्य उर्वरक किग्रा/एकड़	ZnSO ₄ : 10 किग्रा/एकड़
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	ज़ोन II- उत्तर-पश्चिम मैदानी क्षेत्र (NWPZ): पंजाब, हरियाणा, दिल्ली, उत्तराखंड (मैदानी इलाका), उत्तर प्रदेश (पश्चिमी क्षेत्र) और ज़ोन V- मध्य-पश्चिम क्षेत्र (CWZ): राजस्थान, गुजरात और मध्य प्रदेश
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	खेत की स्थितियों में यह हाइब्रिड MLB, TLB, BLSB, चारकोल रॉट और फ्यूसेरियम स्टॉक के प्रति प्रतिरोधी है; और फॉल आर्मी वर्म और चिलो पार्टेलस (स्विन्हो) के प्रति मध्यम रूप से प्रतिरोधी है।
7.	क्षेत्रवार उपज क्षमता (क्विंटल/एकड़)	ज़ोन V (CWZ): 31 क्विंटल/एकड़ ज़ोन II (NWPZ): 30 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	15-18 क्विंटल/एकड़
9.	बीज: भार (100 बीज वजन ग्राम में)	290-350 ग्राम

10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	लागू नहीं
	चित्र: 19,20	एसएमएच-4555 के डीयूएस गुण

50. वीएनआर सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 की ओर से डॉ. कृष्ण चंद्र उपाध्याय, प्रमुख – अनुसंधान और विकास, सीएस-वीएसपीएल, वीएनआर सीड्स प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006 ने दिनांक 17/08/2026 को विद्यमान(अधिसूचित) किस्म की वीएनआर-2228 (आईईटी 24951) (वीएनआर 218) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E61	OS361	26	1852

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

घ. आवेदन स.

ड. प्राप्ति तिथि

च. स्वीकृति तिथि

फसल (वर्गीकरण विज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

: वीएनआर-2228 (आईईटी 24951) (वीएनआर 218)

: वीएनआर सीड्स प्राइवेट लिमिटेड,

: कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर, छत्तीसगढ़-492006

: भारतीय

E61	OS361	26	1852

: 17/08/2026

: 24/08/2026

: चावल (ओरिजा सैटिवा एल.)

: वीएनआर-2228 (आईईटी 24951) (वीएनआर 218)

: विद्यमान(अधिसूचित)

: संकर

पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : ए लाइन: वीएनआरएफ -102 X आर लाइन:
 वीएनआरआरडीएन -10221; बी लाइन: वीएनआरएम -102
 पैतृक सामग्री का स्रोत : अपना जर्मप्लास्म
 संदर्भ किस्मों का नाम : पीए 6444 और महामाया
 अधिसूचना विवरण : एस.ओ. 6318 (ई) दिनांक 26.12.2018
 किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)		हरा
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)		मध्यम
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)		छोटा
छिला हुआ दाना: लंबाई (गुण 54)		मध्यम
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)		मध्यम और पतला
छिला हुआ दाना: रंग (गुण 57)		हल्का भूरा
भ्रूणपोष: एमाइलोज अंश (गुण 59)		मध्यम
छिला हुआ दाना: सुगंध (गुण 62)		उपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएनआर-2228 (आईईटी 24951) (वीएनआर 218) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पगुच्छ: शूकी: अनुपस्थित और छिला हुआ दाना की आकृति: मध्यम पतला ।		
संदर्भ किस्मों के विशिष्ट गुण: पीए 6444 और महामाया के विशिष्ट गुण है पुष्पगुच्छ: शूकी: उपस्थित और छिला हुआ दाना की आकृति: लंबा मोटा ।		
घ. किस्म के व्यावसायीकरण की तिथि		06/05/2020
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	मध्य-जल्दी पकने वाली
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	असम और त्रिपुरा के सिंचित इलाके
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	खरीफ़ (जून-जुलाई)
4.	बुवाई का समय	6 किग्रा/एकड़

	बीज दर (किलोग्राम/एकड़)	पौधे से पौधे की दूरी: 15 सेमी
	रोपाई के बीच अंतराल	पंक्ति से पंक्ति की दूरी: 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित क्षेत्र
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम से अधिक उपजाऊ मिट्टी
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	50:24:24 किग्रा/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	लीफ और नेक ब्लास्ट के प्रति मध्यम प्रतिरोधक क्षमता
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	लंबाई: 5.8 मिमी और चौड़ाई: 2.07 मिमी
	ख) ल./चौ. अनुपात	2.79 मिमी
	ग) दाने का रंग	हल्का भूरा
8.	अनाज की उपज (क्विंटल/एकड़)	25.48 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	23-24 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	उच्च स्पाइकलेट फर्टिलिटी और एचआरआर प्रतिशत
चित्र- 21,22		* वीएनआर-2228 (आईईटी 24951) (वीएनआर 218) के डीयूएस गुण

51. एक्सेन एग्रीसाइंस प्राइवेट लिमिटेड, नंबर-47, कोऑपरेटिव कॉलोनी, उप्पिलिपलयम, कोयंबटूर-6410, तमिलनाडु की ओर से श्री ओंकार सिंह, एसीएसईएन एग्रीसाइंस प्रा. लिमिटेड, गांव- नुन्हेरा, टोल प्लाजा के पास, सामने। वेदाज्ञ इंटरनेशनल स्कूल, सोहना-बल्लबगढ़ रोड, सोहना, गुरुग्राम-122103, हरियाणा ने दिनांक 20/06/2025 को विद्यमान (वीसीके) किस्म की **एचवीटीएम-259** नामक टमाटर (लाइकोपर्सिकॉन

लाइकोपर्सिकम (एल.) कास्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E8	LL21	25	739

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।----- उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को---लागू नहीं----- में ----- दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एचवीटीएम-259**

आवेदक का नाम : एक्सेन एग्रीसाइंस प्राइवेट लिमिटेड,

आवेदक का पता : नंबर-47, कोऑपरेटिव कॉलोनी, उप्पिलिपलयम, कोयंबटूर-6410, तमिलनाडु

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E8	LL21	25	739

प्राप्ति तिथि : 20/06/2025

स्वीकृति तिथि : 30/07/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कास्टन पूर्व)

नाम : **एचवीटीएम-259**

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : 22आईटीएमएसएसडी07x 22आईटीएमएसएसडी08

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **यूएस-440 और साहू**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)	निश्चित
पत्रक: दाँतेदार (गुण 12)	कम दाँतेदार
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)	अनुपस्थित
फल: अनुदैर्घ्य खंड में आकार (गुण 33)	हल्का चपटा

फल: परिपक्वता पर रंग (गुण 43)		लाल
ख. प्रत्याशी किस्म के विशिष्ट गुण: एचवीटीएम-259 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: मुख्य तने के सापेक्ष झुकाव (पौधे के मध्य-तिहाई भाग में): नीचे की ओर झुकी हुई, पत्ती: मुख्य तने के सापेक्ष झुकाव (पौधे के मध्य-तिहाई भाग में): क्षैतिज, जोड़दार डंठल: लंबाई (अलग होने वाली परत से कैलिक्स तक) (सेमी): मध्यम (1.5-2.0) और पुष्पन का समय (बीज बोने के बाद कम से कम एक खुले पुष्प वाले 50% पौधे) (दिन): मध्यम (65-80)।		
संदर्भ किस्म के विशिष्ट गुण: यूएस-440 और साहू के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: मुख्य तने के सापेक्ष झुकाव (पौधे के मध्य-तिहाई भाग में): क्षैतिज; पत्ती: मुख्य तने के सापेक्ष झुकाव (पौधे के मध्य-तिहाई भाग में): अर्ध-खड़ी से अर्ध-झुकी हुई; जोड़दार डंठल: लंबाई (अलग होने वाली परत से कैलिक्स तक) (सेमी): छोटी (<1.5); और पुष्पन का समय (बीज बोने के बाद कम से कम एक खुले पुष्प वाले 50% पौधे) (दिन): जल्दी (<65)।		
घ. किस्म के व्यावसायीकरण की तिथि		22 मई 2024, नायक के तौर पर
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	जल्दी तैयार होने वाली
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कर्नाटक, गुजरात और अन्य
	बुवाई का समय	पतझड़/सर्दियों की फसल के लिए जून से जुलाई और वसंत-गर्मी की फसल के लिए नवंबर
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	180: 100: 60
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	30°C
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	पानी जमा होने के प्रति संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	टीओएलसीवी के प्रति मध्यम प्रतिरोध
7.	स्टेकिंग और छंटाई प्रथाएँ	लागू नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	जुलाई से अक्टूबर

9.	फल उपज (क्विंटल/एकड़)	700-750 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	4.5-5 किलोग्राम/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	सख्त
12.	फल चुनने का कार्यक्रम	4-5 दिन
13.	परिवहन क्षमता (दिन में)	5-7 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	अच्छी गुणवत्ता वाले फलों के साथ अधिक पैदावार देने वाली
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य ज़रूरी जानकारी	-
		एचवीटीएम-259 के डीयूएस गुण

52. सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला। कांगड़ा- 176062, कांगड़ा, हिमाचल प्रदेश की ओर से अनुसंधान निदेशक सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला: कांगड़ा-176062, हिमाचल प्रदेश ने दिनांक 12/08/2026 को विद्यमान (अधिसूचित) किस्म की **हिम पालम मिर्च -1** नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E22	CA(C)43	26	1830

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां..... (लागू नहीं)..... को पंजीकरण संख्या.....(लागू नहीं).....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **हिम पालम मिर्च -1**
 आवेदक का नाम : सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय,
 आवेदक का पता : पालमपुर, जिला। कांगड़ा- 176062, कांगड़ा, हिमाचल प्रदेश
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

E22	CA(C)43	26	1830

 ख. प्राप्ति तिथि : 12/08/2026

ग. स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मिर्च (कैप्सिकम एन्नम एल.)
 नाम : हिम पालम मिर्च -1
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : पूसा ज्वाला x सूरजमुखी
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : सूरजमुखी
 अधिसूचना विवरण : एस.ओ. 3254 (ई) दिनांक 20/07/2022
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	अर्द्ध सीधा
पुष्प/फल: अभिविन्यास (गुण 24)	सीधा
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल
फल: आधार पर आकार (गुण 41)	तीव्र
फल: शीर्ष पर आकार (गुण 42)	तीव्र
ख. प्रत्याशी किस्म के विशिष्ट गुण: हिम पालम मिर्च -1 के प्रत्याशी किस्म के विशिष्ट गुण है लंबवत काट में फल का आकार: संकरा त्रिकोणीय; फल: कैलिक्स (बाह्यदलपुंज) का आवरण: पूरी तरह ढंकने वाला।	
संदर्भ किस्मों के विशिष्ट गुण: सूरजमुखी के विशिष्ट गुण है लंबाई में काटने पर फल का आकार: थोड़ा तिकोना; फल: कैलिक्स कवर: पूरी तरह ढंकने वाला नहीं।	
घ. किस्म के व्यावसायीकरण की तिथि	19/04/2021
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	

क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	हिमाचल प्रदेश की कम ऊँचाई वाली पहाड़ियाँ
	: बुवाई का समय	वसंत-गर्मी, बरसात का मौसम
	: सिंचित/वर्षा आधारित	--
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	---
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	75:60:50
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	पाला के प्रति संवेदनशील
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	---
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	बैक्टीरियल विल्ट को सहने की क्षमता
7.	स्टेकिंग और छंटाई प्रथाएँ	--
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	--
9.	फल उपज (क्विंटल/एकड़)	8-10 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	65
11.	फल की गुणवत्ता और फल की दृढ़ता	
12.	फल चुनने का कार्यक्रम	60
13.	परिवहन क्षमता (दिन में)	
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	मध्यम
चित्र- 23		* हिम पालम मिर्च -1 के डीयूएस गुण

53. सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला। कांगड़ा- 176062, कांगड़ा, हिमाचल प्रदेश की ओर से अनुसंधान निदेशक सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला: कांगड़ा-176062, हिमाचल प्रदेश ने दिनांक 12/08/2026 को विद्यमान (अधिसूचित) किस्म की **हिम पालम मिर्च -2** नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E23	CA(C)44	26	1831

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	हिम पालम मिर्च -2				
आवेदक का नाम	:	सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय,				
आवेदक का पता	:	पालमपुर, जिला। कांगड़ा- 176062, कांगड़ा, हिमाचल प्रदेश				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन स.	:	<table border="1" data-bbox="695 1144 1313 1211"> <tr> <td>E23</td> <td>CA(C)44</td> <td>26</td> <td>1831</td> </tr> </table>	E23	CA(C)44	26	1831
E23	CA(C)44	26	1831			
ख. प्राप्ति तिथि	:	12/08/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मिर्च (कैप्सिकम एन्नम एल.)				
नाम	:	हिम पालम मिर्च -2				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	संकर				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	पूसा ज्वाला x सूरजमुखी				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	सूरजमुखी				
अधिसूचना विवरण	:	एस.ओ. 3254 (ई) दिनांक 20/07/2022				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)	
पौधा: बड़वार स्वभाव (गुण 2)	अर्द्ध सीधा	
पुष्प/फल: अभिविन्यास (गुण 24)	सीधा	
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)	
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा	
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय	
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल	
फल: आधार पर आकार (गुण 41)	तीव्र	
फल: शीर्ष पर आकार (गुण 42)	तीव्र	
ख. प्रत्याशी किस्म के विशिष्ट गुण: हिम पालम मिर्च -2 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: बनावट: आधी सीधी और फल: फल लगने का तरीका (प्रति नोड फलों की संख्या): 1 (अकेला)।		
संदर्भ किस्मों के विशिष्ट गुण: सूरजमुखी के विशिष्ट गुण है पौधे के रूप में: आदत: सीधा और फल: फल लगने की आदत (प्रति नोड फलों की संख्या): >3 (गुच्छे में)।		
घ. किस्म के व्यावसायीकरण की तिथि	19/04/2021	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	हिमाचल प्रदेश की कम ऊँचाई वाली पहाड़ियाँ
	: बुवाई का समय	वसंत-गर्मी, बरसात का मौसम
	: सिंचित/वर्षा आधारित	--
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	--
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	75:60:50
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	पाला के प्रति संवेदनशील
5.	जल ठहराव के प्रति सहनशीलता:	--

	संवेदनशील/सहिष्णु	
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	बैक्टीरियल विल्ट को सहने की क्षमता
7.	स्टेकिंग और छंटाई प्रथाएँ	--
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	--
9.	फल उपज (क्विंटल/एकड़)	8-10 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	65
11.	फल की गुणवत्ता और फल की दृढ़ता	
12.	फल चुनने का कार्यक्रम	60
13.	परिवहन क्षमता (दिन में)	
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	मध्यम
चित्र- 24		* हिम पालम मिर्च -2 के डीयूएस गुण

54. भारतीय चावल अनुसंधान संस्थान, राजेंद्रनगर, हैदराबाद-500030 की ओर से निदेशक, ICAR- भारतीय चावल अनुसंधान संस्थान, राजेंद्रनगर, हैदराबाद-500030 ने दिनांक 13/03/2026 को विद्यमान(अधिसूचित) किस्म की **डीआरआर धान 91 (आईईटी -32061)** नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E11	OS62	26	360

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **डीआरआर धान 91 (आईईटी -32061)**

आवेदक का नाम : भारतीय चावल अनुसंधान संस्थान

आवेदक का पता	:	राजेन्द्रनगर, हैदराबाद-500030				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
घ. आवेदन सं.	:	<table border="1"><tr><td>E11</td><td>OS62</td><td>26</td><td>360</td></tr></table>	E11	OS62	26	360
E11	OS62	26	360			
ड. प्राप्ति तिथि	:	13/03/2026				
च. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)				
नाम	:	डीआरआर धान 91 (आईईटी -32061)				
किस्म का प्रकार	:	विद्यमान(अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	आईएसएम-12-305-106 (आईएसएम का एनआईएल)/ डीआरआर धान 50				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लास्म				
संदर्भ किस्मों का नाम	:	इम्प्रूव सांबा मसूरी				
अधिसूचना विवरण	:	एस.ओ. 6123 (ई) दिनांक 31.12.2025				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	मध्यम (5)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा (1)
छिला हुआ दाना: लंबाई (गुण 54)	छोटा (1)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	मध्यम और पतला (3)
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
डीआरआर धान 91 (आईईटी -32061) प्रत्याशी किस्म के विशिष्ट गुण है लेमा पर रोएं के साथ शूकी का घनत्व: मध्यम, पुष्पगुच्छ उभार: अच्छी तरह, और दाना 1000 पूरी तरह से विकसित दानों का वजन: मध्यम।	
संदर्भ किस्मों के विशिष्ट गुण:	

इम्प्रूव सांबा मसूरी के विशिष्ट गुण है लेमा पर रोएं के साथ शूकी का घनत्व: निर्बल, पुष्पगुच्छ उभार: अधिकांश, और दाना 1000 पूरी तरह से विकसित दानों का वजन: कम ।		
घ. किस्म के व्यावसायीकरण की तिथि		04.03.2026
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	135-140 दिन (मध्यम अवधि)
2.	परिपक्वता के दिन: अगोती/मध्यम/पछेती	आंध्र प्रदेश, तेलंगाना, तमिलनाडु, झारखंड, ओडिशा, बिहार, छत्तीसगढ़, महाराष्ट्र, गुजरात
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	जून से जुलाई
4.	बुवाई का समय	20 किग्रा/एकड़
	बीज दर (किलोग्राम/एकड़)	20 x 15 सेमी
	रोपाई के बीच अंतराल	सिंचित स्थिति
	सिंचित/वर्षा आधारित स्थितियाँ	अधिक उपजाऊ मिट्टी
	मिट्टी की कम उर्वरता/उच्च उर्वरता	48:16:20 किग्रा एनपीके/एकड़
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	नाइट्रोजन (N) की मात्रा को चार बार में दें: पहली बार धान उगने के 15 दिन बाद; दूसरी बार सबसे ज्यादा कल्ले (tillers) निकलने के समय; तीसरी बार बालियां (panicle) बनने की शुरुआत में; और चौथी बार बूटिंग स्टेज (बालियां निकलने से ठीक पहले की अवस्था) पर।
5.	रोग और कीटों के प्रति सहनशीलता	ब्लास्ट (Blast) और BLB के प्रति प्रतिरोधी; शीथ रॉट (Sheath rot) के प्रति मध्यम प्रतिरोधी ब्लास्ट (SI: 5.0) बैक्टीरियल लीफ ब्लाइट (SI: 4.4) शीथ रॉट के प्रति मध्यम प्रतिरोध (SI: 5.3)
	आईपीएम विवरण अनुसूची	स्टेम बोअर (तने का छेदक) और केस वर्म के प्रति मध्यम प्रतिरोध। स्टेम बोअर: कार्ताप हाइड्रोक्लोराइड 4G @ 4.5 किग्रा/एकड़ लीफ फोल्डर: मोनोक्रोटोफॉस 36 EC @ 400

		मिली/एकड़ ब्राउन प्लांट हॉपर: कार्बोफ्यूथ्रान 3G @ 7 किग्रा/एकड़ या इमिडाक्लोप्रिड + एथिप्रोल 80WG @ 0.25 ग्राम ब्लास्ट: ट्राइसाइक्लाजोल @ 120 ग्राम/एकड़ या आइसोप्रोथियोलेन @ 1 मिली/लीटर
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	मध्यम पतले (4.89 एमएम)
	ख) ल./चौ. अनुपात	2.72 एमएम
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	35-40 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजन g में)	16.72 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	डीआरआर धान 91 (आईईटी -32061) मध्यम अवधि (135 दिन) वाली किस्म है, जिसे 'इम्प्रूव्ड सांबा महसुरी' के का इस्तेमाल करके विकसित किया गया है। इस किस्म में आईएसएम की मज़बूत कृषि-विशेषताएं हैं, जैसे कि आधे कद का पौधा जो आसानी से गिरता नहीं है और जिसकी पत्तियां सीधी और मज़बूत होती हैं, जिससे बायोमास का उत्पादन बहुत अच्छा होता है। इसमें बिना मूँछ वाले दाने और मज़बूत, अच्छी शाखाओं वाली बाली जैसे अच्छे गुण हैं जो ज़्यादा पैदावार की क्षमता देते हैं, साथ ही डीआरआर धान 91 (आईईटी -32061) के दानों की गुणवत्ता में भी उल्लेखनीय सुधार हुआ है। अपने मूल किस्म आईएसएम, जिसके दाने मध्यम-पतले होते हैं, के विपरीत, इस किस्म में भी मध्यम-पतले दाने होते हैं लेकिन इनका अंदरूनी हिस्सा (kernel) साफ़ सफ़ेद होता है। दानों के रूप-रंग में इस सुधार और खाना पकाने व खाने में इसके अच्छे गुणों के कारण, यह किस्म

		ज्यादा पैदावार और बेहतरीन दानों की विशेषताओं का एक सफल मेल है।
चित्र- 25		* डीआरआर धान 91 (आईईटी -32061) के डीयूएस गुण

55. नागौरी कल्याण सोसायटी, नागौर, राजस्थान की ओर से डॉ. परमेश्वर लाल सरन, प्रभारी पीएमई सेल डॉ. कुलदीपसिंह ए. कलारिया, नोडल अधिकारी, आईटीएमयू सेल, आईसीएआर-औषधीय और सुगंधित पौधे अनुसंधान निदेशालय, बोरियावी, आनंद-387310, गुजरात ने दिनांक 16/10/2023 को कृषक किस्म की नागौरी अश्वगंधा नामक अश्वगंधा [विथानिया सोम्नीफेरा (एल.) डनल] फसल को पंजीकरण हेतु आवेदन संख्या

F1	WS1	23	132

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को-----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : नागौरी अश्वगंधा

आवेदक का नाम : नागौरी कल्याण सोसायटी,

आवेदक का पता : नागौर, राजस्थान

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F1	WS1	23	132

प्राप्ति तिथि : 16/10/2023

स्वीकृति तिथि : 14/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अश्वगंधा [विथानिया सोम्नीफेरा (एल.) डनल]

नाम : नागौरी अश्वगंधा

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : सीआईएमएपी-प्रताप

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पौधा: वृद्धि स्वभाव	अनिश्चित
पुष्पन: पहला पुष्प दिखने में लगने वाला समय (दिन)	मध्यम
पत्ती: आकार	अंडाकार
फल: बेरी का रंग	-
बीज का रंग	गहरा नारंगी-पीला
जड़: छाल की मोटाई	मोटा
जड़ (ताज़ी): भंगुरता	समान रूप से टूटने वाला
ख. प्रत्याशी किस्म के विशिष्ट गुण: नागौरी अश्वगंधा के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: लैमिना की चौड़ाई : हल्के पीले रंग, जड़ (ताज़ी): रंग : संकरा ।	
संदर्भ किस्मों के विशिष्ट गुण: सीआईएमएपी-प्रताप के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: लैमिना की चौड़ाई : नारंगी पीला, जड़ (ताज़ी): रंग : चौड़ा ।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
नागौरी अश्वगंधा के डीयूएस गुण	

56. सीएसआईआर – सेंट्रल इंस्टीट्यूट ऑफ़ मेडिसिनल एंड एरोमैटिक प्लांट्स, डाकघर.- सीआईएमएपी, कुकरैल पिकनिक स्पॉट के पास, लखनऊ-226015, उत्तर प्रदेश की ओर से डॉ. तृप्ता झांग, पादप प्रजनन और आनुवंशिक संसाधन संरक्षण प्रभाग, सीएसआईआर – केंद्रीय औषधीय एवं सगंध पादप संस्थान (सीएसआईआर-सीमैप), डाकघर-सीमैप, कुकरैल पिकनिक स्पॉट के पास, लखनऊ-226015, उत्तर प्रदेश ने दिनांक 14/08/2024 को विद्यमान (वीसीके) किस्म की **सीआईएम-पुष्टि** नामक अश्वगंधा [विथानिया सोम्नीफेरा (एल.) डनल] फसल को पंजीकरण हेतु आवेदन संख्या

E1	WS1	24	454

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सीआईएम-पुष्टि**

आवेदक का नाम : नागौरी कल्याण सोसायटी,

आवेदक का पता : नागौर, राजस्थान

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E1	WS1	24	454
प्राप्ति तिथि	:	14/08/2024			
स्वीकृति तिथि	:	14/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	अश्वगंधा [विथानिया सोम्नीफेरा (एल.) डनल]			
नाम	:	सीआईएम-पुष्टि			
किस्म का प्रकार	:	विद्यमान (वीसीके)			
किस्म का वर्गीकरण	:	संकर			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	जीएए-1			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव	निश्चित
पुष्पन: पहला पुष्प दिखने में लगने वाला समय (दिन)	मध्यम
पत्ती: आकार	कुंठित
फल: बेरी का रंग	चमकीला नारंगी-पीला
बीज का रंग	हल्का पीला
जड़: छाल की मोटाई	पतला
जड़ (ताज़ी): भंगुरता	हल्का पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: सीआईएम-पुष्टि के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: मुड़ने का तरीका 'कॉनडुप्लिकेट' (गुण 8) है; सूखी अवस्था के आधार पर जड़ में कुल विथानोलाइड की मात्रा (%) अधिक है (गुण 35)।	
संदर्भ किस्मों के विशिष्ट गुण: जीएए-1 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: विक्षेपण सपाट (गुण 8) है, सूखे वजन के आधार पर जड़ में कुल विथेनोलाइड सामग्री (%) कम है (गुण 35)।	
घ. किस्म के व्यावसायीकरण की तिथि	31/01/2021
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	पकने में लगने वाला समय: जल्दी/मध्यम/देर से
2.	उत्पादन की स्थितियाँ: देश में उपयुक्त क्षेत्र
	मध्यम अवधि (बुवाई के 168-178 दिन बाद)
	भारत के कृषि-जलवायु क्षेत्र (VIII, XIII और XIV) यानी मध्य पठार, पश्चिमी शुष्क क्षेत्र और गुजरात के मैदानी इलाके।

3.	उत्पादन की स्थितियाँ: बुवाई का समय	देर से खरीफ़ का मौसम (सितंबर के दूसरे हफ़्ते से अक्टूबर के दूसरे हफ़्ते तक), जब रात का तापमान 20-25°C के आसपास हो जाता है।
4.	उत्पादन की स्थितियाँ: सिंचित/बारिश पर निर्भर	सिंचित
5.	उत्पादन की स्थितियाँ: कम उपजाऊ/अधिक उपजाऊ मिट्टी	कम उपजाऊ मिट्टी
6.	अधिकतम पैदावार के लिए खाद की ज़रूरत (एनपीके)	15-25 टन FYM (गोबर की खाद)/हरी खाद। मिट्टी की उपजाऊ क्षमता और कीटों के प्रबंधन के लिए गोबर की खाद, जीवामृत, दशपर्णी अर्क, नीम अस्त्र और नीम खली का इस्तेमाल करके अश्वगंधा की जैविक खेती करने की सलाह दी जाती है। सूखी जड़ की पैदावार 12-17 क्विंटल/हेक्टेयर और सूखी जड़ी-बूटी की पैदावार 629.42 क्विंटल/हेक्टेयर पाने के लिए 15 किग्रा नाइट्रोजन, 25 किग्रा फास्फोरस और 10 किग्रा पोटैश (20:40:20 एनपीके किग्रा/हेक्टेयर) का अतिरिक्त इस्तेमाल किया जा सकता है।
7.	प्रतिकूल तापमान (पाला और गर्मी) को सहने की क्षमता:	सहनशील
8.	पानी जमा होने (जल-भराव) को सहने की क्षमता: संवेदनशील/सहनशील	36 घंटे से ज़्यादा समय तक संवेदनशील
9.	कीटों के प्रति प्रतिरोध/सहनशीलता	लीफ स्पॉट बीमारी के प्रति सहनशील
10.	सूखे वजन के आधार पर पत्तियों में कुल विथानोलाइड की मात्रा (%)	0.3-0.4%
11.	बीज का परीक्षण वजन (1000 बीज) (ग्राम)	औसतन 1.85 ग्राम
12.	जड़ में पॉलीसेकेराइड की मात्रा (%)	औसत 25-28%
13.	सूखे वजन के आधार पर जड़ में कुल विथानोलाइड की मात्रा (%)	0.64-0.7%
14.	व्यापार के लिहाज से उस किस्म/हाइब्रिड से जुड़ी कोई भी अन्य महत्वपूर्ण अतिरिक्त	जड़ की क्वालिटी: चिकनी और एकसार टूटने वाली, 21-25 सेमी लंबी; स्टार्च और फाइबर

	जानकारी।	का अनुपात 1.23; जड़ आसानी से और एकसार टूटती है
सीआईएम-पुष्टि के डीयूएस गुण		

57. महात्मा फुले कृषि विद्यापीठ, राहुरी, जिला: अहिल्यानगर-413722, महाराष्ट्र की ओर से डॉ. टी. जे. भोर सहायक प्रोफेसर (कृषि वनस्पति विज्ञान), कृषि अनुसंधान केंद्र, वडगांव मावल, जिला: पुणे-412106 ने दिनांक 30/06/2026 को विद्यमान(अधिसूचित) किस्म की **फुले मावल-7 (वीडीएन -1808)** नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E45	OS252	26	1138

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	फुले मावल-7 (वीडीएन -1808)			
आवेदक का नाम	:	महात्मा फुले कृषि विद्यापीठ,			
आवेदक का पता	:	राहुरी, जिला: अहिल्यानगर-413722, महाराष्ट्र			
आवेदक की राष्ट्रीयता	:	भारतीय			
आवेदन का विवरण					
क. आवेदन स.	:	E45	OS252	26	1138
ख. प्राप्ति तिथि	:	30/06/2026			
ग. स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)			
नाम	:	फुले मावल-7 (वीडीएन -1808)			
किस्म का प्रकार	:	विद्यमान(अधिसूचित)			
किस्म का वर्गीकरण	:	संकर			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	वीडीएन-3-3-2-1/केजेटी-2			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लास्म			

संदर्भ किस्मों का नाम : कर्जत-2
अधिसूचना विवरण : एस.ओ. 6123 (ई) दिनांक 31.12.2025
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	-	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	छोटा (3)	
छिला हुआ दाना: लंबाई (गुण 54)	लंबा (5)	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	लंबा और पतला (5)	
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	कम (3)	
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित (9)	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
फुले मावल-7 (वीडीएन -1808) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष की लंबाई अधिक और छिला हुआ दाना: सुगंध: उपस्थित		
संदर्भ किस्मों के विशिष्ट गुण:		
कर्जत-2 के विशिष्ट गुण है पुष्पगुच्छ: मुख्य अक्ष की लंबाई: मध्यम और छिला हुआ दाना: सुगंध: अनुपस्थित।		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प/पुष्पन में लगने वाले दिन (औसत)	-
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	विलंब
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पश्चिमी महाराष्ट्र
4.	बुवाई का समय	खरीफ़ (जून का पहला हफ़्ता से जून का आखिरी हफ़्ता)
	बीज दर (किलोग्राम/एकड़)	-
	रोपाई के बीच अंतराल	-
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	-
	संभावित पैदावार पाने के लिए खाद की	N: 40 किग्रा/ha, P: 20 किग्रा/ha और K: 20

	आवश्यकता (एन:पी:के) किलोग्राम/एकड़	किग्रा/ha
5.	रोग और कीटों के प्रति सहनशीलता	नेक ब्लास्ट, ब्राउन स्पॉट, दाने का रंग बदलना और स्टेम बोअर के प्रति मध्यम प्रतिरोध
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	
	क) दाने का आकार (मिमी)	-
	ख) ल./चौ. अनुपात	3.4
	ग) दाने का रंग	पुआल
8.	अनाज की उपज (क्विंटल/एकड़)	20.88 q/acre
9.	बीज: वजन (1000 बीज का वजन g में)	22.9 ग्रा
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और जरूरी जानकारी।	-
चित्र- 26		* फुले मावल-7 (वीडीएन -1808) के डीयूएस गुण

58. असम कृषि विश्वविद्यालय की ओर E46 OS253 26 1139 प्रजनक), एएयू – असम धान अनुसंधान संस्थान, टिटाबार, जिला: जोरहाट-785630 ने दिनांक 01/07/2026 को विद्यमान(अधिसूचित) किस्म की सूरमा धान (एएयू-केएमजे धान-46) (आईईटी-28296) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: सूरमा धान (एएयू-केएमजे धान-46) (आईईटी-28296)
आवेदक का नाम	: असम कृषि विश्वविद्यालय
आवेदक का पता	: जोरहाट-785013, असम
आवेदक की राष्ट्रीयता	: भारतीय
आवेदन का विवरण	
क. आवेदन सं.	: E46 OS253 26 1139
ख. प्राप्ति तिथि	: 01/07/2026
ग. स्वीकृति तिथि	: 24/08/2026
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	: चावल (ओरिजा सैटिवा एल.)
नाम	: सूरमा धान (एएयू-केएमजे धान-46) (आईईटी-28296)
किस्म का प्रकार	: विद्यमान(अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सीएन1216/सीएन1131-4-1-4
पैतृक सामग्री का स्रोत	: चावल अनुसंधान केंद्र, चिनसुराह
संदर्भ किस्मों का नाम	: सीआर धन -506
अधिसूचना विवरण	: एस.ओ. 1560 (ई) दिनांक 26.03.2024
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	देर से (7)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	छोटा (3)
छिला हुआ दाना: लंबाई (गुण 54)	मध्यम (3)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	लंबा और मोटा (4)
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
सूरमा धान (एएयू-केएमजे धान-46) (आईईटी-28296) के प्रत्याशी किस्म के विशिष्ट गुण है लिग्यूल के पत्ते	

का रंग हल्का बैंगनी, पुष्पगुच्छ: मुख्य अक्ष की लंबाई अधिक होती है और बिना छिलके वाले दाने की चौड़ाई कम ।		
संदर्भ किस्मों के विशिष्ट गुण: कर्जत-2 के विशिष्ट गुण है लिग्यूल के पत्ते का रंग सफ़ेद, पुष्पगुच्छ: मुख्य अक्ष की लंबाई अधिक और बिना छिलके वाले दाने की चौड़ाई मध्यम ।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया ।
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प/पुष्पन में लगने वाले दिन (औसत)	मध्यम
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	विलंब
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	असम, पश्चिम बंगाल, बिहार, ओडिशा और उत्तर प्रदेश
4.	बुवाई का समय	खरीफ
	बीज दर (किलोग्राम/एकड़)	40
	रोपाई के बीच अंतराल	15 x 20
	सिंचित/वर्षा आधारित स्थितियाँ	वर्षा आधारित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	-
5.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	80:40:40 एनपीके किग्रा/हेक्टेयर बेसल डोज़: ½ N, पूरा P और K पहली टॉप ड्रेसिंग: ¼ N (रोपाई के 30-35 दिन बाद) दूसरी टॉप ड्रेसिंग: ¼ N (बालियां बनने की शुरुआती अवस्था में)
	रोग और कीटों के प्रति सहनशीलता	नेक ब्लास्ट, ब्राउन स्पॉट, दाने का रंग खराब होने के प्रति मध्यम प्रतिरोध; स्टेम बोरर के प्रति भी मध्यम प्रतिरोध
	आईपीएम विवरण अनुसूची	आईपीएम में केमिकल कंट्रोल, कल्चरल कंट्रोल, बायोलॉजिकल कंट्रोल और आईटी के शामिल हैं। केमिकल कंट्रोल: 1. बीज उपचार: कार्बोक्सिन @ 2.0 ग्राम/किग्रा बीज 2. नर्सरी उपचार: कार्बोफ्यूथुरान 3g @ 1 किग्रा/हेक्टेयर (पौधे उखाड़ने से 5-7 दिन पहले)

	3. ईटीएल के आधार पर ज़रूरत पड़ने पर कीटनाशक का इस्तेमाल। कल्चरल कंट्रोल: 1. समय पर रोपाई (यानी जुलाई के भीतर) 2. पौधों की सही संख्या (यानी 33 पौधे/वर्ग मीटर) 3. संतुलित खाद का इस्तेमाल और N व K को अलग-अलग समय पर देना (स्प्लिट एप्लीकेशन) 4. साफ-सुथरी खेती 5. नियमित रूप से कीटों की निगरानी (YSB के लिए फेरोमोन ट्रैप @ 8 ट्रैप/हेक्टेयर का इस्तेमाल करें) बायोलॉजिकल कंट्रोल: 6. YSB के पतंगे दिखने पर एग पैरासिटॉइड ट्राइकोग्रामा spp. @ 50,000/हेक्टेयर छोड़ना (छह बार) 7. ब्यूवेरिया बेसियाना युक्त राइस हस्क सॉ डस्ट राइस ब्रान (RHSDRB) माध्यम का इस्तेमाल @ 3 किग्रा/हेक्टेयर, 600 लीटर पानी में (107 स्पोर्स/ml) 1. शिकारी पक्षियों को बढ़ावा देने के लिए बांस के परच (बैठने के डंडे) का इस्तेमाल करें। जब फसल दूधिया दाने की अवस्था में आ जाए, तो परच हटा दें। 2. केस वर्म जैसे कीड़ों को दूर रखने के लिए खेत में यूपेटोरियम ओडोरेटम की टहनियों और पत्तियों का इस्तेमाल करें। 3. केस वर्म और स्टेम बोरर के खिलाफ नीम की पत्तियों का इस्तेमाल करें (मिट्टी में मिलाएं)। ITK: 1. शिकारी पक्षियों को बढ़ावा देने के लिए बांस के परच का इस्तेमाल करें। जब फसल दूधिया दाने की अवस्था में आ जाए, तो परच हटा दें। 2. केस वर्म जैसे कीड़ों को दूर रखने के लिए खेत में यूपेटोरियम ओडोरेटम की टहनियों और पत्तियों का

		इस्तेमाल करें। 3. केस वर्म और तना छेदक कीट (स्टेम बोरर) की रोकथाम के लिए नीम की पत्तियों का इस्तेमाल करें (मिट्टी में मिलाएं)।
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	-
	क) दाने का आकार (मिमी)	लंबा और मोटा
	ख) ल./चौ. अनुपात	3.7
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	20.2–24.3
9.	बीज: वजन (1000 बीज का वजन g में)	19.13
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	सूरमा धान (एएयू-केएमजे धान-46) किस्म के पौधे की ऊंचाई मध्यम होती है और यह फसल के गिरने के प्रति सहनशील है। इसमें संतोषजनक एचआरआर (61.9%), मध्यम एएसवी (6.2) और एसी (22.8%) के साथ-साथ बेहतर अंकुर जीवित रहने की दर, पानी में डूबे रहने की सहनशीलता, लंबाई बढ़ने की क्षमता, अच्छे बाहरी गुण और दाने कम झड़ने जैसे गुण भी हैं।
चित्र- 27,28		* सूरमा धान (एएयू-केएमजे धान-46) (आईईटी-28296) के डीयूएस गुण

59. एन. सी. पटेल, चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंटिगनहल्ली, जिला: बेंगलुरु-560064, कर्नाटक की ओर डॉ. कनुप्रिया, प्रमुख वैज्ञानिक, फल फसल प्रभाग, भा.कृ.अ.प.- भारतीय बागवानी फसल संस्थान, जिला: बेंगलुरु-560089, कर्नाटक ने दिनांक 10/06/2026 को कृषक किस्म की **पटेल अकाल** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F15	SC16	26	1024

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पटेल अकाल**
 आवेदक का नाम : एन. सी. पटेल
 आवेदक का पता : चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंटिगनहल्ली,
 जिला: बेंगलुरु-560064, कर्नाटक
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

F15	SC16	26	1024

 ख. प्राप्ति तिथि : 10/06/2026
 ग. स्वीकृति तिथि : 11/05/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्क्लस)
 नाम : **पटेल अकाल**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **गोमा प्रियंका**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि स्वभाव (गुण 1)	फैलावदार
पत्ती का शीर्ष (गुण 5)	नोकीला
पत्ती का आधार (गुण 6)	नोकीला
परिपक्व फल: आकार (गुण 14)	लंबाकार
परिपक्व फल: आधार डंठल का सिरा (गुण 16)	चपटा
गूदा: बीज अनुपात (गुण 26)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

पटेल अकाल प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती की सतह: लहरदार, पके फल की चौड़ाई: पतली और परिपक्व फल का आकार: छोटा है।	
संदर्भ किस्मों के विशिष्ट गुण: गोमा प्रियंका के विशिष्ट गुण है- पत्ती की सतह: चिकनी, पके फल की चौड़ाई: चौड़ा और परिपक्व फल का आकार: बड़ा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र- उपलब्ध नहीं	*पटेल अकाल के डीयूएस गुण

60. जयविंद पाल पुत्र घसीटे लाल हिंदूपुर, मैनावती मार्ग, बिठूर, जिला: कानपुर-208017, उत्तर प्रदेश ने दिनांक 08/04/2026 को कृषक किस्म की **नैना जामुन** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F7	SC7	26	533

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **नैना जामुन**
 आवेदक का नाम : जयविंद पाल
 आवेदक का पता : पुत्र घसीटे लाल हिंदूपुर, मैनावती मार्ग, बिठूर, जिला: कानपुर-208017, उत्तर प्रदेश
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

F7	SC7	26	533

 ख. प्राप्ति तिथि : 08/04/2026
 ग. स्वीकृति तिथि : 17/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)
 नाम : **नैना जामुन**

किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: कोंकण बहडोली

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि स्वभाव (गुण 1)	फैलावदार
पत्ती का शीर्ष (गुण 5)	नोकीला
पत्ती का आधार (गुण 6)	नोकीला
परिपक्व फल: आकार (गुण 14)	लंबाकार
परिपक्व फल: आधार डंठल का सिरा (गुण 16)	दबा हुआ
गूदा: बीज अनुपात (गुण 26)	निम्न
ख. प्रत्याशी किस्म के विशिष्ट गुण: नैना जामुन प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: भार- कम और बीज: भार- कम है।	
संदर्भ किस्मों के विशिष्ट गुण: कोंकण बहडोली के विशिष्ट गुण है- परिपक्व फल: भार- मध्यम और बीज: भार- अधिक है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र- उपलब्ध नहीं	*नैना जामुन के डीयूएस गुण

61. एन. सी. पटेल, चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंतिगनहल्ली, जिला: बेंगलुरु-560064 की ओर से डॉ. कनुप्रिया, प्रधान वैज्ञानिक, फल फसल प्रभाग, आईसीएआर- भारतीय बागवानी फसल संस्थान, जिला: बेंगलुरु-560089 ने दिनांक 10/06/2026 को कृषक किस्म की पटेल जंबो नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F14	SC15	26	1023

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां..... (लागू नहीं)..... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पटेल जंबो**
 आवेदक का नाम : एन. सी. पटेल
 आवेदक का पता : चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंतिगनहल्ली, जिला: बेंगलुरु-560064
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन सं. :

F14	SC15	26	1023

 ख. प्राप्ति तिथि : 10/06/2026
 ग. स्वीकृति तिथि : 17/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिज़ीजियम क्यूमिनी स्क्लस)
 नाम : **पटेल जंबो**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **गोमा प्रियंका**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि स्वभाव (गुण 1)	फैलावदार
पत्ती का शीर्ष (गुण 5)	नोकीला
पत्ती का आधार (गुण 6)	नोकीला
परिपक्व फल: आकार (गुण 14)	लंबाकार
परिपक्व फल: आधार डंठल का सिरा (गुण 16)	चपटा
गूदा: बीज अनुपात (गुण 26)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

पटेल जंबो प्रत्याशी किस्म के विशिष्ट गुण है- पुष्पक्रम: लंबाई : व्यास अनुपात- अधिक और बीज: भार- मध्यम है।	
संदर्भ किस्मों के विशिष्ट गुण: गोमा प्रियंका के विशिष्ट गुण है- पुष्पक्रम: लंबाई : व्यास अनुपात- मध्यम और बीज: भार- कम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र- उपलब्ध नहीं	*पटेल जंबो के डीयूएस गुण

62. श्री विद्याधर पटेल, मकान नंबर 19/2, गाँव: गौटिया पारा, तहसील: बरमकेला, कमलापानी, रायगढ़-496551, छत्तीसगढ़ ने दिनांक 17/06/2025 को कृषक किस्म की **अविनाश-2** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F12	MI12	25	729

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: अविनाश-2				
आवेदक का नाम	: श्री विद्याधर पटेल				
आवेदक का पता	: मकान नंबर 19/2, गाँव: गौटिया पारा, तहसील: बरमकेला, कमलापानी, रायगढ़-496551, छत्तीसगढ़				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" style="display: inline-table;"><tr><td>F12</td><td>MI12</td><td>25</td><td>729</td></tr></table>	F12	MI12	25	729
F12	MI12	25	729		
प्राप्ति तिथि	: 17/06/2025				
स्वीकृति तिथि	: 31/07/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: आम (मैंगिफेरा इंडिका एल.)				
नाम	: अविनाश-2				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				

पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : मोहन भोग

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: अविनाश-2 के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: रंग- हल्का हरा और परिपक्व फल: प्रतिपृष्ठ स्कंध में खांचे की उपस्थिति- अनुपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: मोहन भोग के विशिष्ट गुण है- पत्ती: रंग- गहरा हरा और परिपक्व फल: प्रतिपृष्ठ स्कंध में खांचे की उपस्थिति- उपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*अविनाश-2 के डीयूएस गुण

63. श्री बिमान मंडल, गाँव: बिनोदपुर, डाकघर : नियामतपुर, पुलिस स्टेशन: इंग्लिश बाज़ार, जिला: मालदा-732208, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 19/06/2024 को कृषक किस्म की **कंचन खोसा** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F48	MI48	24	332

 में निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **कंचन खोसा**
 आवेदक का नाम : श्री बिमान मंडल
 आवेदक का पता : गाँव: बिनोदपुर, डाकघर : नियामतपुर, पुलिस स्टेशन: इंग्लिश बाजार, जिला: मालदा-732208, पश्चिम बंगाल
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F48	MI48	24	332

 प्राप्ति तिथि : 19/06/2024
 स्वीकृति तिथि : 18/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
 नाम : **कंचन खोसा**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **लंगड़ा**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: कंचन खोसा के प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: प्रतिपृष्ठ स्कंध में खांचे की उपस्थिति- उपस्थित और परिपक्व फल: कोटर की उपस्थिति- उपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है- परिपक्व फल: प्रतिपृष्ठ स्कंध में खांचे की अनुपस्थिति- उपस्थित और परिपक्व फल:	

कोटर की उपस्थिति- अनुपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*कंचन खोसा के डीयूएस गुण

64. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की वैनी नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F28	AHL30	26	1159

त विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : वैनी
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F28	AHL30	26	1159

 प्राप्ति तिथि : 01/07/2026
 स्वीकृति तिथि : 18/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम)
 नाम : वैनी
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : कन्यान मोती
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	उभरा हुआ
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	सफेद
ख. प्रत्याशी किस्म के विशिष्ट गुण: वैनी के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- अनियमित और फल से डंठल का जुड़ाव- फूला हुआ है।	
संदर्भ किस्म के विशिष्ट गुण: कन्यान मोती के विशिष्ट गुण है- फल: आकृति- लंबाकार और फल से डंठल का जुड़ाव- चपटा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*वैनी के डीयूएस गुण

65. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की इंदुरा नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F35	AHL37	26	1166

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू

नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : इंदुरा
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F35	AHL37	26	1166

 प्राप्ति तिथि : 01/07/2026
 स्वीकृति तिथि : 18/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैमा)
 नाम : इंदुरा
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : दरख मोटा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला

ख. प्रत्याशी किस्म के विशिष्ट गुण: इंदुरा के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती का आकार- एक समान और फल का आकार- लंबाकार है।	
संदर्भ किस्म के विशिष्ट गुण: दरख मोटा के विशिष्ट गुण है- पत्ती का आकार- एक समान और फल का आकार- मुदगरनुमा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*इंदुरा के डीयूएस गुण

66. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **दरख मोटा** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F137	AHL139	26	1268

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: दरख मोटा				
आवेदक का नाम	: शनिदेव महिला स्वयं सहायता समूह				
आवेदक का पता	: गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" data-bbox="699 1608 1294 1666"> <tr> <td>F137</td><td>AHL139</td><td>26</td><td>1268</td></tr> </table>	F137	AHL139	26	1268
F137	AHL139	26	1268		
प्राप्ति तिथि	: 01/07/2026				
स्वीकृति तिथि	: 18/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम।)				
नाम	: दरख मोटा				

किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: इंदुरा
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: दरख मोटा के प्रत्याशी किस्म के विशिष्ट गुण है- पत्रदल: आकृति- अंडाकार, फल लगने की स्थिति- तना, प्राथमिक और द्वितीय शाखाएं हैं।	
संदर्भ किस्म के विशिष्ट गुण: इंदुरा के विशिष्ट गुण है- पत्ती का आकार- पत्रदल: आकृति- दीर्घवृत्ताकार, फल लगने की स्थिति- सभी जगह (जड़ सहित) हैं।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*दरख मोटा के डीयूएस गुण

67. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की झूला बनबा नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F114	AHL116	26	1245

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : झूला बनबा
आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F114	AHL116	26	1245

प्राप्ति तिथि : 01/07/2026

स्वीकृति तिथि : 18/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैमा)

नाम : झूला बनबा

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : वेरांगा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	गोल
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-

रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: झूला बनबा के प्रत्याशी किस्म के विशिष्ट गुण है- फल: गुच्छा स्वभाव- एकल और फल: आकार- मुदगरनुमा है।	
संदर्भ किस्म के विशिष्ट गुण: वेरांगा के विशिष्ट गुण है- फल: गुच्छा स्वभाव- गुच्छे और फल: आकार- लंबाकार है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* झूला बनबा के डीयूएस गुण

68. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **रारानी** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F58	AHL60	26	1189

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **रारानी**
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण

आवेदन स.	:	F58	AHL60	26	1189
प्राप्ति तिथि	:	01/07/2026			
स्वीकृति तिथि	:	19/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैमा)			
नाम	:	रारानी			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	जोगिन्या			

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	गोल
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
रारानी के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: आधार आकृति- गोल और फल: आकृति- लंबाकार है।	
संदर्भ किस्म के विशिष्ट गुण:	
जोगिन्या के विशिष्ट गुण है- पत्ती: आधार आकृति- तिरछी और फल: आकृति- दीर्घवृत्ताभ है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*रारानी के डीयूएस गुण

69. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **अवंती** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F65	AHL67	26	1196

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अवंती**
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F65	AHL67	26	1196

प्राप्ति तिथि : 01/07/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम।)

नाम : **अवंती**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **लोढ़ा कथार**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: अवंती के प्रत्याशी किस्म के विशिष्ट गुण है- फल: गुच्छा लगने का स्वभाव- एकल और फल: आकृति- मुदगरनुमा है।	
संदर्भ किस्म के विशिष्ट गुण: लोढ़ा कथार के विशिष्ट गुण है- फल: गुच्छा लगने का स्वभाव- गुच्छा और फल: आकृति- अनियमित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*अवंती के डीयूएस गुण

70. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **लम्बरदार** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F83	AHL85	26	1214

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **लम्बरदार**

आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह

आवेदक का पता

: गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन सं.

:

F83	AHL85	26	1214

प्राप्ति तिथि

: 01/07/2026

स्वीकृति तिथि

: 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: कटहल (आर्टोकार्पस हेटरोफिलस लैमा)

नाम

: लम्बरदार

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: लागू नहीं

पैतृक सामग्री का स्रोत

: लागू नहीं

संदर्भ किस्मों का नाम

: जोगिन्या

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
लम्बरदार के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- अनियमित और फल की कोर का व्यास- अधिक (>50 मिमी) है।	
संदर्भ किस्म के विशिष्ट गुण:	
जोगिन्या के विशिष्ट गुण है- फल: आकृति- दीर्घवृत्ताभ और फल की कोर का व्यास- कम (<50 मिमी) है।	

घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*लम्बरदार के डीयूएस गुण

71. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **जोगिन्या** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F86	AHL88	26	1217

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **जोगिन्या**
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F86	AHL88	26	1217

 प्राप्ति तिथि : 01/07/2026
 स्वीकृति तिथि : 19/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम)
 नाम : **जोगिन्या**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : रारानी
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: जोगिन्या के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: आधार की आकृति- तिरछी और फल की कोर का व्यास- कम (<50 मिमी) है।	
संदर्भ किस्म के विशिष्ट गुण: रारानी के विशिष्ट गुण है- पत्ती: आधार की आकृति- गोल और फल की कोर का व्यास- अधिक (>50 मिमी) है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*जोगिन्या के डीयूएस गुण

72. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की गेरुआ नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F103	AHL105	26	1234

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : गेरुआ

आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह

आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F103	AHL105	26	1234

प्राप्ति तिथि : 01/07/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैमा)

नाम : गेरुआ

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : अवंती

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला

ख. प्रत्याशी किस्म के विशिष्ट गुण: गेरुआ के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: फलक की आकृति- अंडाकार और परिपक्व फल: छिलके का रंग- हरा है।	
संदर्भ किस्म के विशिष्ट गुण: अवंती के विशिष्ट गुण है- पत्ती: फलक की आकृति- दीर्घवृत्ताभ और परिपक्व फल: छिलके का रंग- भूरा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*गेरुआ के डीयूएस गुण

73. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की लोढ़ा कथार नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F109	AHL111	26	1240

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: लोढ़ा कथार				
आवेदक का नाम	: शनिदेव महिला स्वयं सहायता समूह				
आवेदक का पता	: गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" data-bbox="694 1664 1303 1722"> <tr> <td>F109</td><td>AHL111</td><td>26</td><td>1240</td></tr> </table>	F109	AHL111	26	1240
F109	AHL111	26	1240		
प्राप्ति तिथि	: 01/07/2026				
स्वीकृति तिथि	: 19/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम।)				

नाम	: लोढ़ा कथार
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: अवंती

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: लोढ़ा कथार के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: अभिविन्यास- सीधी और पत्ती का विन्यास- लंबा है।	
संदर्भ किस्म के विशिष्ट गुण: अवंती के विशिष्ट गुण है- पत्ती: अभिविन्यास- क्षैतिज और पत्ती का विन्यास- कोर कुंचित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*लोढ़ा कथार के डीयूएस गुण

74. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की मंत्री नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F75	AHL77	26	1206

को निम्नलिखित विशिष्टताओं व उल्लिखित

चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **मंत्री**
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F75	AHL77	26	1206

 प्राप्ति तिथि : 01/07/2026
 स्वीकृति तिथि : 19/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैमा)
 नाम : **मंत्री**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **गौतम कटहल**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50

फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: मंत्री के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती फलक: लंबाई- मध्यम और एकल छिलके की लंबाई- छोटा (<50 मिमी) है।	
संदर्भ किस्म के विशिष्ट गुण: गौतम कटहल के विशिष्ट गुण है- पत्ती फलक: लंबाई- लंबा और एकल छिलके की लंबाई- लंबा (>75 मिमी) है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*मंत्री के डीयूएस गुण

75. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **वीरंगा** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F133	AHL135	26	1264

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीरंगा**

आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह

आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	F133	AHL135	26	1264
प्राप्ति तिथि	:	01/07/2026			
स्वीकृति तिथि	:	20/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैमा)			
नाम	:	वीरंगा			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	झूला बनबा			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	गोल
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
वीरंगा के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- लंबाकार और परिपक्व फल के छिलके का रंग- हरा है।	
संदर्भ किस्म के विशिष्ट गुण:	
झूला बनबा के विशिष्ट गुण है- फल: आकृति- मुद्गरनुमा और परिपक्व फल के छिलके का रंग- भूरा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*वीरंगा के डीयूएस गुण

76. शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 की ओर से अध्यक्ष, शनिदेव महिला स्वयं सहायता समूह, गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124 ने दिनांक 01/07/2026 को कृषक किस्म की **कन्यान मोती** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F165	AHL167	26	1296

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **कन्यान मोती**
 आवेदक का नाम : शनिदेव महिला स्वयं सहायता समूह
 आवेदक का पता : गाँव: रहमतपुर माफ़ी, डाकघर : बिलराम, ब्लॉक: कासगंज, ज़िला: कासगंज, उत्तर प्रदेश-207124

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F165	AHL167	26	1296

प्राप्ति तिथि : 01/07/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम।)

नाम : **कन्यान मोती**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **वैनी**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	कोमल
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: कन्यान मोती के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: अभिविन्यास- क्षैतिज और पत्ती: बनावट- कोर कुंचित है।	
संदर्भ किस्म के विशिष्ट गुण: वैनी के विशिष्ट गुण है- पत्ती: अभिविन्यास- सीधी और पत्ती: बनावट- एक समान है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* कन्यान मोती के डीयूएस गुण

77. कृषि विज्ञान विश्वविद्यालय, जीकेवीके, बेंगलुरु-560065, कर्नाटक की ओर से डॉ. लोहिताश्व एच.सी., प्रधान वैज्ञानिक (पादप प्रजनन) एवं प्रमुख, एआईसीआरपी (अरहर), क्षेत्रीय कृषि अनुसंधान केंद्र, कृषि विज्ञान विश्वविद्यालय, जीकेवीके, बेंगलुरु-560065, कर्नाटक ने दिनांक 30/07/2026 को विद्यमान(अधिसूचित) किस्म की **केबीसी-12** नामक लोबिया (विग्ना अनगुडक्यूलेट (एल.) वाला, एसएसपी) फसल को पंजीकरण हेतु आवेदन संख्या

E2	VU5	26	1614

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केबीसी-12**

आवेदक का नाम : कृषि विज्ञान विश्वविद्यालय,

आवेदक का पता	:	जीकेवीके, बेंगलुरु-560065, कर्नाटक				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>E2</td><td>VU5</td><td>26</td><td>1614</td></tr></table>	E2	VU5	26	1614
E2	VU5	26	1614			
प्राप्ति तिथि	:	30/07/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	लोबिया (विम्ना अनगुइक्यूलेट (एल.) वाला, एसएसपी)				
नाम	:	केबीसी-12				
किस्म का प्रकार	:	विद्यमान(अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	(सी152 x बी16) x (सी152 x बी57817)				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	केबीसी-9				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)	
50% पुष्प आने तक के दिन (गुण 1)	मध्यम (5)	
चढ़ाई की प्रवृत्ति (गुण 2)	सीधा (3)	
पौधे का प्रकार (गुण 3)	अनुपस्थित (1)	
फली: रंग (गुण 6)	मध्यम (5)	
फली: लंबाई (सेमी) (गुण 9)	टैन भूरा (3)	
फली: मोटाई (सेमी) (विशेषताएँ 10)	भूरा (3)	
फली: रेशेदार (गुण 11)	मध्यम (5)	
ख. प्रत्याशी किस्म के विशिष्ट गुण: केबीसी-12 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: सीधा और पौधा: बेल की तरह लिपटने की प्रवृत्ति: अनुपस्थित		
संदर्भ किस्मों के विशिष्ट गुण: केबीसी-9 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: अर्द्ध-सीधा और पौधा: बेल की तरह लिपटने की प्रवृत्ति: उपस्थित		
घ. किस्म के व्यावसायीकरण की तिथि	06.05.2025	
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक

		ज़ोन 5 (पूर्वी सूखा क्षेत्र) और ज़ोन 6 (दक्षिणी सूखा क्षेत्र)
	: बुवाई का समय	खरीफ़
	: सिंचित/वर्षा सिंचित	दोनों
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम उपजाऊ मिट्टी
3.	संभावित उपज पाने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	10:20:10 किग्रा/एकड़
4.	प्रतिकूल तापमान/पाला/और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील	नमी की कमी को सहने की क्षमता
5.	कीड़ों के प्रति प्रतिरोधक क्षमता/सहनशीलता	बैक्टीरियल लीफ़ ब्लाइट, काउपी मोज़ेक वायरस, सर्कोस्पोरा लीफ़ स्पॉट और ड्राई रूट रॉट बीमारियों से लड़ने की क्षमता
6.	अधिकतम पैदावार पाने के लिए सबसे अच्छा मौसम (क्षेत्र के अनुसार)	खरीफ़
7.	प्रति पौधा फलियों की संख्या (औसत)	24
8.	क्षेत्र के अनुसार पैदावार की क्षमता (औसत प्रति एकड़ (क्विंटल/एकड़))	5-6 क्विंटल/एकड़
9.	बीज की पैदावार (क्विंटल/एकड़) (औसत)	5-6 क्विंटल/एकड़
10.	किस्म/हाइब्रिड से जुड़ी कोई अन्य ज़रूरी जानकारी (जैसे पानी के इस्तेमाल की कम/मध्यम/उच्च क्षमता वाली किस्म)	मध्यम अवधि (85-90 दिन), उच्च अनाज पैदावार, सीधा बढ़ने वाला पौधा (जिसमें टेंड्रिल/बेल बनने की संभावना बहुत कम होती है), अलग-अलग तरह के माहौल में आसानी से उगने की क्षमता
केबीसी-12 के डीयूएस गुण		चित्र- 29,30

78. कृषि विज्ञान विश्वविद्यालय, जीकेवीके, बेंगलुरु-560065, कर्नाटक की ओर से डॉ. लोहिताश्व एच.सी., प्रधान वैज्ञानिक (पादप प्रजनन) एवं प्रमुख, एआईसीआरपी (अरहर), क्षेत्रीय कृषि अनुसंधान केंद्र, कृषि विज्ञान विश्वविद्यालय, जीकेवीके, बेंगलुरु-560065, कर्नाटक ने दिनांक 16/06/2026 को विद्यमान (अधिसूचित) किस्म की बीआरजी-3 नामक अरहर (कैजेनस कैजन (एल.) मिलस्प.) फसल को पंजीकरण हेतु आवेदन संख्या

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: बीआरजी-3				
आवेदक का नाम	: कृषि विज्ञान विश्वविद्यालय				
आवेदक का पता	: जीकेवीके, बेंगलुरु-560065, कर्नाटक				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table><tr><td>E7</td><td>CC12</td><td>26</td><td>1036</td></tr></table>	E7	CC12	26	1036
E7	CC12	26	1036		
प्राप्ति तिथि	: 16/06/2026				
स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: अरहर (कैजेनस कैजन (एल.) मिलस्प.)				
नाम	: बीआरजी-3				
किस्म का प्रकार	: विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: बीआरजी 1 x आईसीपी 8863				
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	: बीआरजी-2				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	मध्यम (5)
पौधा: बढ़वार स्वभाव (गुण 4)	अनिश्चित (3)
तना: रंग (गुण 5)	हरा (1)
फली: मोमियापन (गुण 12)	अनुपस्थित (1)
बीज: रंग (गुण 18)	भूरा (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
बीआरजी-3 के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: पंखुड़ी के आधार का रंग: लाल और बीज: रंग: भूरा	
संदर्भ किस्मों के विशिष्ट गुण:	
बीआरजी-2 के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: पंखुड़ी के आधार का रंग: पीला और बीज: रंग: क्रीम।	

घ. किस्म के व्यावसायीकरण की तिथि		19/06/2018
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक ज़ोन 5 (पूर्वी सूखा क्षेत्र)
	: बुवाई का समय	खरीफ़
	: सिंचित/वर्षा सिंचित	दोनों
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	25:50:25 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	फ्यूसेरियम विल्ट और स्टेरिलिटी मोज़ेक बीमारी के प्रति प्रतिरोध
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	खरीफ़
7.	प्रति पौधे फलियों की संख्या (औसत)	130-150
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	7-8 क्विंटल/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	7-8 क्विंटल/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	मध्यम अवधि में पकने वाली (160-170 दिन), मध्यम ऊंचाई, अर्ध-फैलाव वाली, हरा तना, लाल पुष्प, फलियों पर भूरी धारियां, चितकबरे बीज।
बीआरजी-3 के डीयूएस गुण		चित्र- 31

79. भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक की ओर से निदेशक, आईसीएआर-आईआईएचआर, हेस्सरघट्टा लेक डाकघर, बेंगलुरु-560089, कर्नाटक ने दिनांक 31/07/2026 को विद्यमान (अधिसूचित) किस्म की **अर्क मंगला** नामक यार्डलॉग बीन (विग्ना अनगुडकुलाटा सबस्प. सेसक्विपेडालिस) फसल को पंजीकरण हेतु आवेदन संख्या

E1	VUS1	26	1615

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या --- लागू नहीं-----
----- पर ----- लागू नहीं स्वीकार किया ----- गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध
करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : अर्क मंगला

आवेदक का नाम : भारतीय बागवानी अनुसंधान संस्थान,

आवेदक का पता : हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E1	VSU1	26	1615

प्राप्ति तिथि : 31/07/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : यार्डलॉग बीन (विग्ना अनगुडकुलाटा सबस्प. सेसक्विपेडालिस)

नाम : अर्क मंगला

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : आईसी 582850 से शुद्ध लाइन चयन

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : वैजयंती

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
50% पुष्पन का समय (गुण 1)	विलंब (7)
ऊपर चढ़ने की प्रवृत्ति (गुण 2)	स्पष्ट (5)
पौधा: प्रकार (गुण 3)	अनिश्चित (5)
फली: रंग गुण 6)	हरा (3)
फली: लंबाई (सेमी) (गुण 9)	लंबा (7)
फली: मोटाई (सेमी) (गुण 10)	मोटा (7)
फली: रेशेदारपन (गुण 11)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

अर्क मंगला के प्रत्याशी किस्म के विशिष्ट गुण है फली: रंग:हरा और फली लम्बाई: लंबी		
संदर्भ किस्मों के विशिष्ट गुण: वैजयंती के प्रत्याशी किस्म के विशिष्ट गुण है फली: रंग:बैंगनी और फली लम्बाई: अधिक -लंबी		
घ. किस्म के व्यावसायीकरण की तिथि		2016
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम अवधि (40-50 दिन)
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक, तमिलनाडु, केरल, पंजाब, उत्तर प्रदेश, बिहार और झारखंड राज्यों में खेती के लिए अनुशंसित
	: बुवाई का समय	कर्नाटक, तमिलनाडु, केरल में खरीफ और रबी मौसम; पंजाब, उत्तर प्रदेश, बिहार और झारखंड में केवल खरीफ मौसम
	: सिंचित/वर्षा सिंचित	सिंचाई की सुविधा आवश्यक
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अर्का मंगला की खेती सभी प्रकार की मिट्टी में की जा सकती है, लेकिन लाल दोमट मिट्टी सबसे उपयुक्त है
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	सामान्य अनुशंसा N:P:K – 62:50:70 किग्रा/हेक्टेयर है। उर्वरक की आवश्यकता मिट्टी की उर्वरता और कृषि संबंधी स्थितियों के अनुसार बदलती रहती है; मिट्टी की जांच और क्षेत्रीय आवश्यकता अलग-अलग हो सकती है
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	-
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	कीटों और बीमारियों से बचाव के उपाय करने की सलाह दी जाती है
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	खरीफ का मौसम
7.	प्रति पौधे फलियों की संख्या (औसत)	प्रति पौधा 35-45 फलियाँ

8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	कर्नाटक, तमिलनाडु, केरल में 177.1 क्विंटल/हेक्टेयर और अनुकूल परिस्थितियों में अन्य क्षेत्रों में 134.03 क्विंटल/हेक्टेयर
9.	बीज उपज क्विं/एकड़ (औसत)	उपलब्ध नहीं
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	कुछ नहीं
अर्क मंगला के डीयूएस गुण		चित्र- 32

80. सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला कांगड़ा- 176062, हिमाचल प्रदेश की ओर से अनुसंधान निदेशक, सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला कांगड़ा-176062, हिमाचल प्रदेश ने दिनांक 12/08/2026 को विद्यमान (अधिसूचित) किस्म की **हिम पालम मटर-1 (डीपीपी-एसपी-22)** नामक मटर (पिसम सैटिवम एल.) विल्जेक) फसल को पंजीकरण हेतु आवेदन संख्या

E1	PS2	26	1828

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **हिम पालम मटर-1 (डीपीपी-एसपी-22)**

आवेदक का नाम : सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय,

आवेदक का पता : पालमपुर, जिला कांगड़ा- 176062, हिमाचल प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	PS2	26	1828

प्राप्ति तिथि : 12/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मटर (पिसम सैटिवम एल.)

नाम : **हिम पालम मटर-1 (डीपीपी-एसपी-22)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पालम सुमूल x पालम प्रिया
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : पीबी-89
 किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
अनुपर्ण: खरगोश के कान के समान अनुपर्ण(गुण6)		उपस्थित (9)
पुष्प: खिलना (दिन)(गुण8)		मध्यम (3)
फली: सिरों की आकृति (गुण12)		कुंद (9)
पौधा: ऊंचाई(गुण14)		मध्यम (5)
बीज: आकृति (गुण15)		गोलाकार (1)
बीज: बीजपत्र का रंग (गुण17)		हरा (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
हिम पालम मटर-1 (डीपीपी-एसपी-22) के प्रत्याशी किस्म के विशिष्ट गुण है फली: वक्रता: कम और फली: हरे रंग की तीव्रता: गहरा हरा		
संदर्भ किस्म के विशिष्ट गुण:		
पीबी-89 के प्रत्याशी किस्म के विशिष्ट गुण है फली: वक्रता: अनुपस्थित और फली: हरे रंग की तीव्रता: हरा		
घ. किस्म के व्यावसायीकरण की तिथि		26/04/2021
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	50-55 (ऊंची पहाड़ियां) 65-80 (निचली-मध्यम पहाड़ियां)
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	भारत का जोन-I (जम्मू-कश्मीर, हिमाचल प्रदेश, उत्तराखंड और लद्दाख)
	: बुवाई का समय	सामान्य मौसम की फसल के लिए बुवाई का सबसे अच्छा समय अक्टूबर से नवंबर के मध्य तक है और ऊंची पहाड़ियों में ऑफ-सीजन फसल के लिए मार्च-जून है।
	: सिंचित/वर्षा सिंचित	लागू नहीं
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	लागू नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	25:60:50 किग्रा N:P2O5:K2O/हेक्टेयर(हिमाचल प्रदेश राज्य के लिए अनुशंसित मात्रा) यूरिया: 55 किग्रा, SSP: 375 किग्रा/हेक्टेयर, MOP: 83 किग्रा/हेक्टेयर

4.	प्रतिकूल तापमान/ठंड/और गर्मी के प्रति सहनशीलता/सहिष्णुता	बुवाई के समय यूरिया, एसएसपी और एमओपी की पूरी मात्रा डालनी चाहिए।
5.	कीटों के प्रति प्रतिरोध/सहिष्णुता	पौधे की बढ़वार के चरण में पाला सहने की क्षमता
6.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा उगने का मौसम (क्षेत्रवार)	सर्दियों का मौसम (अक्टूबर-नवंबर में बुवाई)
7.	प्रति पौधे फलियों की संख्या (औसत)	15.60
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विं/एकड़)	56-66 क्विंटल/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	9-12
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (कम/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	मध्यम
हिम पालम मटर-1 (डीपीपी-एसपी-22) के डीयूएस गुण		चित्र- 33,34

81. सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला कांगड़ा- 176062, हिमाचल प्रदेश की ओर से अनुसंधान निदेशक, सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय, पालमपुर, जिला कांगड़ा-176062, हिमाचल प्रदेश ने दिनांक 12/08/2026 को विद्यमान (अधिसूचित) किस्म की हिम पालम मीठी फली-2 (डीपीईपीपी-10-1) नामक मटर (पिसम सैटिवम एल.) विल्लेज (फसल को पंजीकरण हेतु आवेदन संख्या

E1	PSS1	26	1829

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : हिम पालम मीठी फली-2 (डीपीईपीपी-10-1)

आवेदक का नाम : सीएसके हिमाचल प्रदेश कृषि विश्वविद्यालय,

आवेदक का पता : पालमपुर, जिला कांगड़ा- 176062, हिमाचल प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	PSS1	26	1829

प्राप्ति तिथि : 12/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मटर (पिसम सैटिवम एल.)

नाम	: हिम पालम मीठी फली-2 (डीपीईपीपी-10-1)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: पीबी-89 x डीपीईपीपी-2
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: अर्का अपूर्वा
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
अनुपर्ण: खरगोश के कान के समान अनुपर्ण(गुण6)	उपस्थित (9)
पुष्प: खिलना (दिन)(गुण8)	विलंब (4)
फली: सिरों की आकृति (गुण12)	नुकीली (1)
पौधा: ऊंचाई(गुण14)	मध्यम (5)
बीज: आकृति(गुण15)	गोल (1)
बीज: बीजपत्र का रंग (गुण17)	हरी (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: हिम पालम मीठी फली-2 (डीपीईपीपी-10-1) के प्रत्याशी किस्म के विशिष्ट गुण है फली: दूर वाले हिस्से का आकार: नुकीला; और पौधा: ऊँचाई: मध्यम	
संदर्भ किस्म के विशिष्ट गुण: अर्का अपूर्वा के प्रत्याशी किस्म के विशिष्ट गुण है फली: दूर वाले हिस्से का आकार: कुंद और चपटा: ऊंचाई: लंबी	
घ. किस्म के व्यावसायीकरण की तिथि	26/04/2021
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब ऊँची पहाड़ियों में ऑफ-सीजन के दौरान 70-75 दिन और निचली और मध्य पहाड़ियों में मुख्य सीजन की फसलों के रूप में 110-125 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र हिमाचल प्रदेश की ऊँची, मध्य और निचली पहाड़ियाँ
	: बुवाई का समय सामान्य मौसम की फसल के लिए बुआई का इष्टतम समय अक्टूबर-मध्य नवंबर है
	: सिंचित/वर्षा सिंचित एन.ए

	: मिट्टी की कम उर्वरता/उच्च उर्वरता	एन.ए
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	50:60:50 किग्रा N:P ₂ O ₅ :K ₂ O/हेक्टेयर यूरिया: 110 किग्रा, SSP: 375 किग्रा/हेक्टेयर, MOP: 83 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/और गर्मी के प्रति सहनशीलता/सहिष्णुता	बुआई के समय यूरिया, SSP और MOP की पूरी मात्रा डालनी चाहिए
5.	कीटों के प्रति प्रतिरोध/सहिष्णुता	यह सामान्य परिस्थितियों में अच्छी तरह उग सकती है
6.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा उगने का मौसम (क्षेत्रवार)	सर्दियों का मौसम (अक्टूबर-नवंबर में बुआई)
7.	प्रति पौधे फलियों की संख्या (औसत)	18-25
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विं/एकड़)	ताजी फली की पैदावार: 32.37-40.46 बीज की पैदावार: 8.90-10.12
9.	बीज उपज क्विं/एकड़ (औसत)	9-12
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (कम/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	मध्यम
हिम पालम मीठी फली-2 (डीपीईपीपी-10-1) के डीयूस गुण		चित्र- 35

82. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी अग्रिम (वीआरएफबीबी -91) नामक राजमा (फेजोलस वल्गेरिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E4	PV39	26	1875

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी अग्रिम (वीआरएफबीबी -91)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन स.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

किस्म का विवरण:

: कृषि भवन, नई दिल्ली-110001

: भारतीय

E4	PV39	26	1875

: 17/08/2026

: 24/08/2026

: राजमा (फेजोलस वल्गेरिस एल.)

: काशी अग्रिम (वीआरएफबीबी -91)

: विद्यमान (अधिसूचित)

: प्रारूप

: लागू नहीं

: प्रजनन आबादी से शुद्ध वंशक्रम चयन

: अपना जर्मप्लाज्म

: अर्क सुविधा

क. समूह के गुण		टिप्पणी (मापित मान)
पुष्पन का समय (गुण 1)		शीघ्र (3)
पौधा: स्वभाव (गुण 6)		निश्चित (1)
फली का रंग (गुण 15)		हल्का हरा (1)
बीज का रंग (गुण 21)		काला (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी अग्रिम (वीआरएफबीबी -91) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: प्रकाश और बीज: टेस्टा रंग: काला		
संदर्भ किस्मों के विशिष्ट गुण: अर्क सुविधा के प्रत्याशी किस्म के विशिष्ट गुण है जैसे पत्ती: हरे रंग की तीव्रता: गहरा और बीज: टेस्टा रंग: भूरा		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	सितंबर-अक्टूबर
	: सिंचित/वर्षा सिंचित	सिंचित

	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	36:22:22 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	स्केलेरोटिनिया रॉट (सेरोटिनिया स्क्लेरोटियोरम) बीमारी के लिए खेत की सहनशीलता
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	लागू नहीं
7.	प्रति पौधे फलियों की संख्या (औसत)	20-25
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्वि/एकड़))	50-60 क्वि/एकड़
9.	बीज उपज क्वि/एकड़ (औसत)	10-15 क्वि/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	-
काशी अग्रिम (वीआरएफबीबी -91) के डीयूएस गुण		चित्र- 36

83. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी राजहंस (वीआरएफबीबी-2/एनआर/बीकेएस-2) नामक राजमा (फेजोलस वल्योरिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E7 PV42 26 1878 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी राजहंस (वीआरएफबीबी-2/एनआर/बीकेएस-2)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता

:

कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता

:

भारतीय

आवेदन का विवरण

:

E7	PV42	26	1878

आवेदन स.

:

17/08/2026

प्राप्ति तिथि

:

24/08/2026

स्वीकृति तिथि

:

राजमा (फेजोलस वल्गेरिस एल.)

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

:

काशी राजहंस (वीआरएफबीबी-2/एनआर/बीकेएस-2)

नाम

:

विद्यमान (अधिसूचित)

किस्म का प्रकार

:

प्रारूप

किस्म का वर्गीकरण

:

लागू नहीं

पहले प्रस्तावित नाम

:

प्रजनन आबादी से शुद्ध वंशक्रम चयन

पैतृक सामग्री का नाम

:

अपना जर्मप्लाज्म

पैतृक सामग्री का स्रोत

:

अर्का कोमल

संदर्भ किस्मों का नाम

:

किस्म का विवरण:

:

क. समूह के गुण		टिप्पणी (मापित मान)
पुष्पन का समय (गुण 1)		शीघ्र (3)
पौधा: स्वभाव (गुण 6)		निश्चित (1)
फली का रंग (गुण 15)		हरा (2)
बीज का रंग (गुण 21)		सफ़ेद (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी राजहंस (वीआरएफबीबी-2/एनआर/बीकेएस-2) के प्रत्याशी किस्म के विशिष्ट गुण है फली: रंग: हरा और फली: रेशेदार: अनुपस्थित		
संदर्भ किस्मों के विशिष्ट गुण: अर्क कोमल के प्रत्याशी किस्म के विशिष्ट गुण है फली के रूप में: रंग: हल्का हरा और फली: रेशेदार: उपस्थित		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	जल्दी
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तर प्रदेश, बिहार और झारखंड
	: बुवाई का समय	अक्टूबर के आखिरी हफ्ते से नवंबर के पहले हफ्ते तक
	: सिंचित/वर्षा सिंचित	सिंचित

	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	32-40:20-24:20-24 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	गर्मी सहने वाला (28-32 0C)
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	खेत में फ्रेंच बीन गोल्डन येलो मोजेक वायरस के लिए सहने वाला
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	सर्दियों और वसंत के मौसम में उगाने के लिए सही
7.	प्रति पौधे फलियों की संख्या (औसत)	60-65
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	97-101 क्विं/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	10-15 क्विं/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	-
काशी राजहंस (वीआरएफबीबी-2/एनआर/बीकेएस-2) के डीयूएस गुण		चित्र- 37

84. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी बैंगानी (वीआरएफबीपी-14) नामक राजमा (फेजोलस वल्गेरिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E5	PV40	26	1876

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी बैंगानी (वीआरएफबीपी-14)

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन सं.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

किस्म का विवरण:

: भारतीय कृषि अनुसंधान परिषद,

: कृषि भवन, नई दिल्ली-110001

: भारतीय

:

E5	PV40	26	1876

: 17/08/2026

: 24/08/2026

: राजमा (फेजोलस वल्गेरिस एल.)

: काशी बैंगानी (वीआरएफबीपी-14)

: विद्यमान (अधिसूचित)

: प्रारूप

: लागू नहीं

: प्रजनन आबादी से शुद्ध वंशक्रम चयन

: अपना जर्मप्लाज्म

: केंटकी वंडर

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (गुण 1)	विलंब (7)
पौधा: स्वभाव (गुण 6)	अनिश्चित (3)
फली का रंग (गुण 15)	बैंगनी (3)
बीज का रंग (गुण 21)	भूरा (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी बैंगानी (वीआरएफबीपी-14) के प्रत्याशी किस्म के विशिष्ट गुण है तना: एंथोसायनिन रंग: उपस्थित और पुष्प: मानक पंखुड़ी का रंग: बैंगनी	
संदर्भ किस्मों के विशिष्ट गुण: केंटकी वंडर के प्रत्याशी किस्म के विशिष्ट गुण है तना: एंथोसायनिन रंग: अनुपस्थित और पुष्प: मानक पंखुड़ी का रंग: सफेद	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	जम्मू और कश्मीर, हिमाचल प्रदेश और उत्तराखंड; मध्य प्रदेश, महाराष्ट्र, और गोवा, कर्नाटक, तमिलनाडु, केरल और

		पांडिचेरी
	: बुवाई का समय	नवंबर का पहला हफ्ता # 15 दिन
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	24:16:16 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	लागू नहीं
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	सर्दियों और वसंत के मौसम में उगाने के लिए सही
7.	प्रति पौधे फलियों की संख्या (औसत)	-
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	65क्विं/एकड़ (जोन I, VII और VIII में 49-73 क्विं/एकड़)
9.	बीज उपज क्विं/एकड़ (औसत)	10-15 क्विं/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	-
काशी बैंगानी (वीआरएफबीपी-14) के डीयूएस गुण		चित्र- 38,39

85. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी संपन्न (वीआरएफबीबी-1/एनआर/बीकेएस-1) नामक राजमा (फेजोलस वल्गेरिस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	PV41	26	1877

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कवेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी संपन्न (वीआरएफबीबी-1/एनआर/बीकेएस-1)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E6	PV41	26	1877

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : राजमा (फेजोलस वल्गेरिस एल.)

नाम : काशी संपन्न (वीआरएफबीबी-1/एनआर/बीकेएस-1)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : दावेदार x अर्का कोमल

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : अर्का कोमल

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (गुण 1)	शीघ्र(3)
पौधा: स्वभाव (गुण 6)	निश्चित (1)
फली का रंग (गुण 15)	हल्का हरा (1)
बीज का रंग (गुण 21)	भूरा (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी संपन्न (वीआरएफबीबी-1/एनआर/बीकेएस-1) के प्रत्याशी किस्म के विशिष्ट गुण है फली: वक्रता: अनुपस्थित और फली: क्रॉस सेक्शन का आकार (बीज के माध्यम से): गोलाकार	
संदर्भ किस्मों के विशिष्ट गुण: अर्का कोमल के प्रत्याशी किस्म के विशिष्ट गुण है फली: वक्रता: मध्यम और फली: क्रॉस सेक्शन का आकार (बीज के माध्यम से): हृदयाकार	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
	ब्योरा
	देर से

2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तर प्रदेश, बिहार और झारखंड
	: बुवाई का समय	अक्टूबर के आखिरी हफ्ते से नवंबर के पहले हफ्ते तक
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	36:22:22 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	32-38 0C तक के तापमान को झेल सकता है
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	खेत की स्थितियों में फ्रेंच बीन गोल्डन येलो मोजेक वायरस को झेल सकता है
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	सर्दियों और वसंत के मौसम में उगाने के लिए सही
7.	प्रति पौधे फलियों की संख्या (औसत)	45-50
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	90-120 क्विं/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	10-15 क्विं/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	-
काशी संपन्न (वीआरएफबीबी-1/एनआर/बीकेएस-1) के डीयूएस गुण		चित्र- 40

86. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी संपदा नामक बाकला (विसिया फबा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	VF3	26	1880

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी संपदा**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	VF3	26	1880

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बाकला (विसिया फबा एल.)

नाम : **काशी संपदा**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : एक्सॉटिक कलेक्शन से शुद्ध लाइन सिलेक्शन प्रक्रिया: ईसी 628941

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **ईटी 1107**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़ने का तरीका (गुण 2)	अर्द्ध -निश्चित(2)
पंख: मेलानिन का धब्बा (गुण 13)	निश्चित (9)
सूखा बीज: टेस्टा का रंग (गुण 23)	हल्का भूरा (5)
सूखा बीज: हाइलम का काला रंग (गुण 27)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी संपदा के प्रत्याशी किस्म के विशिष्ट गुण है फली: प्रति नोड फलियों की संख्या: मध्यम और फली: हरी अवस्था में मुड़ाव की डिग्री: अनुपस्थित।	
संदर्भ किस्मों के विशिष्ट गुण: ईटी 1107 के प्रत्याशी किस्म के विशिष्ट गुण है फली: प्रति नोड फलियों की संख्या: कम; फली: हरी अवस्था में मुड़ाव की डिग्री: मध्यम।	

घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	जल्दी पकने वाली
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	जम्मू-कश्मीर, हिमाचल प्रदेश और उत्तराखंड
	: बुवाई का समय	सितंबर-अक्टूबर
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	36:22:22 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	सूखे और जल-जमाव सहित कई तरह के पर्यावरणीय तनावों को सहने में सक्षम
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	खेत की स्थितियों में पाउडरी मिल्ड्यू और चारकोल रॉट को सहने में सक्षम
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	खरीफ
7.	प्रति पौधे फलियों की संख्या (औसत)	60-65
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्विं/एकड़))	63-65 क्विंटल/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	25-30 क्विंटल/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	बीज की फलियों और हरी पत्तियों में एल-डोपा और सी-डोपा भरपूर मात्रा में होते हैं
काशी संपदा के डीयूएस गुण		चित्र- 41

87. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर-भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर. जखिनी (शाहंशाहपुर), वाराणसी ने दिनांक 17/08/2026 को विद्यमान(अधिसूचित) किस्म की काशी निधि (वीआरसीपी -6) नामक लोबिया (विग्ना अनगुइक्यूलेट (एल.) वाला, एसएसपी) फसल को पंजीकरण हेतु आवेदन संख्या

E3 VU10 26 1874 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी निधि (वीआरसीपी -6)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E3	VU10	26	1874

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : लोबिया (विम्ना अनगुइक्यूलेट (एल.) वाला, एसएसपी)

नाम : काशी निधि (वीआरसीपी -6)

किस्म का प्रकार : विद्यमान(अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : काशी उन्नति x लोबिया -263

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : अर्का गरिमा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
50% पुष्प आने तक के दिन (गुण 1)	मध्यम (5)
चढ़ाई की प्रवृत्ति (गुण 2)	कोई नहीं (1)
पौधे का प्रकार (गुण 3)	निश्चित (3)
फली: रंग (गुण 6)	गहरा हरा (5)
फली: लंबाई (सेमी) (गुण 9)	लंबा (7)
फली: मोटाई (सेमी) (विशेषताएँ 10)	मध्यम (7)
फली: रेशदार (गुण 11)	अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी निधि (वीआरसीपी -6) के प्रत्याशी किस्म के विशिष्ट गुण है फली: परिपक्वता: जल्दी और फली:	

क्रॉस-सेक्शन (बीज के आर-पार): गोलाकार		
संदर्भ किस्मों के विशिष्ट गुण: अर्का गरिमा के प्रत्याशी किस्म के विशिष्ट गुण है फली: परिपक्वता: देर से और फली: क्रॉस-सेक्शन (बीज के आर-पार): अंडाकार		
घ. किस्म के व्यावसायीकरण की तिथि		20.02.2013
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	शुरुआती
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	एग्रो-इकोलॉजिकल –जोन IV
	: बुवाई का समय	खरीफ और जायद सीज़न
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उपजाऊपन
3.	संभावित उपज पाने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	एन:पी:के -30:80:60 किग्रा/एकड़
4.	प्रतिकूल तापमान/पाला/और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील	30-35 0C के थोड़े उच्च तापमान पर उगाया जा सकता है
5.	कीड़ों के प्रति प्रतिरोधक क्षमता/सहनशीलता	जैसिड, एफिड, पॉड बोरर के लिए टॉलरेंट। जीएमवी और पी. क्रुएंटा के लिए रेसिस्टेंट
6.	अधिकतम पैदावार पाने के लिए सबसे अच्छा मौसम (क्षेत्र के अनुसार)	फरवरी से अगस्त
7.	प्रति पौधा फलियों की संख्या (औसत)	40-45
8.	क्षेत्र के अनुसार पैदावार की क्षमता (औसत प्रति एकड़ (क्विंटल/एकड़))	140-160 क्विंटल/हेक्टेयर
9.	बीज की पैदावार (क्विंटल/एकड़) (औसत)	10-12 क्विंटल/हेक्टेयर
10.	किस्म/हाइब्रिड से जुड़ी कोई अन्य ज़रूरी जानकारी (जैसे पानी के इस्तेमाल की कम/मध्यम/उच्च क्षमता वाली किस्म)	उच्च
काशी निधि (वीआरसीपी -6) के डीयूएस गुण		चित्र- 42

88. सुश्री कृष्णा नाइक के., पुत्री श्री कसानू नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलुरु नॉर्थ- 560065 की ओर से डॉ. श्यामलम्मा, एस., प्राध्यापक और प्रमुख अन्वेषक, (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, कृषि विज्ञान विश्वविद्यालय, गांधी कृषि विज्ञान केंद्र, बेंगलुरु-560065 ने दिनांक 22/12/2025 को कृषक किस्म की **केवीएन जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F17	AHL18	25	1365

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केवीएन जैक**
 आवेदक का नाम : सुश्री कृष्णा नाइक के.
 आवेदक का पता : पुत्री श्री कसानू नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलुरु नॉर्थ- 560065
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F17	AHL18	25	1365

 प्राप्ति तिथि : 22/12/2025
 स्वीकृति तिथि : 17/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम)
 नाम : **केवीएन जैक**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **स्वर्ण**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	-
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: केवीएन जैक के प्रत्याशी किस्म के विशिष्ट गुण है- वृक्ष: ताज आकृति- दीर्घवृत्ताकार और बीज: रंग (बीज के छिलके के साथ)- भूरा है।	
संदर्भ किस्म के विशिष्ट गुण: स्वर्ण के विशिष्ट गुण है- वृक्ष: ताज आकृति- विस्तृत पिरामिड के आकार का और बीज: रंग (बीज के छिलके के साथ)- क्रीम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* केवीएन जैक के डीयूएस गुण

89. श्री के. संधर्मूर्ति पुत्र कलियापेरुमल 110, साउथ स्ट्रीट, मेलिरुप्पु, किलिरुप्पु, पनरुति, जिला: कुड्डालोर-607103 की ओर से डॉ. श्यामलम्मा, एस., प्राध्यापक और प्रमुख अन्वेषक, (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, कृषि विज्ञान विश्वविद्यालय, गांधी कृषि विज्ञान केंद्र, बेंगलुरु-560065 ने दिनांक 19/12/2025 को कृषक किस्म की **चॉकलेट जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F14	AHL15	25	1357

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।
किस्म के पासपोर्ट आंकड़े : **चॉकलेट जैक**

आवेदक का नाम	: श्री के. संधर्मूर्ति				
आवेदक का पता	: पुत्र कलियापेरुमल 110, साउथ स्ट्रीट, मेलिरुप्पु, किलिरुप्पु, पनरुति, जिला: कुड्डालोर-607103				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1"><tr><td>F14</td><td>AHL15</td><td>25</td><td>1357</td></tr></table>	F14	AHL15	25	1357
F14	AHL15	25	1357		
प्राप्ति तिथि	: 22/12/2025				
स्वीकृति तिथि	: 18/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैमा)				
नाम	: चॉकलेट जैक				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				
पैतृक सामग्री का स्रोत	: लागू नहीं				
संदर्भ किस्मों का नाम	: जनागेरे				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
चॉकलेट जैक के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- गोल और प्रत्येक परत की लंबाई- लंबी (>75 मिमी) है।	
संदर्भ किस्म के विशिष्ट गुण:	

जनागरे के विशिष्ट गुण है- फल: आकृति- मुदगरनुमा और प्रत्येक परत की लंबाई- मध्यम (51-75 मिमी) है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*चॉकलेट जैक के डीयूएस गुण

90. श्री एस रामास्वामी, मल्लिंगमपट्टू (पोस्ट), पनरुति (तालुका), कुड्डालोर (जिला), तमिलनाडु की ओर से डॉ. श्यामलम्मा, एस., प्राध्यापक और प्रमुख अन्वेषक, (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, कृषि विज्ञान विश्वविद्यालय, गांधी कृषि विज्ञान केंद्र, बेंगलुरु-560065 ने दिनांक 09/01/2026 को कृषक किस्म की **आर-42 (रामासामी 42 ब्रिक्स)** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F17	AHL18	26	53

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: आर-42 (रामासामी 42 ब्रिक्स)				
आवेदक का नाम	: श्री एस रामास्वामी				
आवेदक का पता	: मल्लिंगमपट्टू (पोस्ट), पनरुति (तालुका), कुड्डालोर (जिला), तमिलनाडु				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" data-bbox="692 1435 1246 1503"><tr><td>F17</td><td>AHL18</td><td>26</td><td>53</td></tr></table>	F17	AHL18	26	53
F17	AHL18	26	53		
प्राप्ति तिथि	: 09/01/2026				
स्वीकृति तिथि	: 18/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम।)				
नाम	: आर-42 (रामासामी 42 ब्रिक्स)				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				

पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : लालबाग मधुर

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	बड़ा (>12-20 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: आर-42 (रामासामी 42 ब्रिक्स) के प्रत्याशी किस्म के विशिष्ट गुण है- फल से डंठल का जुड़ाव- फूला हुआ और लेटेक्स एक्सयूडेशन (फल के कोर का अनुप्रस्थ काट) अधिक है (> 2 मिली) है।	
संदर्भ किस्म के विशिष्ट गुण: लालबाग मधुर के विशिष्ट गुण है- फल से डंठल का जुड़ाव- दबा हुआ और लेटेक्स एक्सयूडेशन (फल के कोर का अनुप्रस्थ काट) कम है (<2 मिली) है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*आर-42 (रामासामी 42 ब्रिक्स) के डीयूएस गुण

91. सुश्री कृष्णा नाइक के., पुत्री श्री कसानू नाइक #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलुरु नॉर्थ-560065 की ओर से डॉ. श्यामलम्मा, एस., प्राध्यापक और प्रमुख अन्वेषक, (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, कृषि विज्ञान विश्वविद्यालय, गांधी कृषि विज्ञान केंद्र, बेंगलुरु-560065 ने दिनांक 22/12/2025 को कृषक किस्म की वीआईएआर एफएल-येल जैक नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F18	AHL19	25	1366

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीआईएआर एफएल-येल जैक**
 आवेदक का नाम : सुश्री कृष्णा नाइक के
 आवेदक का पता : पुत्री श्री कसानू नाइक #89, 22वां क्रॉस, 16वां मेन, ज्युडिशियल लेआउट, बेंगलुरु नॉर्थ-560065

आवेदक की राष्ट्रियता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F18	AHL19	25	1366

प्राप्ति तिथि : 22/12/2025

स्वीकृति तिथि : 18/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैमा)

नाम : **वीआईएआर एफएल-येल जैक**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **जनागेरे**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म

पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीआईएआर एफएल-येल जैक के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: बनावट- चपटी और लेटेक्स एक्सयूडेशन (फल के कोर का अनुप्रस्थ काट) अधिक है (> 2 मिली) है।	
संदर्भ किस्म के विशिष्ट गुण: जनागोरे के विशिष्ट गुण है- पत्ती: बनावट- एक समान और लेटेक्स एक्सयूडेशन (फल के कोर का अनुप्रस्थ काट) कम है (<2 मिली) है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*वीआईएआर एफएल-येल जैक के डीयूएस गुण

92. श्री लक्ष्मी कांत मुर्मू, भेदुआसोल, रानीबांध, जिला: बांकुरा, पश्चिम बंगाल-722135 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103 ने दिनांक 11/12/2024 को कृषक किस्म की **लक्ष्मी कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F30	AHL30	24	1129

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: लक्ष्मी कटहल				
आवेदक का नाम	: श्री लक्ष्मी कांत मुर्मू				
आवेदक का पता	: भेदुआसोल, रानीबांध, जिला: बांकुरा, पश्चिम बंगाल-722135				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन स.	: <table border="1" data-bbox="692 1720 1286 1780"> <tr> <td>F30</td> <td>AHL30</td> <td>24</td> <td>1129</td> </tr> </table>	F30	AHL30	24	1129
F30	AHL30	24	1129		
प्राप्ति तिथि	: 11/12/2025				
स्वीकृति तिथि	: 19/08/2026				

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैमा)
नाम	: लक्ष्मी कटहल
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: लोधा कटहर

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	छोटा (>3-6 किग्रा)
रीढ़ का घनत्व (5x5 सेमी2 क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: लक्ष्मी कटहल के प्रत्याशी किस्म के विशिष्ट गुण है- पके हुए फल के छिलके का रंग- हरा पीला और परत का आकार- आयताकार है।	
संदर्भ किस्म के विशिष्ट गुण: लोधा कटहर के विशिष्ट गुण है- पके हुए फल के छिलके का रंग- भूरा और परत का आकार- गोल है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*लक्ष्मी कटहल के डीयूएस गुण

93. श्री गौतम मंडल, बिरदिनी, सिमला बांध, हिरबंघ, जिला: बांकुरा, पश्चिम बंगाल-722101 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103 ने दिनांक 11/12/2024 को कृषक किस्म की गौतम कटहल नामक कटहल

(आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F35	AHL35	24	1134

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **गौतम कटहल**

आवेदक का नाम : श्री गौतम मंडल

आवेदक का पता : बिरदिनी, सिमला बांध, हिरबांध, जिला: बांकुरा, पश्चिम बंगाल-722101

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

F35	AHL35	24	1134

आवेदन स. : 11/12/2025

प्राप्ति तिथि : 19/08/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम।)

नाम : **गौतम कटहल**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **मंत्री**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना

पके फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: गौतम कटहल के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकार- लंबाकार और पके हुए फल के छिलके का रंग- हरा है।	
संदर्भ किस्म के विशिष्ट गुण: मंत्री के विशिष्ट गुण है- फल: आकार- दीर्घवृत्ताभ और पके हुए फल के छिलके का रंग- हरा पीला है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* गौतम कटहल के डीयूएस गुण

94. श्री अजीत सरेन, गाँव: मुचिकता, डाकघर : मुचिकता, पुलिस स्टेशन: बारिकुल, जिला: बांकुरा, पश्चिम बंगाल-722135 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103 ने दिनांक 11/12/2024 को कृषक किस्म की **अजीत कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F19	AHL19	24	1118

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अजीत कटहल**

आवेदक का नाम : श्री अजीत सरेन

आवेदक का पता : गाँव: मुचिकता, डाकघर : मुचिकता, पुलिस स्टेशन: बारिकुल, जिला: बांकुरा, पश्चिम बंगाल-722135

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	F19	AHL19	24	1118
प्राप्ति तिथि	:	11/12/2025			
स्वीकृति तिथि	:	19/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैमा)			
नाम	:	अजीत कटहल			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	जोगिन्या			

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नोकीला
पत्ती का आधार आकार (गुण 6)	तिरछी
पत्ती की ऊपरी सतह (गुण 9)	चिकना
पके फल का आकार (गुण 15)	छोटा (>3-6 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: अजीत कटहल के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकार- और पके हुए फल के छिलके का रंग- हरा है।	
संदर्भ किस्म के विशिष्ट गुण: जोगिन्या के विशिष्ट गुण है- फल: आकार- और पके हुए फल के छिलके का रंग- भूरा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*अजीत कटहल के डीयूएस गुण

95. श्री राजेंद्र सिंह, गाँव: पूरे माना सिंह, डाकघर : रेहुवा लालगंज, तहसील: लालगंज, जिला: प्रतापगढ़-230139, बिहार की ओर से निदेशक, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, पोस्ट: काकोरी, लखनऊ-226101, उत्तर प्रदेश ने दिनांक 29/07/2025 को कृषक किस्म की प्रताप आम नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन

F25	MI25	25	823

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या --- लागू नहीं----- पर ----- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: प्रताप आम				
आवेदक का नाम	: श्री राजेंद्र सिंह				
आवेदक का पता	: गाँव: पूरे माना सिंह, डाकघर : रेहुवा लालगंज, तहसील: लालगंज, जिला: प्रतापगढ़-230139, बिहार				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" data-bbox="687 1097 1126 1155"> <tr> <td>F25</td> <td>MI25</td> <td>25</td> <td>823</td> </tr> </table>	F25	MI25	25	823
F25	MI25	25	823		
प्राप्ति तिथि	: 29/07/2025				
स्वीकृति तिथि	: 19/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: आम (मैंगिफेरा इंडिका एल.)				
नाम	: प्रताप आम				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य				
संदर्भ किस्मों का नाम	: अमीन प्रिंस				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	बाहर की ओर गोल

परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: प्रताप आम के प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: डंठल पर गूहा की उपस्थिति- अनुपस्थित और परिपक्व फल: कंठ की उपस्थिति- उपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: अमीन प्रिंस के विशिष्ट गुण है- परिपक्व फल: डंठल पर गूहा की उपस्थिति- उपस्थित और परिपक्व फल: कंठ की उपस्थिति- अनुपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* प्रताप आम के डीयूएस गुण

96. श्री पुष्पेंद्र सिंह चौहान, 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उत्तरेठिया-226025, लखनऊ, उत्तर प्रदेश की ओर से निदेशक, भा.कृ.अ.प.- केंद्रीय उष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, पोस्ट: काकोरी, लखनऊ-226101, उत्तर प्रदेश ने दिनांक 29/07/2025 को कृषक किस्म की **तापसी** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F22	MI22	25	820

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **तापसी**
 आवेदक का नाम : श्री पुष्पेंद्र सिंह चौहान
 आवेदक का पता : 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उत्तरेठिया-226025, लखनऊ, उत्तर प्रदेश
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F22	MI22	25	820

प्राप्ति तिथि	: 29/07/2025
स्वीकृति तिथि	: 19/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: आम (मैंगिफेरा इंडिका एल.)
नाम	: तापसी
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: अगस्त
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: तापसी के प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: लेंटीसेल्स का घनत्व- विरल और परिपक्व फल: डंठल पर गूहा की उपस्थिति- अनुपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: अगस्त के विशिष्ट गुण है- परिपक्व फल: लेंटीसेल्स का घनत्व- सघन और परिपक्व फल: डंठल पर गूहा की उपस्थिति- उपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*तापसी के डीयूएस गुण

97. श्री शरद नरेंद्र शिंदे, पता: मांढल, डाकघर : भागडी, तालुक: लखंदूर, जिला: भंडारा-441803, महाराष्ट्र ने दिनांक 15/01/2026 को कृषक किस्म की शरद मैंगो नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	MI1	26	58

को निम्नलिखित विशिष्टताओं व उल्लिखित

चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं ----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : शरद मैंगो
 आवेदक का नाम : श्री शरद नरेंद्र शिंदे
 आवेदक का पता : पता: मांडल, डाकघर : भागडी, तालुक: लखंदूर, जिला: भंडारा-441803, महाराष्ट्र
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F1	MI1	26	58

 प्राप्ति तिथि : 15/01/2026
 स्वीकृति तिथि : 19/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
 नाम : शरद मैंगो
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : दशहरा
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	नीचे की ओर झुका हुआ
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

शरद मैंगो के प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: कंठ की उपस्थिति- उपस्थित और परिपक्व फल: कोटर की उपस्थिति- अनुपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: दशहरा के विशिष्ट गुण है- परिपक्व फल: कंठ की उपस्थिति- अनुपस्थित और परिपक्व फल: कोटर की उपस्थिति- उपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*शरद मैंगो के डीयूएस गुण

98. श्री उपेन्द्र कुमार सिंह, गाँव और डाकघर : नोबीपनाह, ब्लॉक: माल, तहसील: मलिहाबाद, जिला: लखनऊ-226104, उत्तर प्रदेश की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 20/08/2025 को कृषक किस्म की **नेहाल पसंद** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F61	MI61	25	1020

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं----- -- पर ----- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **नेहाल पसंद**
 आवेदक का नाम : श्री उपेन्द्र कुमार सिंह
 आवेदक का पता : गाँव और डाकघर : नोबीपनाह, ब्लॉक: माल, तहसील: मलिहाबाद, जिला: लखनऊ-226104, उत्तर प्रदेश
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन स. :

F61	MI61	25	1020

 प्राप्ति तिथि : 20/08/2025
 स्वीकृति तिथि : 18/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
 नाम : **नेहाल पसंद**

किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: दशहरी
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	नीचे की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: नेहाल पसंद के प्रत्याशी किस्म के विशिष्ट गुण है- परिपक्व फल: डंठल पर गूहा की उपस्थिति- अनुपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण: दशहरी के विशिष्ट गुण है- परिपक्व फल: डंठल पर गूहा की उपस्थिति- उपस्थित है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*नेहाल पसंद के डीयूएस गुण

99. एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015 तमिलनाडु की ओर से श्री ओंकार सिंह, एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, गांव- नुन्हेरा, टोल प्लाजा के पास, वेद इंटरनेशनल स्कूल के सामने, सोहना-बल्लभगढ़ रोड, सोहना, गुरुग्राम-122103 हरियाणा ने दिनांक 15/05/2025 को विद्यमान (अधिसूचित) किस्म की **एचवीसीबी-094** नामक बंदगोभी (ब्रैसिका ओलेरासिया एल. वर. कैपिटाटा) फसल को पंजीकरण हेतु आवेदन संख्या

E3	BC3	25	561

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां..... (लागू नहीं)..... को पंजीकरण संख्या.....(लागू नहीं).....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: एचवीसीबी-094				
आवेदक का नाम	: एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड				
आवेदक का पता	: नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015 तमिलनाडु				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
क. आवेदन स.	: <table><tr><td>E3</td><td>BC3</td><td>25</td><td>561</td></tr></table>	E3	BC3	25	561
E3	BC3	25	561		
ख. प्राप्ति तिथि	: 15/05/2025				
ग. स्वीकृति तिथि	: 14/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: बंदगोभी (ब्रैसिका ओलेरासिया एल. वर. कैपिटाटा)				
नाम	: एचवीसीबी-094				
किस्म का प्रकार	: विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: एचवीसीबी-094 एफ x एचवीसीबी-094 एम				
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य				
संदर्भ किस्मों का नाम	: पूसा मुक्ता				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बंदगोभी: लंबवत काट में आकृति (गुण 13)	गोलाकार
बंदगोभी: बाहरी पत्ती का रंग (गुण 20)	हल्का हरा
बंदगोभी: ठोसपन (गुण 22)	सघन
बंदगोभी: परिपक्वता (बुवाई से) (गुण 24)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: एचवीसीबी-094 के प्रत्याशी किस्म के विशिष्ट गुण है- बाहरी पत्ती: कोरों का उभार- मध्यम और बंदगोभी: बाहरी पत्ती का एंथोसियानिन रंग- उपस्थित है।	

संदर्भ किस्मों के विशिष्ट गुण:		
पूसा मुक्ता के विशिष्ट गुण है- बाहरी पत्ती: कोरों का उभार- सबल और बंदगोभी: बाहरी पत्ती का एंथोसियानिन रंग- अनुपस्थित है।		
घ. किस्म के व्यावसायीकरण की तिथि		30/04/2024
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	महाराष्ट्र, उत्तर कर्नाटक
	: बुवाई का समय	सितंबर से नवंबर, जनवरी
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	60:40:48
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	मध्यवर्ती सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	थोड़ी सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	लागू नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	लागू नहीं
9.	फल उपज (क्विंटल/एकड़)	270 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1300 से 1400 ग्राम प्रति पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	अच्छी गुणवत्ता और उच्च दृढ़ता
12.	फल चुनने का कार्यक्रम	रोपाई के 60-65 दिन बाद
13.	परिवहन क्षमता (दिन में)	लागू नहीं
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	उच्च सघन पैक बंदगोभी । 20-25 दिन की खेत में रहने की क्षमता
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-

चित्र- उपलब्ध नहीं	*एचवीसीबी-094 के डीयूएस गुण

100. एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015 तमिलनाडु की ओर से श्री ओंकार सिंह, एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, गांव- नुन्हेरा, टोल प्लाजा के पास, वेद इंटरनेशनल स्कूल के सामने, सोहना-बल्लभगढ़ रोड, सोहना, गुरुग्राम-122103 हरियाणा ने दिनांक 15/05/2025 को विद्यमान (अधिसूचित) किस्म की **एचवीसीबी-094एफ** नामक बंदगोभी (ब्रैसिका ओलेरासिया एल. वर. कैपिटटा) फसल को पंजीकरण हेतु आवेदन संख्या

E4	BC4	25	562

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

क. आवेदन स.

ख. प्राप्ति तिथि

ग. स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

: एचवीसीबी-094एफ

: एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड

: नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015 तमिलनाडु

: भारतीय

E4	BC4	25	562

: 15/05/2025

: 14/08/2026

: बंदगोभी (ब्रैसिका ओलेरासिया एल. वर. कैपिटटा)

: एचवीसीबी-094एफ

: विद्यमान (अधिसूचित)

: प्रारूप

: लागू नहीं

पैतृक सामग्री का नाम : चयन विधि
पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : पूसा मुक्ता

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
बंदगोभी: लंबवत काट में आकृति (गुण 13)		गोलाकार
बंदगोभी: बाहरी पत्ती का रंग (गुण 20)		हल्का हरा
बंदगोभी: ठोसपन (गुण 22)		सघन
बंदगोभी: परिपक्वता (बुवाई से) (गुण 24)		मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
एचवीसीबी-094एफ के प्रत्याशी किस्म के विशिष्ट गुण है- बाहरी पत्ती: सिकुड़न- निर्बल, बंदगोभी: ध्रुवीय व्यास- बड़ा और बंदगोभी: बाहरी पत्ती का एंथोसियानिन रंग- उपस्थित है।		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा मुक्ता के विशिष्ट गुण है- बाहरी पत्ती: सिकुड़न- सबल, बंदगोभी: ध्रुवीय व्यास- मझोला और बंदगोभी: बाहरी पत्ती का एंथोसियानिन रंग- अनुपस्थित है।		
घ. किस्म के व्यावसायीकरण की तिथि		30/04/2024 (सोनेट (94))
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	राजस्थान, गुजरात, बिहार, पश्चिम बंगाल, उड़ीसा, छत्तीसगढ़
	: बुवाई का समय	अगस्त से अक्तूबर
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	60:40:48
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	मध्यवर्ती सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता:	संवेदनशील

	संवेदनशील/सहिष्णु	
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	अति सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	लागू नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	लागू नहीं
9.	फल उपज (क्विंटल/एकड़)	240 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1100 से 1200 ग्राम प्रति पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	अच्छी गुणवत्ता और उच्च दृढ़ता
12.	फल चुनने का कार्यक्रम	रोपाई के 55-60 दिन बाद
13.	परिवहन क्षमता (दिन में)	लागू नहीं
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजे हरे रंग की बंदगोभी वाला आकर्षक पौधा। 12-15 दिन की खेत में रहने की क्षमता।
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	प्रत्याशी किस्म पैतृक वंश है और इसका उपयोग संकर बनाने के लिए किया जा रहा है। इसलिए, उत्पादन अभ्यास में लगे कृषकों को कंपनी के बताए गए उत्पादन प्रोटोकॉल को मानना होगा।
चित्र- उपलब्ध नहीं		*एचवीसीबी-094एफ के डीयूएस गुण

101. पुष्पेंद्र सिंह चौहान, 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उतरठिया-226025, उत्तर प्रदेश की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 29/07/2025 को कृषक किस्म की **माधुरी-रसीली** नामक आम (मैंगीफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F26	MI26	25	824

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं---- स्वीकार किया ----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।
 किस्म के पासपोर्ट आंकड़े : **माधुरी-रसीली**
 आवेदक का नाम : पुष्पेंद्र सिंह चौहान

आवेदक का पता	: 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उत्तरठिया-226025, उत्तर प्रदेश				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1"><tr><td>F26</td><td>MI26</td><td>25</td><td>824</td></tr></table>	F26	MI26	25	824
F26	MI26	25	824		
प्राप्ति तिथि	: 29/07/2025				
स्वीकृति तिथि	: 19/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: आम (मैंगिफेरा इंडिका एल.)				
नाम	: माधुरी-रसीली				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य				
संदर्भ किस्मों का नाम	: लतीफ़-उस-सुमार				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	बाहर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: माधुरी-रसीली के प्रत्याशी किस्म के विशिष्ट गुण हैं- पुष्पक्रम: अक्ष तथा शाखाओं का एंथोसियानिन रंग- अनुपस्थिति और निर्बल और बीज: गुठली का पार्श्व दृश्य- लंबाकार है।	
संदर्भ किस्म के विशिष्ट गुण: लतीफ़-उस-सुमार के विशिष्ट गुण हैं- पुष्पक्रम: अक्ष तथा शाखाओं का एंथोसियानिन रंग- मध्यम और निर्बल और बीज: गुठली का पार्श्व दृश्य- वृक्काकार है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*माधुरी-रसीली के डीयूएस गुण

102. विद्याधर पटेल मकान नंबर 19/2, गाँव: गौटिया पारा, तहसील: बरमकेला, कमलापानी, रायगढ़-496551, छत्तीसगढ़ ने दिनांक 17/06/2025 को कृषक किस्म की **कमला** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F16	MI16	25	733

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं----- स्वीकार किया ----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **कमला**
 आवेदक का नाम : विद्याधर पटेल
 आवेदक का पता : मकान नंबर 19/2, गाँव: गौटिया पारा, तहसील: बरमकेला, कमलापानी, रायगढ़-496551, छत्तीसगढ़
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F16	MI16	25	733

 प्राप्ति तिथि : 17/06/2025
 स्वीकृति तिथि : 19/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
 नाम : **कमला**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **अमीन खुर्द**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	नीचे की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित

परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: कमला के प्रत्याशी किस्म के विशिष्ट गुण है- डंठल: लंबाई- छोटा (<1.5 सेमी) और परिपक्व फल: गूदे का रंग- विरल है।	
संदर्भ किस्म के विशिष्ट गुण: अमीन खुर्द के विशिष्ट गुण है- डंठल: लंबाई- मध्यम (1.5-3.0 सेमी) और परिपक्व फल: गूदे का रंग- सघन है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* कमला के डीयूएस गुण

103. पुष्पेंद्र सिंह चौहान, 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उत्तरठिया-226025, उत्तर प्रदेश की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 29/07/2025 को कृषक किस्म की **दिव्या** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F21	MI21	25	819

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं ----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **दिव्या**
 आवेदक का नाम : पुष्पेंद्र सिंह चौहान
 आवेदक का पता : 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उत्तरठिया-226025, उत्तर प्रदेश
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F21	MI21	25	819

 प्राप्ति तिथि : 29/07/2025
 स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: आम (मैंगिफेरा इंडिका एल.)
नाम	: दिव्या
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: नायाब

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	बाहर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: दिव्या के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: नोक की आकृति- पतली और निर्बल और पुष्पक्रम: लंबाई (प्राथमिक शाखा)- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण: नायाब के विशिष्ट गुण है- पत्ती: नोक की आकृति- नुकीली और निर्बल और पुष्पक्रम: लंबाई (प्राथमिक शाखा)- छोटा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: 158	*दिव्या के डीयूएस गुण

104. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी आभा (वीआर-339) नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या E31 CA(C)52 26 1867 को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी आभा (बीआर-339)
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
 आवेदक का पता : कृषि भवन, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

घ. आवेदन सं. :

E31	CA(C)52	26	1867

ड. प्राप्ति तिथि : 17/08/2026

च. स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मिर्च (कैप्सिकम एन्नम एल.)

नाम : काशी आभा (बीआर-339)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : बुलेट B2 की स्थानीय प्रजनन आबादी

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : पूसा ज्वाला

अधिसूचना विवरण : एस.ओ. 692 (ई) दिनांक 05/02/2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	अर्द्ध सीधा
पुष्प/फल: अभिविन्यास (गुण 24)	अर्द्ध-झुका हुआ
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल

फल: आधार पर आकार (गुण 41)		तीव्र
फल: शीर्ष पर आकार (गुण 42)		तीव्र
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी आभा (वीआर-339) के प्रत्याशी किस्म के विशिष्ट गुण है फल वक्रता: अनुपस्थित और फल के डंठल का जुड़ाव: निर्बल।		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा ज्वाला के विशिष्ट गुण है फल वक्रता: उपस्थित और फल के डंठल का जुड़ाव: प्रबल।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	जल्दी से मध्यम अवधि वाली
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	खरीफ़ (जुलाई-अगस्त)
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50:35:35
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	पौधे में बहुत ज़्यादा ठंड या गर्मी (10-40 डिग्री सेल्सियस) में भी पुष्प आते हैं और फल लगते हैं।
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	लागू नहीं
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	थ्रिप्स और माइट्स (कीटों) के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	लागू नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	लागू नहीं
9.	फल उपज (क्विंटल/एकड़)	60-65 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	0.57 किलोग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	छोटे, मोटे, कुंद सिरे वाले और बहुत तीखे फल; इसलिए

		पैकेजिंग और दूर तक परिवहन के लिए उपयुक्त
12.	फल चुनने का कार्यक्रम	3-4 बार तुड़ाई, रोपाई के 40-45 दिन बाद शुरू
13.	परिवहन क्षमता (दिन में)	7
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	बहुत तीखे फल, जिनकी शेल्फ-लाइफ (ताज़ा रहने की अवधि) 10 दिन है।
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 43		* काशी आभा (वीआर-339) के डीयूएस गुण

105. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी गरिमा (सीसीएच-11) नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E30	CA(C)51	26	1866

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी गरिमा (सीसीएच-11)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन सं. :

E30	CA(C)51	26	1866

ख. प्राप्ति तिथि : 17/08/2026

ग. स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मिर्च (कैप्सिकम एन्नम एल.)

नाम : काशी गरिमा (सीसीएच-11)

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सीएमएस लाइन-ए2 (आईसी395318) x काशी आभा
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: केए-2 (काशी अनमोल)
अधिसूचना विवरण	: एस.ओ. 1363 (ई) दिनांक 12/03/2024
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
पौधा: बढ़वार स्वभाव (गुण 2)	फैलावदार	
पुष्प/फल: अभिविन्यास (गुण 24)	अर्द्ध-झुका हुआ	
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)	
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा	
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय	
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल	
फल: आधार पर आकार (गुण 41)	तीव्र	
फल: शीर्ष पर आकार (गुण 42)	तीव्र	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी गरिमा (सीसीएच-11) के प्रत्याशी किस्म के विशिष्ट गुण है पौधे की बनावट: सीधा; फल: आधार वाले सिरे पर गर्दन: उपस्थित।		
संदर्भ किस्मों के विशिष्ट गुण:		
केए-2 (काशी अनमोल) के विशिष्ट गुण है पौधे की बनावट: फैलावदार; फल: आधार वाले सिरे पर गर्दन: अनुपस्थित।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	जल्दी से मध्यम अवधि वाली
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	खरीफ़ (जुलाई-अगस्त)

	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50:35:35
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उपलब्ध नहीं
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	चिलसीवी के प्रति खेत में सहनशीलता
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	उपलब्ध नहीं
7.	स्टेकिंग और छंटाई प्रथाएँ	उपलब्ध नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	उपलब्ध नहीं
9.	फल उपज (क्विंटल/एकड़)	80-90 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	0.54 किलोग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	हल्की झुर्रीदार सतह वाले तीखे फल, निर्यात की संभावना
12.	फल चुनने का कार्यक्रम	3-4 बार तुड़ाई, रोपाई के 60-65 दिन बाद शुरू
13.	परिवहन क्षमता (दिन में)	7-8
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	10 दिन की शेल्फ-लाइफ वाले तीखे फल
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 44		* काशी गरिमा (सीसीएच-11) के डीयूएस गुण

106. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी रत्न (सीसीएच-12) नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या E33 CA(C)54 26 1869 को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	काशी रत्न (सीसीएच-12)
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद,
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001
आवेदक की राष्ट्रीयता	:	भारतीय
आवेदन का विवरण		
क. आवेदन सं.	:	E33 CA(C)54 26 1869
ख. प्राप्ति तिथि	:	17/08/2026
ग. स्वीकृति तिथि	:	24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मिर्च (कैप्सिकम एन्नम एल.)
नाम	:	काशी रत्न (सीसीएच-12)
किस्म का प्रकार	:	विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	:	संकर
पहले प्रस्तावित नाम	:	लागू नहीं
पैतृक सामग्री का नाम	:	सीएमएस लाइन-ए2(सीसीए-4757) और काशी अनमोल
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	:	केए-2 (काशी अनमोल)
अधिसूचना विवरण	:	एस.ओ. 692 (ई) दिनांक 05/02/2019
किस्म का विवरण:		

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	अर्द्ध-सीधा
पुष्प/फल: अभिविन्यास (गुण 24)	झुका हुआ
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल

फल: आधार पर आकार (गुण 41)	तीव्र	
फल: शीर्ष पर आकार (गुण 42)	तीव्र	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी रत्न (सीसीएच-12) के प्रत्याशी किस्म के विशिष्ट गुण है फल की लंबाई (सेमी): लंबा (8.5-10 सेमी) और फल: सतह की बनावट: खुरदरी।		
संदर्भ किस्मों के विशिष्ट गुण:		
केए-2 (काशी अनमोल) के विशिष्ट गुण है फल की लंबाई (सेमी): मध्यम और फल: सतह की बनावट: कोमल ।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	खरीफ़ (जुलाई-अगस्त)
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	60:35:35
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उपलब्ध नहीं
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	उपलब्ध नहीं
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	थ्रिप्स और एन्थ्रेकनोज़ बीमारी को सहने की क्षमता
7.	स्टेकिंग और छंटाई प्रथाएँ	हो सकती है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	उपलब्ध नहीं
9.	फल उपज (क्विंटल/एकड़)	60-65 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	0.75-0.8 किलोग्राम

11.	फल की गुणवत्ता और फल की दृढ़ता	तीखे फल जिनकी सतह थोड़ी झुर्रीदार होती है, निर्यात की संभावना
12.	फल चुनने का कार्यक्रम	3-4 बार तुड़ाई, रोपाई के 40-45 दिन बाद शुरू
13.	परिवहन क्षमता (दिन में)	7
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	मध्यम चमकदार और थोड़ी खुरदरी सतह वाले फल, खाने (टेबल पर्पस) के लिए बेहतरीन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 45		* काशी रत्न (सीसीएच-12) के डीयूएस गुण

107. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी तेज (सीसीएच -4) नामक मिर्च (कैप्सिकम एन्नम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E32	CA(C)53	26	1868

को निम्नलिखित विशिष्टताओं और फोटो और चित्रों के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी तेज (सीसीएच -4)
आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
आवेदक का पता : कृषि भवन, नई दिल्ली-110001
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण

क. आवेदन सं. :

E32	CA(C)53	26	1868

ख. प्राप्ति तिथि : 17/08/2026

ग. स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मिर्च (कैप्सिकम एन्नम एल.)

नाम	: काशी तेज (सीसीएच -4)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सीएमएस लाइन-ए2(सीसीए-4757) और काशी अनमोल
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: केए-2 (काशी अनमोल)
अधिसूचना विवरण	: एस.ओ. 692 (ई) दिनांक 05/02/2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पौधा: बढ़वार स्वभाव (गुण 2)	फैलावदार	
पुष्प/फल: अभिविन्यास (गुण 24)	अर्द्ध -झुका हुआ	
फल: फल लगने का स्वभाव (गुण 25)	1 (एकल)	
फल: रंग (पौधों पर परिपक्व हरे फल अवस्था में) (गुण 26)	हरा	
फल: अनुदैर्घ्य खंड में आकार (गुण 30)	संकीर्ण त्रिकोणीय	
फल: रंग (पौधों पर पके फल की अवस्था में) (गुण 37)	लाल	
फल: आधार पर आकार (गुण 41)	तीव्र	
फल: शीर्ष पर आकार (गुण 42)	तीव्र	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी तेज (सीसीएच -4) के प्रत्याशी किस्म के विशिष्ट गुण है फल: फल सतह की लहरियाँ: मध्यम और फल: पुष्पकोष सीमा: दांतेदार		
संदर्भ किस्मों के विशिष्ट गुण:		
केए-2 (काशी अनमोल) के विशिष्ट गुण है फल: फल सतह की लहरियाँ: निर्बल और फल: पुष्पकोष सीमा: कोमल		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश

	: बुवाई का समय	खरीफ़ (जुलाई-अगस्त)
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50:35:35
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उपलब्ध नहीं
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	उपलब्ध नहीं
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	थ्रिप्स के प्रति सहनशील और एन्थ्रेक्नोज के प्रति प्रतिरोधी
7.	स्टेकिंग और छंटाई प्रथाएँ	उपलब्ध नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	उपलब्ध नहीं
9.	फल उपज (क्विंटल/एकड़)	65-70 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	0.66 किलोग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	तीखा, तोते जैसा हरा रंग, लंबा फल
12.	फल चुनने का कार्यक्रम	3-4 बार तुड़ाई, रोपाई के 35-40 दिन बाद शुरू
13.	परिवहन क्षमता (दिन में)	7
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	खाने और लाल रंग के लिए उपयुक्त
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 46		* काशी तेज (सीसीएच -4) के डीयूएस गुण

108. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी टमाटर-8 (काशी चयन) नामक टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्स्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E23	LL28	26	1857

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ

के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।----- उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को---लागू नहीं----- में ----- दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी टमाटर-8 (काशी चयन)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E23	LL28	26	1857

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्टेन पूर्व)

नाम : काशी टमाटर-8 (काशी चयन)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : मेघालय लोकल × एच-88-78-2

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : वीआरटी 19

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)	निश्चित (1)
पत्रक: दाँतेदार (गुण 12)	बहुत ज़्यादा आरीदार किनारे वाला (7)
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)	उपस्थित (9)
फल: अनुदैर्घ्य खंड में आकार (गुण 33)	चपटा (1)
फल: परिपक्वता पर रंग (गुण 43)	लाल (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी टमाटर-8 (काशी चयन) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: मध्यम; फल:	

आकार (10 फलों का औसत वजन) (ग्राम): बहुत बड़ा (>1000); फल: ब्लॉसम स्कार (पुष्प के निशान) का आकार: मध्यम; फल: कठोरता (किग्रा/सेमी ²): नरम (<3)।		
संदर्भ किस्म के विशिष्ट गुण: वीआरटी 19 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: गहरा; फल: आकार (10 फलों का औसत वजन) (g): बड़ा (701-1000); फल: ब्लॉसम स्कार (पुष्प के निशान) का आकार: छोटा; फल: कठोरता (किग्रा/सेमी ²): कठोर (>6)।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम (अनिश्चित विकास की आदत)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	एआईसीआरपी (वीसी) द्वारा ज़ोन IV (बिहार, झारखंड, पंजाब, उत्तर प्रदेश) और ज़ोन VII (गोवा, मध्य प्रदेश और महाराष्ट्र) के लिए अनुशंसित
	बुवाई का समय	अगस्त-सितंबर
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	150:80:100 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	टीओएलसीवी बीमारी के प्रति अत्यधिक सहनशील (Ty3 जीन)
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	स्टेकिंग (सहारा देने) से फलों की गुणवत्ता और उपज में सुधार होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	रबी/सर्दियों के मौसम के लिए उपयुक्त (बुवाई: अगस्त-सितंबर और रोपाई: अक्टूबर की शुरुआत)
9.	फल उपज (क्विंटल/एकड़)	550-600
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1.8-2.0 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लाल और अंडाकार आकार के फल, मध्यम मजबूती,

		औसत फल का वजन 45-60 ग्राम और TSS (°Brix): 5)
12.	फल चुनने का कार्यक्रम	लाल पके फलों की तुड़ाई रोपाई के 90 दिन बाद (दिसंबर-जनवरी) से 140 दिन (फरवरी-मार्च) तक शुरू होती है
13.	परिवहन क्षमता (दिन में)	3-4 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजा बाजार के लिए फल और शेल्फ-लाइफ 3-4 दिन तक
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	रबी/सर्दियों के मौसम के लिए उपयुक्त
काशी टमाटर-8 (काशी चयन) के डीयूएस गुण		चित्र- 47

109. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी अभिमान (वीआरटीएच-101) नामक टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E24	LL29	26	1858

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।----- उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को---लागू नहीं----- में ----- दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी अभिमान (वीआरटीएच-101)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E24	LL29	26	1858

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कास्टन पूर्व)
नाम	: काशी अभिमान (वीआरटीएच-101)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: अन्य
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: पी1 (वीआरटी-04/04/010) × पी2 (वीआरटी-04/011)
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: अर्का आलोक और धनश्री

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)		निश्चित (1)
पत्रक: दाँतेदार (गुण 12)		बहुत ज़्यादा आरीदार (7)
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)		अनुपस्थित (1)
फल: अनुदैर्घ्य खंड में आकार (गुण 33)		आयताकार (4)
फल: परिपक्वता पर रंग (गुण 43)		लाल (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी अभिमान (वीआरटीएच-101) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: हल्की; तना: ऊपरी एक-तिहाई हिस्से में एंथोसायनिन रंग: हल्का; फल: आकार (10 फलों का औसत वजन) (ग्राम): मध्यम (201-700); फल: मज़बूती (किग्रा/सेमी ²): मध्यम।		
संदर्भ किस्म के विशिष्ट गुण:		
अर्का आलोक के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: मध्यम; तना: ऊपरी एक-तिहाई हिस्से में एंथोसायनिन रंग: मध्यम; फल: आकार (10 फलों का औसत वजन) (ग्राम): बहुत बड़ा (>1000); फल: कठोरता (किग्रा/सेमी ²): नरम।		
धनश्री के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: हरे रंग की तीव्रता: गहरा; तना: ऊपरी एक-तिहाई हिस्से में एंथोसायनिन रंग: गहरा/तेज़; फल: आकार (10 फलों का औसत वजन) (ग्राम): बड़ा (701-1000); फल: कठोरता (किग्रा/सेमी ²): नरम।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	शीघ्र

2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	जम्मू और कश्मीर हिमाचल प्रदेश, उत्तरांचल, पंजाब, उत्तर प्रदेश, बिहार, झारखंड
	बुवाई का समय	खरीफ और रबी
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की ज्यादा उपजाऊपन
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	100:60:60
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	संवेदनशील
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	टीओएलसीवी प्रतिरोधी
7.	स्टेकिंग और छंटाई प्रथाएँ	स्टेकिंग से फलों की क्वालिटी और पैदावार बेहतर होती है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ और रबी सीजन के लिए सही
9.	फल उपज (क्विंटल/एकड़)	286
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2-2.5 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	स्क्वायर गोल आकार के फल मीडियम मजबूती के साथ। औसत फल का वजन 90 g और TSS (°Brix): 4.0-4.5
12.	फल चुनने का कार्यक्रम	ट्रांसप्लान्टिंग के 65-75 दिन बाद और पहली तुड़ाई के हर 4-6 दिन बाद लाल रंग के फल पकते हैं
13.	परिवहन क्षमता (दिन में)	एक हफ्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	8-12 दिन
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	-
काशी अभिमान (वीआरटीएच-101) के डीयूएस गुण		चित्र- 48

110. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी बसंत (वीआरपीके -230)** नामक कद्दू (कुकुर्बिटा मोक्षटा डच पूर्व पोयर.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CM6	26	1873

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी बसंत (वीआरपीके -230)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E2	CM6	26	1873

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कद्दू (कुकुर्बिटा मोक्षटा डच पूर्व पोयर.)

नाम : **काशी बसंत (वीआरपीके -230)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : एनडीपीके-24 × पीकेबी-6

पैतृक सामग्री का नाम : लागू नहीं

संदर्भ किस्मों का नाम : **काशी हरित**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: छिलके का मुख्य रंग (अपरिपक्व फल अवस्था में) (गुण 14)	मध्यम हरा (3)
फल: सतह पर खांचे (गुण 18)	उपस्थित (9)

फल: लंबाई (परिपक्व अवस्था) (सें.मी.) (गुण 20)		मध्यम (5)
फल: व्यास (परिपक्व अवस्था) (सें.मी.) (गुण 21)		मध्यम (5)
फल: आकार (गुण 22)		गोल चपटा (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी बसंत (बीआरपीके -230) के प्रत्याशी किस्म के विशिष्ट गुण है फल : गूदे की मोटाई: पतला		
संदर्भ किस्म के विशिष्ट गुण :		
काशी हरित के प्रत्याशी किस्म के विशिष्ट गुण है फल : गूदे की मोटाई: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		-
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	शीघ्र किस्म
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	ज़ोन V (छत्तीसगढ़, ओडिशा और आंध्र प्रदेश)
	बुवाई का समय	इसे खेत में गर्मी और बारिश के मौसम में सफलतापूर्वक उगाया जा सकता है
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60 और बुवाई के 25 और 35 दिन बाद डब्ल्यूएसएफ (पानी में घुलनशील उर्वरक) 19:19:19 का 4.0 ग्राम/लीटर पानी के हिसाब से 2 बार पत्तियों पर छिड़काव
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	संवेदनशील (मध्यम नमी के साथ 25-32°C तापमान पर बेहतर प्रदर्शन करती है)
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	येलो मोज़ेक वायरस के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	लागू नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी (15 फरवरी से 15 मार्च तक बुवाई) और बारिश के मौसम (15 मई से 15 जून तक बुवाई) के लिए उपयुक्त

9.	फल उपज (क्विंटल/एकड़)	300-350 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	5.00-7.50 किलोग्राम/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	इसमें प्रति 100 ग्राम 6.48% सूखा पदार्थ, 1.63% कुल शर्करा, 2.60 मिलीग्राम कैरोटीनॉयड और 15.70 मिलीग्राम विटामिन C होता है। फल हरे रंग के धब्बों वाला, चपटा और गोल होता है; कच्चा फल कम सख्त और अधिक नमी वाला होता है
12.	फल चुनने का कार्यक्रम	बुवाई के 50 से 53 दिन बाद पहली तुड़ाई शुरू होती है। फल लगने के मुख्य मौसम में सप्ताह में दो बार तुड़ाई की जाती है, जब फल कोमल और बीज नरम होते हैं
13.	परिवहन क्षमता (दिन में)	5 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	कच्ची अवस्था में तोड़े गए कद्दू को कमरे के तापमान पर केवल 3 से 5 दिनों तक ही अच्छी स्थिति में रखा जा सकता है
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	शारीरिक परिपक्वता (बीज से बीज तक) के लिए 80-90 दिन लगते हैं
	चित्र – 49	काशी बसंत (वीआरपीके -230) के डीयूएस गुण

111. डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी शिवानी (वीआरपीजी -27) नामक तोरई तोरी (लुफ़ा एक्वूटेंगुला (एल.) रॉक्सबर्ग) फसल को पंजीकरण हेतु आवेदन संख्या

E2	LA9	26	1888

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी शिवानी (वीआरपीजी -27)

आवेदक का नाम : डॉ. राजेश कुमार,

आवेदक का पता : निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान,
पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-
221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

घ. आवेदन स.	E2	LA9	26	1888

ड. प्राप्ति तिथि : 17/08/2026

च. स्वीकृति तिथि : 19/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरी (लुफा एक्वूटेंगुला (एल.) रॉक्सबर्ग)

नाम : काशी शिवानी (वीआरपीजी -27)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : जर्मप्लाज्म से चयन

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : काशी नंदा और अर्का सुजात

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 10)	5 लोब
फल: लंबाई (गुण 17)	मध्यम
फल: घेरा (गुण 18)	छोटा
फल: आकृति (गुण 19)	लंबा
फल: छिलके का रंग (गुण 20)	हल्का हरा
फल: रिज आकृति (गुण 23)	-
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी शिवानी (वीआरपीजी -27) के प्रत्याशी किस्म के विशिष्ट गुण है ओवरी: लंबाई (पुष्प खिलने के दिन):	

ज्यादा; फल: छिलके का रंग: हल्का हरा; बीजों की संख्या (बीज निकालते समय प्रति फल बीजों की संख्या): ज्यादा।		
संदर्भ किस्मों के विशिष्ट गुण: काशी नंदा और अर्का सुजात के प्रत्याशी किस्म के विशिष्ट गुण है ओवरी: लंबाई (पुष्प खिलने के दिन): मध्यम; फल: छिलके का रंग: हरा; बीजों की संख्या (बीज निकालते समय प्रति फल बीजों की संख्या): मध्यम।		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तर प्रदेश, बिहार और झारखंड में उगाने के लिए उपयुक्त
	बुवाई का समय	गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक और बारिश के मौसम के लिए जून से जुलाई के बीच तक
	सिंचित/वर्षा सिंचित	गर्मी में 7-10 दिनों के अंतराल पर 5-7 बार सिंचाई और बारिश के मौसम में ज़रूरत के अनुसार सिंचाई
	मिट्टी की कम उर्वरता/उच्च उर्वरता	ज़मीन की ज्यादा उपजाऊ क्षमता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	जैविक खाद के साथ एन:पी:के का अनुपात 100:80:60 और बुवाई के 35 और 45 दिन बाद WSF (पानी में घुलनशील खाद) 19:19:19 का 5 ग्राम/लीटर पानी के हिसाब से 2 बार फोलियर स्प्रे (पत्तों पर छिड़काव)
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	ज्यादा तापमान (>35°C) सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड कट्टू बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलिस/बाउर सिस्टम (मचान विधि) के लिए

		उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बारिश के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	65–85 क्विंटल
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1.5–2.0 किलोग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक, मध्यम आकार, बेलनाकार फल और ज्यादा पैदावार की क्षमता
12.	फल चुनने का कार्यक्रम	फल तोड़ने का काम कुल 5 से 6 बार किया जाता है
13.	परिवहन क्षमता (दिन में)	दूर के बाजारों में बेचने (एक्सपोर्ट) के लिए उपयुक्त
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजे फल कमरे के तापमान पर लगभग 4 से 5 दिनों तक ठीक रह सकते हैं।
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	यह एक अच्छी किस्म है जिसके फल मध्यम आकार के, आकर्षक और बेलनाकार होते हैं और इसमें ज्यादा पैदावार की क्षमता होती है; यह दूर के बाजारों में बेचने के लिए उपयुक्त है।
	चित्र – 50	काशी शिवानी (वीआरपीजी -27)के डीयूएस गुण

112. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 01/07/2022 को विद्यमान(अधिसूचित) किस्म की पूसा बासमती 1886 नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E18	OS53	22	127

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

छ. आवेदन सं.

ज. प्राप्ति तिथि

झ. स्वीकृति तिथि

फसल (वर्गीकरण विज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

अधिसूचना विवरण

किस्म का विवरण:

: पूसा बासमती 1886

: आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,

: पूसा परिसर, नई दिल्ली-110012

: भारतीय

:

E18	OS53	22	127

: 01/07/2022

: 24/08/2026

: चावल (ओरिजा सैटिवा एल.)

: पूसा बासमती 1886

: विद्यमान(अधिसूचित)

: प्रारूप

: लागू नहीं

: पूसा 1884/पूसा बासमती 1728

: अपना जर्मप्लास्म

: पूसा बासमती 6

: एस.ओ. 8 (ई) दिनांक 24.12.2021

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	मध्यम (5)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा (1)
छिला हुआ दाना: लंबाई (गुण 54)	बहुत लंबा (9)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	बहुत लंबा और पतला (6)
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित (9)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा बासमती 1886 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: निर्बल और	

पुष्पगुच्छः उभार : अधिकांश उभार		
संदर्भ किस्मों के विशिष्ट गुणः		
पूसा बासमती 6 के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: अनुपस्थित और पुष्पगुच्छः उभार : अच्छी तरह उभार		
घ. किस्म के व्यावसायीकरण की तिथि	09.03.2022	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	109 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	ज़ोन II (जिसमें पंजाब, हरियाणा और दिल्ली राज्य शामिल हैं)
4.	बुवाई का समय	मई का तीसरा हफ़्ता से जून का दूसरा हफ़्ता
	बीज दर (किलोग्राम/एकड़)	6-8 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	➤ ड़ैंचा से हरी खाद का इस्तेमाल करें; इसे बुवाई के लगभग 45 से 55 दिन बाद मिट्टी में मिलाया जा सकता है, जिससे नाइट्रोजन की मात्रा 20-25 किलोग्राम प्रति एकड़ कम की जा सकती है। ➤ 50:12:12 (किलोग्राम प्रति एकड़) का इस्तेमाल करें और नाइट्रोजन को 3 किशतों में डालें। ➤ ज़िंक सल्फेट हेप्टाहाइड्रेट 10 किलोग्राम प्रति एकड़ या ज़िंक सल्फेट मोनोहाइड्रेट 6 किलोग्राम प्रति एकड़ का इस्तेमाल करें। ➤ मिट्टी की जांच के नतीजों के आधार पर मात्रा में बदलाव किया जा सकता है।

5.	रोग और कीटों के प्रति सहनशीलता	बैक्टीरियल लीफ़ ब्लाइट और ब्लास्ट के प्रति प्रतिरोधी
	आईपीएम विवरण अनुसूची	➤ दीमक: क्लोरपायरीफॉस 20 ईसी @ 1.5 लीटर/एकड़ या क्लोरपायरीफॉस 50% ईसी @ 500 मिली/एकड़ ➤ तना छेदक: कार्टाप हाइड्रोक्लोराइड 4G @ 4.5 किग्रा/एकड़। ➤ पत्ती लपेटक: मोनोक्रोटोफॉस 36 ईसी @ 400 मिली/एकड़। ➤ ब्राउन प्लांट हॉपर: मोनोक्रोटोफॉस 36 ईसी @ 500 मिली/एकड़ या कार्बोफ्यूथान 3G @ 7 किग्रा/एकड़ या इमिडाक्लोप्रिड 18.5 @ 40 मिली/एकड़ या डाइक्लोवॉस 76 WSC @ 140 मिली/एकड़। रोग प्रबंधन 1.शीथ ब्लाइट: हेक्साकोनाज़ोल 5 ईसी @ 300 मिली/एकड़ या प्रोपिकोनाज़ोल 25 ईसी @ 200 मिली/एकड़
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण	विवरण
	भौतिक:	
	क) दाने का आकार (मिमी)	0.777
	ख) ल./चौ. अनुपात	-
	ग) दाने का रंग	-
8.	अनाज की उपज (क्विंटल/एकड़)	17.96 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	23 ग्रा
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 51		* पूसा बासमती 1886 के डीयूएस गुण

113. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 04/02/2021 को विद्यमान(अधिसूचित) किस्म की **पूसा बासमती 1979** नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E16	OS10	21	45

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा बासमती 1979**
 आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,
 आवेदक का पता : पूसा परिसर, नई दिल्ली-110012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 ज. आवेदन सं. :

E16	OS10	21	45

 ट. प्राप्ति तिथि : 04/02/2021
 ठ. स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)
 नाम : **पूसा बासमती 1979**
 किस्म का प्रकार : विद्यमान(अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : पूसा बासमती 1121*4/रॉबिन
 पैतृक सामग्री का स्रोत : अपना जर्मप्लास्म
 संदर्भ किस्मों का नाम : **पूसा बासमती 6**
 अधिसूचना विवरण : एस.ओ. 8 (ई) दिनांक 24.12.2021
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	मध्यम (5)	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	छोटा (3)	
छिला हुआ दाना: लंबाई (गुण 54)	बहुत लंबा (9)	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	बहुत लंबा और पतला (6)	
छिला हुआ दाना: रंग (गुण 57)	हल्का भूरा (2)	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)	
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित (9)	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा बासमती 1979 के प्रत्याशी किस्म के विशिष्ट गुण है तना: लंबाई (पुष्पगुच्छ और तैरने वाले चावल को छोड़कर) : छोटी ।		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा बासमती 6 के विशिष्ट गुण है तना: लंबाई (पुष्पगुच्छ और तैरने वाले चावल को छोड़कर) : अधिक छोटी।		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	व्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	-
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	ज़ोन II जिसमें पंजाब, हरियाणा, दिल्ली, पश्चिमी यूपी, उत्तराखंड, जम्मू और कश्मीर राज्य शामिल हैं
4.	बुवाई का समय	मई का तीसरा हफ़ता से जून का दूसरा हफ़ता
	बीज दर (किलोग्राम/एकड़)	6-8 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	-

5.	रोग और कीटों के प्रति सहनशीलता	हर्बिसाइड इमेजेथापायर के प्रति सहनशीलता
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	-
	ख) ल./चौ. अनुपात	-
	ग) दाने का रंग	0.80
8.	अनाज की उपज (क्विंटल/एकड़)	16.08 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	27.9 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 52		* पूसा बासमती 1979 के डीयूस गुण

114. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल सुपोषिता) (एफएमएच24)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E34	ZM103	26	1901

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।
किस्म के पासपोर्ट आंकड़े : **वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल**

सुपोषिता) (एफएमएच24)

आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद,			
आवेदक का पता	:	कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001			
आवेदक की राष्ट्रीयता	:	भारतीय			
आवेदन का विवरण	:				
आवेदन सं.	:	E34	ZM103	26	1901
प्राप्ति तिथि	:	18/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मक्का (जिया मेस एल.)			
नाम	:	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल			

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: वीबीएल 204 x वीबीएल 205
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: वीएल वीआईटी ए
अधिसूचना विवरण	: एस.ओ. 6133 (ई) दिनांक 31/12/2025

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	बहुत लंबा
भुट्टा: दाने का प्रकार (गुण 22)	चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल सुपोषिता) (एफएमएच24) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृत्ति : झुकी हुई और दाना आकृति: दांतेदार	
संदर्भ किस्मों के विशिष्ट गुण: वीएल वीआईटी ए के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृत्ति : सीधी और दाना आकृति:	

गोल		
घ. किस्म के व्यावसायीकरण की तिथि		24/03/2025
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
21.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	शीघ्र
22.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम
23.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तरी पहाड़ी क्षेत्र
24.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	-
	अन्य उर्वरक किग्रा/एकड़	-
25.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	जम्मू-कश्मीर, हिमाचल प्रदेश, उत्तराखंड, असम, अरुणाचल प्रदेश, मणिपुर, मेघालय, मिजोरम, नागालैंड, सिक्किम और त्रिपुरा।
26.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम और मैडिस लीफ़ ब्लाइट के प्रति मध्यम रूप से प्रतिरोधी।
27.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	27.3
28.	बीज उपज / एकड़ (औसत)	-
29.	बीज: भार (100 बीज वजन ग्राम में)	250 ग्राम
30.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	-
	चित्र: 53,54	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 201 (वीएल सुपोषिता) (एफएमएच24) के डीयूएस गुण

115. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच 165)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E32	ZM101	26	1899

को

निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं -----
-- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के
प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच 165)
आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण

आवेदन स. :

E32	ZM101	26	1899

प्राप्ति तिथि : 18/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)

नाम : वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच 165)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : वीक्यूएल 373 x वीक्यूएल 390

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : सेंट्रल मक्का वीएल 55 और विवेक मक्का हाइब्रिड 45

अधिसूचना विवरण : एस.ओ. 4065 (ई) दिनांक 31/08/2022

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	शीघ्र
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	लंबी
भुट्टा: दाने का प्रकार (गुण 22)	अर्ध-कठोर

ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच 165) के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: दाने का ऊपरी भाग का रंग: पीला और टोपी और दाना: आकृति: दांतेदार किस्म के विशिष्ट गुण है कि इसमें ट्रिप्टोफैन और लाइसिन (0.66% और 2.90%) भरपूर मात्रा में होता है।		
संदर्भ किस्मों के विशिष्ट गुण: सेंट्रल मक्का वीएल 55 के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: दाने का ऊपरी भाग का रंग: पीला और दाना: आकृति: गोल विवेक मक्का हाइब्रिड 45 के प्रत्याशी किस्म के विशिष्ट गुण है इसमें ट्रिप्टोफैन और लाइसिन (0.44% और 2.09%) की मात्रा कम होती है।		
घ. किस्म के व्यावसायीकरण की तिथि		31/03/2023
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	शीघ्र
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम (मई-जून)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तरी पहाड़ी क्षेत्र
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	-
	अन्य उर्वरक किग्रा/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	जम्मू-कश्मीर, लद्दाख, हिमाचल प्रदेश, असम, उत्तराखंड, अरुणाचल प्रदेश, मणिपुर, मेघालय, मिज़ोरम, नागालैंड, सिक्किम और त्रिपुरा
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम लीफ़ ब्लाइट के प्रति मध्यम रूप से प्रतिरोधी।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	26.7 क्विंटल/एकड़।
8.	बीज उपज / एकड़ (औसत)	-
9.	बीज: भार (100 बीज वजन ग्राम में)	320 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	-
	चित्र: 55,56	वीएलक्यूपीएम हाइब्रिड 45 (एफक्यूएच

165) के डीयूएस गुण

116. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E31	ZM100	26	1898

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E31	ZM100	26	1898

प्राप्ति तिथि : 18/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)

नाम : **वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : वीएसएल 38 x वीएसएल 27

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : वीएल मधुरिमा
अधिसूचना विवरण : एस.ओ. 6123 (ई) दिनांक 31/12/2025
किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)		मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)		मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)		अनुपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)		लंबी
भुट्टा: दाने का प्रकार (गुण 22)		सिकुड़ा
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृति: झुकी हुई और वल्लर: पार्श्व शाखाओं की प्रवृति: सीधा		
संदर्भ किस्मों के विशिष्ट गुण: वीएल मधुरिमा के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की प्रवृति: सीधा और वल्लर: पार्श्व शाखाओं की प्रवृति: घुमावदार		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	शुरुआती
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम (मई-जून)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	ज़ोन I और ज़ोन II
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	-
	अन्य उर्वरक किग्रा/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	जम्मू-कश्मीर, उत्तराखंड (मैदानी और पहाड़ी इलाके), हिमाचल प्रदेश, असम, अरुणाचल प्रदेश, मणिपुर, दिल्ली, मेघालय, नागालैंड, सिक्किम, त्रिपुरा, पश्चिमी उत्तर प्रदेश, हरियाणा और पंजाब।
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम लीफ़ ब्लाइट के प्रति मध्यम

		प्रतिरोधक क्षमता।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	45.8
8.	बीज उपज / एकड़ (औसत)	-
9.	बीज: भार (100 बीज वजन ग्राम में)	160 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	-
	चित्र: 57,58	वीएल स्वीट कॉर्न हाइब्रिड 4 (वीएल मधुबाला) (एफएससीएच 131) के डीयूएस गुण

117. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 01/07/2022 को विद्यमान(अधिसूचित) किस्म की पूसा बासमती 1847 नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E19	OS55	22	129

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा बासमती 1847
 आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,
 आवेदक का पता : पूसा परिसर, नई दिल्ली-110012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 ड. आवेदन स. :

E19	OS55	22	129

 ढ. प्राप्ति तिथि : 01/07/2022
 ण. स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)

नाम	: पूसा बासमती 1847
किस्म का प्रकार	: विद्यमान(अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: पूसा बासमती 1509 x पूसा बासमती 1790
पैतृक सामग्री का स्रोत	: अपना जर्मप्लास्म
संदर्भ किस्मों का नाम	: पूसा बासमती 1509
अधिसूचना विवरण	: एस.ओ. 8 (ई) दिनांक 24.12.2021

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	शीघ्र	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा	
छिला हुआ दाना: लंबाई (गुण 54)	बहुत लंबा	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	बहुत लंबा और पतला	
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम	
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा बासमती 1847 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: निर्बल और पुष्पगुच्छ: मुख्य अक्ष की लम्बाई : अधिक लंबी		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा बासमती 1509 के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: अनुपस्थित और पुष्पगुच्छ: मुख्य अक्ष की लम्बाई : लंबी		
घ. किस्म के व्यावसायीकरण की तिथि	09.03.2022	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	मध्यम
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	पंजाब, हरियाणा और दिल्ली

3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	जून का दूसरा से तीसरा हफ़्ता
4.	बुवाई का समय	6-8 किग्रा/एकड़
	बीज दर (किलोग्राम/एकड़)	पौधे से पौधे की दूरी: 15 सेमी
	रोपाई के बीच अंतराल	कतार से कतार की दूरी: 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित क्षेत्र
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	➤ ढ़ँचा से हरी खाद बनाएं; इसे बुवाई के लगभग 45 से 55 दिन बाद मिट्टी में मिलाया जा सकता है, जिससे नाइट्रोजन की मात्रा 20-25 किलोग्राम प्रति एकड़ कम की जा सकती है। ➤ 50:12:12 किलोग्राम N, P₂O₅ और K₂O प्रति एकड़ का इस्तेमाल करें और नाइट्रोजन को 3 बार में डालें। ➤ जिंक सल्फेट हेप्टाहाइड्रेट 10 किलोग्राम प्रति एकड़ या जिंक सल्फेट मोनोहाइड्रेट 6 किलोग्राम प्रति एकड़ का इस्तेमाल करें। ➤ मिट्टी की जांच के नतीजों के आधार पर मात्रा में बदलाव किया जा सकता है।
5.	रोग और कीटों के प्रति सहनशीलता	बीएलबी और ब्लास्ट के प्रति प्रतिरोधी
	आईपीएम विवरण अनुसूची	कीट प्रबंधन दीमक: क्लोरपायरीफॉस 20 ईसी @ 1.5 लीटर/एकड़ या क्लोरपायरीफॉस 50% ईसी @ 500 मिली/एकड़ तना छेदक: कार्टाप हाइड्रोक्लोराइड 4G @ 4.5 किग्रा/एकड़ पत्ती लपेटक कीट: मोनोक्रोटोफॉस 36 ईसी @ 400 मिली/एकड़ भूरा माहू मोनोक्रोटोफॉस 36 ईसी @ 500 मिली/एकड़

		या कार्बोफ्यूथ्रान 3जी @ 7 किग्रा/एकड़ या इमिडाक्लोप्रिड 18.5 @ 40 मिली/एकड़ या डाइक्लोरोवॉस 76 डब्लूएससी @ 140 मिली/एकड़ रोग प्रबंधन शीथ ब्लाइट: हेक्साकोनाजोल 5 ईसी @ 300 मिली/एकड़ या प्रोपिकोनाजोल 25 ईसी @ 200 मिली/एकड़
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	0.851
	ख) ल./चौ. अनुपात	-
	ग) दाने का रंग	स्ट्रॉ
8.	अनाज की उपज (क्विंटल/एकड़)	22.82 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्राम में)	2.93
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और जरूरी जानकारी।	-
चित्र- 59		* पूसा बासमती 1847 के डीयूस गुण

118. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी सुहावनी (वीआरएएम -42)** नामक सब्जी चौलाई (अमरैन्थस ट्राइकलर एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	AT1	26	1883

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: काशी सुहावनी (वीआरएएम -42)				
आवेदक का नाम	: भारतीय कृषि अनुसंधान परिषद,				
आवेदक का पता	: कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
क. आवेदन सं.	: <table><tr><td>E1</td><td>AT1</td><td>26</td><td>1883</td></tr></table>	E1	AT1	26	1883
E1	AT1	26	1883		
ख. प्राप्ति तिथि	: 17/08/2026				
ग. स्वीकृति तिथि	: 19/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: सब्जी चौलाई (अमरैन्थस ट्राइकलर एल.)				
नाम	: काशी सुहावनी (वीआरएएम -42)				
किस्म का प्रकार	: विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: शुद्ध-वंश चयन				
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म				
संदर्भ किस्मों का नाम	: पूसा कीर्ति और पूसा किरण				
अधिसूचना विवरण	: एस.ओ. नंबर 692 (ई) दिनांक 05.02.2019				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	हल्का हरा (1)
पत्रदल: धब्बों की उपस्थिति (गुण 4)	उपस्थित नहीं (1)
पुष्पक्रम: रंग (गुण 7)	उपस्थित नहीं (1)
पुष्पक्रम: आकृति (गुण 13)	हरा (1)
बीज: रंग (गुण 18)	गोल (1)

ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी सुहावनी (वीआरएएम -42) के प्रत्याशी किस्म के विशिष्ट गुण है नई पत्ती: चौड़ाई कम, नई पत्ती: ऊपरी तरफ मुख्य रंग हल्का हरा, पत्ती का फलक: मुख्य रंग हल्का हरा और तना: क्रॉस-सेक्शन में आकार: गोला।		
संदर्भ किस्मों के विशिष्ट गुण: पूसा कीर्ति के विशिष्ट गुण है- नई पत्ती: चौड़ाई ज्यादा, नई पत्ती: ऊपरी तरफ मुख्य रंग मध्यम हरा, पत्ती का फलक: मुख्य रंग मध्यम हरा और तना: क्रॉस-सेक्शन में आकार लहरदार। पूसा किरण के विशिष्ट गुण है नई पत्ती: चौड़ाई मध्यम, नई पत्ती: ऊपरी तरफ मुख्य रंग मध्यम हरा, पत्ती का फलक: मुख्य रंग मध्यम हरा और तना: क्रॉस-सेक्शन में आकार लहरदार।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	विलंब
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	फरवरी के मध्य और जून-जुलाई
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम और ज्यादा उपजाऊ मिट्टी
3.	अच्छी पैदावार के लिए खाद की जरूरत (N:P:K) किग्रा/एकड़	एनपीके@ 100:50:30 किग्रा/ha
4.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	संवेदनशील
5.	पानी जमा होने के प्रति सहनशीलता – संवेदनशील/सहनशील	संवेदनशील
6.	कीड़ों के प्रति प्रतिरोधक क्षमता/सहनशीलता	पत्तियों के झुलसा रोग (leaf blight) के प्रति संवेदनशील
7.	सहारा देने और छंटाई के तरीके	उपलब्ध नहीं
8.	सर्दियों और वसंत ऋतु में खेती का प्रकार	गर्मी और बरसात के मौसम के लिए संवेदनशील
9.	फल की पैदावार (क्विंटल/एकड़)	34-26 टन/हेक्टेयर
10.	प्रति पौधा फल की पैदावार (किग्रा/पौधा) (औसत)	उपलब्ध नहीं
11.	फल की क्वालिटी और मजबूती	उपलब्ध नहीं

12.	फल तोड़ने का समय-सारणी	मासिक
13.	ट्रांसपोर्ट की क्षमता (दिन)	2 दिन
14.	खासियतें और सबसे अच्छी शेल्फ-लाइफ़ (दिन)	अधिक पैदावार और देर से बोलिंग (पुष्प का डंठल निकलना)
15.	इस किस्म/हाइब्रिड से जुड़ी कोई और ज़रूरी जानकारी	—
चित्र- 60		*काशी सुहावनी (वीआरएएम -42) के डीयूएस गुण

119. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी नूतन (वीआरसीयूएच -1)** नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	CS5	26	1870

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी नूतन (वीआरसीयूएच -1)**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद
 आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

E1	CS5	26	1870

 आवेदन स. :
 प्राप्ति तिथि : 17/08/2026
 स्वीकृति तिथि : 19/08/2025
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खीरा (क्यूकुमिस सैटाइवास एल.)
 नाम : **काशी नूतन (वीआरसीयूएच -1)**

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: वीआरसीयू 1 (मादा) और वीआरसीयू 2 (नर)
पैतृक सामग्री का स्रोत	: आईसीएआर-आईआईवीआर
संदर्भ किस्मों का नाम	: मालिनी और चित्रा
अधिसूचना विवरण	: एस.ओ. नंबर 1362 (ई) दिनांक 12.03.2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	फैलावदार
पौधा: लिंग अभिव्यक्ति (गुण 14)	द्विलिंगी
पार्थेनोकार्पी (गुण 17)	अनुपस्थित
फल: लंबाई (गुण 18)	मध्यम
फल: बाजार में आने पर छिलके का रंग (गुण 23)	हल्का हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी नूतन (वीआरसीयूएच -1) के प्रत्याशी किस्म के विशिष्ट गुण है पत्रदल: लंबाई मध्यम, फल: आकृति बेलनाकार, फल: पुष्प वाले सिरे पर आकार कुंद और फल: परिपक्व अवस्था में छिलके का रंग: भूरा।	
संदर्भ किस्मों के विशिष्ट गुण:	
मालिनी और चित्रा के प्रत्याशी किस्म के विशिष्ट गुण है पत्रदल: लंबाई कम; फल: आकार लंबा; फल: पुष्प शीर्ष की आकृति: नुकीला; फल: परिपक्व अवस्था छिलके का रंग :पीला।	
घ. किस्म के व्यावसायीकरण की तिथि	-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/वर्षा सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की
	एनपीके अनुपात 100:80:60 और

	आवश्यकता (एन:पी:के) किग्रा/एकड़	बुआई के 20 और 35 दिन बाद WSF (पानी में घुलनशील खाद) 19:19:19 का 4.0 ग्राम प्रति लीटर पानी के हिसाब से 2 बार पत्तियों पर छिड़काव (फोलियर स्प्रे)
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	संवेदनशील
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	फ्रूट फ्लाई (फल की मक्खी) के प्रति सहनशील
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	वैकल्पिक, स्टेकिंग से फल की गुणवत्ता बेहतर होती है
8.	शीतकालीन – वसंत फसल मौसम प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल की उपज (क्यू/एकड़)	175-180 क्विंटल/एकड़
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	खुले में 1.5-1.8 किलोग्राम/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	उपलब्ध नहीं
12.	फल चुनने का कार्यक्रम	साप्ताहिक
13.	परिवहन क्षमता (दिन)	4-5 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	अधिक पैदावार और मध्यम शेल्फ-लाइफ (भंडारण क्षमता)
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
काशी नूतन (वीआरसीयूएच -1) के डीयूएस गुण		चित्र- 61

120. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी सुफल (वीआरपीजी-2) नामक परवल (ट्राइकोसैन्थिस डायोइका रॉक्सब.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	TRD1	26	1893

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी सुफल (वीआरपीजी-2)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

E1	TRD1	26	1893

आवेदन सं. :

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 20/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : परवल (ट्राइकोसैन्थिस डायोइका रॉक्सब.)

नाम : काशी सुफल (वीआरपीजी-2)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : क्लोनल चयन

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : काशी अलंकार और स्वर्ण रेखा

अधिसूचना विवरण : एस.ओ. नंबर 692 (ई) दिनांक 05.02.2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: आकार (गुण 2)	कान के आकार का (3)
फल: आकार (गुण 15)	तर्कु-आकार, शीर्ष पतला(8)
फल: छिलके का मुख्य रंग (गुण 16)	हरा (2)

फल: सतह के रंग का पैटर्न (गुण 17)		धारीदार (3)
फल: लंबाई (गुण 19)		मध्यम (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी सुफल (वीआरपीजी-2) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: आकार कान जैसा (ऑरिक्युलेट), पत्ती फलक का आकार: लंबाई/चौड़ाई का अनुपात ज्यादा, फल: चमक – बिना चमक वाला और प्रति फल बीजों की संख्या – मध्यम।		
संदर्भ किस्मों के विशिष्ट गुण: काशी अलंकार और स्वर्ण रेखा के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: आकार कान जैसा (ऑरिक्युलेट), पत्ती फलक का आकार: लंबाई/चौड़ाई का अनुपात: मध्यम, फल: चमक – बिना चमक वाला और प्रति फल बीजों की संख्या – अनेक।		
घ. किस्म के व्यावसायीकरण की तिथि		-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तर प्रदेश राज्य में उगाने के लिए अनुशंसित
	: बुवाई का समय	ऊँची ज़मीन पर रोपण का सबसे अच्छा समय अगस्त के मध्य से अक्टूबर तक और नदी के किनारे नवंबर में है
	: सिंचित/वर्षा सिंचित	गर्मियों में सिंचाई और खरीफ़ के मौसम में बारिश पर निर्भर
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	40 किग्रा नाइट्रोजन : 25 किग्रा फॉस्फेट : 20 किग्रा पोटेशियम
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	उच्च तापमान सह सकती है लेकिन पाले के प्रति संवेदनशील है
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	सफेद मक्खी के प्रति सहनशील
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	अच्छी पैदावार के लिए सहारे की आवश्यकता होती है

8.	शीतकालीन – वसंत फसल मौसम प्रकार	यह सर्दियों में सुप्त अवस्था में रहने वाली बारहमासी फसल है
9.	फल की उपज (क्यू/एकड़)	70-80 क्विंटल
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	6-7 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	फल हल्के हरे रंग के होते हैं जिन पर हल्की धारियाँ होती हैं। फल डंठल और पुष्प वाले सिरों पर थोड़े पतले होते हैं, इनके बीज नरम और गूदा अधिक होता है
12.	फल चुनने का कार्यक्रम	पहली तुड़ाई शुरू होने के बाद हर 7-8 दिन में
13.	परिवहन क्षमता (दिन)	जल्दी खराब होने वाली उपज, इसे 4-5 डिग्री सेल्सियस तापमान पर स्टोर करके ट्रांसपोर्ट किया जा सकता है
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताज़ा परवल को 4-5°C पर स्टोर करने पर इसकी शेल्फ-लाइफ लगभग 7 से 10 दिन या आदर्श परिस्थितियों (85-90% सापेक्ष आर्द्रता) में दो सप्ताह तक हो सकती है।
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	ट्रेनिंग सिस्टम, ड्रिप सिंचाई और मल्टिचिंग के प्रति अच्छा रिस्पॉन्स देती है।
काशी सुफल (वीआरपीजी-2) के डीयूएस गुण		चित्र- 62

121. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी काशी नंदा (वीआरआरजी -6ए) नामक तोरई तोरी (लुफ़ा एक्यूटैंगुला (एल.) रॉक्सबर्ग) फसल को पंजीकरण हेतु आवेदन संख्या

E1	LA8	26	1887

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी नंदा (वीआरआरजी -6ए)
 आवेदक का नाम : आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान
 आवेदक का पता : निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान,
 पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-
 221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन स. :

E1	LA8	26	1887

ख. प्राप्ति तिथि : 17/08/2026

ग. स्वीकृति तिथि : 20/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरी (लुफ़ा एक्यूटेंगुला (एल.) रॉक्सबर्ग)

नाम : काशी नंदा (वीआरआरजी -6ए)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : चयन विधि द्वारा विकसित

पैतृक सामग्री का नाम : जर्मप्लाज़्म से चयन

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : काशी शिवानी और अर्का सुजाता

अधिसूचना विवरण : एस.ओ. नंबर 1362 (ई) दिनांक 12.03.2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 10)	5 लोब
फल: लंबाई (गुण 17)	मध्यम
फल: घेरा (गुण 18)	छोटा
फल: आकृति (गुण 19)	लंबा
फल: छिलके का रंग (गुण 20)	हरा

फल: रिज आकृति (गुण 23)		-
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी नंदा (वीआरआरजी -6ए) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: लम्बाई: बड़ा		
संदर्भ किस्मों के विशिष्ट गुण: काशी शिवानी और अर्का सुजाता के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: लम्बाई: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	छत्तीसगढ़, ओडिशा और आंध्र प्रदेश में उगाने के लिए उपयुक्त
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक।
	सिंचित/वर्षा सिंचित	गर्मी में 7 दिन के अंतराल पर 5-7 बार सिंचाई और बरसात के मौसम में ज़रूरत के हिसाब से सिंचाई।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	ज्यादा उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	जैविक खाद के साथ एन:पी:के का अनुपात 100:80:60 और बुवाई के 35 और 45 दिन बाद 5 ग्राम/लीटर पानी के हिसाब से WSF (पानी में घुलनशील खाद) 19:19:19 (एनपीके) का 2 बार पत्तियों पर छिड़काव।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	ज्यादा तापमान (35°C से ज्यादा) सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड कट्टू बीटल के प्रति सहनशील

7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलिस/बाउर सिस्टम (मचान विधि) के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	55-75 क्विंटल
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1.5-2.0 किलोग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक, मध्यम आकार, बेलनाकार फल और ज्यादा पैदावार की क्षमता
12.	फल चुनने का कार्यक्रम	फल तोड़ने का काम कुल 5 से 6 बार किया जाता है
13.	परिवहन क्षमता (दिन में)	दूर के बाजारों में बेचने (एक्सपोर्ट) के लिए उपयुक्त
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजे फल कमरे के तापमान पर लगभग 4 से 5 दिन तक खराब नहीं होते।
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	एक अच्छी किस्म जिसके फल मध्यम आकार के, आकर्षक और बेलनाकार होते हैं, पैदावार ज्यादा होती है और यह दूर के बाजारों में बेचने के लिए उपयुक्त है।
	चित्र – 63	काशी नंदा (वीआरआरजी -6ए) के डीयूएस गुण

122. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी काशी तपस (वीआरएनटीएच -19095) नामक टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E21	LL26	26	1855

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार ----- किया गया है। उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को----- लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	काशी तपस (वीआरएनटीएच -19095)				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद,				
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
आवेदन सं.	:	<table border="1"><tr><td>E21</td><td>LL26</td><td>26</td><td>1855</td></tr></table>	E21	LL26	26	1855
E21	LL26	26	1855			
प्राप्ति तिथि	:	17/08/2026				
स्वीकृति तिथि	:	20/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कास्टन पूर्व)				
नाम	:	काशी तपस (वीआरएनटीएच -19095)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	अन्य				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	ईसी के क्रॉस से हाइब्रिड विकास-620402 x सुपरबग				
पैतृक सामग्री का स्रोत	:					
संदर्भ किस्मों का नाम	:	आईसीएआर-आईआईवीआर				
अधिसूचना विवरण	:	एस.ओ. नंबर 1362 (ई) दिनांक 12.03.2024				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)	अनिश्चित (2)
पत्रक: दाँतेदार (गुण 12)	कम दाँतेदार (3)
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)	अनुपस्थित (1)
फल: अनुदैर्घ्य खंड में आकार (गुण 33)	उल्टा अंडाकार (7)
फल: परिपक्वता पर रंग (गुण 43)	लाल (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी तपस (वीआरएनटीएच -19095) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: वर्तिकाग्र: एक-पाली, पुष्पन का समय: शीघ्र, फल: आकार मध्यम, फल: डंठल वाले शीर्ष पर गड्ढा: उथला, और फल: कुल घुलनशील ठोस पदार्थ: अधिक।	
संदर्भ किस्म के विशिष्ट गुण:	
ईसी-620447 और वीआरटी 2-2-1 के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: वर्तिकाग्र: अनेक पालियां,	

पुष्पन का समय: मध्यम, फल: आकार बड़ा, फल: डंठल वाले शीर्ष पर गड्ढा: मध्यम और फल: कुल घुलनशील ठोस पदार्थ: बहुत अधिका		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम (अर्द्ध-निश्चित विकास की आदत)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	गर्मी का मौसम (फरवरी के पहले हफ्ते में रोपाई)
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	150:80:100
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी के मौसम (सूखी गर्मी) में उच्च तापमान सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	स्टेकिंग (सहारा देने) से फलों की गुणवत्ता और पैदावार बेहतर होती है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी के मौसम के लिए उपयुक्त (फरवरी के पहले हफ्ते में रोपाई)
9.	फल उपज (क्विंटल/एकड़)	370-400 (गर्मी के मौसम में)
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1.3-1.5 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लाल और अंडाकार (ओबलॉन्ग) आकार के फल, मध्यम कसावट, औसत फल का वजन 40-45 ग्राम और TSS: 5.4 °Brix
12.	फल चुनने का कार्यक्रम	रोपाई के 70 दिन बाद (मध्य अप्रैल से मध्य जून के बीच) लाल पके फलों की तुड़ाई शुरू होती है।
13.	परिवहन क्षमता (दिन में)	एक हफ्ता

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	8-12 दिन
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य ज़रूरी जानकारी	यूपी और आस-पास के राज्यों में गर्मी के मौसम में खेती के लिए उपयुक्त
काशी तपस (वीआरएनटीएच -19095) के डीयूएस गुण		चित्र- 64

123. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 ने दिनांक 22/07/2026 को विद्यमान (अधिसूचित) किस्म की पूसा मस्टर्ड 37 (एनपीजे -253) नामक सरसों (ब्रैसिका जुंसिया एल. स्ज़र्न एवं कॉस) फसल को पंजीकरण हेतु आवेदन संख्या

E2	BJ11	26	1512

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा मस्टर्ड 37 (एनपीजे -253)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E2	BJ11	26	1512

प्राप्ति तिथि : 22/07/2026

स्वीकृति तिथि : 18/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सरसों (ब्रैसिका जुंसिया एल. स्ज़र्न एवं कॉस)

नाम : पूसा मस्टर्ड 37 (एनपीजे -253)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : अन्य (इनब्रेड पैतृक लाइन)

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : केएमआर 12-1 x एनपीजे 156

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : **क्रांति**
 अधिसूचना विवरण : एस.ओ. नंबर 2128 (ई) दिनांक 13.05.2025
 किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पत्ती: पालि की संख्या (गुण4)		मध्यम
पुष्प: पुष्पन का समय (गुण8)		मध्यम
पौधा: मुख्य प्ररोह का लम्बाई (गुण12)		अधिक लंबा
फली : प्रति फली बीजो की संख्या (गुण 20)		अल्प
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा मस्टर्ड 37 (एनपीजे -253) प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (1000 बीजों का वज़न): बड़ा।		
संदर्भ किस्म के विशिष्ट गुण :		
क्रांति के विशिष्ट गुण है बीज: आकार (1000 बीजों का वज़न): छोटा ।		
घ. किस्म के व्यावसायीकरण की तिथि		17/06/2025
क्र. सं.	कृषि संबंधी और वाणिज्यिक विशेषताएँ	विवरण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	देर से बुवाई: 145 दिन (ज़ोन II) और 134 दिन (ज़ोन III)।
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	सरसों उगाने वाले इलाके: ज़ोन II [जम्मू, पंजाब, हरियाणा, दिल्ली, पश्चिमी उत्तर प्रदेश और उत्तरी राजस्थान] और ज़ोन III [उत्तराखंड, उत्तर प्रदेश, मध्य प्रदेश, पूर्वी राजस्थान और बिहार]।
	बुवाई का समय	सही समय पर बुवाई
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मध्यम से उच्च उपजाऊपन।
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के:) किग्रा/एकड़	60 किग्रा नाइट्रोजन + 40 किग्रा फास्फोरस + 40 किग्रा सल्फर। पोषक तत्वों का इस्तेमाल मिट्टी के प्रकार और उगाने की स्थितियों पर निर्भर करता है।
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	
5.	पानी के ठहराव के प्रति सहनशीलता:	--

	संवेदनशील/सहनशील	
6.	कीटों के प्रति प्रतिरोध/ सहनशीलता	1. इस किस्म में अल्टरनेरिया ब्लाइट, व्हाइट रस्ट, स्कलेरोटिनिया रॉट और पाउडरी मिल्ड्यू जैसी पत्तियों की बीमारियों का असर, इन बीमारियों के प्रति संवेदनशील किस्मों की तुलना में कम देखा गया। 2. चेक किस्मों की तुलना में इस किस्म में माहू (एफिड) का हमला कम होता है।
7.	बीज की पैदावार (औसत) क्विंटल/एकड़	सही समय पर बुवाई और सिंचाई की स्थिति में ज़ोन II में 26.41 क्विंटल/हेक्टेयर और ज़ोन III में 26.83 क्विंटल/हेक्टेयर।
8.	बीज: वज़न (1000 बीजों का वज़न ग्राम में)	ज़ोन II – औसत: 6.69 ग्राम और अलग-अलग जगहों पर रेंज: 4.72 – 8.20 ग्राम। ज़ोन III – औसत: 6.15 ग्राम और अलग-अलग जगहों पर रेंज: 4.40 – 8.00 ग्राम।
9.	बीज: छिलके की मात्रा (%)	--
10.	बीज: तेल की मात्रा (%): कम/मध्यम/ज़्यादा	ज़ोन II – 35.30 – 41.60% ज़ोन III – 37.30 – 44.80%
11.	किस्म/हाइब्रिड से जुड़ी कोई और ज़रूरी जानकारी (कम/मीडियम/ज़्यादा पानी इस्तेमाल करने की क्षमता वाला टाइप)	इस प्रस्तावित किस्म के बीज काफी बड़े (एक्स्ट्रा बोल्ट) होते हैं और यह अलग-अलग तरह के माहौल में आसानी से उग सकती है।
चित्र: 65		पूसा मस्टर्ड 37 (एनपीजे -253) के डीयूएस गुण

124. श्री कौशल कुमार मिश्रा, ग्राम: विशौनी, डाक: लगार, ब्लॉक: परबत्ता, जिला: खगड़िया, बिहार ने दिनांक 22/09/2017 को कृषक किस्म की लालबाबू नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F53	MI53	17	1880

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं ----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : लालबाबू
आवेदक का नाम : श्री कौशल कुमार मिश्रा,
आवेदक का पता : ग्राम: विशौनी, डाक: लगार, ब्लॉक: परबत्ता, जिला: खगड़िया, बिहार
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन स. :

F53	MI53	17	1880

प्राप्ति तिथि : 22/09/2017
स्वीकृति तिथि : 19/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
नाम : लालबाबू
किस्म का प्रकार : कृषक
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : -
पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : लंगड़ा
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	शीघ्र
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: लालबाबू के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: ऊपर की ओर गोल और परिपक्व फल: साइनस की उपस्थिति	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: नीचे की ओर ढलान और परिपक्व फल: साइनस	

की अनुपस्थिति	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* लालबाबू के डीयूएस गुण

125. आईसीएआर- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक की ओर से डॉ. सफीना एस.ए., वरिष्ठ वैज्ञानिक (फूलों की खेती और लैंडस्केपिंग), आईसीएआर -भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर, बेंगलुरु-560089 ने दिनांक 19/08/2026 को विद्यमान(अधिसूचित) किस्म की **अर्क कनका** नामक प्रियदर्श (क्रॉसैंड्रा इन्फंडिबुलिफॉर्मिस (एल.) नीसा) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CIN2	26	1955

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को-----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अर्क कनका**
आवेदक का नाम : भारतीय बागवानी अनुसंधान संस्थान,
आवेदक का पता : हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण

E2	CIN2	26	1955

आवेदन सं. :
प्राप्ति तिथि : 19/08/2026
स्वीकृति तिथि : 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : प्रियदर्श (क्रॉसैंड्रा इन्फंडिबुलिफॉर्मिस (एल.) नीसा)
नाम : **अर्क कनका**
किस्म का प्रकार : विद्यमान(अधिसूचित)
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : स्थानीय पीला और दिल्ली क्रॉसैंड्रा
पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : लोकल पीला
अधिसूचना विवरण : एस.ओ. 1362 (ई) 12/3/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	सघन
रैकिस की लंबाई (गुण 9)	लंबा
डंठल की लंबाई (गुण 10)	लंबा
पुष्प का व्यास (गुण 12)	बड़ा
पुष्प का रंग (आरएचएस कलर चार्ट) (गुण 17)	सुनहरा पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: अर्क कनका के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पक्रम के डंठल की लंबाई अधिक और पुष्प का व्यास: बड़ा।	
संदर्भ किस्मों के विशिष्ट गुण: लोकल पीला के प्रत्याशी किस्म के विशिष्ट गुण है पुष्पक्रम के डंठल की लंबाई: छोटा और पुष्प का व्यास: छोटा।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	उत्पादन की स्थितियाँ: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/ वर्षा-आधारित
	: कम उर्वरता/ अधिक उर्वरता वाली भूमि
2.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)
3.	प्रतिकूल तापमान/पाला और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील
4.	जल-जमाव के प्रति सहनशीलता: संवेदनशील/सहनशील
5.	कीटों के प्रति प्रतिरोध/सहनशीलता
6.	व्यापार के संदर्भ में, किस्म/हाइब्रिड से संबंधित कोई

	अन्य प्रासंगिक मूल्य-वर्धक जानकारी।	
चित्र: 66		अर्क कनका के डीयूएस गुण

126. आईसीएआर- भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक की ओर से डॉ. सफीना एस.ए., वरिष्ठ वैज्ञानिक (फूलों की खेती और लैंडस्केपिंग), आईसीएआर -भारतीय बागवानी अनुसंधान संस्थान, हेसरघट्टा झील डाकघर, बेंगलुरु-560089 ने दिनांक 19/08/2026 को विद्यमान(अधिसूचित) किस्म की **अर्क चेन्ना** नामक प्रियदर्श (क्रॉसेंड्रा इन्फंडिबुलिफॉर्मिस (एल.) नीसा।) फसल को पंजीकरण हेतु आवेदन संख्या

E3	CIN3	26	1956

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अर्क चेन्ना**

आवेदक का नाम : भारतीय बागवानी अनुसंधान संस्थान,

आवेदक का पता : हेसरघट्टा झील डाकघर, बेंगलुरु-560089, कर्नाटक

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

E3	CIN3	26	1956

आवेदन सं. :

प्राप्ति तिथि : 19/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : प्रियदर्श (क्रॉसेंड्रा इन्फंडिबुलिफॉर्मिस (एल.) नीसा।)

नाम : **अर्क चेन्ना**

किस्म का प्रकार : विद्यमान(अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : अर्का अम्बार किस्म का म्यूटेन्ट (गामा विकिरण द्वारा विकसित)

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **अर्क अम्बर**

अधिसूचना विवरण

: एस.ओ. 1362 (ई) 12/3/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	सघन
रैकिस की लंबाई (गुण 9)	लंबा
डंठल की लंबाई (गुण 10)	लंबा
पुष्प का व्यास (गुण 12)	बड़ा
पुष्प का रंग (आरएचएस कलर चार्ट) (गुण 17)	नारंगी लाल
ख. प्रत्याशी किस्म के विशिष्ट गुण: अर्क चेन्ना के प्रत्याशी किस्म के विशिष्ट गुण है पत्तियों की शिरा-विन्यास: स्पष्ट और पुष्पक्रम का अक्ष: लंबा।	
संदर्भ किस्मों के विशिष्ट गुण: अर्क अम्बर के प्रत्याशी किस्म के विशिष्ट गुण है पत्तियों की शिरा-विन्यास: स्पष्ट नहीं और पुष्पक्रम का अक्ष: छोटा।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	उत्पादन की स्थितियाँ: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/ वर्षा-आधारित
	: कम उर्वरता/ अधिक उर्वरता वाली भूमि
2.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)
3.	प्रतिकूल तापमान/पाला और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील
4.	जल-जमाव के प्रति सहनशीलता: संवेदनशील/सहनशील
5.	कीटों के प्रति प्रतिरोध/सहनशीलता
6.	व्यापार के संदर्भ में, किस्म/हाइब्रिड से संबंधित कोई अन्य प्रासंगिक मूल्य-वर्धक जानकारी।
चित्र: 67	अर्क चेन्ना के डीयूएस गुण

127. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. वी.एन. वाघमारे, निदेशक, आईसीएआर- केंद्रीय कपास अनुसंधान संस्थान, वर्धा रोड, नागपुर-440010 ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092)** नामक द्विगुणित कपास (गॉसिपियम आर्बोरियम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E9	GH13	26	1903

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E9	GH13	26	1903

प्राप्ति तिथि : 18/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : द्विगुणित कपास (गॉसिपियम आर्बोरियम एल.)

नाम : **सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर और ट्रांसजेनिक

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : क्वान-3/जयधर

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **सीएनए 1091 और सीएनए 1094**

अधिसूचना का विवरण : एस.ओ. संख्या 4388 (ई). दिनांक 08.10.2024

किस्म का विवरण

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: आकृति (गुण 8)	हस्ताकार (सामान्य)

पुष्प: पंखुड़ी का रंग (गुण 15)	पीला	
पुष्प: पराग का रंग (गुण 19)	पीला	
गुला: आकृति (गुण 23)	अंडाकार	
रेशा: लम्बाई (गुण 33)	मध्यम	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092) प्रत्याशी किस्म के विशिष्ट गुण है फाइबर की लंबाई मध्यम और फाइबर की शक्ति: अधिक।		
संदर्भ किस्म के विशिष्ट गुण :		
सीएनए 1091 के विशिष्ट गुण है फाइबर की लंबाई मध्यम लंबा और फाइबर की शक्ति: मध्यम और सीएनए 1094 के विशिष्ट गुण है फाइबर की लंबाई मध्यम लंबा और फाइबर की शक्ति: अधिक प्रबल।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	विवरण
1.	बीज दर (किलोग्राम/एकड़)	2.5 किग्रा/एकड़
	अंतर: पौधा-पौधा (सेमी) पंक्ति-पंक्ति (सेमी)	पौधे से पौधे की दूरी (15-20 सेमी), कतार से कतार की दूरी (60 सेमी)
	बुवाई का समय (क्षेत्रवार, यदि लागू हो)	जून-जुलाई (मध्य क्षेत्र)
2.	पौधा: बढ़वार स्वभाव (निर्धारित/अनिश्चित)	डिटरमिनेट (सीमित वृद्धि वाली किस्म)
3.	पुष्प आने/ एन्थेसिस (औसत)	50-55 दिन
4.	परिपक्वता हेतु दिन (शीघ्र/मध्यम/देर से)	150-160 दिन
5.	अनुशंसित उत्पादन पारिस्थितिकी वर्षा आधारित/सिंचित पारिस्थितिकी: उच्च/मध्यम/निम्न उर्वरता की स्थितियाँ:	बारिश पर निर्भर (मध्यम से कम उपजाऊ मिट्टी)
	उपयुक्त उत्पादन क्षेत्र/राज्य	महाराष्ट्र, गुजरात और मध्य प्रदेश
6.	उर्वरक की आवश्यकता: एनपीके (किलोग्राम/एकड़) अनुसूची	एनपीके 32:16:16 किग्रा/एकड़
7.	प्रमुख रोगों/कीटों के प्रति प्रतिक्रिया	यह किस्म रस चूसने वाले कीटों (जैसिड्स, एफिड्स, व्हाइट फ्लाई और थ्रिप्स) के प्रति सहनशील है और BLB, ALS, CLS और ग्रे मिल्ड्यू रोगों के प्रति प्रतिरोधी है।

	आईपीएम विवरण अनुसूची	-
8.	उत्पाद की गुणवत्ता	विवरण
9.	फाइबर की लंबाई	मध्यम (24.3-24.8 मिमी)
	फाइबर: सूक्ष्मता (माइक्रोनेयर मूल्य)	5.35 माइक्रोन
	फाइबर: एकरूपता	82%
	फाइबर: रंग	-
10.	लिट की उपज/एकड़ (औसत)	1.36 क्विंटल/एकड़
11.	कपास की उपज/एकड़ (औसत)	4.15 क्विंटल/एकड़
12.	किस्म/अन्य से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: 68		* सीआईसीआर-ए एनसी कॉटन 67 (सीएनए 1092) के डीयूएस गुण

128. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 19/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल एलओपीएचवाई)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E35	ZM104	26	1902

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल एलओपीएचवाई)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E35	ZM104	26	1902
प्राप्ति तिथि	:	19/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मक्का (जिया मेस एल.)			
नाम	:	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल एलओपीएचवाई)			
किस्म का प्रकार	:	विद्यमान (अधिसूचित)			
किस्म का वर्गीकरण	:	संकर			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	वीबीएल 107 x वीबीएल 109			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म			
संदर्भ किस्मों का नाम	:	वीएल वीआईटी ए			
अधिसूचना विवरण	:	एस.ओ. 6133 (ई) दिनांक 31/12/2025			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	मध्यम
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	बहुत लंबा
भुट्टा: दाने का प्रकार (गुण 22)	अर्द्ध-चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल एलओपीएचवाई) के प्रत्याशी किस्म के विशिष्ट गुण है वल्लर: तुष के आधार पर एंथोसियानिन रंग (मुख्य अक्ष का मध्यवर्ती तीसरा भाग): उपस्थित और वल्लर: आधार को छोड़कर तुषों का एंथोसियानिन रंग (मुख्य अक्ष का मध्यवर्ती भाग): उपस्थित और दाना: आकृति दांतेदार।	
संदर्भ किस्मों के विशिष्ट गुण:	
वीएल वीआईटी ए के प्रत्याशी किस्म के विशिष्ट गुण है वल्लर: तुष के आधार पर एंथोसियानिन रंग (मुख्य अक्ष का मध्यवर्ती तीसरा भाग): अनुपस्थित और वल्लर: आधार को छोड़कर तुषों का एंथोसियानिन रंग (मुख्य अक्ष का मध्यवर्ती भाग): अनुपस्थित और दाना: आकृति: गोल।	

घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	-
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम: मई-जून (मध्य पहाड़ी इलाकों में)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	VL बायोफोर्टिफाइड मक्का हाइब्रिड 101 उत्तरी पहाड़ी क्षेत्र के लिए ज्यादा पैदावार देने वाली और कम फाइटो वाली हाइब्रिड किस्म है।
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	90:60:40 किग्रा N: P ₂ O ₅ :K ₂ O/हेक्टेयर बेसल (शुरुआती): $\frac{1}{4}$ N, P और K $\frac{1}{2}$ N: घुटने की ऊंचाई पर, $\frac{1}{4}$: टेसलिंग (मक्के में पुष्प आने) के समय
	अन्य उर्वरक किग्रा/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	जम्मू-कश्मीर, हिमाचल प्रदेश, उत्तराखंड, अरुणाचल प्रदेश, असम, मणिपुर, मेघालय, मिजोरम, नागालैंड, सिक्किम, त्रिपुरा
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम लीफ ब्लाइट (पत्तियों के झुलसने की बीमारी) के प्रति मध्यम प्रतिरोधक क्षमता।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	24.2 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	-
9.	बीज: भार (100 बीज वजन ग्राम में)	300 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	जानकारी उपलब्ध नहीं
	चित्र: 69,70	वीएल बायोफोर्टिफाइड मक्का हाइब्रिड 101 (वीएल एलओपीएचवाई) के डीयूएस गुण

129. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 19/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीवल पोषिका (एफक्यूएच-160)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E33	ZM102	26	1900

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीवल पोषिका (एफक्यूएच-160)**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
 आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E33	ZM102	26	1900

 प्राप्ति तिथि : 19/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मक्का (जिया मेस एल.)
 नाम : **वीवल पोषिका (एफक्यूएच-160)**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : वीक्यूएल 400 x वीक्यूएल 398
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **वीएल वीआईटी ए**
 अधिसूचना विवरण : एस.ओ. 4388 (ई) दिनांक 08/10/2024
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	मध्यम

भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)		मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)		उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)		लंबा
भुट्टा: दाने का प्रकार (गुण 22)		अर्द्ध-चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
वीवल पोषिका (एफक्यूएच-160) के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: भुट्टे के तुषों का एंथोसियानिन रंग: अनुपस्थित और भुट्टा व्यास: बड़ा		
संदर्भ किस्मों के विशिष्ट गुण:		
वीएल वीआईटी ए के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: भुट्टे के तुषों का एंथोसियानिन रंग: उपस्थित और भुट्टा व्यास: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		24/12/2025
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	-
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम: मई-जून (मध्य पहाड़ी इलाकों में)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	VL पोषिका, मध्य-पश्चिमी ज़ोन और उत्तराखंड के मैदानी इलाकों के लिए ज़्यादा पैदावार देने वाली QPM हाइब्रिड किस्म है।
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	FYM @ 40 टन/हेक्टेयर *90:60:40 किग्रा N: P2O5:K2O/हेक्टेयर बेसल (शुरुआती): ¼ N, P और K ½ N: घुटने की ऊंचाई पर, ¼: टेसलिंग (मक्के में पुष्प आने) के समय
	अन्य उर्वरक किग्रा/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	उत्तराखंड
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	मैडिस लीफ ब्लाइट, टर्सिकम स्टॉक रॉट और सर्कोस्पोरा लीफ स्पॉट के प्रति मध्यम

		प्रतिरोधक क्षमता।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	28.8 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	-
9.	बीज: भार (100 बीज वजन ग्राम में)	296 ग्रा
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	लागू नहीं
	चित्र: 71,72	वीवल पोषिका (एफक्यूएच-160) के डीयूएस गुण

130. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 01/07/2022 को विद्यमान(अधिसूचित) किस्म की पूसा बासमती 1885 नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E20	OS54	22	128

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा बासमती 1885
 आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,
 आवेदक का पता : पूसा परिसर, नई दिल्ली-110012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 त. आवेदन स. :

E20	OS54	22	128

 थ. प्राप्ति तिथि : 01/07/2022
 द. स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)
 नाम : पूसा बासमती 1885

किस्म का प्रकार	: विद्यमान(अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: पूसा 1884/पूसा बासमती 1728
पैतृक सामग्री का स्रोत	: अपना जर्मप्लास्म
संदर्भ किस्मों का नाम	: पूसा बासमती 1121
अधिसूचना विवरण	: एस.ओ. 8 (ई) दिनांक 24.12.2021
किस्म का विवरण:	

क. समूह के गुण		टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)		हरा
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)		मध्यम
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)		बहुत छोटा
छिला हुआ दाना: लंबाई (गुण 54)		बहुत लंबा
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)		बहुत लंबा और पतला
छिला हुआ दाना: रंग (गुण 57)		सफेद
भ्रूणपोष: एमाइलोज अंश (गुण 59)		मध्यम
छिला हुआ दाना: सुगंध (गुण 62)		उपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा बासमती 1885 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: निर्बल		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा बासमती 1121 के विशिष्ट गुण है पत्ती: फलक की सतह का तारुण्य: अनुपस्थित		
घ. किस्म के व्यावसायीकरण की तिथि		09.03.2022
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	-
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	ज़ोन II (जिसमें पंजाब, हरियाणा और दिल्ली राज्य शामिल हैं)
4.	बुवाई का समय	मई का तीसरा हफ़्ता से जून का दूसरा हफ़्ता

	बीज दर (किलोग्राम/एकड़)	6-8 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	➤ डेंचा से हरी खाद का इस्तेमाल करें; इसे बुवाई के लगभग 45 से 55 दिन बाद मिट्टी में मिलाया जा सकता है, जिससे नाइट्रोजन की मात्रा 20-25 किलोग्राम प्रति एकड़ कम की जा सकती है। ➤ 50:12:12 (किलोग्राम प्रति एकड़) का इस्तेमाल करें और नाइट्रोजन को 3 किशतों में डालें। ➤ जिंक सल्फेट हेप्टाहाइड्रेट 10 किलोग्राम प्रति एकड़ या जिंक सल्फेट मोनोहाइड्रेट 6 किलोग्राम प्रति एकड़ का इस्तेमाल करें। ➤ मिट्टी की जांच के नतीजों के आधार पर मात्रा में बदलाव किया जा सकता है।
5.	रोग और कीटों के प्रति सहनशीलता	बैक्टीरियल लीफ़ ब्लाइट और ब्लास्ट के प्रति प्रतिरोधी
	आईपीएम विवरण अनुसूची	➤ दीमक: क्लोरपायरीफॉस 20 ईसी @ 1.5 लीटर/एकड़ या क्लोरपायरीफॉस 50% ईसी @ 500 मिली/एकड़ ➤ तना छेदक: कार्ताप हाइड्रोक्लोराइड 4G @ 4.5 किग्रा/एकड़। ➤ पत्ती लपेटक: मोनोक्रोटोफॉस 36 ईसी @ 400 मिली/एकड़। ➤ ब्राउन प्लांट हॉपर: मोनोक्रोटोफॉस 36 ईसी @ 500 मिली/एकड़ या कार्बोफेथुरान 3G @ 7 किग्रा/एकड़ या इमिडाक्लोप्रिड 18.5 @ 40 मिली/एकड़ या डाइक्लोवॉस 76 WSC @ 140 मिली/एकड़।
		रोग प्रबंधन

		1.शीथ ब्लाइट: हेक्साकोनाज़ोल 5 ईसी @ 300 मिली/एकड़ या प्रोपिकोनाज़ोल 25 ईसी @ 200 मिली/एकड़
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	0.795
	ख) ल./चौ. अनुपात	-
	ग) दाने का रंग	स्ट्रॉ
8.	अनाज की उपज (क्विंटल/एकड़)	18.73 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	2.94
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 74		* पूसा बासमती 1885 के डीयूएस गुण

131. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601 ने दिनांक 19/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीवल ट्राइपोशी (एफक्यूपीएलएच-20)** नामक मक्का (जिया मेस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E39	ZM108	26	1954

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीवल ट्राइपोशी (एफक्यूपीएलएच-20)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
आवेदन स.	:	<table><tr><td>E39</td><td>ZM108</td><td>26</td><td>1954</td></tr></table>	E39	ZM108	26	1954
E39	ZM108	26	1954			
प्राप्ति तिथि	:	19/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मक्का (जिया मेस एल.)				
नाम	:	वीवल ट्राइपोशी (एफक्यूपीएलएच-20)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	संकर				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	वीबीएल 301 x वीबीएल 302				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	विवेक क्यूपीएम 9 एवं विवेक मक्का हाइब्रिड 45				
अधिसूचना विवरण	:	एस.ओ. 4388 (ई) दिनांक 08/10/2024				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
वल्लर: परागोद्भव का समय (गुण 4)	शीघ्र
भुट्टा: रेशमी तंतु निकलने का समय (50%पौधा)(गुण 11)	शीघ्र
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (गुण 12)	उपस्थित
पौधा: लंबाई: संकर और केवल खुले परागण वाली किस्में (गुण 15. 2)	लंबी
भुट्टा: दाने का प्रकार (गुण 22)	सेमी-चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीवल ट्राइपोशी (एफक्यूपीएलएच-20) के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: भुट्टे के तुषों का एंथोसियानिन रंग: अनुपस्थित।	
संदर्भ किस्मों के विशिष्ट गुण: विवेक क्यूपीएम 9 एवं विवेक मक्का हाइब्रिड 45 के प्रत्याशी किस्म के विशिष्ट गुण है भुट्टा: भुट्टे के तुषों का एंथोसियानिन रंग: उपस्थित।	
घ. किस्म के व्यावसायीकरण की तिथि	31/07/2026
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र. सं	विवरण
	ब्यौरा

1.	पुष्पन/एंथेसिस के दिन (शीघ्र, मध्यम, विलम्ब)	-
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम	खरीफ़ का मौसम: मई-जून (मध्य पहाड़ी इलाकों में)
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	VL ट्रिपोशी, उत्तरी पहाड़ी क्षेत्र के लिए एक ट्रिपल-बायोफोर्टिफाइड (QPM + ज्यादा विटामिन A + कम फाइटेट) हाइब्रिड किस्म है।
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एनपीके) किग्रा/एकड़	FYM @ 40 टन/हेक्टेयर
	अन्य उर्वरक किग्रा/एकड़	90:60:40 किग्रा N: P ₂ O ₅ :K ₂ O/हेक्टेयर बेसल (शुरुआती): ¼ N, P और K ½ N: घुटने की ऊंचाई पर, ¼: टेसलिंग (मक्के में पुष्प आने) के समय
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए संस्तुत किस्म	उत्तराखंड
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णु	टर्सिकम और मैडिस लीफ ब्लाइट के प्रति मध्यम रूप से प्रतिरोधी।
7.	क्षेत्रवार उपज क्षमता (क्विं/एकड़)	20.9 क्विंटल/एकड़
8.	बीज उपज / एकड़ (औसत)	-
9.	बीज: भार (100 बीज वजन ग्राम में)	285 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर के लिए विशिष्ट कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	जानकारी उपलब्ध नहीं
	चित्र: 73	वीवल ट्राइपोशी (एफक्यूपीएलएच-20) के डीयूएस गुण

132. चारु बारिक, गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, ICAR- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 02/03/2026 को कृषक किस्म की कल्कि भोग नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F26	MI26	26	300

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : कल्कि भोग

आवेदक का नाम : चारु बारिक,

आवेदक का पता : गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208, पश्चिम बंगाल

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F26	MI26	26	300

प्राप्ति तिथि : 22/09/2017

स्वीकृति तिथि : 20/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)

नाम : कल्कि भोग

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : -

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : लंगड़ा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

कल्क भोग के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: ऊपर की ओर गोल	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: नीचे की ओर ढलान	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* कल्क भोग के डीयूएस गुण

133. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, आईसीएआर- भारतीय सब्जी अनुसंधान संस्थान, पोस्ट बैग नंबर 01, डाकघर जखिनी (शाहंशाहपुर), वाराणसी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी अब्दुत (वृथ -18283) नामक टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्स्टन पूर्व) फसल को पंजीकरण हेतु आवेदन संख्या

E22	LL27	26	1856

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।----- उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, लागू नहीं----- को---लागू नहीं----- में ----- दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी अब्दुत (वृथ -18283)
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
 आवेदक का पता : कृषि भवन, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E22	LL27	26	1856

 प्राप्ति तिथि : 17/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : टमाटर (लाइकोपर्सिकॉन लाइकोपर्सिकम (एल.) कार्स्टन पूर्व)
 नाम : काशी अब्दुत (वृथ -18283)
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : वीआरटी -6 x सुपरबग

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम : वीआरटी 2-2-1, ईसी-620447
अधिसूचना विवरण : एस.ओ. 1362 (ई) दिनांक 12.03.2024
किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पौधा: बढवार का प्रकार (गुण 3)		निश्चित (1)
पत्रक: दाँतेदार (गुण 12)		बहुत ज़्यादा आरीदार किनारे वाला (7)
फल: हरा स्कंद (परिपक्व होने से पहले) (गुण 29)		अनुपस्थित (1)
फल: अनुदैर्घ्य खंड में आकार (गुण 33)		उल्टे अंडे के आकार का (7)
फल: परिपक्वता पर रंग (गुण 43)		लाल (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी अद्भुत (वंथ -18283) के प्रत्याशी किस्म के विशिष्ट गुण है वृंत: विगलन पर्त: अनुपस्थित; पुष्प आने का समय: शीघ्र		
संदर्भ किस्म के विशिष्ट गुण:		
वीआरटी 2-2-1, ईसी-620447 के प्रत्याशी किस्म के विशिष्ट गुण है वृंत: विगलन पर्त: उपस्थित; पुष्प आने का समय: शीघ्र		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	गर्मी का मौसम (फरवरी के पहले हफ़्ते में रोपाई)
	सिंचित/वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	150:80:100 किग्रा N:P:K/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी के मौसम में ज़्यादा तापमान (सूखी गर्मी) सहने की क्षमता

5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	स्टेकिंग (सहारा देने) से फल की क्वालिटी और पैदावार बेहतर होती है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी के मौसम के लिए उपयुक्त (फरवरी के पहले हफ्ते में रोपाई)
9.	फल उपज (क्विंटल/एकड़)	400-445 क्विंटल/हेक्टेयर (गर्मी के मौसम में)
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	1.5-1.6 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लाल और लंबे आकार के फल, मध्यम कसावट, औसत फल का वजन 45-60 ग्राम और TSS (ब्रिक्स): 5
12.	फल चुनने का कार्यक्रम	रोपाई के 70 दिन बाद लाल पके फलों की तुड़ाई शुरू होती है (मध्य अप्रैल से मध्य जून तक)
13.	परिवहन क्षमता (दिन में)	एक हफ्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	8-12 दिन
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य ज़रूरी जानकारी	उत्तर प्रदेश और आस-पास के राज्यों में गर्मी के मौसम में खेती के लिए उपयुक्त
काशी अद्भुत (वंश -18283) के डीयूएस गुण		चित्र- 76

134. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी उत्सव (आईवीबीएचएल-22) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	SM17	26	1859

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी उत्सव (आईवीबीएचएल-22)

आवेदक का नाम : आईसीएआर-आईआईवीआर,

आवेदक का पता : पीबी-01, डाकघर जखनी (शाहशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E6	SM17	26	1859

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : काशी उत्सव (आईवीबीएचएल-22)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : उत्तरा × एडीएम -190

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : पंजाब बरसाती

अधिसूचना विवरण : एस.ओ. 1362 (ई) दिनांक 12.03.2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	मध्यम
फल: व्यास (दिन) (गुण 21)	छोटा
फल: सामान्य आकृति (गुण 23)	बेलनाकार
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी उत्सव (आईवीबीएचएल-22) के विशिष्ट गुण है पुष्पन का समय: विलंब; फल: डंठल की लंबाई	

(सेमी): लंबी		
संदर्भ किस्म के विशिष्ट गुण: पंजाब बरसाती के विशिष्ट गुण है पुष्पन का समय: शीघ्र; फल: डंठल की लंबाई (सेमी): मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कृषि-पारिस्थितिक क्षेत्र (मध्य प्रदेश, महाराष्ट्र, गोवा)
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	120 किग्रा एन, 80 किग्रा पी2ओ5, 80 किग्रा के2ओ प्रति हेक्टेयर; एफवाईएम: 20-25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी सहने योग्य
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	बैंगन के 'लिटिल लीफ' रोग के प्रति मध्यम प्रतिरोध; फल और तना छेदक तथा फोमोप्सिस ब्लाइट के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का प्रकोप कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	610
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	89.8
11.	फल की गुणवत्ता और फल की दृढ़ता	गहरे बैंगनी रंग का फल और लंबा आकार, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50-60 दिन बाद पहली तुड़ाई

13.	परिवहन क्षमता (दिन में)	एक हफ़्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ़ (दिन)	12–15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 77		* काशी उत्सव (आईवीबीएचएल-22) के डीयूएस गुण

135. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी उत्तम** नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E7	SM18	26	1860

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी उत्तम**
 आवेदक का नाम : आईसीएआर-आईआईवीआर,
 आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E7	SM18	26	1860

 प्राप्ति तिथि : 17/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)
 नाम : **काशी उत्तम**

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: किसान का खेत
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: पंत ऋतुराज
अधिसूचना विवरण	: एस.ओ. 1362 (ई) दिनांक 12.03.2024
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
फल: लंबाई (गुण 20)	छोटा	
फल: व्यास (दिन) (गुण 21)	छोटा	
फल: सामान्य आकृति (गुण 23)	गोल	
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी	
फल: धारियां (गुण 30)	अनुपस्थित	
फल: अंखुड़ी का रंग (गुण 35)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी उत्तम के विशिष्ट गुण है पुष्प: आकार: बड़ा; फल: छिलके के बैंगनी रंग की तीव्रता: हल्की; पौधा: वृद्धि स्वभाव: अर्द्ध-फैलावदार		
संदर्भ किस्म के विशिष्ट गुण:		
पंत ऋतुराज के विशिष्ट गुण है पुष्प: आकार: मध्यम; फल: छिलके के बैंगनी रंग की तीव्रता: गहरा; पौधा: वृद्धि स्वभाव: फैलावदार		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्योरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की	120 किग्रा एन, 80 किग्रा पी2ओ5, 80 किग्रा

	आवश्यकता (एन:पी:के) किग्रा/एकड़	के2ओ प्रति हेक्टेयर; एफवाईएम: 20-25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी सहने वाली
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	फल और तना छेदक कीट के प्रति प्रतिरोधी
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का हमला कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	525
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	23.8
11.	फल की गुणवत्ता और फल की दृढ़ता	हल्के बैंगनी रंग का फल, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50-60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक हफ़्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ़ (दिन)	12-15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 78		* काशी उत्तम के डीयूएस गुण

136. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी मोदक (आईवीबीएसआर -1) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E8	SM18	26	1861

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी मोदक (आईवीबीएसआर -1)
 आवेदक का नाम : आईसीएआर-आईआईवीआर,
 आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E7	SM18	26	1861

 प्राप्ति तिथि : 17/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)
 नाम : काशी मोदक (आईवीबीएसआर -1)
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : पीएलआर-1 x बीआर-14
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म
 संदर्भ किस्मों का नाम : पूसा अंकुर
 अधिसूचना विवरण : एस.ओ. 1362 (ई) दिनांक 12.03.2024
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	छोटा
फल: व्यास (दिन) (गुण 21)	मध्यम
फल: सामान्य आकृति (गुण 23)	गोल
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	हरा

ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी मोदक (आईवीबीएसआर -1) के विशिष्ट गुण है पत्ती: फलक रंग की तीव्रता: मध्यम; पुष्प: आकार: बड़ा; फल: कटाई के समय चमक: तेज		
संदर्भ किस्म के विशिष्ट गुण:		
पूसा अंकुर के विशिष्ट गुण है पत्ती: फलक रंग की तीव्रता: गहरा; पुष्प: आकार: बड़ा; फल: कटाई के समय चमक: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कृषि-पारिस्थितिक क्षेत्र V (छत्तीसगढ़, ओडिशा और आंध्र प्रदेश)
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	120 किग्रा एन, 80 किग्रा पी2ओ5, 80 किग्रा के2ओ प्रति हेक्टेयर; एफवाईएम: 20-25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	फोमोप्सिस ब्लाइट के प्रति सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई (pruning) से फल का आकार बेहतर होता है और कीटों का प्रकोप कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	561.4
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	68.8
11.	फल की गुणवत्ता और फल की दृढ़ता	गहरे बैंगनी रंग का फल और छोटा-गोल आकार, मध्यम कसावट

12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50-60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक हफ़्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ़ (दिन)	12-15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 79		* काशी मोदक (आईवीबीएसआर -1) के डीयूएस गुण

137. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी ब्रिंजल ग्रीन राउंड (आईवीबीआर-17) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आ

E9	SM20	26	1862

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी ब्रिंजल ग्रीन राउंड (आईवीबीआर-17)

आवेदक का नाम : आईसीएआर-आईआईवीआर,

आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E9	SM20	26	1862

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : काशी ब्रिंजल ग्रीन राउंड (आईवीबीआर-17)

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: केएस-356 x पैट ऋतुराज
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: राम नगर जित
अधिसूचना विवरण	: एस.ओ. 3254 (ई) दिनांक 20.07.2022
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
फल: लंबाई (गुण 20)	छोटा	
फल: व्यास (दिन) (गुण 21)	मध्यम	
फल: सामान्य आकृति (गुण 23)	गोल	
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	हरा	
फल: धारियां (गुण 30)	अनुपस्थित	
फल: अंखुड़ी का रंग (गुण 35)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी ब्रिंजल ग्रीन राउंड (आईवीबीआर-17) के विशिष्ट गुण है फल की लंबाई (सेमी): छोटा; फल के ऊपरी सिरे का आकार: धंसा हुआ		
संदर्भ किस्म के विशिष्ट गुण: राम नगर जित के विशिष्ट गुण है फल की लंबाई (सेमी): लंबा; फल के ऊपरी सिरे का आकार: गोल		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कृषि-पारिस्थितिक क्षेत्र VII (मध्य प्रदेश, महाराष्ट्र, गोवा)
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की	120 किग्रा एन, 80 किग्रा पी2ओ5, 80 किग्रा

	आवश्यकता (एन:पी:के) किग्रा/एकड़	के2ओ प्रति हेक्टेयर; एफवाईएम: 20-25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	बैंगन के फल और तना छेदक कीट के प्रति मध्यम रूप से संवेदनशील। फोमोप्सिस ब्लाइट और फ्यूसेरियम विल्ट के प्रति सहनशील।
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का प्रकोप कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	550-600
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	26.8
11.	फल की गुणवत्ता और फल की दृढ़ता	हल्का बैंगनी और लंबा आकार, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 55-60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक सप्ताह
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	12-15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 80		* काशी ब्रिजल ग्रीन राउंड (आईवीबीआर-17) के डीयूएस गुण

138. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी विजय (आईवीबीएल -23) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E10	SM21	26	1863

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ---- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी विजय (आईवीबीएल -23)

आवेदक का नाम : आईसीएआर-आईआईवीआर,

आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E10	SM21	26	1863

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : काशी विजय (आईवीबीएल -23)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पंजाब बरसाती x उत्तरा

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम : पंजाब सदाबहार

अधिसूचना विवरण : एस.ओ. 1480 (ई) दिनांक 01.04.2021

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	मध्यम
फल: व्यास (दिन) (गुण 21)	मध्यम
फल: सामान्य आकृति (गुण 23)	बेलनाकार
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	हरा

ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी विजय (आईवीबीएल -23) के विशिष्ट गुण है पौदः बीज पत्राधर का एंथोसायनिन रंग; उपस्थित; तनाः तारुण्यता: निर्बल		
संदर्भ किस्म के विशिष्ट गुण: पंजाब सदाबहार के विशिष्ट गुण है पौदः बीज पत्राधर का एंथोसायनिन रंग: अनुपस्थित; तनाः तारुण्यता:मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कृषि-पारिस्थितिक क्षेत्र IV
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	120 किग्रा एन, 80 किग्रा पी2ओ5, 80 किग्रा के2ओ प्रति हेक्टेयर; एफवाईएम: 20-25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	फोमोप्सिस ब्लाइट सहने की क्षमता
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का प्रकोप कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	450 – 530
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	48
11.	फल की गुणवत्ता और फल की दृढ़ता	हल्का बैंगनी और लंबा आकार, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50-60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक हफ़्ता

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	12-15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 81		* काशी विजय (आईवीबीएल -23) के डीयूएस गुण

139. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी हिमानी (आईवीबीएल -26) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E11	SM22	26	1864

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ---- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी हिमानी (आईवीबीएल -26)

आवेदक का नाम : आईसीएआर-आईआईवीआर,

आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E11	SM22	26	1864

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : काशी हिमानी (आईवीबीएल -26)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: स्थानीय किसान का खेत
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: मैटिगुल्ला
अधिसूचना विवरण	: एस.ओ. 692 (ई) दिनांक 05.02.2019
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
फल: लंबाई (गुण 20)	मध्यम	
फल: व्यास (दिन) (गुण 21)	मध्यम	
फल: सामान्य आकृति (गुण 23)	क्लब के आकार का	
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	सफ़ेद	
फल: धारियां (गुण 30)	अनुपस्थित	
फल: अंखुड़ी का रंग (गुण 35)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी हिमानी (आईवीबीएल -26) के विशिष्ट गुण है पत्ती: कंटीलेपन: अनुपस्थित; पुष्पन का समय (बीज बोने के बाद के दिन): मध्यम		
संदर्भ किस्म के विशिष्ट गुण:		
मैटिगुल्ला के विशिष्ट गुण है पत्ती: कंटीलेपन: उपस्थित; पुष्पन का समय (बीज बोने के बाद के दिन): विलंब		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	120 किग्रा एन, 80 किग्रा पी2O5, 80 किग्रा के2ओ प्रति हेक्टेयर; एफवाईएम: 20–25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति	गर्मी सहने की क्षमता

	सहनशीलता- संवेदनशील/ सहनशीलता	
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	बैंगन के फल और तना छेदक कीट को सहने की क्षमता
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का हमला कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	419.7
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	32.95
11.	फल की गुणवत्ता और फल की दृढ़ता	सफेद रंग का फल, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50–60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक हफ़्ता
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ़ (दिन)	12–15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 82		* काशी हिमानी (आईवीबीएल -26) के डीयूएस गुण

140. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी मनोहर (आईवीबीएचएल -20) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E12	SM23	26	1865

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी मनोहर (आईवीबीएचएल -20)

आवेदक का नाम : आईसीएआर-आईआईवीआर,

आवेदक का पता : पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E12	SM23	26	1865

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : काशी मनोहर (आईवीबीएचएल -20)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : स्थानीय किसान का खेत

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : काशी विजय

अधिसूचना विवरण : एस.ओ. 3254 (ई) दिनांक 20.07.2022

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	मध्यम
फल: व्यास (दिन) (गुण 21)	छोटा
फल: सामान्य आकृति (गुण 23)	क्लब के आकार का
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी मनोहर (आईवीबीएचएल -20) के विशिष्ट गुण है फल का सामान्य आकार: क्लब जैसा; फल: घुमाव	

(केवल बेलनाकार प्रकारों के लिए): नहीं।		
संदर्भ किस्म के विशिष्ट गुण: काशी विजय के विशिष्ट गुण है फल का सामान्य आकार: बेलनाकार; फल: झुकाव (केवल बेलनाकार प्रकारों के लिए): हल्का।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्योरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कृषि-पारिस्थितिक क्षेत्र VI (मध्य प्रदेश, महाराष्ट्र)
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	120 किग्रा एन, 80 किग्रा पी ₂ O ₅ , 80 किग्रा के ₂ ओ प्रति हेक्टेयर; एफवाईएम: 20–25 टन/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	गर्मी सहने की क्षमता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	फोमोप्सिस ब्लाइट के प्रति सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	बैंगन की छंटाई से फल का आकार बेहतर होता है और कीटों का प्रकोप कम होता है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	खरीफ़ के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	650-700
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	83.3
11.	फल की गुणवत्ता और फल की दृढ़ता	गहरे बैंगनी रंग का फल और छोटा-गोल आकार, मध्यम कसावट
12.	फल चुनने का कार्यक्रम	पौधे लगाने के 50–60 दिन बाद पहली तुड़ाई
13.	परिवहन क्षमता (दिन में)	एक हफ़्ता

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	12-15 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 83		* काशी मनोहर (आईवीबीएचएल -20) के डीयूएस गुण

141. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी सृष्टि (वीआरओएच -12; आईसी628085)** नामक ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुलेंटस (एल.) मोएं.च.) फसल को

E21	AE40	26	1879

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी सृष्टि (वीआरओएच -12; आईसी628085)**
 आवेदक का नाम : आईसीएआर-आईआईवीआर, पीबी-01,
 आवेदक का पता : डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

E21	AE40	26	1879

 आवेदन स. :
 प्राप्ति तिथि : 17/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुलेंटस (एल.) मोएं.च.)
 नाम : **काशी सृष्टि (वीआरओएच -12; आईसी628085)**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : काशी क्रांति × वीआरओ-102
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : काशी क्रांति; परभणी क्रांति

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
तना : रंग (गुण 1)	हरा (142) ए(1)	
तना: प्रथम पुष्पन पर नोड्स की संख्या (गुण 2)	मध्यम (5)	
पत्रदल: लोबिंग की गहराई (गुण 4)	मध्यम (5)	
पुष्प: पंखुड़ी के आधार का रंग (लाल बैंगनी) (गुण 14)	दोनों तरफ़ (5)	
फल :रंग (गुण 18)	हरा (137) ए(3)	
फल: लोक्यूल्स की संख्या (गुण 26)	5 (1)	
पौधा: शाखाओं की संख्या (गुण 29)	कुछ (1-2) (3)	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी सृष्टि (वीआरओएच -12; आईसी628085) के प्रत्याशी किस्म के विशिष्ट गुण है तना: ज़मीन की सतह से 10 सेमी ऊपर व्यास (सेमी): पतला, फल: रंग: हरा (137)ए, पौधा: फल देने वाली शाखाओं की संख्या: कम।		
संदर्भ किस्म के विशिष्ट गुण:		
काशी क्रांति; परभणी क्रांति के प्रत्याशी किस्म के विशिष्ट गुण है तना: ज़मीन की सतह से 10 सेमी ऊपर व्यास (सेमी): मध्यम, फल: रंग: गहरा हरा (139)ए, पौधा: फल देने वाली शाखाओं की संख्या: मध्यम।		
घ. किस्म के व्यावसायीकरण की तिथि	14.07.2020	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	बसंत-गर्मी के लिए जनवरी-फरवरी; खरीफ के लिए मई-जुलाई
	सिंचितवर्षा/ सिंचित	गर्मी में सिंचाई की ज़रूरत; खरीफ में बारिश पर निर्भर
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी

3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50 किग्रा नाइट्रोजन; 25 किग्रा फॉस्फेट; 25 किग्रा पोटेशियम
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	अधिक तापमान सहने की क्षमता; पाले (ठंड) के प्रति संवेदनशील
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	1-2 दिन तक सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	YVMV और OELCV बीमारियों के प्रति प्रतिरोधी; शूट और फ्रूट बोरर के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	जरूरत नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	बसंत-गर्मी और खरीफ
9.	फल उपज (एकड़/क्विंटल)	50-70 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	औसत 0.210 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	एक जैसे गहरे हरे रंग के फल, जिनमें बीज उभरते नहीं हैं
12.	फल चुनने का कार्यक्रम	पहली तुड़ाई शुरू होने के बाद हर 2-3 दिन में
13.	परिवहन क्षमता (दिन में)	जल्दी खराब होने वाला; 7-10°C तापमान पर परिवहन करें
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लगभग 7-10 दिन, आदर्श स्थिति (90-95% RH) में दो हफ्ते तक
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	50-120 दिनों की फल लगने की अवधि के दौरान 32-37 बार तुड़ाई
चित्र – 84		काशी सृष्टि (वीआरओएच -12; आईसी628085) के डीयूएस गुण

142. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी चमन (वीआरओ-109; आईसी0610502) नामक ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुलेंटस (एल.) मोएंच.) फसल को पंजीकरण हेतु आवेदन संख्या

E22	AE41	26	1881

को निम्नलिखित विशिष्टताओं

व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी चमन (वीआरओ-109; आईसी0610502)

आवेदक का नाम : आईसीएआर-आईआईवीआर, पीबी-01,

आवेदक का पता : डाकघर जखनी (शाहशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E22	AE41	26	1881

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुरेंटस (एल.) मोएंच.)

नाम : काशी चमन (वीआरओ-109; आईसी0610502)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : काशी क्रांति × पंजाब पद्मिनी

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : काशी क्रांति; काशी प्रगति

अधिसूचना विवरण : एस.ओ. 692 (ई) दिनांक 05 फरवरी 2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
तना : रंग (गुण 1)	हरा (142) ए(1)
तना: प्रथम पुष्पन पर नोड्स की संख्या (गुण 2)	मध्यम (5)
पत्रदल: लोबिंग की गहराई (गुण 4)	मध्यम (5)
पुष्प: पंखुड़ी के आधार का रंग (लाल बैंगनी) (गुण 14)	केवल अंदर (5)

फल :रंग (गुण 18)	गहरा हरा (137) ए(3)	
फल: लोक्यूल्स की संख्या (गुण 26)	5 (1)	
पौधा: शाखाओं की संख्या (गुण 29)	कुछ (1-2) (3)	
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी चमन (वीआरओ-109; आईसी0610502) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: पंखुड़ी के आधार का रंग केवल अंदर की तरफ; फल: बिक्री-योग्य अवस्था में लंबाई: मध्यम; फल: रोएँ (ट्राइकोम): कम। संदर्भ किस्म के विशिष्ट गुण: काशी क्रांति के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: पंखुड़ी के आधार का रंग दोनों तरफ; फल: बिक्री योग्य अवस्था में लंबाई: कम। काशी प्रगति के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: पंखुड़ी के आधार का रंग (दोनों तरफ); फल: रोएँ (ट्राइकोम): मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि	19.01.2019	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	बसंत-गर्मी के लिए जनवरी-फरवरी; खरीफ के लिए मई-जुलाई
	सिंचितवर्षा/ सिंचित	गर्मी में सिंचाई की जरूरत; खरीफ में बारिश पर निर्भर
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50 किग्रा नाइट्रोजन; 25 किग्रा फॉस्फेट; 25 किग्रा पोटेशियम
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	अधिक तापमान सह सकती है लेकिन पाले (frost) के प्रति संवेदनशील है
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	1-2 दिन तक सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	वाईवीएमवी और ओईएलसीवी बीमारियों के प्रति प्रतिरोधी; शूट और फ्रूट बोरोर के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	जरूरत नहीं

8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	बसंत-गर्मी और खरीफ
9.	फल उपज (एकड़/क्विंटल)	55-60 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	0.195 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	एकसमान गहरे हरे रंग का फल; बीज उभरने की समस्या नहीं
12.	फल चुनने का कार्यक्रम	पहली तुड़ाई शुरू होने के बाद हर 2-3 दिन में
13.	परिवहन क्षमता (दिन में)	जल्दी खराब होने वाला; 7-10°C तापमान पर परिवहन करें
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लगभग 7-10 दिन, सही परिस्थितियों में दो हफ्ते तक
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	50-120 दिनों की फल लगने की अवधि के दौरान 32-37 बार तुड़ाई
चित्र –85		काशी चमन (वीआरओ-109; आईसी0610502) के डीयूएस गुण

143. आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 के ओर से निदेशक, आईसीएआर-आईआईवीआर, पीबी-01, डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305 ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी लालिमा (वीआरओआर-157; आईसी 628076)** नामक ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुरेंटस (एल.) मोएंच.) फसल को पंजीकरण हेतु आवेदन संख्या

E23	AE42	26	1882

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी लालिमा (वीआरओआर-157; आईसी 628076)**

आवेदक का नाम : आईसीएआर-आईआईवीआर, पीबी-01,

आवेदक का पता : डाकघर जखनी (शाहंशाहपुर), वाराणसी, यूपी-221305

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>E23</td><td>AE42</td><td>26</td><td>1882</td></tr></table>	E23	AE42	26	1882
E23	AE42	26	1882			
प्राप्ति तिथि	:	17/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	ओकरा/लेडीज फिंगर (एबेलमोसचस एस्कुलेंटस (एल.) मोएंछ.)				
नाम	:	काशी लालिमा (वीआरओआर-157; आईसी 628076)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	संकर				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	आईसी-93892 × वीआरओआर-150				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	अरुण				
अधिसूचना विवरण	:	एस.ओ. 692 (ई) दिनांक 05 फरवरी 2019				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
तना : रंग (गुण 1)	हल्का लाल-बैंगनी (67ए/बी) (6)
तना: प्रथम पुष्पन पर नोड्स की संख्या (गुण 2)	मध्यम (5)
पत्रदल: लोबिंग की गहराई (गुण 4)	मध्यम (5)
पुष्प: पंखुड़ी के आधार का रंग (लाल बैंगनी) (गुण 14)	दोनों तरफ (5)
फल :रंग (गुण 18)	हल्का लाल-बैंगनी (62) (7)
फल: लोक्यूल्स की संख्या (गुण 26)	5 (1)
पौधा: शाखाओं की संख्या (गुण 29)	कुछ (1-2) (3)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी लालिमा (वीआरओआर-157; आईसी 628076) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का फलक: चौड़ाई: चौड़ा, फल: शारीरिक परिपक्वता पर व्यास: मध्यम; पौधा: ऊँचाई: मध्यम	
संदर्भ किस्म के विशिष्ट गुण:	
अरुणा के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का फलक: चौड़ाई: मध्यम, फल: शारीरिक परिपक्वता पर व्यास: छोटा; पौधा: ऊँचाई: लंबा	

घ. किस्म के व्यावसायीकरण की तिथि		13.03.2020
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	बसंत-गर्मी के लिए जनवरी-फरवरी; खरीफ के लिए मई-जुलाई
	सिंचितवर्षा/ सिंचित	गर्मी में सिंचाई की जरूरत; खरीफ में बारिश पर निर्भर
	मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	50 किग्रा नाइट्रोजन; 25 किग्रा फॉस्फेट; 25 किग्रा पोटेशियम
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	अधिक तापमान सहने की क्षमता; पाले के प्रति संवेदनशील
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	1-2 दिन तक सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	वाईवीएमवी और ओईएलसीवी बीमारियों के प्रति प्रतिरोधी; शूट और फ्रूट बोरर के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	जरूरत नहीं
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	बसंत-गर्मी और खरीफ
9.	फल उपज (एकड़/क्विंटल)	45-50 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	औसतन 0.175 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	एक जैसे गहरे लाल-बैंगनी फल; एंथोसायनिन से भरपूर
12.	फल चुनने का कार्यक्रम	पहली तुड़ाई शुरू होने के बाद हर 2-3 दिन में
13.	परिवहन क्षमता (दिन में)	जल्दी खराब होने वाला; 7-10°C पर परिवहन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	लगभग 7-10 दिन, आदर्श स्थिति (90-95% RH) में दो हफ्ते तक
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	50-120 दिनों की फल लगने की अवधि के दौरान 32-37 बार तुड़ाई
चित्र – 86		काशी लालिमा (वीआरओआर-157; आईसी

628076) के डीयूएस गुण

144. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान(अधिसूचित) किस्म की पूसा 1824 (आईईटी -28442) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E65	OS374	26	1958

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा 1824 (आईईटी -28442)

आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

ध. आवेदन स. :

E65	OS374	26	1958

न. प्राप्ति तिथि : 20/08/2026

न. स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)

नाम : पूसा 1824 (आईईटी -28442)

किस्म का प्रकार : विद्यमान(अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पूसा 44/पीएयू 201

पैतृक सामग्री का स्रोत : पूसा 44 का अपना जर्मप्लाज्म और लुधियाना से पीएयू201

संदर्भ किस्मों का नाम : पूसा 44

अधिसूचना विवरण : एस.ओ. 4388 (ई) दिनांक 08.10.2024

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)		हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)		मध्यम (5)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)		बहुत छोटा (1)
छिला हुआ दाना: लंबाई (गुण 54)		लंबा (5)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)		लंबा और मोटा (4)
छिला हुआ दाना: रंग (गुण 57)		सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)		मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)		अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा 1824 (आईईटी -28442) के प्रत्याशी किस्म के विशिष्ट गुण है छिला हुआ दाना: आकृति: लंबा और मोटा ।		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा 44 के विशिष्ट गुण है छिला हुआ दाना: आकृति: पतला और पतला ।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	90-95
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	120-125
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	दिल्ली NCR
4.	बुवाई का समय	जून के पहले हफ़्ते से दूसरे हफ़्ते तक
	बीज दर (किलोग्राम/एकड़)	6-8 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित और रोपाई वाली खेती
	मिट्टी की कम उर्वरता/उच्च उर्वरता	दोनों के लिए उपयुक्त
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के)	50:12:12 एनपीके किग्रा/एकड़ और N को 3 बार में देना। मिट्टी की जाँच कराने की सलाह दी जाती है।

	किलोग्राम/एकड़	
5.	रोग और कीटों के प्रति सहनशीलता	राष्ट्रीय परीक्षणों में ब्लास्ट, नेक ब्लास्ट, शीथ रॉट और ब्राउन स्पॉट बीमारियों के प्रति मध्यम प्रतिरोध दिखाया। स्टेम बोरोर का असर तुलनात्मक रूप से कम देखा गया।
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	दाने की लंबाई (मिमी)-5.8
	ख) ल./चौ. अनुपात	2.8
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	38 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	24.75 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 87		* पूसा 1824 (आईईटी -28442) के डीयूएस गुण

145. श्री. बिशन दास, गाँव: बदनू, डाकघर : दांतनु, ब्लॉक: कालसी, जिला: देहरादून-248196, उत्तराखंड ने दिनांक 14/11/2024 को कृषक किस्म की लाल चुआ नामक अनाज चौलाई (एमार्थस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F11	AV11	24	942

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **लाल चुआ**
 आवेदक का नाम : श्री. बिशन दास
 आवेदक का पता : गाँव: बदनू, डाकघर : दांतनु, ब्लॉक: कालसी, जिला: देहरादून-248196, उत्तराखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

F11	AV11	24	942

 आवेदन स. : 14/11/2024
 प्राप्ति तिथि : 31/08/2026
 स्वीकृति तिथि : अनाज चौलाई (ऐमारेथस विरिडिस)
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : **लाल चुआ**
 नाम : कृषक
 किस्म का प्रकार : प्रारूप
 किस्म का वर्गीकरण : लागू नहीं
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **सुवर्णा**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	उपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित
पुष्पक्रम: रंग (गुण 7)	गुलाबी
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	गुलाबी
ख. प्रत्याशी किस्म के विशिष्ट गुण: लाल चुआ प्रत्याशी किस्म के विशिष्ट गुण है- पत्रदल: चौड़ाई- संकरा, पुष्पक्रम: रंग- गुलाबी, पुष्पक्रम- सघनता- मध्यवर्ती और तिरछी उपशूकी की लंबाई- लंबी है।	
संदर्भ किस्म के विशिष्ट गुण : सुवर्णा के विशिष्ट गुण है- पत्रदल: चौड़ाई- मध्यम, पुष्पक्रम: रंग- पीला जैसा हरा, पुष्पक्रम- सघनता- ढीला और तिरछी उपशूकी की लंबाई- मध्यम है।	

घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*लाल चुआ के डीयूएस गुण

146. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान(अधिसूचित) किस्म की पूसा बासमती 1882 (आईईटी 28788) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E37	OS376	26	1960

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा बासमती 1882 (आईईटी 28788)
आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,
आवेदक का पता : पूसा परिसर, नई दिल्ली-110012
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
क. आवेदन सं. :

E67	OS376	26	1960

ख. प्राप्ति तिथि : 20/08/2026
ग. स्वीकृति तिथि : 24/08/2026
फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)
नाम : पूसा बासमती 1882 (आईईटी 28788)
किस्म का प्रकार : विद्यमान(अधिसूचित)
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : पूसा बासमती 1/नगीना 22// पूसा बासमती 1*3
पैतृक सामग्री का स्रोत : पूसा बासमती 1 निजी स्वामित्व वाली है और नगीना 22 पब्लिक डोमेन।
संदर्भ किस्मों का नाम : पूसा बासमती 1
अधिसूचना विवरण : एस.ओ. 4065 (ई) दिनांक 31.08.2022
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

आधार पत्ती: आच्छद का रंग (गुण 2)	हरा	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	मध्यम	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा	
छिला हुआ दाना: लंबाई (गुण 54)	-	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	-	
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम	
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित	
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा बासमती 1882 (आईईटी 28788) के प्रत्याशी किस्म के विशिष्ट गुण है लेमा पर रोएं का घनत्व: मध्यम और पुष्पगुच्छ: उभार: अच्छी तरह।		
संदर्भ किस्मों के विशिष्ट गुण: साम्बा महसूरी (बीपीटी 5204) के विशिष्ट गुण है लेमा पर रोएं का घनत्व: निर्बल और पुष्पगुच्छ: उभार: अधिकांश।		
घ. किस्म के व्यावसायीकरण की तिथि	मार्च 2023	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	व्यौरा
1.	फूल आने/फूल आने में लगने वाले दिन (औसत)	105 दिन
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	134 दिन
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पश्चिमी उत्तर प्रदेश, दिल्ली, उत्तराखंड, हरियाणा, पंजाब और जम्मू और कश्मीर के एनसीआर।
4.	बुवाई का समय	बुआई: जून का पहला सप्ताह – जून का दूसरा सप्ताह। रोपाई: जून का चौथा सप्ताह-जुलाई का पहला सप्ताह।
	बीज दर (किलोग्राम/एकड़)	05 किग्रा/एकड़ (रोपाई के लिए)
	रोपाई के बीच अंतराल	पौधा-पौधा (15 सेमी), पंक्ति-पंक्ति (20 सेमी)
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	निम्न और उच्च प्रजनन क्षमता
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	एन.पी.के.: 50:12:12 किग्रा/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	प्रमुख बीमारियों और कीटों की प्रतिक्रिया बार-बार आने वाले जनक, पूसा बासमती 1 से तुलनीय थी। इसमें तना छेदक कीट की तुलनात्मक रूप से कम घटना देखी गई।

	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	यह किस्म क्यूडीटीवाई1.1 द्वारा नियंत्रित प्रजनन चरण सूखा तनाव के प्रति सहनशील है
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	दाना की लंबाई 7.1 मिमी
	ख) ल./चौ. अनुपात	4.7 मिमी
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	19 क्विं/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	22.4 ग्रा
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 88		* पूसा बासमती 1882 (आईईटी 28788) के डीयूएस गुण

147. डीसीएम श्रीराम लिमिटेड, दूसरी मंजिल, (वेस्ट विंग), वर्ल्डमार्क 1 एयरोसिटी, नई दिल्ली-110037 की ओर से डॉ. मलार्थी लक्ष्मीकुमारन, लक्ष्मीकुमारन और श्रीधरन, बी-6/10, सफदरजंग एन्क्लेव, नई दिल्ली-110029 ने दिनांक 20/03/2013 को विद्यमान (वीसीके) किस्म की **6317-2 बीजीII** नामक चतुर्गुणित कपास (गॉसिपियम आर्बोरियम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E55	GH55	13	173

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **6317-2 बीजीII**

आवेदक का नाम : डीसीएम श्रीराम लिमिटेड,

आवेदक का पता : दूसरी मंजिल, (वेस्ट विंग), वर्ल्डमार्क 1 एयरोसिटी, नई दिल्ली-110037

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
आवेदन स.	:	<table><tr><td>E55</td><td>GH55</td><td>13</td><td>173</td></tr></table>	E55	GH55	13	173
E55	GH55	13	173			
प्राप्ति तिथि	:	20/03/2013				
स्वीकृति तिथि	:	13/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	चतुर्गुणित कपास (गॉसिपियम आर्बोरियम एल.)				
नाम	:	6317-2 बीजीII				
किस्म का प्रकार	:	विद्यमान (वीसीके)				
किस्म का वर्गीकरण	:	संकर और ट्रांसजेनिक				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	क्वान-3/जयधर				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	अबाधित				
किस्म का विवरण						

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: आकृति (गुण 8)	हस्ताकार (सामान्य)
पुष्प: पंखुड़ी का रंग (गुण 15)	क्रीम
पुष्प: पराग का रंग (गुण 19)	क्रीम
गुला: आकृति (गुण 23)	अंडाकार
रेशा: लम्बाई (गुण 33)	-
ख. प्रत्याशी किस्म के विशिष्ट गुण: 6317-2 बीजीII प्रत्याशी किस्म के विशिष्ट गुण है पत्तियों का रंग: हरा और गुला:खिलापन: खुला	
संदर्भ किस्म के विशिष्ट गुण : अबाधित के विशिष्ट गुण है पत्तियों का रंग: हल्का हरा और गुला:खिलापन: अर्द्ध-खुला	
घ. किस्म के व्यावसायीकरण की तिथि	कैंडिडेट हाइब्रिड 6317-2 बीजीII की मादा पैरेंटल लाइन बीआईओ 60075आई0 (आरईजी/2009/286) का इस्तेमाल 10.06.2009 को किया गया था।
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र.सं	विवरण
	विवरण

1.	बीज दर (किलोग्राम/एकड़)	1.0-1.25 किग्रा/एकड़
	अंतर: पौधा-पौधा (सेमी) पंक्ति-पंक्ति (सेमी)	पौधे से पौधे की दूरी: 60 सेमी, पंक्ति-पंक्ति की दूरी: 90 सेमी
	बुवाई का समय (क्षेत्रवार, यदि लागू हो)	जून-जुलाई
2.	पौधा: बढ़वार स्वभाव (निर्धारित/अनिश्चित)	अनिश्चित
3.	पुष्प आने/ एन्थेसिस (औसत)	55 दिन
4.	परिपक्वता हेतु दिन (शीघ्र/मध्यम/देर से)	160 दिन
5.	अनुशंसित उत्पादन पारिस्थितिकी वर्षा आधारित/सिंचित पारिस्थितिकी:	काली कपास वाली मिट्टी।
	उच्च/मध्यम/निम्न उर्वरता की स्थितियाँ:	
	उपयुक्त उत्पादन क्षेत्र/राज्य	मध्य और दक्षिणी क्षेत्र
6.	उर्वरक की आवश्यकता: एनपीके (किलोग्राम/एकड़) अनुसूची	जैविक: 08 टन/एकड़, एनपीके 60:30:30 किग्रा/एकड़।
7.	प्रमुख रोगों/कीटों के प्रति प्रतिक्रिया	-
	आईपीएम विवरण अनुसूची	-
8.	उत्पाद की गुणवत्ता	विवरण
9.	फाइबर की लंबाई	-
	फाइबर: सूक्ष्मता (माइक्रोनेयर मूल्य)	3.1 (एमवी)
	फाइबर: एकरूपता	54%
	फाइबर: रंग	सफेद
10.	लिनट की उपज/एकड़ (औसत)	-
11.	कपास की उपज/एकड़ (औसत)	5.5-6.5 क्विंटल/एकड़।
12.	किस्म/अन्य से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र:		* 6317-2 बीजीII के डीयूएस गुण

148. तमिलनाडु कृषि विश्वविद्यालय, अनुसंधान निदेशक, कृषि विश्वविद्यालय, कोयंबटूर-641003, तमिलनाडु की ओर से श्री डॉ. बी. भाकियाथु सालिहा, प्रोफेसर एवं प्रमुख, कृषि अनुसंधान केंद्र, कोविलपट्टी-628501 तमिलनाडु ने दिनांक 19/05/2026 को विद्यमान (अधिसूचित) किस्म की **सोरघम के 13** नामक ज्वार (सोरघम बाइकलर (एल.) मोएंच) फसल को पंजीकरण हेतु आवेदन संख्या

E8	SB17	26	829

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ---
----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के
लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सोरघम के 13**

आवेदक का नाम : तमिलनाडु कृषि विश्वविद्यालय,

आवेदक का पता : कृषि विश्वविद्यालय, कोयंबटूर-641003, तमिलनाडु

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

(क) आवेदन संख्या

: E8 SB17 26 829

(ख) प्राप्ति-तिथि

: 19/05/2026

(ग) स्वीकृति तिथि

: 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: ज्वार (सोरघम बाइकलर (एल.) मोएंछ)

नाम

: **सोरघम के 13**

किस्म का प्रकार

: विद्यमान (अधिसूचित)

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: आईसीएसबी 518 (मादा) x एसपीवी 1489 (नर)

पैतृक सामग्री का स्रोत

: अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम

: **के 12 और सीएसवी 17**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: 50 प्रतिशत पुष्पन्न का समय (50 प्रतिशत पौधों पर परागोद्भव) (गुण 3)	शीघ्र (3)
पौधा: परिपक्वता पर कुल ऊंचाई (गुण 14)	लंबा (7)
पुष्पगुच्छ: आकृति (गुण 21)	सममित (3)
दाना गहाई के पश्चात् रंग (गुण 26)	पीला-सफ़ेद (3)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

सोरघम के 13 के प्रत्याशी किस्म के विशिष्ट गुण है ग्लूम: रंग: मटमैला नारंगी और तना: व्यास (पौधे की ऊंचाई के निचले एक-तिहाई हिस्से पर) (सेमी) बड़ा।		
संदर्भ किस्मों के विशिष्ट गुण: के 12 के प्रत्याशी किस्म के विशिष्ट गुण है ग्लूम: रंग: पीला सफ़ेद और तना: व्यास (पौधे की ऊंचाई के निचले एक-तिहाई हिस्से पर) (सेमी) मध्यम। सीएसवी 17 के प्रत्याशी किस्म के विशिष्ट गुण है ग्लूम: रंग: पीला सफ़ेद और तना: व्यास (पौधे की ऊंचाई के निचले एक-तिहाई हिस्से पर) (सेमी) छोटा।		
घ. किस्म के व्यावसायीकरण की तिथि		23/06/2023
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	जल्दी पकने वाली
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	तमिलनाडु के दक्षिणी ज़िलों जैसे थूथुकुडी, तिरुनेलवेली, विरुधुनगर, रामनाथपुरम, शिवगंगा, मदुरै, थेनी, डिंडीगुल और पुदुकोट्टई के लिए उपयुक्त
	: बुवाई का समय	रबी का मौसम
	: सिंचित/वर्षा सिंचित	तमिलनाडु के दक्षिणी ज़िलों के बारिश पर निर्भर वर्टिसोल (काली मिट्टी वाले) इलाके।
	: मृदा की निम्न/उच्च उर्वरता	मध्यम से ज्यादा
3.	कीटों के प्रति प्रतिरोध/ सहनशीलता	खरीफ़ के मौसम में ज्वार की मुख्य बीमारियों के प्रति प्रतिक्रिया जानने के लिए TKSV 1036 किस्म की जाँच दो अन्य किस्मों के साथ की गई। TKSV 1036 किस्म अर्गट (0.0% संक्रमण) के प्रति बहुत ज्यादा प्रतिरोधी पाई गई; साथ ही यह डाउनी मिल्ड्यू (4.60% संक्रमण), ग्रेन मोल्ड (9.90% संक्रमण) और रस्ट के

		प्रति भी प्रतिरोधी थी, और लीफ़ ब्लाइट व एन्थ्रेक्नोज़ के प्रति इसमें मध्यम प्रतिरोध देखा गया। कृत्रिम जाँच में, TKS 1036 किस्म ग्रेन मोल्ड (4.70% गंभीरता ग्रेड) और अर्गट (6.5% गंभीरता ग्रेड) के प्रति प्रतिरोधी और डाउनी मिल्ड्यू के प्रति मध्यम प्रतिरोधी पाई गई। रबी के मौसम में, TKS 1036 किस्म डाउनी मिल्ड्यू (18.50% बाली संक्रमित), ग्रेन मोल्ड (10.20% गंभीरता ग्रेड) और अर्गट (13.50% बाली संक्रमित) के प्रति मध्यम प्रतिरोधी और पत्तियों की अन्य बीमारियों (रस्ट, एन्थ्रेक्नोज़, लीफ़ ब्लाइट) के प्रति प्रतिरोधी पाई गई।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	टीकेएसवी 1036 कल्चर सूखे के प्रति मध्यम रूप से सहनशील पाया गया।
5.	दाना के लक्षण भौतिक: क) दाने का आकार ख) दाने की चमक (उपस्थित/अनुपस्थित) ग) दाने का रंग	मध्यम क्रीम
6.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विं/एकड़)	—
7.	बीज उपज क्विंटल/हेक्टेयर (औसत)	25.75 क्विंटल/हेक्टेयर
8.	बीज: वजन (1000 बीज वजन ग्राम में)	28.0g (मध्यम)
9.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	40:20:0 किग्रा एनपीके / हेक्टेयर
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	के 13 का मूल्यांकन एग्रोनॉमी ट्रायल

		में किया गया। इसमें बारिश पर निर्भर स्थितियों में 45 × 15 cm की दूरी और 100% एनपीके (40:20:0 किग्रा/हेक्टेयर) फ़र्टिलाइज़र के इस्तेमाल के साथ, प्रति पैनिकल ज़्यादा दाने और ज़्यादा अनाज की पैदावार दर्ज करके बेहतर एग्रोनॉमिक क्षमता दिखाई दी।
चित्र- 89		सोरघम के 13 के डीयूस गुण

149. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा बहार नामक गेंदा (टैगेटेस एसपीपी. एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	TS8	26	2058

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा बहार

आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण :

E6	TS8	26	2058

आवेदन स. :

प्राप्ति तिथि : 21/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : गेंदा (टैगेटेस एसपीपी एल.)

नाम : पूसा बहार

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: विषमयुग्मजी सामग्री से एकल पौधे के माध्यम से विकसित
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: पूसा बसंती गेंदा
अधिसूचित विवरण	: एस.ओ. 4917(ई) 13/11/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: ऊँचाई – गुण: 5	मध्यम
पौधा: वृद्धि स्वभाव – गुण: 6	अर्ध-सीधा
पुष्पशीर्ष: पुष्पक प्रकार – गुण: 17	ट्यूबुलिगुलेट एवं लिगुलेट
पुष्पशीर्ष: व्यास – गुण: 18	बड़ा
केवल नलिकाकार और लिगुलेट पुष्पक प्रकार वाली किस्में: पुष्पशीर्ष: लिगुलेट पुष्पक चक्रों की संख्या – गुण: 19	अनेक
पुष्पशीर्ष: रंगों की संख्या गुण: 25	एक
केवल एक पुष्प शीर्ष रंग वाली किस्में: पुष्प शीर्ष: निम्नलिखित समूहों के साथ रंग:- गुण: 26 सफ़ेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	पीला
नलिकाकार और/या नलिकाकार पुष्पक: निम्नलिखित समूहों के साथ मुख्य रंग: - गुण: 28 सफ़ेद हल्का पीला पीला	पीला

हल्का नारंगी नारंगी लाल अन्य		
केवल दो पुष्प शीर्ष रंगों वाली किस्में: लिग्युलेट पुष्पक: निम्नलिखित समूहों के साथ मुख्य रंग: - गुण: 31 सफ़ेद हल्का पीला पीला हल्का नारंगी नारंगी लाल अन्य	--	
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा बहार के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प शीर्ष का व्यास: बहुत बड़ा और बाहरी लिगुलेट फ्लोरेट की चौड़ाई: अधिक।		
संदर्भ किस्मों के विशिष्ट गुण: पूसा बसंती गेंदा के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प शीर्ष का व्यास: मध्यम और बाहरी लिगुलेट फ्लोरेट की चौड़ाई: मध्यम।		
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं	
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	पौधे की वृद्धि स्वभाव	अर्ध-सीधा
2.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	शीघ्र
3.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	पंजाब, झारखंड, बिहार, छत्तीसगढ़, ओडिशा, नई दिल्ली, और महाराष्ट्र
	: बुवाई का समय	अक्टूबर
	: सिंचित/वर्षा आधारित	सिंचित
	: कम उर्वरता/उच्च उर्वरता	कम उपजाऊपन
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K) किग्रा/एकड़	48:32:32

5.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहनशील	बहुत कम और ज्यादा तापमान के प्रति सेंसिटिव
6.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	सेंसिटिव
7.	कीट/कीटों के प्रति प्रतिरोध/सहनशीलता	कीटों के प्रति रेसिस्टेंट/टॉलरेंट नहीं
8.	पुष्प आने में लगने वाले दिन	बीज बोने के 90-100 दिन बाद
9.	पुष्पशीर्ष: पुष्प प्रकार	ट्यूबुलेट और लिगुलेट
10.	पुष्प: रंग	पीला (पीला ग्रुप 9ए)
11.	पुष्प: सुगंध	उपस्थित
12.	फूलों की उपज किलोग्राम/एकड़ (औसत)	1000-11,500 किग्रा/एकड़
13.	व्यापार के संदर्भ में किस्म/संकर से संबंधित कोई अन्य प्रासंगिक मूल्यवर्धन जानकारी	-
पूसा बहार के डीयूएस गुण		चित्र- 97

150. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 18/03/2021 को विद्यमान(अधिसूचित) किस्म की पूसा बासमती 1985 नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E17	OS13	21	72

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: पूसा बासमती 1985
आवेदक का नाम	: आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,
आवेदक का पता	: पूसा परिसर, नई दिल्ली-110012
आवेदक की राष्ट्रीयता	: भारतीय

आवेदन का विवरण

प. आवेदन स.	:	E17	OS13	21	72
फ. प्राप्ति तिथि	:	18/03/2021			
ब. स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	:	चावल (ओरिजा सैटिवा एल.)			
नाम	:	पूसा बासमती 1985			
किस्म का प्रकार	:	विद्यमान(अधिसूचित)			
किस्म का वर्गीकरण	:	संकर			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	पीबी1509 X रॉबिन			
पैतृक सामग्री का स्रोत	:	भारतीय कृषि अनुसंधान संस्थान और उसका क्षेत्रीय केंद्र, करनाल, हरियाणा			
संदर्भ किस्मों का नाम	:	सीओ-51			
अधिसूचना विवरण	:	एस.ओ. 8 (ई) दिनांक 24.12.2021			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	जल्दी उगने वाला (3)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा (1)
छिला हुआ दाना: लंबाई (गुण 54)	बहुत लंबा (9)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	बहुत लंबा और पतला (5)
छिला हुआ दाना: रंग (गुण 57)	सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)	उपस्थित (9)
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा बासमती 1985 के प्रत्याशी किस्म के विशिष्ट गुण है दाना: 1000 पूरी तरह से विकसित दानों का वजन ज्यादा और छिला हुआ दाना: आकार (बगल से देखने पर) बहुत लंबा और पतला ।	
संदर्भ किस्मों के विशिष्ट गुण:	
सीओ-51 के विशिष्ट गुण है दाना: 1000 पूरी तरह से विकसित दानों का वजन कम और छिला हुआ दाना: आकार (बगल से देखने पर) मध्यम और पतला ।	

घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	जल्दी पकने वाली
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	पंजाब, हरियाणा, दिल्ली, उत्तराखंड, जम्मू और कश्मीर
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	मई का तीसरा हफ्ता से जून का दूसरा हफ्ता
4.	बुवाई का समय	
	बीज दर (किलोग्राम/एकड़)	
	रोपाई के बीच अंतराल	15 x 20
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	-
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	-
5.	रोग और कीटों के प्रति सहनशीलता	-
	आईपीएम विवरण अनुसूची	-
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण	
	भौतिक:	
	क) दाने का आकार (मिमी)	बहुत लंबी
	ख) ल./चौ. अनुपात	
	ग) दाने का रंग	स्ट्रॉ
8.	अनाज की उपज (क्विंटल/एकड़)	22.50
9.	बीज: वजन (1000 बीज का वजनग्रा में)	30.6
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और जरूरी	-

जानकारी।	
चित्र- 98	* पूसा बासमती 1985 के डीयूएस गुण

151. वीएनआर सीड प्राइवेट लिमिटेड की ओर से डॉ. कृष्ण चंद्र उपाध्याय, प्रमुख – अनुसंधान और विकास, सी/ओ सीएस-वीएसपीएल, वीएनआर सीड प्राइवेट लिमिटेड, कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर-492006, छत्तीसगढ़ ने दिनांक 18/03/2021 को विद्यमान(अधिसूचित) किस्म की वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E58	OS358	26	1849

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216)				
आवेदक का नाम	: वीएनआर सीड प्राइवेट लिमिटेड				
आवेदक का पता	: कॉर्पोरेट सेंटर, कैनाल रोड क्रॉसिंग, रिंग रोड नंबर 1, रायपुर-492006, छत्तीसगढ़				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
क. आवेदन स.	: <table border="1"><tr><td>E58</td><td>OS358</td><td>26</td><td>1849</td></tr></table>	E58	OS358	26	1849
E58	OS358	26	1849		
ख. प्राप्ति तिथि	: 17/08/2026				
ग. स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरण विज्ञानी वंश परंपरा)	: चावल (ओरिजा सैटिवा एल.)				
नाम	: वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216)				
किस्म का प्रकार	: विद्यमान(अधिसूचित)				
किस्म का वर्गीकरण	: संकर				

पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: ए लाइन- वीएनआरएफ -48, आर लाइन- वीएनआरआरबी - 412, बी लाइन- वीएनआरएम -48
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: स्वर्ण और पीए 6444
अधिसूचना विवरण	: एस.ओ. 6123 (ई) दिनांक 26.12.2021
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)	
आधार पत्ती: आच्छद का रंग (गुण 2)	हल्का बैंगनी (2)	
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	विलंब (7)	
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	मध्यम (5)	
छिला हुआ दाना: लंबाई (गुण 54)	मध्यम (3)	
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)	छोटा और मोटा (2)	
छिला हुआ दाना: रंग (गुण 57)	हल्का भूरा (2)	
भ्रूणपोष: एमाइलोज अंश (गुण 59)	मध्यम (5)	
छिला हुआ दाना: सुगंध (गुण 62)	अनुपस्थित (1)	
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216) के प्रत्याशी किस्म के विशिष्ट गुण है उपशूकी:वर्तिकाग्र का रंग: बैंगनी और उपशूकी: लेमा के शिरे का रंग: बैंगनी । संदर्भ किस्मों के विशिष्ट गुण: स्वर्ण और पीए 6444 के विशिष्ट गुण है उपशूकी:वर्तिकाग्र का रंग: सफ़ेद और उपशूकी: लेमा के शिरे का रंग: सफ़ेद ।		
घ. किस्म के व्यावसायीकरण की तिथि	31.05.2014	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	देर से पकने वाली
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	देर से पकने वाली
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	छत्तीसगढ़, गुजरात और महाराष्ट्र के सिंचित इलाके
4.	बुवाई का समय	खरीफ़

	बीज दर (किलोग्राम/एकड़)	6 किग्रा/एकड़
	रोपाई के बीच अंतराल	15x20
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	-
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	50:24:24 एनपीके किग्रा/एकड़
5.	रोग और कीटों के प्रति सहनशीलता	BPH और BLB के प्रति मध्यम प्रतिरोध
	आईपीएम विवरण अनुसूची	ज़रूरत के आधार पर मानक धान फसल सुरक्षा सलाह
6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	-
	क) दाने का आकार (मिमी)	लंबाई 5.8 मिमी और चौड़ाई: 2.5 मिमी
	ख) ल./चौ. अनुपात	2.3 मिमी
	ग) दाने का रंग	हल्का भूरा
8.	अनाज की उपज (क्विंटल/एकड़)	23.88
9.	बीज: वजन (1000 बीज का वजनग्रा में)	≈ 25 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	उच्च स्पाइकलेट फर्टिलिटी और एचआरआर प्रतिशत
चित्र- 99		* वीएनआर-216 वीएनआर लक्ष्मी प्लस (आईईटी 25287) (वीएनआर 216) के डीयूएस गुण

152. आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, आईसीएआर -भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान(अधिसूचित) किस्म की पूसा 2090 (आईईटी-29217) नामक चावल (ओरिजा सैटिवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E64	OS373	26	1957

को निम्नलिखित विशिष्टताओं

व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा 2090 (आईईटी-29217)

आवेदक का नाम : आईसीएआर- भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन स.	:	E64	OS373	26	1957
ख. प्राप्ति तिथि	:	20/08/2026			
ग. स्वीकृति तिथि	:	24/08/2026			

फसल (वर्गीकरण विज्ञानी वंश परंपरा) : चावल (ओरिजा सैटिवा एल.)

नाम : पूसा 2090 (आईईटी-29217)

किस्म का प्रकार : विद्यमान(अधिसूचित)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पूसा 44 /सीबी501

पैतृक सामग्री का स्रोत : आईआरआरआई से पूसा44 का अपना जर्मप्लाज्म और सीबी501

संदर्भ किस्मों का नाम : पूसा44

अधिसूचना विवरण : एस.ओ. 4388 (ई) दिनांक 08.10.2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
आधार पत्ती: आच्छद का रंग (गुण 2)	हरा (1)
शीर्षन का समय: (50% पौधों के साथ पुष्पगुच्छ)(गुण 20)	मध्यम (5)
तना: लम्बाई (पुष्पगुच्छ को छोड़कर) (गुण 29)	बहुत छोटा (1)

छिला हुआ दाना: लंबाई (गुण 54)		लंबा (5)
छिला हुआ दाना: आकार (पार्श्व दृश्य में) (गुण 56)		लंबा और पतला (5)
छिला हुआ दाना: रंग (गुण 57)		सफ़ेद (1)
भ्रूणपोष: एमाइलोज अंश (गुण 59)		मध्यम (5)
छिला हुआ दाना: सुगंध (गुण 62)		अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा 2090 (आईईटी-29217) के प्रत्याशी किस्म के विशिष्ट गुण है पताका पत्ती : फलक की प्रवृत्ति: अर्द्ध सीधा और दाना चौड़ाई: मध्यम		
संदर्भ किस्मों के विशिष्ट गुण: पूसा44 के विशिष्ट गुण है पताका पत्ती : फलक की प्रवृत्ति: अर्द्ध सीधा और दाना चौड़ाई: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		मार्च 2025
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पुष्प आने/पुष्प आने में लगने वाले दिन (औसत)	100
2.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	125-130
3.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	दिल्ली एनसीआर
4.	बुवाई का समय	जून का पहला हफ़्ता से जून का दूसरा हफ़्ता
	बीज दर (किलोग्राम/एकड़)	6-8 किग्रा/एकड़
	रोपाई के बीच अंतराल	15 x 20 सेमी
	सिंचित/वर्षा आधारित स्थितियाँ	सिंचित और रोपाई वाली
	मिट्टी की कम उर्वरता/उच्च उर्वरता	दोनों के लिए उपयुक्त
	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	50:12:12 एनपीके किग्रा/एकड़ और N को 3 बार में देना। मिट्टी की जाँच कराने की सलाह दी जाती है।
5.	रोग और कीटों के प्रति सहनशीलता	राष्ट्रीय परीक्षणों में ब्लास्ट, नेक ब्लास्ट और ब्राउन स्पॉट बीमारियों के प्रति मध्यम प्रतिरोध दिखाया। बीपीएच और लीफ़ फोल्डर का असर तुलनात्मक रूप से कम देखा गया।
	आईपीएम विवरण अनुसूची	-

6.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	-
7.	अनाज के गुण भौतिक:	विवरण
	क) दाने का आकार (मिमी)	दाने की लंबाई (मिमी)-6.3
	ख) ल./चौ. अनुपात	2.7
	ग) दाने का रंग	सफ़ेद
8.	अनाज की उपज (क्विंटल/एकड़)	35 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज का वजनग्रा में)	28.10 ग्राम
10.	संभावित पैदावार पाने के लिए किस्म/संकर से जुड़ी कोई और ज़रूरी जानकारी।	-
चित्र- 100		* पूसा 2090 (आईईटी-29217) के डीयूएस गुण

153. आत्मा राम रावत, गाँव: जिंदाना, डाकघर : आंट गढ़ी सौरा, जिला: लखनऊ-227115 की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 07/08/2025 को कृषक किस्म की **आत्मा पसंद** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F58	MI58	25	937

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं-- स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आत्मा पसंद**
आवेदक का नाम : आत्मा राम रावत
आवेदक का पता : गाँव: जिंदाना, डाकघर : आंट गढ़ी सौरा, जिला: लखनऊ-227115
आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	F58	MI58	25	937
प्राप्ति तिथि	:	07/08/2025			
स्वीकृति तिथि	:	20/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	आम (मैंगिफेरा इंडिका एल.)			
नाम	:	आत्मा पसंद			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य			
संदर्भ किस्मों का नाम	:	सुरैया			

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	बाहर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम (फल पकने के मौसम का दूसरा पखवाड़ा)
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: आत्मा पसंद के प्रत्याशी किस्म के विशिष्ट गुण है- पुष्पक्रम: अक्ष एवं शाखाओं का एंथोसियानिन रंग- अनुपस्थित अथवा निर्बल है।	
संदर्भ किस्म के विशिष्ट गुण: सुरैया के विशिष्ट गुण है- पुष्पक्रम: अक्ष एवं शाखाओं का एंथोसियानिन रंग- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*आत्मा पसंद के डीयूएस गुण

154. बिरसा कृषि विश्वविद्यालय, कांके, रांची-834006, झारखंड की ओर से डॉ. पी. के. सिंह, अनुसंधान निदेशक, अनुसंधान निदेशालय, बिरसा कृषि विश्वविद्यालय, कांके, रांची-834006, झारखंड ने दिनांक 30/06/2026 को विद्यमान (अधिसूचित) किस्म की बिरसा सोयाबीन-4 (बीएयूएस-96) नामक सोयाबीन

(ग्लाइसीन मैक्स (एल.) मेरिल) फसल को पंजीकरण हेतु आवेदन संख्या

E2	GM13	26	1115

 को चित्रों और फोटो के साथ निम्नलिखित विशिष्टताओं के साथ पंजीकरण संख्या -----लागू नहीं ----- पर - ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : बिरसा सोयाबीन-4 (बीएयूएस-96)

आवेदक का नाम : बिरसा कृषि विश्वविद्यालय

आवेदक का पता : कांके, रांची-834006, झारखंड

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E3	GM13	26	1115

प्राप्ति तिथि : 30/06/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल)

नाम : बिरसा सोयाबीन-4 (बीएयूएस-96)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : मोनेटा x ईसी 345000

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : आरकेएस-18

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	अर्ध-फैलावदार
पुष्प: रंग (गुण 7)	सफेद
फली: तारुण्यता (गुण 9)	उपस्थित
फली: तारुण्यता रंग (गुण 10)	धूसर
फली: रंग (गुण 11)	भूरा

पौधा: परिपक्वता के दिन (गुण 13)		पछेती
बीज: रंग (गुण 16)		पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिरसा सोयाबीन-4 (बीएयूएस-96) प्रत्याशी किस्म के विशिष्ट गुण है- बीज: नाभिका का रंग- भूरा है।		
संदर्भ किस्म के विशिष्ट गुण: आरकेएस-18 के विशिष्ट गुण है- बीज: नाभिका का रंग- काला है।		
घ. किस्म के व्यावसायीकरण की तिथि		--
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		-
क्र. स.	विवरण	ब्योरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	105 – 110 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	झारखण्ड
	: बुवाई का समय	मानसून की शुरुआत (15 जून से 15 जुलाई)
	: सिंचित/ वर्षा आधारित	वर्षा आधारित
	: निम्न उर्वरता/ उच्च उर्वरता	--
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)	25:60:40
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	--
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	--
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	पाउडरी मिल्ड्यू, राइजोक्टोनिया एरियल लाइट, मायरोथेसियम लीफ स्पॉट और पॉड ब्लाइट के प्रति सहनशीलता। मध्यम, डिफोलिएटर, स्टेम फ्लाई, गर्डल बीटल, डिफोलिएटर के प्रति प्रतिरोधी।
7.	बीज उपज क्विंटल/एकड़ (औसत)	28 क्विंटल/हेक्टेयर
8.	बीज: वजन (1000 बीजों का वजन ग्राम में)	--
9.	बीज: छिलके की मात्रा (%)	--
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल)	इसे अच्छी तरह से पानी निकलने वाली रेतीली दोमट से

	उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	चिकनी मिट्टी में उगाया जा सकता है, जिसमें पानी रोकने की क्षमता मध्यम हो, गहराई ठीक हो, कार्बनिक कार्बन अधिक हो और लगभग उदासीन pH वाले समतल खेत हों।
चित्र: 101		*बिरसा सोयाबीन-4 (बीएयूएस-96) के डीयूएस गुण

155. बिरसा कृषि विश्वविद्यालय, कांके, रांची-834006, झारखंड की ओर से डॉ. पी. के. सिंह, अनुसंधान निदेशक, अनुसंधान निदेशालय, बिरसा कृषि विश्वविद्यालय, कांके, रांची-834006, झारखंड ने दिनांक 30/06/2026 को विद्यमान (अधिसूचित) किस्म की **बिरसा सोयाबीन-3 (बीएयूएस-40)** नामक सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल) फसल को पंजीकरण हेतु आवेदन संख्या

E1	GM12	26	1114

को चित्रों और फोटो के साथ निम्नलिखित विशिष्टताओं के साथ पंजीकरण संख्या -----लागू नहीं ----- पर - ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **बिरसा सोयाबीन-3 (बीएयूएस-40)**

आवेदक का नाम : बिरसा कृषि विश्वविद्यालय

आवेदक का पता : कांके, रांची-834006, झारखंड

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	GM12	26	1114

प्राप्ति तिथि : 30/06/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल)

नाम : **बिरसा सोयाबीन-3 (बीएयूएस-40)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : ब्रैग x जेएस 71 – 05

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : आरकेएस-18

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)		अर्ध-फैलावदार
पुष्प: रंग (गुण 7)		सफेद
फली: तारुण्यता (गुण 9)		उपस्थित
फली: तारुण्यता रंग (गुण 10)		भूरा
फली: रंग (गुण 11)		भूरा
पौधा: परिपक्वता के दिन (गुण 13)		पछेती
बीज: रंग (गुण 16)		पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
बिरसा सोयाबीन-3 (बीएयूएस-40) प्रत्याशी किस्म के विशिष्ट गुण है- पुष्प: रंग- सफेद है।		
संदर्भ किस्म के विशिष्ट गुण:		
आरकेएस-18 के विशिष्ट गुण है- पुष्प: रंग- बैंगनी है।		
घ. किस्म के व्यावसायीकरण की तिथि		--
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		-
क्र. स.	विवरण	ब्योरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	105 – 110 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	झारखण्ड
	: बुवाई का समय	मानसून की शुरुआत (15 जून से 15 जुलाई)
	: सिंचित/ वर्षा आधारित	वर्षा आधारित
	: निम्न उर्वरता/ उच्च उर्वरता	--
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)	25:60:40
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	--
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	--

6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	फली झुलसा और बैक्टीरियल झुलसा, टारगेट लीफ स्पॉट और एरियल वेब ब्लाइट, FLS और CLS के प्रति सहनशीलता।
7.	बीज उपज क्विंटल/एकड़ (औसत)	28 क्विंटल/हेक्टेयर
8.	बीज: वजन (1000 बीजों का वजन ग्राम में)	--
9.	बीज: छिलके की मात्रा (%)	--
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	इसे अच्छी तरह से पानी निकलने वाली रेतीली दोमट से चिकनी मिट्टी में उगाया जा सकता है, जिसमें पानी रोकने की क्षमता मध्यम हो, गहराई ठीक हो, कार्बनिक कार्बन अधिक हो और लगभग उदासीन pH वाले समतल खेत हों।
चित्र: 104		*बिरसा सोयाबीन-3 (बीएयूएस-40) के डीयूएस गुण

156. पुष्पेंद्र सिंह चौहान, 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उतरठिया-226025, उत्तर प्रदेश की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 29/07/2025 को कृषक किस्म की गुलाब पसंद नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F27	MI27	25	825

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं-- स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : गुलाब पसंद
आवेदक का नाम : पुष्पेंद्र सिंह चौहान
आवेदक का पता : 591/9, श्याम नगर कॉलोनी, आरबीएल रोड, उतरठिया-226025, उत्तर प्रदेश
आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	F27	MI27	25	825
प्राप्ति तिथि	:	29/07/2025			
स्वीकृति तिथि	:	21/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	आम (मैंगिफेरा इंडिका एल.)			
नाम	:	गुलाब पसंद			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य			
संदर्भ किस्मों का नाम	:	हीरे हयात			

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: गुलाब पसंद के प्रत्याशी किस्म के विशिष्ट गुण है- डंठल: लंबाई- छोटा है।	
संदर्भ किस्म के विशिष्ट गुण: हीरे हयात के विशिष्ट गुण है- पत्ती: नोक की आकृति- लंबी है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र- 103	*गुलाब पसंद के डीयूएस गुण

157. प्रो. पद्म श्री कलीम उल्लाह खान, नई सड़क चौराहा, डाकघर : मलिहाबाद, जिला: लखनऊ-226102 की ओर से निदेशक, केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, रहमानखेड़ा, डाकघर: काकोरी, लखनऊ-227107 ने दिनांक 20/08/2025 को कृषक किस्म की मुलायम आम नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F64	MI64	25	1023

को निम्नलिखित विशिष्टताओं व

उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं---- स्वीकार किया ----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : मुलायम आम
 आवेदक का नाम : प्रो. पद्म श्री कलीम उल्लाह खान
 आवेदक का पता : नई सड़क चौराहा, डाकघर : मलिहाबाद, जिला: लखनऊ-226102
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F64	MI64	25	1023

 प्राप्ति तिथि : 20/08/2025
 स्वीकृति तिथि : 21/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)
 नाम : मुलायम आम
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : मलिहाबाद सफेदा
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

मुलायम आम के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: आधार की आकृति- कुंठित, परिपक्व फल: लंबाई (औसत)- लंबा और परिपक्व फल: चौड़ाई- चौड़ा है।	
संदर्भ किस्म के विशिष्ट गुण: मलिहाबाद सफेदा के विशिष्ट गुण है- पत्ती: आधार की आकृति- नुकीली, परिपक्व फल: लंबाई (औसत)- मध्यम और परिपक्व फल: चौड़ाई- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*मुलायम आम के डीयूएस गुण

158. एन. सी. पटेल, चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंतिगनहल्ली, जिला: बेंगलुरु-560064 की ओर से डॉ. कनुप्रिया, प्रधान वैज्ञानिक, फल फसल प्रभाग, भा.कृ.अ.प.- भारतीय बागवानी फसल संस्थान, जिला: बेंगलुरु-560089 ने दिनांक 10/06/2026 को कृषक किस्म की **पटेल समृद्धि** नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F16	SC17	26	1025

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं --- ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पटेल समृद्धि**
 आवेदक का नाम : एन. सी. पटेल
 आवेदक का पता : चिक्काकेम्पैया के बेटे, गाँव: नागदासनहल्ली, गंतिगनहल्ली, जिला: बेंगलुरु-560064
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F16	SC17	26	1025

 प्राप्ति तिथि : 10/06/2026
 स्वीकृति तिथि : 21/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : जामुन (सिजीजियम क्यूमिनी स्किल्स)
 नाम : **पटेल समृद्धि**

किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: गोमा प्रियंका
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	फैलने वाला
पत्ती का शीर्ष (गुण 5)	नुकीला
पत्ती का आधार (गुण 6)	तीव्र
परिपक्व फल: आकार (गुण 14)	आयताकार
परिपक्व फल: आधार डंठल अंत (गुण 16)	चपटा
गूदा: बीज अनुपात (गुण 26)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: पटेल समृद्धि के प्रत्याशी किस्म के विशिष्ट गुण है- पके हुए फल की लंबाई- छोटा और बीज भार- कम है।	
संदर्भ किस्म के विशिष्ट गुण : गोमा प्रियंका के विशिष्ट गुण है- पके हुए फल की लंबाई- मध्यम और बीज भार- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चित्र: उपलब्ध नहीं	*पटेल समृद्धि के डीयूएस गुण

159. तमिलनाडु कृषि विश्वविद्यालय की ओर से अधिष्ठाता, बागवानी महाविद्यालय और अनुसंधान संस्थान, तमिलनाडु कृषि विश्वविद्यालय ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की एएलआर 4 (सीआरपी 738) (आईसी 610371) नामक नारियल (कोकस न्यूसिफेरा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	CN3	26	1984

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: एएलआर 4 (सीआरपी 738) (आईसी 610371)				
आवेदक का नाम	: तमिलनाडु कृषि विश्वविद्यालय				
आवेदक का पता	: नारियल अनुसंधान केंद्र, तमिलनाडु कृषि विश्वविद्यालय, अलियार नगर, कोयंबटूर- 642101				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
क. आवेदन सं.	: <table border="1"><tr><td>E1</td><td>CN3</td><td>26</td><td>1984</td></tr></table>	E1	CN3	26	1984
E1	CN3	26	1984		
ख. प्राप्ति तिथि	: 20/08/2026				
ग. स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: नारियल (कोकोस न्यूसिफेरा एल.)				
नाम	: एएलआर 4 (सीआरपी 738) (आईसी 610371)				
किस्म का प्रकार	: विद्यमान				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: आईसी610371				
पैतृक सामग्री का स्रोत	: मधुसूदनपुरम गाँव				
संदर्भ किस्मों का नाम	: डब्ल्यूसीटी				
अधिसूचना विवरण	: एस.ओ. 3708(ई) दिनांक 08/07/2026				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: पर्णवृंत का रंग (गुण 1)	हरा
पौधा: उंचाई (गुण 4)	छोटा
पुष्प क्रम: नर और मादा प्रावस्थाओं को ओवर लैप करते हुए इंद्रा स्पैंडिक्स (गुण 15)	अनुपस्थित
फल: रंग (गुण 17)	हरा
फल: आकृति (ध्रुवीय दृश्य) (गुण 18)	अंडाकार
जटा युक्त फल: आकृति (गुण 23)	गोल
ख. प्रत्याशी किस्म के विशिष्ट गुण: एएलआर 4 (सीआरपी 738) (आईसी 610371) के प्रत्याशी किस्म के विशिष्ट गुण हैं- पुष्पक्रम: मादा पुष्पों की संख्या- मध्यम और फल: मुलायम नारियल पानी की मात्रा (मिली)- बहुत अधिक है।	
संदर्भ किस्मों के विशिष्ट गुण:	

डब्ल्यूसीटी के विशिष्ट गुण है- पुष्पक्रम: मादा पुष्पों की संख्या- अल्प और फल: मुलायम नारियल पानी की मात्रा (मिली)- अधिक है।		
घ. किस्म के व्यावसायीकरण की तिथि		29/10/2025
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	वृक्ष बढ़वार स्वभाव	लंबा
2.	बुआई के लिए उपयुक्त क्षेत्र	तमिलनाडु
3.	पुष्पगुच्छ: उद्भव (महीने में)	56
4.	पुष्पगुच्छ: वृक्ष के 50% भाग पर पुष्प खिलने का समय (क्षेत्र का मुख्य पुष्प खिलने का मौसम)	56
5.	परिपक्वता: कटाई के लिए तैयार फल (दिन)	पुष्पक्रम खुलने के 11 महीने बाद
6.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)	5वें साल से, हर पेड़ को हर साल 560g, 320g और 1200g N, P और K दें।
7.	प्रति एकड़ उपज क्षमता (औसत) (क्विंटल/एकड़)	9618 नारियल प्रति एकड़ प्रति वर्ष
8.	प्रति पौधे फलों की उपज (औसत)	137.4 नारियल प्रति वर्ष प्रति पेड़
9.	फल का वजन (ग्राम में)	1616 ग्राम
10.	शुष्क एण्डोस्पर्म वजन (ग्राम में)	152.6 ग्राम
11.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णुता	1. राइनोसेरस बीटल से पत्तियों को होने वाला नुकसान 4.6 परसेंट है (10 तक, तुरंत पौधों को बचाने के उपायों की ज़रूरत नहीं है) 2. रगोज़ स्पाइरलिंग व्हाइटफ्लाई इंसिडेंस ग्रेड इंडेक्स को कम और एरियोफिड माइट इंटेंसिटी ग्रेड इंडेक्स को हल्का माना गया है। 3. लीफ स्पॉट और लीफ ब्लाइट के लिए रेसिस्टेंट
12.	किस्म से संबंधित कोई अन्य प्रासंगिक जानकारी	यह दो उद्देश्य वाली किस्म है। यह मुलायम नारियल पानी और सख्त नारियल के लिए सही है।
चित्र- 105,106		*एएलआर 4 (सीआरपी 738) (आईसी 610371) के डीयूएस गुण

160. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. कुंवर हरेन्द्र सिंह, भा.कृ.अ.प.- राष्ट्रीय सोयाबीन अनुसंधान संस्थान, खंडवा रोड, इंदौर- 452001 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **एनआरसी 130** नामक सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल) फसल को पंजीकरण हेतु आवेदन संख्या

E4	GM19	26	1973

 को चित्रों और फोटो के साथ निम्नलिखित विशिष्टताओं के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एनआरसी 130**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद
 आवेदक का पता : कृषि भवन, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E4	GM19	26	1973

 प्राप्ति तिथि : 20/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल)
 नाम : **एनआरसी 130**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : ईसी 538828 और ईसी 390977
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **आरएससी 10 -52**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	गठा हुआ
पुष्प: रंग (गुण 7)	बैंगनी

फली: तारुण्यता (गुण 9)	अनुपस्थित
फली: तारुण्यता रंग (गुण 10)	अरोमिल
फली: रंग (गुण 11)	भूरा
पौधा: परिपक्वता के दिन (गुण 13)	मध्यम
बीज: रंग (गुण 16)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: एनआरसी 130 प्रत्याशी किस्म के विशिष्ट गुण है- बीज: नाभिका का रंग- पीला है।	
संदर्भ किस्म के विशिष्ट गुण: आरएससी 10 -52 के विशिष्ट गुण है- बीज: नाभिका का रंग- भूरा है।	
घ. किस्म के व्यावसायीकरण की तिथि	--
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	-
क्र. स.	विवरण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता
7.	बीज उपज क्विंटल/एकड़ (औसत)
8.	बीज: वजन (1000 बीजों का वजन ग्राम में)

9.	बीज: छिलके की मात्रा (%)	--
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	--
चित्र: 102		*एनआरसी 130 के डीयूएस गुण

161. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. कुंवर हरेंद्र सिंह, भा.कृ.अ.प.- राष्ट्रीय सोयाबीन अनुसंधान संस्थान, खंडवा रोड, इंदौर- 452001 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **एनआरसी 157** नामक सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल) फसल को पंजीकरण हेतु आवेदन संख्या

E3	GM18	26	1972

 को चित्रों और फोटो के साथ निम्नलिखित विशिष्टताओं के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एनआरसी 157**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद
 आवेदक का पता : कृषि भवन, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E3	GM18	26	1972

 प्राप्ति तिथि : 20/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सोयाबीन (ग्लाइसीन मैक्स (एल.) मेरिल)
 नाम : **एनआरसी 157**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : जेएस 95-60 और एजीएस 25
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : आरकेएस – 18

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बढ़वार स्वभाव (गुण 2)	अर्ध-फैलावदार
पुष्प: रंग (गुण 7)	बैंगनी
फली: तारुण्यता (गुण 9)	अनुपस्थित
फली: तारुण्यता रंग (गुण 10)	-
फली: रंग (गुण 11)	काला
पौधा: परिपक्वता के दिन (गुण 13)	मध्यम
बीज: रंग (गुण 16)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: एनआरसी 157 प्रत्याशी किस्म के विशिष्ट गुण है- फली: रंग- काला है।	
संदर्भ किस्म के विशिष्ट गुण: आरकेएस – 18 के विशिष्ट गुण है- फली: रंग- भूरा है।	
घ. किस्म के व्यावसायीकरण की तिथि	--
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	-
क्र. स.	विवरण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती
	मध्यम (90 – 92 दिन)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र
	मध्य प्रदेश
	: बुवाई का समय
	खरीफ सीजन 5 जुलाई तक
	: सिंचित/ वर्षा आधारित
	देर से हुई बारिश के तहत सिंचाई के साथ वर्षा आधारित
	: निम्न उर्वरता/ उच्च उर्वरता
	सामान्य उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)
	-
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु
	-
5.	जल ठहराव के प्रति सहनशीलता:
	बैक्टीरियल पस्ट्र्यूल और अल्टरनेरिया लीफ स्पॉट के

	संवेदनशील/सहिष्णु	लिए प्रतिरोधी
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	-
7.	बीज उपज किंवाटल/एकड़ (औसत)	1468 किग्रा/हेक्टेयर
8.	बीज: वजन (1000 बीजों का वजन ग्राम में)	9.3 ग्राम
9.	बीज: छिलके की मात्रा (%)	--
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	--
चित्र: उपलब्ध नहीं		*एनआरसी 157 के डीयूएस गुण

162. आनंद कृषि विश्वविद्यालय, विश्वविद्यालय भवन, आनंद-388110, गुजरात की ओर से डॉ. के. एन. प्रजापति, यूनिट हेड और एसोसिएट रिसर्च साइंटिस्ट, मुख्य मक्का रिसर्च स्टेशन, आनंद कृषि विश्वविद्यालय, गोधरा-389001, पंचमहल, गुजरात ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की **गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच-1911)** नामक मक्का (जिया मेज़ एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E41	ZM110	26	2064

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच-1911)**

आवेदक का नाम : आनंद कृषि विश्वविद्यालय

आवेदक का पता : विश्वविद्यालय भवन, आनंद-388110, गुजरात

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन स.	:	E41	ZM110	26	2064
ख. प्राप्ति तिथि	:	21/08/2026			
ग. स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मक्का (जिया मेज़ एल.)			
नाम	:	गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच-1911)			
किस्म का प्रकार	:	विद्यमान (वीसीके)			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	जीवाईएलएफ 219 x जीवाईएलएम 220			
पैतृक सामग्री का स्रोत	:	इन-हाउस जननद्रव्य			
संदर्भ किस्मों का नाम	:	जीएवाईएमच-1 और बायो-605			
अधिसूचना विवरण	:	एस.ओ. 2128(ई) दिनांक 13/05/2025			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: फलक की प्रवृत्ति (भुट्टा के ठीक ऊपर वाली पत्ती) (गुण 4)	मध्यम
भुट्टा: रेशमी तंतुओं के आशियाने का समय (50 प्रतिशत स्थिर पर) (गुण 11)	मध्यम
भुट्टा: रेशमी तंतुओं का एंथोसियानिन रंग (जिस दिन तंतु निकलें) (गुण 12)	उपस्थित
पौधा: लंबाई: सिर्फ़ इनब्रेड लाइन (पताका पत्ती तक) (गुण 15.1)	मध्यम
भुट्टा: दाने का प्रकार (भुट्टे के मध्यवर्ती तीसरे भाग में) (गुण 22)	चकमक
ख. प्रत्याशी किस्म के विशिष्ट गुण: गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच-1911) के प्रत्याशी किस्म के विशिष्ट गुण हैं- भुट्टा: बिना भूसी के लंबाई- लंबा और भुट्टा: बिना भूसी के व्यास- बड़ा है।	
संदर्भ किस्मों के विशिष्ट गुण: जीवाईएमच-1 और बायो-605 के विशिष्ट गुण हैं- भुट्टा: बिना भूसी के लंबाई- मध्यम और भुट्टा: बिना भूसी के व्यास- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	30/06/2026
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र.सं.	विवरण
	ब्यौरा

1.	पुष्प आने/पौधे खिलने में लगने वाले दिन: अगेती/मध्यम/पछेती	-
2.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा मौसम (क्षेत्रवार)	खरीफ, वर्षा आधारित
3.	उत्पादन की स्थिति: उपयुक्तता क्षेत्र	मध्य और उत्तरी गुजरात
4.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन-पी-के) किलोग्राम/एकड़	160:20:00
	अन्य उर्वरक किलोग्राम/एकड़	-
5.	फसल/जलवायु क्षेत्र का नाम जिसमें खेती के लिए सुझाई गई किस्म	गुजरात
6.	कीटों/रोगों के प्रति प्रतिरोध/सहिष्णुता	मध्यम प्रतिरोधी
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़) (यदि लागू हो)	709.4 क्विंटल/हेक्टेयर
8.	बीज उपज/हेक्टेयर (औसत)	-
9.	बीज: वजन (1000 बीज का वजन ग्राम में)	367 ग्राम
10.	व्यापार के संदर्भ में किस्म/संकर से संबंधित कोई अन्य प्रासंगिक मूल्य अतिरिक्त जानकारी	-
चित्र- 75		*गुजरात मक्का हाइब्रिड 5 (जीएमएच 5: पनम गोल्ड) (जीवाईएच-1911) के डीयूएस गुण

163. भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली की ओर से निदेशक, भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2024 को विद्यमान (अधिसूचित), किस्म की पूसा जवाहर अरहर ड्वार्फ 22-01 नामक अरहर (कजानस कजान एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E8	CC26	26	2060

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा जवाहर अरहर ड्वार्फ 22-01**
 आवेदक का नाम : भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान
 आवेदक का पता : पूसा परिसर, नई दिल्ली
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E8	CC26	26	2060

 प्राप्ति तिथि : 21/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अरहर (कजानस कजान एल.)
 नाम : **पूसा जवाहर अरहर ड्वार्फ 22-01**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : पूसा ड्वार्फ x आईसीपी 8863
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **उपास 120 और पूसा 992**
 अधिसूचना विवरण : एस.ओ. 2128(ई) दिनांक 13/05/2025
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 % पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	अगेती
पौधा: बढ़वार स्वभाव (गुण 4)	निश्चित
तना: रंग (गुण 5)	हरा
फली: मोमियापन (गुण 12)	उपस्थित
बीज: रंग (गुण 18)	भूरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा जवाहर अरहर ड्वार्फ 22-01 प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: पत्ती की निचली सतह पर तारुण्यता- उपस्थित और फली: मोमियापन- उपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण :	

उपास 120 और पूसा 992 के विशिष्ट गुण है- पत्ती: पत्ती की निचली सतह पर तारुण्यता- अनुपस्थित और फली: मोमियापन- अनुपस्थित है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	सिंचित/बारिश पर निर्भर, अकेली फसल के लिए सही। इसे खरीफ मौसम में समय पर बोना चाहिए और बेहतर परिणाम के लिए बोने में देरी से बचना चाहिए। मध्य प्रदेश के लिए सही।
	: बुवाई का समय	खरीफ
	: सिंचित/वर्षा आधारित	दोनों
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम से कम मध्यम उर्वरता वाली मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/हेक्टेयर	20:40:20 किग्रा/हेक्टेयर जिंक सल्फेट: 20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	-
5.	रोग एवं कीटों के प्रति प्रतिरोध/सहिष्णुता	2022 और 2023 में बहु क्षेत्रीय बुवाई में कोई बीमारी नहीं देखी गई।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम मौसम (क्षेत्रवार)	खरीफ का मौसम, जून के पहले सप्ताह में बुआई। अकेली फसल के लिए सही।
7.	प्रति पौधे फलियों की संख्या (औसत)	-
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	7.2-8.8 क्विंटल/एकड़
9.	बीज उपज क्विंटल/हेक्टेयर (औसत)	18-22 क्विंटल/हेक्टेयर
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: 107		*पूसा जवाहर अरहर ड्वार्फ 22-01 के डीयूएस गुण

164. भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली की ओर से निदेशक, भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2024 को विद्यमान (अधिसूचित), किस्म की **पूसा जवाहर अरहर 22-02** नामक अरहर (कजानस कजान एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E9	CC27	26	2061

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा जवाहर अरहर 22-02**
 आवेदक का नाम : भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान
 आवेदक का पता : पूसा परिसर, नई दिल्ली
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E9	CC27	26	2061

 प्राप्ति तिथि : 21/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अरहर (कजानस कजान एल.)
 नाम : **पूसा जवाहर अरहर 22-02**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : (एच2001-4 x आईसीपी7035) x (पूसा ड्वार्फ x आईसीपी7035)
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **एचवाई3सी और एमएएल13**
 अधिसूचना विवरण : एस.ओ. 2128(ई) दिनांक 13/05/2025
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पुष्पन का समय (50 % पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)		अति अगेती
पौधा: बढ़वार स्वभाव (गुण 4)		निश्चित
तना: रंग (गुण 5)		हरा
फली: मोमियापन (गुण 12)		उपस्थित
बीज: रंग (गुण 18)		भूरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा जवाहर अरहर 22-02 प्रत्याशी किस्म के विशिष्ट गुण है- पुष्प: पंखुड़ी के आधार का रंग- पीला और फली: खांचे- हल्के है। संदर्भ किस्म के विशिष्ट गुण : एचवाई3सी के विशिष्ट गुण है- पुष्प: पंखुड़ी के आधार का रंग- लाल है। एमएएल13 के विशिष्ट गुण है- फली: खांचे- प्रमुख है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	सिंचित/बारिश पर निर्भर, अकेली फसल के लिए सही। इसे खरीफ मौसम में समय पर बोना चाहिए और बेहतर परिणाम के लिए बोने में देरी से बचना चाहिए। मध्य प्रदेश के लिए सही।
	: बुवाई का समय	खरीफ जून का पहला सप्ताह – जुलाई का दूसरा सप्ताह
	: सिंचित/वर्षा आधारित	दोनों
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम से कम मध्यम उर्वरता वाली मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/हेक्टेयर	20:40:20 किग्रा/हेक्टेयर जिंक सल्फेट: 20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	-
5.	रोग एवं कीटों के प्रति प्रतिरोध/सहिष्णुता	2022 और 2023 में बहु क्षेत्रीय बुवाई में कोई बीमारी नहीं देखी गई।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम	खरीफ का मौसम, जून के पहले सप्ताह में बुआई।

	मौसम (क्षेत्रवार)	अकेली फसल के लिए सही।
7.	प्रति पौधे फलियों की संख्या (औसत)	-
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	7.46 क्विंटल/एकड़
9.	बीज उपज क्विंटल/हेक्टेयर (औसत)	18-65 क्विंटल/हेक्टेयर
10.	किस्म/संकर (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार) से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: 108		*पूसा जवाहर अरहर 22-02 के डीयूएस गुण

165. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 23/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा भिंडी-5 (डीओवी-66) नामक भिण्डी (एबेलमोसचस एस्कुलेंटस (एल.) मोएंच.) फसल को पंजीकरण हेतु आवेदन संख्या

E25	AE44	26	208

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा भिंडी-5 (डीओवी-66)
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद
 आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E25	AE44	26	2088

 प्राप्ति तिथि : 21/08/2026
 स्वीकृति तिथि : 24/08/2025
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : भिण्डी (एबेलमोसचस एस्कुलेंटस (एल.) मोएंच.)

नाम	: पूसा भिंडी-5 (डीओवी-66)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सी-316 x डीओवी-77
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: पूसा सावनी
अधिसूचना विवरण	: एस.ओ.692(ई). दिनांक 05/02/2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
तना: रंग (गुण 1)	गहरा हरा	
तना: प्रथम पुष्पन पर नोड्स की संख्या (गुण 2)	मध्यम	
पत्रदल: लोबिंग की गहराई (गुण 4)	मध्यम	
पुष्प: आधार पंखुडी का रंग (लाल बैंगनी) (गुण 14)	-	
फल: रंग (गुण 18)	-	
फल: लोक्यूल्स की संख्या (गुण 26)	5	
पौधा: शाखाओं की संख्या (गुण 29)	मध्यम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा भिंडी-5 (डीओवी-66) के प्रत्याशी किस्म के विशिष्ट गुण है- तना: रंग- गहरा हरा और पत्रदल: शिराओं के बीच का रंग- हरा है।		
संदर्भ किस्म के विशिष्ट गुण: पूसा सावनी के विशिष्ट गुण है- तना: रंग- हल्का हरा और पत्रदल: शिराओं के बीच का रंग- हल्का हरा है।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	शीघ्र
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	राष्ट्रीय राजधानी क्षेत्र दिल्ली
	बुवाई का समय	खरीफ सीजन – जून-जुलाई और फरवरी-मार्च
	सिंचित/वर्षा सिंचित	-

	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की सामान्य उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	-
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान के प्रति सहनशील
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	-
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	बीवाईएमवी के प्रति प्रतिरोधी
7.	स्टेकिंग और छंटाई प्रथाएँ	-
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (किबंटल/एकड़)	-
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	18.0 टन/हेक्टेयर
11.	फल की गुणवत्ता और फल की दृढ़ता	-
12.	फल चुनने का कार्यक्रम	-
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	फल आकर्षक गहरे हरे रंग के, 5 धारियां और चिकनी सतह वाले होते हैं
चित्र 109 –		*पूसा भिंडी-5 (डीओवी-66) के डीयूएस गुण

166. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110012 की ओर से डॉ. लक्ष्मी कांत, निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601, उत्तराखंड ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएल माधुरी (वीपी एसपी 906-1)** नामक मटर (पिसम सैटिवम एल.) विलेजक फसल को पंजीकरण हेतु आवेदन संख्या

E2	PS3	26	1896

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।
उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीएल माधुरी (वीपी एसपी 906-1)**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
 आवेदक का पता : कृषि भवन, नई दिल्ली-110012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E2	PS3	26	1896

 प्राप्ति तिथि : 18/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मटर (पिसम सैटिवम एल.)
 नाम : **वीएल माधुरी (वीपी एसपी 906-1)**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : वीपी-906 की आबादी से चुना गया म्यूटेंट
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **आर्केल**
 अधिसूचित विवरण : एस.ओ. 1362 (ई) 12.03.2024
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अनुपुर्ण: खरगोश के कान के समान अनुपुर्ण(गुण6)	उपस्थित (9)
पुष्प: खिलना (दिन)(गुण8)	मध्यम (3)
फली: सिरों की आकृति (गुण12)	नुकीला (1)
पौधा: ऊंचाई(गुण14)	मध्यम (5)
बीज: आकृति (गुण15)	गड्ढेदार (3)
बीज: बीजपत्र का रंग (गुण17)	हरा (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएल माधुरी (वीपी एसपी 906-1) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: बीजपत्र का रंग: हरा और बीज: 1000 बीजों का वजन: मध्यम	
संदर्भ किस्म के विशिष्ट गुण: आर्केल के प्रत्याशी किस्म के विशिष्ट गुण है बीज: बीजपत्र का रंग: क्रीम और बीज: 1000 बीजों का वजन: बड़ा	

घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	120-124 दिनों में कच्ची हरी फलियों की पहली तुड़ाई (मध्य पहाड़ी इलाके, समुद्र तल से 1250 मीटर ऊंचाई) पहाड़ी इलाकों में ऑफ-सीजन (अगस्त में रोपाई) (समुद्र तल से 1800-2000 मीटर ऊंचाई): 85-90 दिनों में हरी फलियों की पहली तुड़ाई
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	जोन IV (पंजाब, उत्तर प्रदेश, बिहार और झारखंड)
	: बुवाई का समय	नवंबर का दूसरा हफ्ता (मध्य ऊंचाई वाले पहाड़ी इलाके) पहाड़ों में ऑफ-सीजन: 15 अगस्त – अगस्त का आखिरी हफ्ता (समुद्र तल से 1800-2000 मीटर की ऊंचाई)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अच्छे नतीजों के लिए मिट्टी की उपजाऊ क्षमता मध्यम से अधिक होनी चाहिए
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	सिंचित: 8:24:16 किग्रा N:P2O5:K2O और 4-6 टन FYM/एकड़ (ताजा वजन)
4.	प्रतिकूल तापमान/ठंड/और गर्मी के प्रति सहनशीलता/सहिष्णुता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहिष्णुता	लागू नहीं
6.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा उगने का मौसम (क्षेत्रवार)	नवंबर का दूसरा हफ्ता (बुवाई का समय इस तरह तय करें कि पुष्प आने का समय पाले (frosting) के समय के साथ न पड़े)
7.	प्रति पौधे फलियों की संख्या (औसत)	14-20
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	130 क्विंटल/हेक्टेयर (हरी फली)
9.	बीज उपज क्विंटल/एकड़ (औसत)	50
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (कम/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	खाने योग्य फली वाली किस्म, मध्यम समय में तैयार होने वाली किस्म;

		फलियां लंबी, आकर्षक हरी और मुड़ी हुई होती हैं। बीज बड़े, झुर्रीदार और हरे-पीले रंग के होते हैं।
वीएल माधुरी (वीपी एसपी 906-1) के डीयूएस गुण		चित्र- 110

167. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110012 की ओर से डॉ. लक्ष्मी कांत, निदेशक, आईसीएआर-विवेकानंद पर्वतीय कृषि अनुसंधान संस्थान, अल्मोडा-263601, उत्तराखंड ने दिनांक 18/08/2026 को विद्यमान (अधिसूचित) किस्म की **वीएल उपहार (वीपी 1429)** नामक मटर (पिसम सैटिवम एल.) विल्लेक) फसल को पंजीकरण हेतु आवेदन संख्या

E3	PS4	26	1897

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वीएल उपहार (वीपी 1429)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E3	PS4	26	1897

प्राप्ति तिथि : 18/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मटर (पिसम सैटिवम एल.)

नाम : **वीएल उपहार (वीपी 1429)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : वीपी 1126/पीसी 531

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **वीएल सब्जी मटर 13 (वीपी 907)**

अधिसूचित विवरण : एस.ओ. 1362 (ई) 12.03.2024

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
अनुपर्ण: खरगोश के कान के समान अनुपर्ण(गुण6)		उपस्थित (9)
पुष्प: खिलना (दिन)(गुण8)		मध्यम (3)
फली: सिरों की आकृति (गुण12)		नुकीला (1)
पौधा: ऊँचाई(गुण14)		छोटा (5)
बीज: आकृति (गुण15)		गड्ढेदार (3)
बीज: बीजपत्र का रंग (गुण17)		हरा (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: वीएल उपहार (वीपी 1429) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: खिलना (दिन): मध्यम और फली: झुकाव: कम		
संदर्भ किस्म के विशिष्ट गुण: वीएल सब्जी मटर 13 (वीपी 907) के प्रत्याशी किस्म के विशिष्ट गुण है पुष्प: खिलने का समय (दिन): जल्दी और फली: झुकाव: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	जल्दी तैयार होने वाली (125-127 दिन); पहाड़ी इलाकों के निचले हिस्सों में पहली तुड़ाई
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	ज़ोन I (उत्तराखंड, हिमाचल प्रदेश, जम्मू-कश्मीर)
	: बुवाई का समय	नवंबर का आखिरी हफ़्ता (बुवाई का समय इस तरह तय करें कि पुष्प आने का समय पाले/ठंड के समय से न टकराए) पहाड़ों में ऑफ-सीज़न: 15 अगस्त – अगस्त का आखिरी हफ़्ता (समुद्र तल से 1800-2000 मीटर की ऊँचाई)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अच्छे नतीजों के लिए मिट्टी की उपजाऊ क्षमता मध्यम से ज्यादा होनी चाहिए
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	सिंचित: 8:24:16 किग्रा N:P2O5:K2O और 4-6 टन FYM/एकड़ (ताज़ा वज़न) बेसल (बुवाई के समय): N, P, K, FYM

4.	प्रतिकूल तापमान/ठंड/और गर्मी के प्रति सहनशीलता/सहिष्णुता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहिष्णुता	लागू नहीं
6.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा उगने का मौसम (क्षेत्रवार)	नवंबर का आखिरी हफ़्ता (बुवाई का समय इस तरह तय करें कि पुष्प आने का समय पाले/ठंड के समय से न टकराए)
7.	प्रति पौधे फलियों की संख्या (औसत)	10-15
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विं/एकड़)	40-48 क्विंटल/एकड़ (हरी फलियाँ)
9.	बीज उपज क्विं/एकड़ (औसत)	4
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (कम/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	जल्दी तैयार होने वाली किस्म; रबी के मौसम में पाउडरी मिल्ड्यू (फफूंदी) से बची रहती है। फलियाँ लंबी, आकर्षक हरी और मुड़ी हुई होती हैं। बीज बड़े, झुर्रीदार और हरे-पीले रंग के होते हैं।
वीएल उपहार (वीपी 1429) के डीयूएस गुण		चित्र- 111

168. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110012 की ओर से डॉ. हंस राज महला, प्रधान वैज्ञानिक, आईसीएआर- केंद्रीय शुष्क क्षेत्र अनुसंधान संस्थान (काज़री), काज़री रोड, आईटीआई सर्कल के पास, लाइट इंडस्ट्रियल एरिया, जोधपुर-34 E1 VA3 26 1933 6 को विद्यमान (अधिसूचित) किस्म की काज़री मोठ-4 (सीजेडएमओ-18-2) नामक मोठ दाल (विग्ना एकोनिटीफोलिया (जैक.) मारेचल) फसल को पंजीकरण हेतु आवेदन संख्या को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काज़री मोठ-4 (सीजेडएमओ-18-2)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E1	VA3	26	1933
प्राप्ति तिथि	:	18/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	मोठ दाल (विग्ना एकोनिटीफोलिया (जैक्.) मारेचल)			
नाम	:	काज़री मोठ-4 (सीजेडएमओ-18-2)			
किस्म का प्रकार	:	विद्यमान (अधिसूचित)			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	काजरी मोठ -2 का उपयोग करके म्यूटेशन ब्रीडिंग			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म			
संदर्भ किस्मों का नाम	:	काजरी मोठ -2			
अधिसूचित विवरण	:	एस.ओ. 1560 (ई) 26.03.2024			
किस्म का विवरण:					

क. समूह के गुण		टिप्पणी (मापित मान)
पौधे का प्रकार (गुण 1)		आधा-सीधा (3)
सबसे ऊपरी पत्ते (लीफलेट) का कटाव (मुख्य तने पर 5वां पूरी तरह खुला पत्ता) (गुण 4)		कम गहरा (3)
पुष्प के डंठल की लंबाई (cm) (गुण 8)		मध्यम (5)
प्रति पौधा गुच्छों की संख्या (गुण 10)		अधिक (7)
बीज का रंग (गुण 13)		मध्यम भूरा (7)
ख. प्रत्याशी किस्म के विशिष्ट गुण: काजरी मोठ-4 (सीजेडएमओ-18-2) के प्रत्याशी किस्म के विशिष्ट गुण है प्रति पौधा गुच्छों की संख्या: उच्च और प्रति पौधे फलियों की संख्या: अधिक		
संदर्भ किस्म के विशिष्ट गुण: काजरी मोठ -2 के प्रत्याशी किस्म के विशिष्ट गुण है प्रति पौधा गुच्छों की संख्या: मध्यम और प्रति पौधे फलियों की संख्या: मध्यम		
घ. किस्म के व्यावसायीकरण की तिथि		30/05/2025
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	राजस्थान, गुजरात, महाराष्ट्र और कर्नाटक
	: बुवाई का समय	जुलाई के पहले हफ्ते से अगस्त के दूसरे

		पखवाड़े तक
	: सिंचित/वर्षा सिंचित	बारिश पर निर्भर
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	कम उपजाऊपन
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किलोग्राम/एकड़	10 किग्रा नाइट्रोजन : 20 किग्रा फॉस्फोरस प्रति एकड़
4.	प्रतिकूल तापमान/ठंड/और गर्मी के प्रति सहनशीलता/सहिष्णुता	गर्मी सहने की क्षमता
5.	कीटों के प्रति प्रतिरोध/सहिष्णुता	कीड़ों के प्रति सहनशीलता
6.	संभावित उपज प्राप्त करने के लिए सबसे अच्छा उगने का मौसम (क्षेत्रवार)	खरीफ़
7.	प्रति पौधे फलियों की संख्या (औसत)	45-50
8.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विं/एकड़)	3-4 क्विंटल/एकड़
9.	बीज उपज क्विं/एकड़ (औसत)	3-4 क्विंटल/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (कम/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	उपलब्ध नहीं
काज़री मोठ-4 (सीजेडएमओ-18-2) के डीयूएस गुण		चित्र- 112,113

169. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **पूसा चिक्कपी 20211 (पूसा चिक्कपी मानव)** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	CA9	26	1974

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा चिक्कपी 20211 (पूसा चिक्कपी मानव)**

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

E1	CA9	26	1974

आवेदन स.	:
प्राप्ति तिथि	: 20/08/2026
स्वीकृति तिथि	: 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: चना (सिसर एरीटिनम एल.)
नाम	: पूसा चिक्कपी 20211 (पूसा चिक्कपी मानव)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: [(*3 पूसा 391///(पूसा 391/वीआर315)-3]
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: पूसा 391
अधिसूचित विवरण	: एस.ओ. 500 (ई) 29.01.2021
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	विलंब
पुष्प: रंग (गुण 9)	गुलाबी
बीज: रंग (गुण 15)	क्रीम
बीज: आकार (गुण 16)	बड़ा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा चिक्कपी 20211 (पूसा चिक्कपी मानव) के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: फैलने वाला; बीज: रंग: क्रीमी बेज	
संदर्भ किस्मों के विशिष्ट गुण: पूसा 391 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: आधा-सीधा और बीज: रंग: भूरा	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/वर्षा सिंचित
	बुवाई की तारीख से 108 दिन
	सीजेड
	सही समय पर बुवाई (20 अक्टूबर-10 नवंबर)
	सिंचित

	: मिट्टी की कम उर्वरता/उच्च उर्वरता	लागू नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	यह फ्यूसेरियम विल्ट (सूखने की बीमारी) के प्रति बहुत ज्यादा प्रतिरोधी है। यह ड्राई रूट रॉट, कॉलर रॉट और स्टंट के प्रति मध्यम रूप से प्रतिरोधी है। यह पॉड बोरेर (फली छेदक कीट) के प्रति मध्यम रूप से प्रतिरोधी है। यह बहुत ज्यादा शाखाओं वाली किस्म है जिसमें प्रति यूनिट फलियों की संख्या अधिक होती है। ड्राई रूट रॉट के प्रति प्रतिरोधी से लेकर मध्यम रूप से प्रतिरोधी।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दाने का रंग, आकार और बनावट बहुत अच्छी है। इसके 100 बीजों का औसत वजन 19.5 ग्राम है। इसके दाने में प्रोटीन की मात्रा 18.92 प्रतिशत है।
7.	प्रति पौधे फलियों की संख्या (औसत)	39.15 किंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	25.33 किंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	19.5 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	इसके दाने का रंग, आकार और बनावट बहुत अच्छी है। इसके 100 बीजों का औसत वजन 19.5 ग्राम है। इसके दाने में प्रोटीन की मात्रा 18.92 प्रतिशत है।
पूसा चिक्कपी 20211 (पूसा चिक्कपी मानव) के डीयूएस गुण		चित्र- 114,115

170. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा चिक्कपी विजय (बीजीएम 10217) नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CA10	26	1975

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा चिक्कपी विजय (बीजीएम 10217)

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E2	CA10	26	1975

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : पूसा चिक्कपी विजय (बीजीएम 10217)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : जेजी 11 x आईसीसी 4958

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : केडब्ल्यूआर 108

अधिसूचित विवरण : एस.ओ. 4222 (ई) 25.09.2023

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	विलंब
पुष्प: रंग (गुण 9)	गुलाबी

बीज: रंग (गुण 15)		हरा
बीज: आकार (गुण 16)		बड़ा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा चिक्कपी विजय (बीजीएम 10217) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): छोटा और बीज: आकार: चिकना		
36. संदर्भ किस्मों के विशिष्ट गुण: केडब्ल्यूआर 108 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): मध्यम और बीज: आकार: गांठदार		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	औसत 128 दिनों के साथ 125-137 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	उत्तर प्रदेश
	: बुवाई का समय	सही समय पर बुवाई (20 अक्टूबर-10 नवंबर)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	जानकारी उपलब्ध नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	जानकारी उपलब्ध नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	यह फ्यूसेरियम विल्ट (सूखा रोग) के प्रति बहुत ज्यादा प्रतिरोधी है।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दाने का रंग, आकार और बनावट बहुत अच्छी है। इसके 100 बीजों का औसत वजन 18.5 ग्राम है।
7.	प्रति पौधे फलियों की संख्या (औसत)	24.25 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	21.53 क्विंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	18.5 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	अनुकूलन के लिए खास इलाके: उत्तर

(निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	प्रदेश का पश्चिमी और बुंदेलखंड क्षेत्र
पूसा चिक्कपी विजय (बीजीएम 10217) के डीयूएस गुण	चित्र- 116

171. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा चिक्कपी 10216 (बीजीएम 10216) नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E3	CA11	26	1976

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा चिक्कपी 10216 (बीजीएम 10216)

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E3	CA11	26	1976

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : पूसा चिक्कपी 10216 (बीजीएम 10216)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पूसा 372/ आईसीसी 4958//पूसा 372*3

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : बीजी 372

अधिसूचित विवरण : एस.ओ. 99 (ई) 06.01.2020

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)		विलंब
पुष्प: रंग (गुण 9)		गुलाबी
बीज: रंग (गुण 15)		हरा
बीज: आकार (गुण 16)		छोटा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा चिक्कपी 10216 (बीजीएम 10216) के प्रत्याशी किस्म के विशिष्ट गुण है बीज:धारियां: उपस्थित		
संदर्भ किस्मों के विशिष्ट गुण: बीजी 372 के प्रत्याशी किस्म के विशिष्ट गुण है बीज:धारियां: अनुपस्थित		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	औसत 110 दिनों के साथ 108-112 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	सेंट्रल ज़ोन
	: बुवाई का समय	सही समय पर बुआई (20 अक्टूबर-10 नवंबर)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	जानकारी उपलब्ध नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	जानकारी उपलब्ध नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	यह फ्यूसेरियम विल्ट (सूखने की बीमारी) के प्रति बहुत ज़्यादा प्रतिरोधी है। यह ड्राई रूट रॉट, कॉलर रॉट और स्टंट के प्रति मध्यम रूप से प्रतिरोधी है। यह पॉड बोरोर (फली छेदक कीट) के प्रति मध्यम रूप से प्रतिरोधी है। यह बहुत ज़्यादा शाखाओं वाली किस्म है जिसमें प्रति यूनिट फलियों की संख्या ज़्यादा होती है। ड्राई रूट रॉट

		के प्रति प्रतिरोधी से लेकर मध्यम रूप से प्रतिरोधी।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	मध्यम आकार के आकर्षक भूरे रंग के बीज, 100 बीजों का वजन 22.2 ग्राम।
7.	प्रति पौधे फलियों की संख्या (औसत)	25.75 किंवटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	14.75 किंवटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	22.2 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	बीजीएम 10216, पूसा 372 की सूखा-सहनशील इंटोग्रेसन लाइन है, जिसे आईसीएआर-आईएआरआई, नई दिल्ली में विकसित किया गया है। इसमें एलजी 4 लोकस पर "क्यूटीएल हॉट स्पॉट" है जो सूखा सहन करने की क्षमता देता है; इसे एमएबीसी के जरिए आईसीसी 4958 से इंटोग्रेस किया गया है।
पूसा चिक्कपी 10216 (बीजीएम 10216) के डीयूएस गुण		चित्र- 117

172. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा चिक्कपी 3057 (बीजी 3057) नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E4	CA12	26	1977

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा चिक्कपी 3057 (बीजी 3057)

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>E4</td><td>CA12</td><td>26</td><td>1977</td></tr></table>	E4	CA12	26	1977
E4	CA12	26	1977			
प्राप्ति तिथि	:	20/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	चना (सिसर एरीटिनम एल.)				
नाम	:	पूसा चिक्कपी 3057 (बीजी 3057)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	एफएलआईपी 94-509सी x पूसा 1088				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	पूसा 1088				
अधिसूचित विवरण	:	एस.ओ. 1560 (ई) 26.03.2024				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र
पुष्प: रंग (गुण 9)	गुलाबी
बीज: रंग (गुण 15)	ग्रे
बीज: आकार (गुण 16)	अधिक बड़ा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा चिक्कपी 3057 (बीजी 3057) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): बहुत बड़ा	
संदर्भ किस्मों के विशिष्ट गुण: पूसा 1088 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): बड़ा	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	ब्यौरा
	औसतन 138 दिनों के साथ 135-140 दिन
	एनसीआर, राजस्थान, हरियाणा और पश्चिमी यूपी

	: बुवाई का समय	सही समय पर बुवाई (20 अक्टूबर-10 नवंबर)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	जानकारी उपलब्ध नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	जानकारी उपलब्ध नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	यह फ्यूसेरियम विल्ट और कॉलर रॉट के प्रति बहुत ज्यादा प्रतिरोधी है; ड्राई रूट रॉट, एस्कोचाइटा ब्लाइट और बोट्राइटिस ग्रे मोल्ड के प्रति मध्यम रूप से प्रतिरोधी है
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके बीज बड़े होते हैं और दाने का रंग और आकार बहुत बढ़िया होता है। इसके 100 बीजों का वजन 30-35 ग्राम होता है
7.	प्रति पौधे फलियों की संख्या (औसत)	24.25 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	20.1 क्विंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	35 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	इसके बीज बड़े होते हैं और दाने का रंग और आकार बहुत अच्छा होता है। इसके 100 बीजों का वजन 30-35 ग्राम होता है। इसमें बहुत ज्यादा शाखाएँ होती हैं और प्रति यूनिट एरिया में फलियों की संख्या ज्यादा होती है
पूसा चिक्कपी 3057 (बीजी 3057) के डीयूएस गुण		चित्र-118

173. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **पूसा पार्वती (बीजी 3062)** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E5	CA13	26	1978

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं----- स्वीकार किया ----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा पार्वती (बीजी 3062)**
 आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,
 आवेदक का पता : पूसा परिसर, नई दिल्ली-110012
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

E5	CA13	26	1978

 आवेदन स. :
 प्राप्ति तिथि : 20/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)
 नाम : **पूसा पार्वती (बीजी 3062)**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : आईसीसीवी 10 x आईसीसीएल 87332
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **जेजी16**
 अधिसूचित विवरण : एस.ओ. 1560 (ई) 26.03.2024
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	-
पुष्प: रंग (गुण 9)	गुलाबी

बीज: रंग (गुण 15)		क्रीम
बीज: आकार (गुण 16)		बड़ा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा पार्वती (बीजी 3062) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: रंग: भूरा		
संदर्भ किस्मों के विशिष्ट गुण: जेजी16 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: रंग: गहरा भूरा		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	120-128 दिन (औसत 124 दिन)
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	सीजेड
	: बुवाई का समय	सही समय पर बुवाई (20 अक्टूबर-10 नवंबर)
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	लागू नहीं
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	लागू नहीं
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	विल्ट (सूखा रोग) के प्रति बहुत ज्यादा प्रतिरोधी (24R और 10MR ड्राई रूट रॉट (सूखी जड़ सड़न) के प्रति प्रतिरोधी (4R और 5MR)) स्टंट (बौनापन) के प्रति प्रतिरोधी (2R और 2MR) पॉड बोअर (फली छेदक): सहनशील
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दाने का रंग, आकार और रूप बहुत बढ़िया है। इसके 100 बीजों का औसत वजन 21 ग्राम है। इसके दानों में प्रोटीन की मात्रा 24.8 प्रतिशत है।
7.	प्रति पौधे फलियों की संख्या (औसत)	24.25 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	21.53 क्विंटल/हेक्टेयर

9.	बीज उपज क्यू/एकड़ (औसत)	23.0 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	यह किस्म मशीनी कटाई के लिए उपयुक्त है। सीधा बढ़ने वाला पौधा, जिसमें खूब शाखाएँ होती हैं और पत्तियाँ हल्के हरे रंग की होती हैं।
पूसा पार्वती (बीजी 3062) के डीयूएस गुण		चित्र- 119

174. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) की पूसा जवाहर अरहर 21-29 नामक अरहर (कैजेनस कैजन (एल.) मिलस्प.) फसल को पंजीकरण हेतु आवेदन संख्या

E9	CC28	26	2062

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं-- स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा जवाहर अरहर 21-29

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण :

आवेदन स. : 21/08/2026

प्राप्ति तिथि : 24/08/2026

स्वीकृति तिथि : अरहर (कैजेनस कैजन (एल.) मिलस्प.)

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पूसा जवाहर अरहर 21-29

नाम : विद्यमान (अधिसूचित)

किस्म का प्रकार : प्रारूप

किस्म का वर्गीकरण : लागू नहीं

पहले प्रस्तावित नाम : पूसा ड्वार्फ x आईसीपी 8863

पैतृक सामग्री का नाम : अपना जर्मप्लाज्म

पैतृक सामग्री का स्रोत :

संदर्भ किस्मों का नाम : **मनक**
 अधिसूचित विवरण : एस.ओ. 2128 (ई) 13.05.2025
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र
पौधा: बढ़वार स्वभाव (गुण 4)	निश्चित
तना: रंग (गुण 5)	हरा
फली: मोमियापन (गुण 12)	उपस्थिति
बीज: रंग (गुण 18)	भूरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा जवाहर अरहर 21-29 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: निश्चित और पत्ती: आकृति: लंबाकार	
संदर्भ किस्मों के विशिष्ट गुण: मनक के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: वृद्धि स्वभाव: अनिश्चित और पत्ती: आकृति: संकरी	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/वर्षा सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता

3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	शुरुआत में एन:पी:के 40:20:20 किग्रा/हेक्टेयर के हिसाब से खाद दें
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	-
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	खरीफ 2022 और 2023 दोनों सालों में कई जगहों पर हुए ट्रायल में किसी भी जगह बीमारी का कोई असर नहीं देखा गया। IARI, नई दिल्ली में भी बीमारी का कोई असर नहीं देखा गया
6.	संभावित पैदावार पाने के लिए सबसे अच्छा उगाने का मौसम (ज़ोन के अनुसार)	खरीफ़ का मौसम, जून के पहले हफ़्ते में बुआई। अकेले फ़सल उगाने के लिए उपयुक्त
7.	दाने की विशेषताएँ (भौतिक)	
	(a) दाने का आकार (सेमी)	बहुत बड़ा
	(b) बीज की चमक (है/नहीं है)	मौजूद
	I बीज का रंग	भूरा
8.	ज़ोन के अनुसार संभावित पैदावार (q/ac) (औसत)	7.80 क्विंटल/एकड़
9.	बीज की पैदावार क्यू/एकड़ (औसत)	औसत पैदावार 1916.67 किग्रा/हेक्टेयर पैदावार की क्षमता 1950.70 क्विंटल/हेक्टेयर
10.	बीज: वज़न (100 बीजों का वज़न g में)	12.98 ग्राम
	किस्म/हाइब्रिड से जुड़ी कोई अन्य ज़रूरी जानकारी (कम/मध्यम/ज़्यादा पानी के इस्तेमाल की क्षमता वाला प्रकार)	लागू नहीं
पूसा जवाहर अरहर 21-29 के डीयूएस गुण		चित्र- 120

175. कृषि विज्ञान विश्वविद्यालय, यूएस-आर, क्षेत्रीय कृषि अनुसंधान स्टेशन, कालाबुरागी-585101, कर्नाटक की ओर से डॉ. प्रभुराज ए. अनुसंधान निदेशक, कृषि विज्ञान विश्वविद्यालय, रायचूर ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की **केसीडी-11 (केसीडी-2019-05)** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E5	CA13	26	1978

को निम्नलिखित विशिष्टताओं

व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं--
स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध
करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केसीडी-11 (केसीडी-2019-05)**

आवेदक का नाम : कृषि विज्ञान विश्वविद्यालय,

आवेदक का पता : यूएस-आर, क्षेत्रीय कृषि अनुसंधान स्टेशन, कालाबुरागी-
585101, कर्नाटक

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E5	CA13	26	1978

प्राप्ति तिथि : 21/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : **केसीडी-11 (केसीडी-2019-05)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : जेजी-11 x डब्लूआर-315

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **डब्लूआर-315**

अधिसूचित विवरण : एस.ओ. 4388 (ई) 08.10.2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र
पुष्प: रंग (गुण 9)	गुलाबी
बीज: रंग (गुण 15)	भूरा
बीज: आकार (गुण 16)	छोटा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

केसीडी-11 (केसीडी-2019-05) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): छोटा		
संदर्भ किस्मों के विशिष्ट गुण: डब्लूआर-315 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): अधिक छोटा		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	15 सितंबर से 15 अक्टूबर
	: बुवाई का समय	अक्टूबर
	: सिंचित/वर्षा सिंचित	बारिश पर निर्भर
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	सभी तरह की मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	9:23:0 किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	गर्मी और सूखे को सहने वाली किस्म
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	फ्यूसेरियम विल्ट (सूखा रोग) के प्रति मध्यम प्रतिरोधक
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	क्षमता अक्टूबर का पहला हफ्ता: पूरे कर्नाटक में
7.	प्रति पौधे फलियों की संख्या (औसत)	27-40
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	ज़ोन 1: 7.46 क्विंटल/एकड़ ज़ोन 2: 5.44 क्विंटल/एकड़ ज़ोन 3: 9.61 क्विंटल/एकड़
9.	बीज उपज क्यू/एकड़ (औसत)	6-8 क्विंटल/एकड़
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	जेजी-11 की तुलना में ज्यादा प्रोटीन, आयरन और जिंक
केसीडी-11 (केसीडी-2019-05) के डीयूएस गुण		चित्र- 121

176. श्री कृष्णा नाइक के., पुत्र कसानु नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलोर नॉर्थ-560065 की ओर से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएस, जीकेवीके, बेंगलोर-560065 ने दिनांक 22/12/2025 को कृषक किस्म की **केवीएके हनी जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F19	AHL20	25	1367

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केवीएके हनी जैक**
 आवेदक का नाम : श्री कृष्णा नाइक के.,
 आवेदक का पता : पुत्र कसानु नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलोर नॉर्थ-560065
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F19	AHL20	25	1367

 प्राप्ति तिथि : 22/12/2025
 स्वीकृति तिथि : 19.08.2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **केवीएके हनी जैक**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **स्वर्ण**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
गुच्छे की बनावट (गुण 28)	मजबूत
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: केवीएके हनी जैक के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक आकृति: अंडाकार और बीज का रंग :भूरा	
संदर्भ किस्म के विशिष्ट गुण: स्वर्ण के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक आकृति: दीर्घ वृत्ताकार और बीज का रंग :क्रीम	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
केवीएके हनी जैक के डीयूएस गुण	

177. श्री कृष्णा नाइक के., पुत्र कसानु नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलोर नॉर्थ-560065 की ओर से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएस, जीकेवीके, बेंगलोर-560065 ने दिनांक 22/12/2025 को कृषक किस्म की **केकेवीआर ओआरईडी जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F20	AHL21	25	1368

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केकेवीआर ओआरईडी जैक**

आवेदक का नाम : श्री कृष्णा नाइक के.,

आवेदक का पता : पुत्र कसानु नाइक, #89, 22वां क्रॉस, 16वां मेन, ज्यूडिशियल लेआउट, बेंगलोर नॉर्थ-560065

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>F20</td><td>AHL21</td><td>25</td><td>1368</td></tr></table>	F20	AHL21	25	1368
F20	AHL21	25	1368			
प्राप्ति तिथि	:	22/12/2025				
स्वीकृति तिथि	:	21/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैम.)				
नाम	:	केकेवीआर ओओआईडी जैक				
किस्म का प्रकार	:	कृषक				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	लागू नहीं				
पैतृक सामग्री का स्रोत	:	लागू नहीं				
संदर्भ किस्मों का नाम	:	आईआईडी-आईटीबी				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	-
कटकों का घनत्व (5x5 सेमी2 क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	मजबूत
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	तांबे जैसा लाल
ख. प्रत्याशी किस्म के विशिष्ट गुण: केकेवीआर ओआरईडी जैक के प्रत्याशी किस्म के विशिष्ट गुण है फल का आकार: गोलाकार और पके हुए फल के छिलके का रंग हरे-पीले रंग।	
संदर्भ किस्म के विशिष्ट गुण: आरईडी-आरटीबी के प्रत्याशी किस्म के विशिष्ट गुण है फल का आकार: क्लावेट और पके हुए फल के छिलके का रंग:भूरा।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।

केकेवीआर ओआरईडी जैक के डीयूएस गुण

178. श्री अफ़रोज़ मोहम्मद खान पुत्र स्वर्गीय यूसुफ अली खान, गांव: रसूलपुर, पोस्ट: गुड्डेहोसुरु, कुशलानागरा (होबली), तहसील: सोमवारपेटे, जिला: कोडागु-571234 की ओर से डॉ. नागराजप्पा आदिवप्पार, प्रोफेसर (बागवानी) और प्रधान अन्वेषक, सुपारी अनुसंधान केंद्र, नेविले, केएसएनयूएचएस, शिवमोगा, कर्नाटक-577204 ने दिनांक 23/06/2026 को कृषक किस्म की **आरआरडी-2** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F8	AHL10	26	1104

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ---
----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आरआरडी-2**

आवेदक का नाम : श्री अफ़रोज़ मोहम्मद खान

आवेदक का पता : पुत्र स्वर्गीय यूसुफ अली खान, गांव: रसूलपुर, पोस्ट: गुड्डेहोसुरु, कुशलानागरा (होबली), तहसील: सोमवारपेटे, जिला: कोडागु-571234

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F8	AHL10	26	1104

प्राप्ति तिथि : 23/06/2026

स्वीकृति तिथि : 21/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : **आरआरडी-2**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : लालबाग मधुरा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: आरआरडी-2 के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक आकृति : लंबाकार और फल का आकार: क्लावेट	
संदर्भ किस्म के विशिष्ट गुण: लालबाग मधुरा के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक आकृति : दीर्घ वृत्ताकार और फल का आकार: अंडाकार	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
आरआरडी-2 के डीयूएस गुण	

179. सुश्री सहरी मंडी, सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 16/12/2024 को कृषक किस्म की सहरी कटहल नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F99	AHL99	24	1230

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के

लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन स.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

किस्म का विवरण:

: सहरा कटहल

: सुश्री सहरा मंडी, सुतन, मिथम,

: थाना: रानी बांध, जिला: बांकुरा-722148

: भारतीय

F99	AHL99	24	1230

: 16/12/2024

: 24/08/2026

: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

: सहरा कटहल

: कृषक

: प्रारूप

: लागू नहीं

: लागू नहीं

: लागू नहीं

: लम्बरदार

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	विरल <50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
सहरा कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती की स्थिति: कॉनडुप्लिकेट और बीज का आकार अंडाकार।	

संदर्भ किस्म के विशिष्ट गुण:	
लम्बरदार के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती की स्थिति: रिवोल्यूट और बीज का आकार : लंबाकार ।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं ।
सहरी कटहल के डीयूएस गुण	

180. श्री सुप्रकाश बेसरा, सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 11/12/2024 को कृषक किस्म की **सुप्रकाश कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F27	AHL27	24	1126

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सुप्रकाश कटहल**
 आवेदक का नाम : श्री सुप्रकाश बेसरा,
 आवेदक का पता : सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F27	AHL27	24	1126

 प्राप्ति तिथि : 11/12/2024
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **सुप्रकाश कटहल**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : कौशल्या कटहल
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: सुप्रकाश कटहल के प्रत्याशी किस्म के विशिष्ट गुण है बीज का आकार: लंबाकार और गुच्छे की आकृति: आयताकार।	
संदर्भ किस्म के विशिष्ट गुण: कौशल्या कटहल के प्रत्याशी किस्म के विशिष्ट गुण है बीज का आकार:गोलकार और गुच्छे की आकृति: हृदयकार।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
सुप्रकाश कटहल के डीयूएस गुण	

181. श्री सुप्रकाश बेसरा, सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 16/12/2024 को कृषक किस्म की **सुप्रकाश कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F98	AHL98	24	1229

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : सुप्रकाश कटहल
 आवेदक का नाम : श्री सुप्रकाश बेसरा,
 आवेदक का पता : सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. : F98 AHL98 24 1229
 प्राप्ति तिथि : 16/12/2024
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : सुप्रकाश कटहल
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : कौशल्या कटहल
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: सुप्रकाश कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक: अंडाकार और फल आकृति : गोलाकार।	

संदर्भ किस्म के विशिष्ट गुण:	
कौशल्या कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक: दीर्घ वृत्ताकार और फल आकृति : गोलाकार।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
सुप्रकाश कटहल के डीयूएस गुण	

182. श्री बिजौय मुर्मू, गांव: हरमगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा, पश्चिम बंगाल-722135 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 12/12/2024 को कृषक किस्म की **बिजौय कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F49	AHL49	24	1179

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन सं.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

: बिजौय कटहल

: श्री बिजौय मुर्मू

: गांव: हरमगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा, पश्चिम बंगाल-722135

: भारतीय

F49	AHL49	24	1179

: 12/12/2024

: 24/08/2026

: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

: बिजौय कटहल

: कृषक

: प्रारूप

पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : सुकलाल कटहल
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	छोटा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना
फल के छिलके की मोटाई (गुण 21)	मोटा
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: बिजौय कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल आकृति : अंडाकार और बीज आकृति:अंडाकार संदर्भ किस्म के विशिष्ट गुण: सुकलाल कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल आकृति : लंबाकार और बीज आकृति: वृक्काकार	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
बिजौय कटहल के डीयूएस गुण	

183. श्री सुकलाल बेसरा, सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 12/12/2024 को कृषक किस्म की सुकलाल कटहल नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F96	AHL96	24	1227

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सुकलाल कटहल**
 आवेदक का नाम : श्री सुकलाल बेसरा,
 आवेदक का पता : सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F96	AHL96	24	1227

 प्राप्ति तिथि : 12/12/2024
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **सुकलाल कटहल**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **बिजोय कटहल**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	छोटा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना
फल के छिलके की मोटाई (गुण 21)	मोटा
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: सुकलाल कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ते की बनावट: चपटी और फल का आकार लंबा-	

गोला	
संदर्भ किस्म के विशिष्ट गुण: बिजोय कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ते की बनावट: रेवोल्यूट और फल का आकार लंबा-अंडाकार।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
सुकलाल कटहल के डीयूएस गुण	

184. श्री पद्मलोचन हांसदा, ग्राम: डुंगरीकुली, डाकघर: कोमो, थाना: रानी बांध, जिला: बांकुरा-722135 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 16/12/2024 को कृषक किस्म की पद्मलोचन कटहल नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F93	AHL93	24	1224

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पद्मलोचन कटहल

आवेदक का नाम : श्री पद्मलोचन हांसदा,

आवेदक का पता : ग्राम: डुंगरीकुली, डाकघर: कोमो, थाना: रानी बांध, जिला: बांकुरा-722135

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F93	AHL93	24	1224

प्राप्ति तिथि : 16/12/2024

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : पद्मलोचन कटहल

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: सुकलाल कटहल
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	छोटा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना
फल के छिलके की मोटाई (गुण 21)	मोटा
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: पद्मलोचन कटहल के प्रत्याशी किस्म के विशिष्ट गुण है लेटेक्स का रिसाव (फल के कोर का क्रॉस-सेक्शन) कम (<2ml) है और गुच्छे की बनावट: सख्त।	
संदर्भ किस्म के विशिष्ट गुण: सुकलाल कटहल के प्रत्याशी किस्म के विशिष्ट गुण है लेटेक्स का रिसाव (फल के कोर का क्रॉस-सेक्शन): गोंद रहित और गुच्छे की बनावट: कोमल।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
पद्मलोचन कटहल के डीयूएस गुण	

185. श्री अमर मंडल, ग्राम: बिराडीही, सिमलाबांध, हीराबांध, जिला: बांकुरा-722101 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 13/12/2024 को कृषक किस्म की **अमर कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F83	AHL82	24	1212

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और

फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **अमर कटहल**
 आवेदक का नाम : श्री अमर मंडल
 आवेदक का पता : ग्राम: बिराडीही, सिमलाबांध, हीराबांध, जिला: बांकुरा-722101
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

F83	AHL82	24	1212

 आवेदन स. :
 प्राप्ति तिथि : 13/12/2024
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **अमर कटहल**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **पूर्णचंद्र कटहल**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	तीव्र
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	छोटा (>3-6 किग्रा)
कटकों का घनत्व (5x5 सेमी2 क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)

गुच्छे की बनावट (गुण 28)	दृढ़
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: अमर कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पके फल के छिलके का रंग: भूरा और इसके टुकड़ों का आकार अनियमित	
संदर्भ किस्म के विशिष्ट गुण: पूर्णचंद्र कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पके फल के छिलके का रंग: हरा और इसके टुकड़ों का आकार टेढ़ा-मेढ़ा।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
अमर कटहल के डीयूएस गुण	

186. श्री पूर्णचंद्र महतो, ग्राम: हासडुंगरी, डाकघर: रुद्रा, थाना: रानी बांध, जिला: बांकुरा-722135 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 13/12/2024 को कृषक किस्म की **पूर्णचंद्र कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F90	AHL90	24	1220

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूर्णचंद्र कटहल**

आवेदक का नाम : श्री पूर्णचंद्र महतो,

आवेदक का पता : ग्राम: हासडुंगरी, डाकघर: रुद्रा, थाना: रानी बांध, जिला: बांकुरा-722135

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F90	AHL90	24	1220

प्राप्ति तिथि : 13/12/2024

स्वीकृति तिथि	: 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
नाम	: पूर्णचंद्र कटहल
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: अमर कटहल
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	सफेद
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूर्णचंद्र कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: पिरामिड जैसा होता है और छाल का रंग: सफेद।	
संदर्भ किस्म के विशिष्ट गुण: अमर कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: अंडाकार जैसा होता है और छाल का रंग: पीला।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
पूर्णचंद्र कटहल के डीयूएस गुण	

187. श्री गंगामुनि मुर्मू, सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव

नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 11/12/2024 को कृषक किस्म की **गंगामुनि कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F34	AHL34	24	1133

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **गंगामुनि कटहल**
 आवेदक का नाम : श्री गंगामुनि मुर्मू
 आवेदक का पता : सुतन, मिथम, थाना: रानी बांध, जिला: बांकुरा-722148
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण

F34	AHL34	24	1133

आवेदन स. :
 प्राप्ति तिथि : 11/12/2024
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **गंगामुनि कटहल**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **अमर कटहल**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना

परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: गंगामुनि कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव: चपटा और लेटेक्स का रिसाव (फल के कोर का क्रॉस-सेक्शन) गोंद-रहित।	
संदर्भ किस्म के विशिष्ट गुण: अमर कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव: दबा हुआ और लेटेक्स का रिसाव (फल के कोर का क्रॉस-सेक्शन) उच्च।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
गंगामुनि कटहल के डीयूएस गुण	

188. श्री स्वपन मंडल, ग्राम: बिराडीही, सिमलाबांध, हीराबांध, जिला: बांकुरा-722101 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 13/12/2024 को कृषक किस्म की **स्वपन कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F73	AHL73	24	1203

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **स्वपन कटहल**
 आवेदक का नाम : श्री स्वपन मंडल,
 आवेदक का पता : ग्राम: बिराडीही, सिमलाबांध, हीराबांध, जिला: बांकुरा-722101
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण

आवेदन स.	:	F73	AHL73	24	1203
प्राप्ति तिथि	:	13/12/2024			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	कटहल (आर्टोकार्पस हेटरोफिलस लैम.)			
नाम	:	स्वपन कटहल			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	लागू नहीं			
संदर्भ किस्मों का नाम	:	चन्दन कटहल			

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
स्वपन कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती की स्थिति कॉनडुप्लिकेट और बीज का आकार अनियमित ।	
संदर्भ किस्म के विशिष्ट गुण:	
चन्दन कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती की स्थिति चपता और बीज का आकार गोलाकार ।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं ।
स्वपन कटहल के डीयूएस गुण	

189. श्री चंदन मुर्मू, ग्राम: हरामगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा-72213 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय

F89	AHL89	24	1219

 ाल-732103 ने दिनांक 13/12/2024 को कृषक किस्म की चंदन कटहल नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : चंदन कटहल
 आवेदक का नाम : श्री चंदन मुर्मू
 आवेदक का पता : ग्राम: हरामगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा-72213

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F89	AHL89	24	1219

प्राप्ति तिथि : 13/12/2024

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : चंदन कटहल

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : स्वपन कटहल

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: चंदन कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव चपटा और फल का आकार गोलाकार।	
संदर्भ किस्म के विशिष्ट गुण: स्वपन कटहल के प्रत्याशी किस्म के विशिष्ट गुण है फल से डंठल का जुड़ाव दबा और फल का आकार टेड़ा मेडा।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
चंदन कटहल के डीयूएस गुण	

190. श्री चंदन मुर्मू, ग्राम: हरामगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा-72213 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर – केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 12/12/2024 को कृषक किस्म की **पारितोष कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F56	AHL56	24	1186

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पारितोष कटहल**

आवेदक का नाम : श्री चंदन मुर्मू

आवेदक का पता

: ग्राम: हरामगाड़ा, डाकघर: मुचीकाटा, थाना: बारिकुल, जिला: बांकुरा-72213

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

:

F56	AHL5	24	1186

आवेदन स.

प्राप्ति तिथि

: 12/12/2024

स्वीकृति तिथि

: 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम

: पारितोष कटहल

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: लागू नहीं

पैतृक सामग्री का स्रोत

: लागू नहीं

संदर्भ किस्मों का नाम

: कन्या मोती

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	छाले
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घने >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 mm)
गुच्छे की बनावट (गुण 28)	मुलायम
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पारितोष कटहल के प्रत्याशी किस्म के विशिष्ट गुण है बीज आकृति: अंडाकार और बीज रंग: क्रीम	
संदर्भ किस्म के विशिष्ट गुण:	
कन्या मोती के प्रत्याशी किस्म के विशिष्ट गुण है बीज आकृति: गोलाकार और बीज रंग: भूरा	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं

पारितोष कटहल के डीयूएस गुण

191. भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, डाकघर : कुडलू, जिला: कासरगोड-671124, केरल की ओर से डॉ. के. बालचंद्र हेब्बार, आईसीएआर-केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, डाकघर : कुडलू, जिला: कासरगोड-671124, केरल ने दिनांक 19/06/2026 को विद्यमान (अधिसूचित) किस्म की **नलबाड़ी (वीटीएल-75)** नामक सुपारी (एरेका कैटेचू एल.) फसल को पंजीकरण हेतु आवेदन सं.

E2	ARC4	26	1082

 निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **नलबाड़ी (वीटीएल-75)**
 आवेदक का नाम : भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान
 आवेदक का पता : डाकघर : कुडलू, जिला: कासरगोड-671124, केरल
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E2	ARC4	26	1082

 प्राप्ति तिथि : 19/06/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सुपारी (एरेका कैटेचू एल.)
 नाम : **नलबाड़ी (वीटीएल-75)**
 किस्म का प्रकार : विद्यमान (अधिसूचित)
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : नलबाड़ी (वीटीआईएल-75)
 पैतृक सामग्री का नाम : स्वदेशी सुपारी से प्राप्त वीटीएल-75
 पैतृक सामग्री का स्रोत : इसे जननद्रव्य के रूप में पेश किया गया, जिसका वर्षों तक मूल्यांकन और चयन किया गया

संदर्भ किस्मों का नाम : **सुमंगला**
 अधिसूचना विवरण : एस.ओ. 244 (ई) दिनांक 24/01/2014
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
मुकुट का आकार (गुण 4)	मध्यम	
पौधे की ऊंचाई (गुण 5)	लंबा	
पत्ती की लंबाई (गुण 8)	मध्यम	
पत्ती की चौड़ाई (गुण 9)	चौड़ा	
पके हुए गिरी (नट) का रंग (गुण 17)	पीला	
गिरी (नट) की आकृति (गुण 18)	गोल	
ख. प्रत्याशी किस्म के विशिष्ट गुण: नलबाड़ी (वीटीएल-75) के प्रत्याशी किस्म के विशिष्ट गुण है- आवरण पत्ती की चौड़ाई- लंबी और फल की चौड़ाई- चौड़ा है।		
संदर्भ किस्म के विशिष्ट गुण: सुमंगला के विशिष्ट गुण है- आवरण पत्ती की चौड़ाई- मध्यम और फल की चौड़ाई- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि	2014	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	पेड़ वृद्धि स्वभाव	सीधा बिना शाखा वाला ताड़ का पेड़
2.	पुष्पक्रम (स्पैडिक्स): उभरना (महीने)	48 महीने
3.	पुष्पक्रम: पुष्प आने का समय (मुख्य पुष्प आने का मौसम)	सितंबर – अप्रैल
4.	परिपक्वता: कटाई के लिए तैयार फल (दिनों में)	270-320 दिन
5.	संभावित पैदावार पाने के लिए खाद की ज़रूरत (एन:पी:के) किग्रा/एकड़	मिट्टी परीक्षण के आधार पर पोषक डालने की सलाह दी जाती है। आम तौर पर सलाह 55:22:77 (एन:पी:के) किग्रा/एकड़ में है।
6.	प्रति एकड़ उपज क्षमता (औसत) (क्विंटल/एकड़)	22.74 क्विंटल/एकड़ सूखी दाल (चाली)
7.	प्रति पौधे फलों की उपज (औसत)	607 गिरी/ताड़/वर्ष
8.	फल का वजन (ग्राम में)	40.50 ग्राम (ताजा फल)
9.	एरकोलाइन की मात्रा (मिलीग्राम/ग्राम सूखी गिरी का	4.82 मिलीग्राम/ग्राम

	वजन)	
10.	टैनिन (कुल पॉलीफेनोल्स) (मिलीग्राम/ग्राम सूखी गिरी का वजन)	199.3 मिलीग्राम/ग्राम
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कीड़ों/बीमारियों से निपटने के असरदार तरीके मौजूद हैं
12.	किस्म से सम्बन्धित कोई अन्य आवश्यक जानकारी	सूखी गिरी या चाली प्रक्रिया के लिए उपयुक्त
चित्र 127,128		*नलबाड़ी (वीटीएल-75) के डीयूएस गुण

192. भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, डाकघर : कुडलू, जिला: कासरगोड-671124, केरल की ओर से डॉ. के. बालचंद्र हेब्बार, आईसीएआर-केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, डाकघर : कुडलू, जिला: कासरगोड-671124, केरल ने दिनांक 19/06/2026 को विद्यमान (अधिसूचित) किस्म की **मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1)** नामक सुपारी (एरेका कैटेचू एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E3	ARC5	26	1083

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1)**
 आवेदक का नाम : भा.कृ.अ.प.- केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान
 आवेदक का पता : डाकघर : कुडलू, जिला: कासरगोड-671124, केरल
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E3	ARC5	26	1083

 प्राप्ति तिथि : 19/06/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : सुपारी (एरेका कैटेचू एल.)
 नाम : **मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1)**

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1)
पैतृक सामग्री का नाम	: स्वदेशी सुपारी से प्राप्त वीटीएल-62
पैतृक सामग्री का स्रोत	: जननद्रव्य के रूप में पेश किया गया, 45 वर्षों से अधिक समय तक मूल्यांकन और चयन हुआ
संदर्भ किस्मों का नाम	: मंगला
अधिसूचना विवरण	: एस.ओ. 244 (ई) दिनांक 24/01/2014

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
मुकुट का आकार (गुण 4)	मध्यम	
पौधे की ऊंचाई (गुण 5)	लंबा	
पत्ती की लंबाई (गुण 8)	मध्यम	
पत्ती की चौड़ाई (गुण 9)	चौड़ा	
पके हुए गिरी (नट) का रंग (गुण 17)	पीला नारंगी	
गिरी (नट) की आकृति (गुण 18)	अण्डाकार	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
मधुरमंगला (वीटीएल-62) (श्रीवर्धन 1) के प्रत्याशी किस्म के विशिष्ट गुण है- पकी हुई गिरी का रंग- हल्का रंगी और गिरी (नट) की आकृति- अण्डाकार है।		
संदर्भ किस्म के विशिष्ट गुण:		
सुमंगला के विशिष्ट गुण है- पकी हुई गिरी का रंग- पीला और गिरी (नट) की आकृति- लंबाकार है।		
घ. किस्म के व्यावसायीकरण की तिथि	2014	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	पेड़ वृद्धि स्वभाव	सीधा बिना शाखा वाला ताड़ का पेड़
2.	पुष्पक्रम (स्पैडिक्स): उभरना (महीने)	42 महीने
3.	पुष्पक्रम: पुष्प आने का समय (मुख्य पुष्प आने का मौसम)	सितंबर – मई
4.	परिपक्वता: कटाई के लिए तैयार फल (दिनों में)	270-320 दिन
5.	संभावित पैदावार पाने के लिए खाद की ज़रूरत	मिट्टी परीक्षण के आधार पर पोषक डालने की

	(एन:पी:के) किग्रा/एकड़	सलाह दी जाती है। आम तौर पर सलाह 55:22:77 (एन:पी:के) किग्रा/एकड़ में है।
6.	प्रति एकड़ उपज क्षमता (औसत) (क्विंटल/एकड़)	19.39 क्विंटल/एकड़ सूखी गिरी (चली) या 16.16 क्विंटल/एकड़ प्रसंस्कृत सूखी कोमल मेवा)
7.	प्रति पौधे फलों की उपज (औसत)	405.90 गिरी/ताड़/वर्ष
8.	फल का वजन (ग्राम में)	36.15 ग्राम (ताजा फल)
9.	एरकोलाइन की मात्रा (मिलीग्राम/ग्राम सूखी गिरी का वजन)	4.22 मिलीग्राम/ग्राम
10.	टैनिन (कुल पॉलीफेनोल्स) (मिलीग्राम/ग्राम सूखी गिरी का वजन)	192.8 मिलीग्राम/ग्राम
11.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कोई बड़ा कीड़ा और बीमारी नहीं देखी गई। कीड़ों/बीमारियों से बचने के असरदार तरीके मौजूद हैं।
12.	किस्म से सम्बन्धित कोई अन्य आवश्यक जानकारी	दोहरे इस्तेमाल वाली किस्म (चली और नरम मेवे दोनों की प्रसंस्कृत के लिए सही)
चित्र 129		*मधुरमंगला (बीटीएल-62) (श्रीवर्धन 1) के डीयूएस गुण

193. भा.कृ.अ.प.- राष्ट्रीय वाणिज्यिक कृषि अनुसंधान संस्थान, भास्कर नगर, राजमुंदरी-533105, पूर्वी गोदावरी, आंध्र प्रदेश की ओर से डॉ. सी. नंदा, भा.कृ.अ.प.- राष्ट्रीय वाणिज्यिक कृषि अनुसंधान संस्थान, अनुसंधान केंद्र, हुंसुर-571101, कर्नाटक ने दिनांक 10/08/2026 को विद्यमान (अधिसूचित) किस्म की **सीटीआरआई नव्या (एफसीएच 2)** नामक फलू-क्योर्ड वर्जीनिया (एफसीवी) (निकोटियाना टैबैकम) फसल को पंजीकरण हेतु आवेदन संख्या

E1	NT1	26	1795

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : सीटीआरआई नव्या (एफसीएच 2)

आवेदक का नाम : भा.कृ.अ.प.- राष्ट्रीय वाणिज्यिक कृषि अनुसंधान संस्थान

आवेदक का पता : भास्कर नगर, राजमुंदरी-533105, पूर्वी गोदावरी, आंध्र प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	NT1	26	1795

प्राप्ति तिथि : 10/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : फ्लू-क्योर्ड वर्जीनिया (एफसीवी) (निकोटियाना टैबैकम)

नाम : सीटीआरआई नव्या (एफसीएच 2)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : सीटीआरआई नव्या (एफसीएच 2)

पैतृक सामग्री का नाम : सीवी. रत्ना x सीवी. कॉकर 371 गोल्ड

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : कंचन

अधिसूचना विवरण : एस.ओ. 2128 (ई) दिनांक 13/05/2025

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (कम से कम एक खुले हुए पुष्प के 50% पौधे) (गुण 1)	मध्यम
मुख्य तने की ऊंचाई (पुष्पक्रम को छोड़कर) (गुण 4)	मध्यम
आर्थिक पत्तियों की संख्या (गुण 6)	मध्यम
पत्रदल की आकृति (गुण 10)	चौड़ा दीर्घवृत्ताभ
पत्रदल का रंग (गुण 11)	मध्यम हरा
पुष्प: पुंकेसर की उपस्थिति (गुण 26)	उपस्थित
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
सीटीआरआई नव्या (एफसीएच 2) के प्रत्याशी किस्म के विशिष्ट गुण हैं- पत्ती: किनारों पर घुमाव- दुर्बल (गुण 16), पत्ती: पत्रदल की चौड़ाई (सेमी)- चौड़ी (गुण 20) है।	

संदर्भ किस्म के विशिष्ट गुण: कंचन के विशिष्ट गुण है- पत्ती: किनारों पर घुमाव- मध्यम (गुण 16) और पत्ती: पत्रदल की चौड़ाई (सेमी)- मध्यम (गुण 20) है।		
घ. किस्म के व्यावसायीकरण की तिथि		2014
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	पुष्पन का समय (कम से कम एक खुले हुए पुष्प के 50% पौधे) (गुण 1)	मध्यम (70-90) दिन
2.	परिपक्वता के दिन	पकने में 70-80 दिन लगते हैं। रोपाई से पुष्प आने तक: 70-90 दिन। बीज से बीज तक 170-180 दिन।
3.	पुष्पक्रम: पुष्प आने का समय (मुख्य पुष्प आने का मौसम)	कर्नाटक हल्की मिट्टी एफसीवी कर्नाटक के बारिश वाले इलाकों में तंबाकू उगाने वाले इलाके।
	बुवाई का समय	फरवरी के बीच से अप्रैल के बीच तक
	बीज दर (नर्सरी)	बीज की मात्रा: 3 किग्रा/हेक्टेयर
	अंतर	100 x 55 सेमी
	सिंचित/वर्षा आधारित	वर्षा आधारित
4.	प्रारंभिक खेती	मार्च और अप्रैल में गहरी जुताई
5.	जैविक खाद (टन/हेक्टेयर)	एफवाईएम @ 8-10 टन/हेक्टेयर
6.	रोपण विधि	समतल रोपण के बाद रिजिंग
7.	निषेचन की विधि	बड़ा टुकड़ा
8.	उर्वरक की आवश्यकता	एन:पी:के @ 60:40:120
9.	सिंचाई	एस-डब्ल्यू मॉनसून के मौसम में उगाया जाता है। हालांकि, अगर बारिश नहीं होती है तो एक या दो बार जान बचाने वाली सिंचाई की जा सकती है।
10.	अंतरसांस्कृतिक संचालन	40 दिन से पहले 4 से 5 बार
11.	टॉपिंग का स्तर	विस्तारित बड टॉपिंग
12.	सकर कंट्रोल	सी-10 फैटी अल्कोहल, डेकनॉल या रॉयलटेन 4% या पेंडिमेथालिन @ 0.5-0.6% और फिर हाथ से डीसर्किंग

13.	कटाई	परिपक्व पत्तियों को प्राइम करना (7-9 बार)
14.	इलाज का तरीका	ग्रिप-इलाज
15.	अजैविक तनावों के प्रति सहनशीलता	फसल के विकास के दौरान कुछ हद तक बारिश से होने वाले नुकसान को झेलें
16.	जैविक तनावों के प्रति प्रतिरोध/सहनशीलता	ब्लैक शैंक रोग के प्रति सहनशील
17.	ग्रेडिंग	संयंत्र की स्थिति ग्रेडिंग
18.	क्योर्ड उपज	2700 किग्रा/हेक्टेयर
19.	व्यापार की दृष्टि से किस्म/संकर से सम्बन्धित कोई और अन्य आवश्यक जानकारी	अनुशंसित से अधिक नाइट्रोजन @ 10 किलोग्राम/हेक्टेयर
चित्र 130		*सीटीआरआई नव्या (एफसीएच 2) के डीयूएस गुण

194. भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, मारिकुन्नू (पी.ओ.), कोझीकोड-673012, केरल की ओर से डॉ. आर. दिनेश, निदेशक, भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, मारिकुन्नू (पी.ओ.), कोझीकोड-673012, केरल ने दिनांक 24/08/2026 को विद्यमान (अधिसूचित) किस्म की आईआईएसआर सूर्या नामक हल्दी (करकुमा लोंगा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	CL24	26	2170

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : आईआईएसआर सूर्या

आवेदक का नाम : भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान

आवेदक का पता : मारिकुन्नू (पी.ओ.), कोझीकोड-673012, केरल

आवेदक की राष्ट्रियता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E1	CL24	26	2170
प्राप्ति तिथि	:	24/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	हल्दी (करकुमा लोंगा एल.)			
नाम	:	आईआईएसआर सूर्या			
किस्म का प्रकार	:	विद्यमान (अधिसूचित)			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	आईआईएसआर सूर्या			
पैतृक सामग्री का नाम	:	जननद्रव्य चयन, एक्सेशन 849 (आईसी 654362)			
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य			
संदर्भ किस्मों का नाम	:	आईआईएसआर प्रतिभा			
अधिसूचना विवरण	:	एस.ओ. 4000 (ई) दिनांक 01/09/2025			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: ऊंचाई (गुण 2)	लंबा
पत्ती: लैमिना की लंबाई (सेमी) (गुण 7)	लंबा
पत्ती: लैमिना की चौड़ाई (सेमी) (गुण 8)	चौड़ा
कोमा हरित दल: रंग (गुण 14)	रंगीन
प्रकंद: स्वभाव (गुण 16)	सघन
प्रकंद: आकृति (गुण 17)	घुमावदार
प्रकंद: मातृ प्रकंदों की संख्या (गुण 19)	1-2
ख. प्रत्याशी किस्म के विशिष्ट गुण: आईआईएसआर सूर्या के प्रत्याशी किस्म के विशिष्ट गुण है- कोमा हरित दल: रंग- बैंगनी और प्रकंद: आंतरिक कोर का रंग- हल्का पीला है।	
संदर्भ किस्म के विशिष्ट गुण: आईआईएसआर प्रतिभा के विशिष्ट गुण है- कोमा हरित दल: रंग- सफेद और प्रकंद: आंतरिक कोर का रंग- नारंगी है।	
घ. किस्म के व्यावसायीकरण की तिथि	2014
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	

क्र.सं	विवरण	ब्यौरा
1.	पौधे की वृद्धि की आदत	सघन
2.	पकने में लगने वाले दिन	220-240
3.	हर पौधे पर प्रकंद की पैदावार (औसत)	702.28 g/प्लांट
4.	पैदावार की क्षमता (औसत) (क्विंटल/एकड़)	165.92 क्विंटल/एकड़
5.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किग्रा/एकड़	अगर मिट्टी में एन:पी:के 150:10:110 किग्रा/हेक्टेयर से कम है, तो ज्यादा से ज्यादा पैदावार पाने के लिए N P K की जरूरत 170:90:325 किग्रा/हेक्टेयर है
6.	पोषक तत्व मान (i) करक्यूमिन (ii) ओलियोरेसिन	2-3% 7.34%
7.	सूखे से ठीक होने की क्षमता (%)	21.16%
8.	कीटों/बीमारियों के प्रति प्रतिरोध/सहनशीलता	--
9.	किस्म से जुड़ी कोई अन्य आवश्यक जानकारी	पाउडरिंग इंडस्ट्री के लिए सबसे सही।
चित्र 131 –		*आईआईएसआर सूर्या के डीयूएस गुण

195. भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, डाकघर : मारिकुन्नूर, जिला: कोझीकोड-673012, केरल की ओर से डॉ. आर. दिनेश, निदेशक, भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, डाकघर : मारिकुन्नूर, जिला: कोझीकोड-673012, केरल ने दिनांक 19/12/2025 को विद्यमान (अधिसूचित) किस्म की आईआईएसआर मनुश्री नामक छोटी इलायची (इलेटेरिया कार्डेमॉमम मैटन) फसल को पंजीकरण हेतु आवेदन संख्या

E1	EC2	25	1350

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : आईआईएसआर मनुश्री

आवेदक का नाम : भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान

आवेदक का पता

: मारिकुन्नू (पी.ओ.), कोझीकोड-673012, केरल

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन सं.

:

E1	EC2	25	1350

प्राप्ति तिथि

: 19/12/2025

स्वीकृति तिथि

: 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: छोटी इलायची (इलेटेरिया कार्डेमॉमम मैटन)

नाम

: आईआईएसआर मनुश्री

किस्म का प्रकार

: विद्यमान (अधिसूचित)

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: आईआईएसआर सूर्या

पैतृक सामग्री का नाम

: जननद्रव्य संग्रह आईसी 349537 से क्लोनल चयन

पैतृक सामग्री का स्रोत

: क्लोनल चयन

संदर्भ किस्मों का नाम

: अप्पंगला 1

अधिसूचना विवरण

: अधिसूचित एस.ओ. 4917(ई) दिनांक 13/11/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: पुष्पगुच्छ का बढवार स्वभाव (गुण 1)	फैला हुआ
पौधा: पत्ती तने (छद्म तने) की रंजकता (गुण 4)	पीलापन युक्त हरा
पत्ती: तारुण्यता (गुण 8)	अरोमिल
पुष्पगुच्छ (गुण 13)	साधारण
पुष्पगुच्छ: शाखन पैटर्न (गुण 14)	-
पुष्प: पंखुड़ी का रंग (गुण 16)	उपस्थित
खोल: आकृति (गुण 19)	ग्लोबाकार
खोल: परिपक्व खोल का रंग (गुण 22)	पीला हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
आईआईएसआर मनुश्री के प्रत्याशी किस्म के विशिष्ट गुण है- पुष्पगुच्छ: प्रति पौधा पुष्पगुच्छों की संख्या- कम और खोल: प्रति पुष्पगुच्छ की संख्या- अत्यधिक है।	
संदर्भ किस्म के विशिष्ट गुण:	
अप्पंगला 1 के विशिष्ट गुण है- पुष्पगुच्छ: प्रति पौधा पुष्पगुच्छों की संख्या- अधिक और खोल: प्रति पुष्पगुच्छ	

की संख्या- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में सही जगह	कर्नाटक और केरल
3.	रोपण का समय	मॉनसून की शुरुआत
4.	रोपण सामग्री की दर	2500 सकर्स/हेक्टेयर
5.	अंतर	2x2 मीटर
6.	सिंचित/बारिश पर निर्भर	दोनों
7.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के)	125:125:250 किग्रा/हेक्टेयर तीन हिस्सों में
8.	जैविक/अजैविक तनावों के प्रति तिरोध/सहनशीलता	सूखा झेलने वाला
9.	उपज /हेक्टेयर	सिंचित परिस्थितियों में 550 किग्रा सूखे खोल/हेक्टेयर और नमी की कमी की स्थितियों में 360 किग्रा सूखे खोल/हेक्टेयर
10.	खोल का आकार	50% खोल > 8 मिमी के हैं
11.	आवश्यक तेल की मात्रा	8.74% (सिंचित हालात), 8.84% (नमी की कमी वाली स्थिति)
चित्र 132 –		*आईआईएसआर मनुश्री के डीयूएस गुण

196. भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, डाकघर : मारिकुन्नू, जिला: कोझीकोड-673012, केरल की ओर से डॉ. आर. दिनेश, निदेशक, भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान, डाकघर : मारिकुन्नू, जिला: कोझीकोड-673012, केरल ने दिनांक 19/12/2025 को विद्यमान (अधिसूचित) किस्म की आईआईएसआर कावेरी नामक छोटी इलायची (इलेटेरिया कार्डेमॉमम मैटन) फसल को पंजीकरण हेतु आवेदन संख्या

E2	EC3	25	1351

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : आईआईएसआर कावेरी

आवेदक का नाम : भा.कृ.अ.प.- भारतीय मसाला अनुसंधान संस्थान

आवेदक का पता : मारिकुन्नू (पी.ओ.), कोझीकोड-673012, केरल

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E2	EC3	25	1351

प्राप्ति तिथि : 19/12/2025

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : छोटी इलायची (इलेटेरिया कार्डेमॉमम मैटन)

नाम : आईआईएसआर कावेरी

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : आईआईएसआर सूर्या

पैतृक सामग्री का नाम : जननद्रव्य संग्रह आईसी 584058 से क्लोनल चयन

पैतृक सामग्री का स्रोत : क्लोनल चयन

संदर्भ किस्मों का नाम : अप्पंगला 1

अधिसूचना विवरण : अधिसूचित एस.ओ. 4917(ई) दिनांक 13/11/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: पुष्पगुच्छ का बढवार स्वभाव (गुण 1)	फैला हुआ
पौधा: पत्ती तने (छद्म तने) की रंजकता (गुण 4)	मोटा
पत्ती: तारुण्यता (गुण 8)	अरोमिल
पुष्पगुच्छ (गुण 13)	साधारण
पुष्पगुच्छ: शाखन पैटर्न (गुण 14)	-
पुष्प: पंखुड़ी का रंग (गुण 16)	उपस्थित
खोल: आकृति (गुण 19)	अण्डाकार

खोल: परिपक्व खोल का रंग (गुण 22)		पीला हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: आईआईएसआर कावेरी के प्रत्याशी किस्म के विशिष्ट गुण है- प्रति पुष्पगुच्छ पुष्पों की संख्या- अत्यधिक और तेल की मात्रा- उच्च है।		
संदर्भ किस्म के विशिष्ट गुण: अप्पंगला 1 के विशिष्ट गुण है- प्रति पुष्पगुच्छ पुष्पों की संख्या- अत्यधिक और तेल की मात्रा- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में सही जगह	कर्नाटक
3.	रोपण का समय	मॉनसून की शुरुआत (जून-जुलाई)
4.	रोपण सामग्री की दर	2500 सकर्स/हेक्टेयर
5.	अंतर	2x2 मीटर
6.	सिंचित/बारिश पर निर्भर	दोनों
7.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के)	125:125:250 किग्रा/हेक्टेयर तीन हिस्सों में
8.	जैविक/अजैविक तनावों के प्रति तिरोध/सहनशीलता	नमी के तनाव के प्रति अपेक्षाकृत सहनशील
9.	उपज /हेक्टेयर	सिंचित परिस्थितियों में 482 किग्रा सूखे खोल/हेक्टेयर और नमी की कमी की स्थितियों में 308 किग्रा सूखे खोल/हेक्टेयर
10.	खोल का आकार	70% खोल > 8 मिमी के हैं
11.	आवश्यक तेल की मात्रा	9.08% (सिंचित हालात), 9.51% (नमी की कमी वाली स्थिति)
चित्र 133		*आईआईएसआर कावेरी के डीयूएस गुण

197. भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, नई दिल्ली- 110012 की ओर से निदेशक, भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान, नई दिल्ली- 110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा सिंदूरी नामक ग्लैडिओलस (ग्लैडिओलस एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	GL2	26	2076

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा सिंदूरी**

आवेदक का नाम : भा.कृ.अ.प.- भारतीय कृषि अनुसंधान संस्थान

आवेदक का पता : नई दिल्ली- 110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E2	GL2	26	2076

प्राप्ति तिथि : 21/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : ग्लेडियोलस (ग्लेडियोलस एल.)

नाम : **पूसा सिंदूरी**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : छोटा फॉन

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : **ऑस्कर**

अधिसूचना विवरण : एस.ओ.1362 (ई) 12/3/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: ऊँचाई (जमीन से पत्तियों के सिरे तक) (गुण 1)	लंबा
कंद: बाहरी त्वचा का रंग (गुण 7)	गहरा पीला
पुष्प: मुख्य रंग (गुण 25)	लाल
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा सिंदूरी के प्रत्याशी किस्म के विशिष्ट गुण है- पुष्प: प्रवृत्ति: ऊपर की ओर और पुष्प: लंबाई (पहले पुष्प को	

छोड़कर)- लंबा है।		
संदर्भ किस्मों के विशिष्ट गुण: ऑस्कर के विशिष्ट गुण है- पुष्प: प्रवृत्ति: अर्ध ऊपर की ओर और पुष्प: लंबाई (पहले पुष्प को छोड़कर)- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	विवरण
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	मध्य-मौसम किस्म, 105.22 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	क्षेत्र II, IV और VI (कल्याणी, लुधियाना, नई दिल्ली, (राष्ट्रीय राजधानी क्षेत्र) और उदयपुर) के लिए सही
	: बुवाई का समय	अक्टूबर के पहले सप्ताह से
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K) किग्रा/एकड़	-
4.	प्रतिकूल तापमान/ठंड/और ऊष्मा-संवेदनशीलता/सहनशीलता	-
5.	पानी के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	-
6.	कीटों के प्रति प्रतिरोध/ सहनशीलता	किसी भी सिस्टमिक कीटनाशक के दो स्प्रे की सलाह दी जाती है
7.	पुष्प आने में लगने वाले दिन	99.88 दिन
8.	पुष्प की उपज/हेक्टेयर (औसत)	15.09 क्विंटल/हेक्टेयर
9.	फूलों/स्पाइक्स की संख्या/हेक्टेयर	18.58 क्विंटल/हेक्टेयर
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 134		*पूसा सिंदूरी के डीयूएस गुण

198. बागवानी महाविद्यालय और अनुसंधान संस्थान, तमिलनाडु कृषि विश्वविद्यालय, कोयंबटूर-641003, तमिलनाडु की ओर से अधिष्ठाता (बागवानी), बागवानी महाविद्यालय एवं अनुसंधान संस्थान, तमिलनाडु कृषि विश्वविद्यालय, कोयंबटूर-641003, तमिलनाडु ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की **सीओ 3 (बनाना)** नामक केला (मूसा प्रजाति) फसल को पंजीकरण हेतु आवेदन संख्या

E5	MS25	26	2075

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सीओ 3 (बनाना)**

आवेदक का नाम : बागवानी महाविद्यालय और अनुसंधान संस्थान

आवेदक का पता : तमिलनाडु कृषि विश्वविद्यालय, कोयंबटूर-641003, तमिलनाडु

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E5	MS25	26	2075

प्राप्ति तिथि : 21/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : केला (मूसा प्रजाति)

नाम : **सीओ 3 (बनाना)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : बीआरएस 2013-3

पैतृक सामग्री का नाम : कर्पूरावल्ली (एबीवी) और एच201(एबी)

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **ग्रैंड नैन**

अधिसूचना विवरण : एस.ओ.1480 (ई) 01.4.2021

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
छद्म तने की दिखावट (गुण- 1 और 2)	लंबा और

	हरा पीला	
पत्ती अभिविन्यास (गुण- 5)	फैलावदार	
पत्ती फलक: आधार की आकृति (गुण- 8)	दोनों ओर से गोल	
डंठल की लंबाई (गुण- 9)	60-70 सेमी	
डंठल का रंग (गुण- 10)	हरा	
गुच्छा आकार (गुण- 12)	बेलनाकार,	
पुष्पक्रम (गुण- 15, 16 एवं 18)	एक कोण पर झुका हुआ, नंगा,	
नर कली (गुण- 18, 19, 20 एवं 21)	बहुत उभरा हुआ	
फल: अभिविन्यास (गुण- 26)	हल्का कोणीय	
फल: आकृति (गुण- 28)	हल्का घुमावदार	
डंठल (गुण- 32, 33 एवं 34)	मध्यम, अरोमिल, >2.1 सेमी	
छिलका (गुण- 35, 36 एवं 38)	हल्का हरा, आसानी से छिलका	
गूदा (गुण- 39)	उतरता है, चमकीला पीला	
	क्रीम	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
सीओ 3 (बनाना) प्रत्याशी किस्म के विशिष्ट गुण है- छद्म तने का रंग- हरा पीला और गुच्छा: सघनता- सघन है।		
संदर्भ किस्म के विशिष्ट गुण:		
ग्रैंड नैन के विशिष्ट गुण है- छद्म तने का रंग- हरा और गुच्छा: सघनता- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि	2022	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.	विवरण	विवरण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	12-13 महीने
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	भारत
	: बुवाई का समय	अक्टूबर – जनवरी
	: सिंचित/वर्षा आधारित	सिंचित
	: निम्न उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित पैदावार पाने के लिए खाद की ज़रूरत (नाइट्रोजन:फास्फोरस:पोटेशियम) किग्रा/एकड़	110:35:330 ग्राम/पौधा/वर्ष
4.	प्रतिकूल तापमान/ठंड और गर्मी के प्रति सहनशीलता – संवेदनशील/सहिष्णु	एबायोटिक स्ट्रेस के लिए खास तौर पर जांचा नहीं गया है। कर्पूरावल्ली की तरह यह भी थोड़ा सूखा

5.	पानी के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	झेल सकता है।
6.	कीटों के प्रति प्रतिरोध/ सहनशीलता	नेमाटोड के प्रति सहनशील (रूट लेज़न इंडेक्स 15.74 जबकि कर्पूरावल्ली में 42.85)
7.	प्रति पौधे गुच्छों की संख्या	एक
8.	फल उपज (औसत) क्विंटल/एकड़	70-75 टन/एकड़
9.	व्यापार के हिसाब से किस्म/संकार से सम्बन्धित कोई अन्य अतिरिक्त जानकारी	कर्पूरावल्ली जैसा: राख जैसी परत नहीं: पौधे की ऊंचाई कम।
चित्र- 135		*सीओ 3 (बनाना) के डीयूएस गुण

199. भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश की ओर से निदेशक, भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **जेएचओ-21-1 (बुंदेलखंड जय 2021-1)** नामक जई (एवेना सेटाइवा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E4	AVS5	26	1961

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **जेएचओ-21-1 (बुंदेलखंड जय 2021-1)**

आवेदक का नाम : भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान

आवेदक का पता : ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E4	AVS5	26	1961

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: जई (एवेना सेटाइवा एल.)
नाम	: जेएचओ-21-1 (बुंदेलखंड जय 2021-1)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: ईसी 425120
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: केंट और जेएचओ -822
अधिसूचना विवरण	: -

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अगेती पौधा: वृद्धि स्वभाव (गुण 2)	अर्ध फैला हुआ
मुख्य नाल: सबसे ऊपरी गांठ पर रोमिलता (गुण 7)	अनुपस्थित
प्रमेयिका की सतह पर रोमिलता (गुण 20)	अनुपस्थित
परिपक्वता के दिन (गुण 24)	मध्यम
दाना: प्रमेयिका का रंग (गुण 25)	धूसर
ख. प्रत्याशी किस्म के विशिष्ट गुण: जेएचओ-21-1 (बुंदेलखंड जय 2021-1) के प्रत्याशी किस्म के विशिष्ट गुण है- पुष्पगुच्छ: शूकपन: उपस्थित, पताका पत्ती: पत्रदल की चौड़ाई- मध्यम, मुख्य नाल: अंतर्गांठ की लंबाई (शीर्ष से तीसरी-चौथी अंतर्गांठ के बीच)- मझोली और प्राथमिक दाना: प्रमेयिका की लंबाई- छोटी है।	
संदर्भ किस्मों के विशिष्ट गुण: केंट और जेएचओ -822 के विशिष्ट गुण है- पुष्पगुच्छ: शूकपन: अनुपस्थित, पताका पत्ती: पत्रदल की चौड़ाई- संकरी, मुख्य नाल: अंतर्गांठ की लंबाई (शीर्ष से तीसरी-चौथी अंतर्गांठ के बीच)- छोटी और प्राथमिक दाना: प्रमेयिका की लंबाई- मझोली है।	
घ. किस्म के व्यावसायीकरण की तिथि	-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र
	विवरण
	मध्यम
	एकल कट सिस्टम के लिए भारत का दक्षिणी क्षेत्र (तेलंगाना, आंध्र प्रदेश, कर्नाटक, तमिलनाडु और केरल)

	: बुवाई का समय	मध्य अक्टूबर से नवंबर के अंत तक
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K) किग्रा/एकड़	नाइट्रोजन: 48 किग्रा/एकड़ फास्फोरस: 16 किग्रा/एकड़ पोटेशियम: 16 किग्रा/एकड़ फार्मयार्ड खाद: 6 टन/एकड़
4.	कीटों के प्रति प्रतिरोध/ सहनशीलता	खेत में लीफ ब्लाइट और पाउडरी मिल्ड्यू को सहन कर सकता है।
5.	प्रतिकूल तापमान / पाला / गर्मी और लवणता के प्रति सहनशीलता	लवणता सहनीय
6.	अनाज के गुण भौतिक गुण: क) अनाज का आकार (सेमी) ख) बीज की चमक (उपस्थित/नहीं) ग) बीज का रंग	- - धूसर
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	हरे चारे की पैदावार: 127.2 क्विंटल/एकड़ सूखे पदार्थ की पैदावार: 24.72 क्विंटल/एकड़
8.	बीज उपज क्विंटल/एकड़ (औसत)	8.5 क्विंटल/हेक्टेयर
9.	बीज: भार (1000 बीज का भार ग्राम में)	33.81 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	प्रतिदिन उच्च उत्पादकता और उच्च पत्ती उत्पादन
चित्र- 136		*जेएचओ-21-1 (बुंदेलखंड जय 2021-1) के डीयूएस गुण

200. भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश की ओर से निदेशक, भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की बुडेल दीनानाथ-3 (जेएचडी-19-4) नामक दीनानाथ घास [सेंन्त्रस पेडीसेलैटस पर्यायवाची पेनिसेटम पेडीसेलैटम ट्रिन] फसल को पंजीकरण हेतु आवेदन संख्या

E1	CEP1	26	1962

को

निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं -----
-- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : बुडेल दीनानाथ-3 (जेएचडी-19-4)
आवेदक का नाम : भा.कृ.अ.प.- भारतीय चरागाह एवं चारा अनुसंधान संस्थान
आवेदक का पता : ग्वालियर रोड, पहूज बांध के पास, झांसी-284003, उत्तर प्रदेश
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन स. :

E1	CEP1	26	1962

प्राप्ति तिथि : 20/08/2026
स्वीकृति तिथि : 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : दीनानाथ घास [सेंत्रस पेडीसेलैटस पर्यायवाची पेनिसेटम पेडीसेलैटम ट्रिन]
नाम : बुडेल दीनानाथ-3 (जेएचडी-19-4)
किस्म का प्रकार : विद्यमान (अधिसूचित)
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : आईसी 627467
पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : बुंदेल दीनानाथ-2 और बुंदेल दीनानाथ-1
अधिसूचना विवरण : -

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
कल्म का रंग (आधार के पास) (गुण 4)	लाल
पत्ती का रोमिलपन (गुण 6)	सघन
50% पुष्प आने में लगने वाले दिन (गुण 7)	मध्यम (115 दिन)

ख. प्रत्याशी किस्म के विशिष्ट गुण: बुडेल दीनानाथ-3 (जेएचडी-19-4) के प्रत्याशी किस्म के विशिष्ट गुण है- पौधे वृद्धि स्वभाव: लेटा हुआ; शाखा: ऊंची; पत्ती पर रोएं: घने; पौधे की ऊंचाई (सेमी): छोटा है।		
संदर्भ किस्मों के विशिष्ट गुण: केंट और जेएचओ -822 के विशिष्ट गुण है- पौधे वृद्धि स्वभाव: सीधा; शाखा: मध्यम; पत्ती पर रोएं: क्रमशः अरोमिल एवं मध्यस्थ; पौधे की ऊंचाई (सेमी): मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	विवरण
1.	पकने में लगने वाले दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	एकल कट सिस्टम के लिए भारत का दक्षिणी क्षेत्र (तेलंगाना, आंध्र प्रदेश, कर्नाटक, तमिलनाडु और केरल)
	: बुवाई का समय	मध्य अक्टूबर से नवंबर के अंत तक
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (N:P:K) किग्रा/एकड़	नाइट्रोजन: 48 किग्रा/एकड़ फास्फोरस: 16 किग्रा/एकड़ पोटेशियम: 16 किग्रा/एकड़ फार्मयार्ड खाद: 6 टन/एकड़
4.	कीटों के प्रति प्रतिरोध/ सहनशीलता	खेत में लीफ ब्लाइट और पाउडरी मिल्ड्यू को सहन कर सकता है।
5.	प्रतिकूल तापमान / पाला / गर्मी और लवणता के प्रति सहनशीलता	लवणता सहनीय
6.	अनाज के गुण भौतिक गुण: क) अनाज का आकार (सेमी) ख) बीज की चमक (उपस्थित/नहीं) ग) बीज का रंग	- - धूसर
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	हरे चारे की पैदावार: 127.2 क्विंटल/एकड़ सूखे पदार्थ की पैदावार: 24.72 क्विंटल/एकड़
8.	बीज उपज क्विंटल/एकड़ (औसत)	8.5 क्विंटल/हेक्टेयर

9.	बीज: भार (1000 बीज का भार ग्राम में)	33.81 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	प्रतिदिन उच्च उत्पादकता और उच्च पत्ती उत्पादन
चित्र- 137	*बुडेल दीनानाथ-3 (जेएचडी-19-4) के डीयूएस गुण	

201. आनंद कृषि विश्वविद्यालय, अनुसंधान निदेशक और अधिष्ठाता स्नातकोत्तर अध्ययन, आनंद कृषि विश्वविद्यालय, तालुका और जिला: आनंद-388110, गुजरात की ओर से डॉ. के. जे. सुथार, सह- अनुसंधान वैज्ञानिक और यूनिट अध्यक्ष, कृषि अनुसंधान केंद्र, आनंद कृषि विश्वविद्यालय, धंधुका, जिला: अहमदाबाद-382460, गुजरात ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **गुजरात व्हीट 1346 (जीडब्ल्यू 1346)** नामक ड्यूरम गेहूं (ट्रिटिकम ड्यूरम डेस्क) फसल को पंजीकरण हेतु आवेदन संख्या

E1	TD1	26	1971

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **गुजरात व्हीट 1346 (जीडब्ल्यू 1346)**
 आवेदक का नाम : आनंद कृषि विश्वविद्यालय
 आवेदक का पता : अनुसंधान निदेशक और अधिष्ठाता स्नातकोत्तर अध्ययन, आनंद कृषि विश्वविद्यालय, तालुका और जिला: आनंद-388110, गुजरात
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

E1	TD1	26	1971

 प्राप्ति तिथि : 20/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : ड्यूरम गेहूं (ट्रिटिकम ड्यूरम डेस्क)

नाम	: गुजरात व्हीट 1346 (जीडब्ल्यू 1346)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: जीडब्ल्यू1236/ एआर-06-3
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: एकेडीडब्ल्यू2997-16 एवं यूएस 446
किस्म का विवरण	

क. समूह के गुण	टिप्पणी (मापित मान)	
प्रंकुरचोल रंग (गुण 1)	अनुपस्थित	
पताका पत्ती : पालि का एंथोसियानिन रंग (गुण 4)	उपस्थित	
बालि निकलने का समय (गुण 7)	अगेती	
पौधे की लंबाई (गुण 15)	मध्यम	
शूक का रंग (गुण 21)	धुंधला सफेद	
बाहरी तुष : तारुण्यता (गुण 23)	अनुपस्थित	
बालि : रंग (गुण 24)	धुंधला सफेद	
फिनोल के साथ दाने का रंग (गुण 32)	कोई नहीं	
मौसम का प्रकार (गुण 39)	शरद् प्रकार	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
गुजरात व्हीट 1346 (जीडब्ल्यू 1346) के प्रत्याशी किस्म के विशिष्ट गुण है- पताका पत्ती: कर्णपाली पर रोम- उपस्थित, पौधा: पताका पत्ती की प्रवृत्ति- सीधी, पताका पत्ती: आच्छद का मोमियापन- मध्यम और पताका पत्ती: पत्रदल का मोमियापन- मध्यम है।		
संदर्भ किस्म के विशिष्ट गुण:		
एकेडीडब्ल्यू2997-16 एवं यूएस 446 के विशिष्ट गुण है पताका पत्ती: कर्णपाली पर रोम- अनुपस्थित, पौधा: पताका पत्ती की प्रवृत्ति- अर्ध-सीधी, पताका पत्ती: आच्छद का मोमियापन- क्रमश: निर्बल और सबल और पताका पत्ती: पत्रदल का मोमियापन- निर्बल है।		
घ. किस्म के व्यावसायीकरण की तिथि	11/10/2022	
क्र.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	विवरण
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	शीघ्र

2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	प्रायद्वीपीय क्षेत्र में सीमित सिंचाई, समय पर बुवाई की स्थिति
	बुवाई का समय	15 अक्टूबर से 10 नवंबर
	सिंचित/वर्षा सिंचित	दो सिंचाई, पहली 30 दिन पर और दूसरी 60 दिन पर
	मिट्टी की कम उर्वरता/उच्च उर्वरता	हल्की से भारी मिट्टी, जिसमें ज्यादा उपजाऊपन हो और पानी निकलने की अच्छी व्यवस्था हो, इस किस्म के लिए सही है।
3.	संभावित पैदावार पाने के लिए खाद की जरूरत (N:P:K) किग्रा/एकड़	36.4: 24.3:10.1
4.	रोग और कीटों के प्रति सहनशीलता	इस किस्म में तने और पत्तियों पर लगने वाले रस्ट समेत ज्यादातर बीमारियों के लिए अच्छी प्रतिरोधक है, इसलिए किसी भी रासायनिक नियंत्रण के तरीके की आवश्यकता नहीं है। इसी तरह, इस किस्म में कोई बड़ा कीट संक्रमण नहीं देखा गया है और किसी एक खेत में कीड़े लगने पर, दूसरी गेहूं की किस्मों की तरह ही आवश्यकता के हिसाब से नियंत्रण के तरीके ही उपयोग किए जा सकते हैं।
5.	प्रतिकूल तापमान / पाला / गर्मी और लवणता के प्रति सहनशीलता	नहीं
6.	अनाज के भौतिक गुण क) अनाज का साइज (cm) ख) बीज की चमक (उपस्थित/अनुपस्थित) ग) बीज का रंग	कर्नेल की लंबाई: 0.35 और कर्नेल की चौड़ाई: 0.82 उपस्थित कहरेवा
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/एकड़)	प्रायद्वीपीय क्षेत्र: 40.4 क्विंटल/हेक्टेयर (16.35 क्विंटल/एकड़)
8.	बीज उपज क्विंटल/हेक्टेयर (औसत)	28.5 क्विंटल/हेक्टेयर
9.	बीज: भार (1000 बीजों का भार ग्राम में)	40 ग्राम
10.	किस्म/संकर से जुड़ी कोई अन्य प्रासंगिक जानकारी	-
चित्र: 138		गुजरात व्हीट 1346 (जीडब्ल्यू 1346) के डीयूएस

	गुण

202. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की (पूसा चिक्कपीअश्विनी) बीजी4037 नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	CA14	26	1979

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : (पूसा चिक्कपी अश्विनी) बीजी4037

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E6	CA14	26	1979

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : (पूसा चिक्कपीअश्विनी) बीजी4037

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : आईसीसीवी 07110 x जेजी 11

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : जेजी 11

अधिसूचित विवरण : एस.ओ. 2128 (ई) 13/05/2025

किस्म का विवरण:

क. समूह के गुण

टिप्पणी (मापित मान)

पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)		-
पुष्प: रंग (गुण 9)		गुलाबी
बीज: रंग (गुण 15)		भूरा
बीज: आकार (गुण 16)		मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: (पूसा चिक्कपीअश्विनी) बीजी4037 के प्रत्याशी किस्म के विशिष्ट गुण है बीज का आकार (10% नमी पर 100 बीजों का वजन): मध्यम (26-35 ग्राम) और बीज का आकार: उल्लू के सिर जैसा। संदर्भ किस्मों के विशिष्ट गुण: जेजी 11 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार (10% नमी की मात्रा पर 100 बीजों का वजन): छोटा (20-25 ग्राम) और बीज: आकार: कोणीया		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	एनडब्ल्यूपीजेड
	: बुवाई का समय	20 अक्टूबर – 10 नवंबर
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	यह फ्यूसेरियम विल्ट के प्रति प्रतिरोधी है। यह ड्राई रूट रॉट के प्रति मध्यम रूप से प्रतिरोधी है। यह पॉड बोरेर को सहन कर सकता है।
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	मध्यम-बड़े आकार के आकर्षक भूरे बीज।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दाने का रंग, आकार और बनावट बहुत बढ़िया है।
7.	प्रति पौधे फलियों की संख्या (औसत)	26.73 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	22.36 क्विंटल/हेक्टेयर

9.	बीज उपज क्यू/एकड़ (औसत)	21.1 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	दाने में प्रोटीन की मात्रा 24.8 प्रतिशत है।
(पूसा चिक्कपीअश्विनी) बीजी4037 के डीयूएस गुण		चित्र- 139

203. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **पूसा चिक्कपी 4005** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E7	CA15	26	1980

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं ----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा चिक्कपी 4005**

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E7	CA15	26	1980

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : **पूसा चिक्कपी 4005**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : पूसा 362/आईसीसी 4958)-बीसी2एफ1

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **पूसा 362**

अधिसूचित विवरण : एस.ओ. 8 (ई) 24/12/2021

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)		-
पुष्प: रंग (गुण 9)		गुलाबी
बीज: रंग (गुण 15)		भूरा
बीज: आकार (गुण 16)		मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा चिक्कपी 4005 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: ऊंचाई: लंबा (>65 सेमी) और बीज: रंग: क्रीमी बेज।		
संदर्भ किस्मों के विशिष्ट गुण: पूसा 362 के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: ऊंचाई: मध्यम (45-46 सेमी) और बीज: रंग: हरा।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	एनडब्ल्यूपीजेड
	: बुवाई का समय	20 अक्टूबर – 10 नवंबर
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	यह विल्ट (मुरझाने की बीमारी) के प्रति प्रतिरोधी है। यह ड्राई रूट रॉट (सूखी जड़ सड़न) के प्रति मध्यम रूप से प्रतिरोधी है। यह पॉड बोरेर (फली छेदक कीट) को सहन कर सकती है।
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	मध्यम-बड़े आकार के आकर्षक भूरे बीज।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दानों का रंग, आकार और बनावट बहुत बढ़िया है।

7.	प्रति पौधे फलियों की संख्या (औसत)	25.5 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	18.2 क्विंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	23.1 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	यह किस्म सूखे के प्रति सहनशीलता के लिए 'ड्राउट क्यूटीएल इंटीग्रेशन' तकनीक से विकसित की गई है।
पूसा चिक्कपी 4005 के डीयूएस गुण		चित्र- 140

204. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की (पूसा सुमंगला) बीजीडी 133 नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E8	CA16	26	1981

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : (पूसा सुमंगला) बीजीडी 133

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E8	CA16	26	1981

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : (पूसा सुमंगला) बीजीडी 133

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : बीजीडी 111-1 x आईसीसीसी 42
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : पूसा 362
 अधिसूचित विवरण : एस.ओ. 2128 (ई) 24/12/2021
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र
पुष्प: रंग (गुण 9)	गुलाबी
बीज: रंग (गुण 15)	भूरा
बीज: आकार (गुण 16)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: (पूसा सुमंगला) बीजीडी 133 के प्रत्याशी किस्म के विशिष्ट गुण है बीज का रंग: गहरा भूरा और बीज का आकार (10% नमी पर 100 बीजों का वजन): मध्यम (26-35 ग्राम)।	
संदर्भ किस्मों के विशिष्ट गुण: पूसा 362 के प्रत्याशी किस्म के विशिष्ट गुण है बीज का रंग: भूरा और बीज का आकार (10% नमी पर 100 बीजों का वजन): छोटा (20-25 ग्राम)।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	कर्नाटक राज्य का उत्तर-पूर्वी ट्रांजिशनल एग्रो-क्लाइमैटिक ज़ोन 8 और उत्तरी शुष्क ज़ोन 3।
	: बुवाई का समय
	20 अक्टूबर – 10 नवंबर
	: सिंचित/वर्षा सिंचित
	बारिश पर निर्भर
	: मिट्टी की कम उर्वरता/उच्च उर्वरता
	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़
	10:25:0 (बारिश पर निर्भर खेती के लिए) 25:50:0 (सिंचित खेती के लिए)
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता
	यह फ्यूसेरियम विल्ट (सूखने की बीमारी) के प्रति प्रतिरोधी है। यह ड्राई रूट रॉट

		(सूखी जड़ सड़न) के प्रति मध्यम रूप से प्रतिरोधी है। यह फली छेदक कीट को सहन कर सकती है।
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	इस किस्म के बीज एक जैसे होते हैं और 100 बीजों का वजन 25 ग्राम होता है।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दानों का रंग, आकार और बनावट बहुत अच्छी होती है।
7.	प्रति पौधे फलियों की संख्या (औसत)	26.00 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	18.00 क्विंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	28.0 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	कम समय में तैयार होने वाली यह किस्म बारिश पर निर्भर खेती में भी ज्यादा पैदावार दे सकती है। इसके बीज एक जैसे और आकर्षक होते हैं और दानों का भराव बहुत अच्छा होता है। यह विल्ट और DRR (सूखी जड़ सड़न) के प्रति प्रतिरोधी/सहनशील है।
(पूसा सुमंगला) बीजीडी 133 के डीयूएस गुण		चित्र- 141

205. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **पूसा जेजी-16 (बीजीएम 10221)** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E9	CA17	26	1982

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या ----- लागू नहीं ----- पर----- -- लागू नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है। किस्म के पासपोर्ट आंकड़े : **पूसा जेजी-16 (बीजीएम 10221)**

आवेदक का नाम	:	भारतीय कृषि अनुसंधान संस्थान,				
आवेदक का पता	:	पूसा परिसर, नई दिल्ली-110012				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन सं.	:	<table><tr><td>E9</td><td>CA17</td><td>26</td><td>1982</td></tr></table>	E9	CA17	26	1982
E9	CA17	26	1982			
प्राप्ति तिथि	:	20/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	चना (सिसर एरीटिनम एल.)				
नाम	:	पूसा जेजी-16 (बीजीएम 10221)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	जेजी16/जेजी16/जेजी16/(जेजी16/आईसीसी 4958)-02				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	जेजी 16				
अधिसूचित विवरण	:	एस.ओ. 1056 (ई) 06/03/2023				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)	
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र	
पुष्प: रंग (गुण 9)	गुलाबी	
बीज: रंग (गुण 15)	भूरा	
बीज: आकार (गुण 16)	मध्यम	
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा जेजी-16 (बीजीएम 10221) के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार: उल्लू के सिर जैसा और बीज: रिबिंग: उपस्थित ।		
संदर्भ किस्मों के विशिष्ट गुण: जेजी 16 के प्रत्याशी किस्म के विशिष्ट गुण है बीज: आकार : कोणीय और बीज: रिबिंग: अनुपस्थित।		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	111 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	सेंट्रल जोन
	: बुवाई का समय	20 अक्टूबर – 10 नवंबर

	: सिंचित/वर्षा सिंचित	बारिश पर निर्भर (रेनफेड)
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	20:40:20
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	यह फ्यूसेरियम विल्ट (सूखने की बीमारी) के प्रति प्रतिरोधी है। यह ड्राई रूट रॉट (सूखी जड़ सड़न) के प्रति मध्यम रूप से प्रतिरोधी है। यह पॉड बोरोर (फली छेदक कीट) को सहने की क्षमता रखती है।
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	मध्यम-बड़े आकार के आकर्षक भूरे बीज।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दाने का रंग, आकार और बनावट बहुत अच्छी है।
7.	प्रति पौधे फलियों की संख्या (औसत)	21.24 किंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	14.75 किंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	24.5 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	सूखे को सहने वाली प्रस्तावित इंटीग्रेशन लाइन 'पूसा JG-16' की औसत पैदावार 1351 किलोग्राम/हेक्टेयर रही। सूखे की स्थिति में इसकी पैदावार क्षमता 2124 किलोग्राम/हेक्टेयर है, जबकि इसके मूल पेरेंट 'JG-16' की पैदावार 1292 किलोग्राम/हेक्टेयर थी।
पूसा जेजी-16 (बीजीएम 10221) के डीयूएस गुण		चित्र- 142

206. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **बीजीडी 111-1** नामक चना (सिसर एरीटिनम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E10	CA18	26	1983

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और

फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया ----- गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **बीजीडी 111-1**

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान,

आवेदक का पता : पूसा परिसर, नई दिल्ली-110012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E10	CA18	26	1983

प्राप्ति तिथि : 20/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चना (सिसर एरीटिनम एल.)

नाम : **बीजीडी 111-1**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : (जेजी 62 Xआईसीसी 12237) X जेजी 62

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **जेएकेआई 9218**

अधिसूचित विवरण : एस.ओ. 6318 (ई) 26/12/2018

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पुष्पन का समय (50 प्रतिशत पौधों पर कम से कम एक खिला पुष्प होना चाहिए) (गुण 3)	शीघ्र
पुष्प: रंग (गुण 9)	गुलाबी
बीज: रंग (गुण 15)	भूरा
बीज: आकार (गुण 16)	मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: बीजीडी 111-1 के प्रत्याशी किस्म के विशिष्ट गुण है डंठल: लंबाई: लंबी (>10 एमएम) और बीज का	

आकार: उल्लू के सिर जैसा।		
संदर्भ किस्मों के विशिष्ट गुण: जेएकेआई 9218 के प्रत्याशी किस्म के विशिष्ट गुण है डंठल : लंबाई : मध्यम (5-10 मिमी) और बीज का आकार : कोणीया।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	95 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	कर्नाटक राज्य का उत्तर-पूर्वी ट्रांज़िशनल एग्रो-क्लाइमैटिक ज़ोन 8 और उत्तरी शुष्क ज़ोन 3।
	: बुवाई का समय	20 अक्टूबर – 10 नवंबर
	: सिंचित/वर्षा सिंचित	बारिश पर निर्भर (रेनफेड)
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	-
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के)किग्रा/एकड़	10:25:0 (बारिश पर निर्भर) 25:50:0 (सिंचित)
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	यह फ्यूसेरियम विल्ट (सूखा रोग) के प्रति प्रतिरोधी है। इसमें ड्राई रूट रॉट (सूखी जड़ सड़न) के प्रति मध्यम प्रतिरोधक क्षमता है। यह फली छेदक कीट (पॉड बोरर) को सहन कर सकती है।
5.	कीटों के प्रति प्रतिरोध/सहनशीलता	इस किस्म के बीज एक जैसे होते हैं और 100 बीजों का वजन 25 ग्राम होता है।
6.	संभावित उपज प्राप्त करने के लिए सर्वोत्तम वृद्धि ऋतु (क्षेत्रवार)	इसके दानों का रंग, आकार और बनावट बहुत अच्छी होती है।
7.	प्रति पौधे फलियों की संख्या (औसत)	22.50 क्विंटल/हेक्टेयर
8.	क्षेत्रवार उपज क्षमता (औसत प्रति एकड़ (क्यू/एकड़))	17.20 क्विंटल/हेक्टेयर
9.	बीज उपज क्यू/एकड़ (औसत)	25.0 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी (निम्न/मध्यम/उच्च जल उपयोग दक्षता प्रकार)	बारिश पर निर्भर खेती की स्थितियों में भी अच्छी पैदावार की क्षमता; कम समय में

		तैयार होने वाली किस्म; एक जैसे और आकर्षक बीज; दानों का अच्छा भराव; विल्ट के प्रति प्रतिरोधी और DRR (सूखी जड़ सड़न) को सहन करने की क्षमता।
बीजीडी 111-1 के डीयूएस गुण		चित्र- 143

207. श्री बिमान मंडल, बिनोदपुर, नियामतपुर, इंग्लिश बाजार, मालदा-732208, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 19/06/2024 को कृषक किस्म की गोबिंदा भोग नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F49	MI49	24	333

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

:

गोबिंदा भोग

आवेदक का नाम

:

श्री बिमान मंडल,

आवेदक का पता

:

बिनोदपुर, नियामतपुर, इंग्लिश बाजार, मालदा-732208,
पश्चिम बंगाल

आवेदक की राष्ट्रीयता

:

भारतीय

आवेदन का विवरण

:

आवेदन स.

:

F49	MI49	24	333

प्राप्ति तिथि

:

19/06/2024

स्वीकृति तिथि

:

24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

:

आम (मैंगिफेरा इंडिका एल.)

नाम

:

गोबिंदा भोग

किस्म का प्रकार

:

कृषक

किस्म का वर्गीकरण

:

प्रारूप

पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम : लंगड़ा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: गोबिंदा भोग के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: ऊपर की ओर गोल।	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है परिपक्व फल: उदर कंधे का आकार: नीचे की ओर ढलान।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* गोबिंदा भोग के डीयूएस गुण

208. श्री सहजान अली, गांव: गांव: दयानगर, भोगोबंगोला-I, जिला: मुर्शिदाबाद-742135, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 02/03/2026 को कृषक किस्म की **आलमजाम** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F4	MI4	26	278

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आलमजाम**
आवेदक का नाम : श्री सहजान अली,
आवेदक का पता : गांव: गांव: दयानगर, भोगोबंगोला-I, जिला: मुर्शिदाबाद-

742135, पश्चिम बंगाल

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन स.

:

F4	MI4	26	278

प्राप्ति तिथि

: 02/03/2026

स्वीकृति तिथि

: 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: आम (मैंगिफेरा इंडिका एल.)

नाम

: **आलमजाम**

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: लागू नहीं

पैतृक सामग्री का स्रोत

: अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम

: **लंगड़ा**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	नीचे की ओर ढलान
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	शीघ्र
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: आलमजाम के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: साइनस की उपस्थिति: उपस्थित।	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है परिपक्व फल: साइनस की उपस्थिति: अनुपस्थित।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* आलमजाम के डीयूएस गुण

209. तिलेक अयोम पर्टिन, मोबांग आई, परबुक, जिला: लोअर दिबांग वैली-792110, (अरुणाचल प्रदेश) की ओर से डॉ. एस.के.चतुर्वेदी एसएमएस बागवानी, केवीके लोअर दिबांग वैली-792110 (अरुणाचल प्रदेश) ने दिनांक 31/07/2025 को कृषक किस्म की **ओआरआई** नामक धनिया (कोरियन्ड्रम सैटिवम एल.) फसल को

पंजीकरण हेतु आवेदन संख्या

F2	CO2	25	857

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : ओआरआई
आवेदक का नाम : तिलेक अयोम पटिन,
आवेदक का पता : मोबांग आई, परबुक, जिला: लोअर दिबांग वैली-792110,
(अरुणाचल प्रदेश)

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन सं. :

F2	CO2	25	857

ख. प्राप्ति तिथि : 31/07/2025
ग. स्वीकृति तिथि : 22/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : धनिया (कोरियन्ड्रम सैटिवम एल.)

नाम : ओआरआई

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : जेडी-1

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बेसल पत्तियों की संख्या	कम (1-3) (3)
सबसे लंबी बेसल पत्तियों की लंबाई	छोटा (3)
बढ़ने का तरीका	अर्ध-सीधा (5)
प्रति अम्बेल (गुच्छे) बीजों की संख्या	अच्छा (>5) (5)

7% नमी पर 1000 बीजों का वजन	कम (<15g) (3)
बीज का आकार	अंडाकार (7)
ख. प्रत्याशी किस्म के विशिष्ट गुण: ओआरआई के प्रत्याशी किस्म के विशिष्ट गुण है- बेसल पत्तियों की बनावट – कम (1-3) : प्रति अम्बेल, अम्बेललेट्स – मध्यम (4-5) (5)।	
संदर्भ किस्मों के विशिष्ट गुण: जेडी-1 के विशिष्ट गुण है बेसल पत्तियों की बनावट : मध्यम (4-6), प्रति अम्बेल अम्बेललेट्स : उच्च (>5) (5)।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
ओआरआई के डीयूएस गुण	

210. सबिता दास, गांव: डब्बारी, सलेमा, जिला: धलाई-799278, (त्रिपुरा) की ओर से डॉ. अभिजीत देबनाथ वरिष्ठ वैज्ञानिक और प्रमुख, कृषि विज्ञान केंद्र (केवीके), धलाई, पीओ/पीएस: सलेमा, त्रिपुरा-799278 (त्रिपुरा) ने दिनांक 31/07/2025 को कृषक किस्म की **कुम्हाई** नामक धनिया (कोरियन्ड्रम सैटिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F3	CO4	25	1067

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **कुम्हाई**
 आवेदक का नाम : सबिता दास,
 आवेदक का पता : गांव: डब्बारी, सलेमा, जिला: धलाई-799278, (त्रिपुरा)
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन स. :

F3	CO4	25	1067

 ख. प्राप्ति तिथि : 31/07/2025
 ग. स्वीकृति तिथि : 22/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: धनिया (कोरियन्ड्रम सैटिवम एल.)
नाम	: कुम्हाई
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: आरसीआर-41

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बेसल पत्तियों की संख्या	कम (1-3) (3)
सबसे लंबी बेसल पत्तियों की लंबाई	छोटा (3)
बढ़ने का तरीका	अर्ध-सीधा (5)
प्रति अम्बेल (गुच्छे) बीजों की संख्या	अच्छा (>5) (5)
7% नमी पर 1000 बीजों का वजन	कम (<15g) (3)
बीज का आकार	अंडाकार (7)
ख. प्रत्याशी किस्म के विशिष्ट गुण: कुम्हाई के प्रत्याशी किस्म के विशिष्ट गुण है मुख्य शाखाएँ (संख्या): अधिक (>6), परिपक्व फल: रंग (औसत): मध्यम (4-5)।	
संदर्भ किस्मों के विशिष्ट गुण: आरसीआर-41 के विशिष्ट गुण है मुख्य शाखाएँ (संख्या): मध्यम(4-6), परिपक्व फल: रंग (औसत): उच्च (>5)।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
कुम्हाई के डीयूएस गुण	

211. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा सोना (एसईएल.153-1) (ओरएसआर1347) नामक प्याज (ऐलियाम सीपा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E12	AC12	26	2085

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	पूसा सोना (एसईएल.153-1) (ओरएसआर1347)				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, नई दिल्ली 110012				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन स.	:	<table border="1"><tr><td>E12</td><td>AC12</td><td>26</td><td>2085</td></tr></table>	E12	AC12	26	2085
E12	AC12	26	2085			
ख. प्राप्ति तिथि	:	21/08/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	प्याज (ऐलियाम सीपा एल.)				
नाम	:	पूसा सोना (एसईएल.153-1) (ओरएसआर1347)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	इसे HP से इकट्ठा किए गए स्थानीय अलग-अलग होने वाले मटीरियल से विकसित किया गया है।				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	अर्ली ग्रैनो				
अधिसूचना विवरण	:	एस.ओ. संख्या 692 (ई) और दिनांक 05.02.2019				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बल्ब: व्यास (गुण 5)	मध्यम (5)
बल्ब: सामान्य आकृति (लम्बवत काट में) (गुण 23)	चपटा गोला (4)
बल्ब: सूखे छिलके का मूल रंग (गुण 24)	पीला (2)
बल्ब: फांको में अलग होने का अंश (प्रत्येक फांक के साथ सूखा छिलका) (गुण 32)	अनुपस्थित (1)

ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा सोना (एसईएल.153-1) (ओरएसआर1347) के प्रत्याशी किस्म के विशिष्ट गुण है- बल्ब: परिपक्व समय (बुवाई की तारीख से): मध्यम और बल्ब: ऊंचाई: मध्यम		
संदर्भ किस्मों के विशिष्ट गुण: अर्ली ग्रैनो के विशिष्ट गुण है बल्ब: परिपक्व समय (बुवाई की तारीख से): विलंब और बल्ब: ऊंचाई: लंबा		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	जल्दी पकने वाली
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	ज़ोन II (दिल्ली, राजस्थान, हरियाणा, जम्मू-कश्मीर और पंजाब)
	: बुवाई का समय	रबी का मौसम
	: सिंचित/वर्षा आधारित	10-12 दिनों के अंतराल पर 6-8 बार सिंचाई
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	बलुई दोमट मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	110:40:60
4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	-
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	प्रमुख बीमारियों के प्रति मध्यम रूप से सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	-
7.	स्टेकिंग और छंटाई प्रथाएँ	रबी का मौसम
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	25-30 टन/हेक्टेयर
9.	फल उपज (क्विंटल/एकड़)	-
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	-
11.	फल की गुणवत्ता और फल की दृढ़ता	-
12.	फल चुनने का कार्यक्रम	-
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-	-

	लाइफ (दिन)	
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 122	*पूसा सोना (एसईएल.153-1) (ओरएसआर1347) के डीयूएस गुण	

212. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा शोभा (एसईएल. 126) नामक प्याज (ऐलियाम सीपा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E11	AC11	26	2084

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

क. आवेदन स.

ख. प्राप्ति तिथि

ग. स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

: पूसा शोभा (एसईएल. 126)

: भारतीय कृषि अनुसंधान परिषद

: कृषि भवन, नई दिल्ली 110012

: भारतीय

:

E11	AC11	26	2084

: 21/08/2026

: 24/08/2026

: प्याज (ऐलियाम सीपा एल.)

: पूसा शोभा (एसईएल. 126)

: विद्यमान (अधिसूचित)

: प्रारूप

पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: इसे HP से इकट्ठा किए गए स्थानीय अलग-अलग होने वाले मटीरियल से विकसित किया गया है।
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज़्म
संदर्भ किस्मों का नाम	: अर्का पीतांबर
अधिसूचना विवरण	: एस.ओ. संख्या 692 (ई) और दिनांक 05.02.2019
किस्म का विवरण:	

क. समूह के गुण		टिप्पणी (मापित मान)
बल्ब: व्यास (गुण 5)		मध्यम (5)
बल्ब: सामान्य आकृति (लम्बवत काट में) (गुण 23)		गोला (4)
बल्ब: सूखे छिलके का मूल रंग (गुण 24)		भूरा (2)
बल्ब: फांको में अलग होने का अंश (प्रत्येक फांक के साथ सूखा छिलका) (गुण 32)		अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा शोभा (एसईएल. 126) के प्रत्याशी किस्म के विशिष्ट गुण है बल्ब: सामान्य आकार (लंबवत काट में): गोलाकार और बल्ब: सूखी बाहरी परत का मूल रंग: भूरा		
संदर्भ किस्मों के विशिष्ट गुण:		
अर्का पीतांबर के विशिष्ट गुण है बल्ब: सामान्य आकार (लंबवत काट में): चपता और बल्ब: सूखी बाहरी परत का मूल रंग: पीला		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	जोन III (दिल्ली, उत्तर प्रदेश, हरियाणा, बिहार, पंजाब), IV (राजस्थान, गुजरात) और V (मध्य प्रदेश, छत्तीसगढ़ और ओडिशा)
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा आधारित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक और सामान्य उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	110:40:60

4.	प्रतिकूल तापमान/ठंड/ एवं गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	-
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	प्रमुख बीमारियों के प्रति मध्यम रूप से सहनशील
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	-
7.	स्टेकिंग और छंटाई प्रथाएँ	रबी का मौसम
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	-
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	-
11.	फल की गुणवत्ता और फल की दृढ़ता	-
12.	फल चुनने का कार्यक्रम	-
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 123		* पूसा शोभा (एसईएल. 126) के डीयूएस गुण

213. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा हाइब्रिड 5 (डीबीजीएच 159) नामक करेला (मोमोर्डिका चारेंटिया एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E7	MC10	26	2086

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा हाइब्रिड 5 (डीबीजीएच 159)

आवेदक का नाम : भारतीय कृषि अनुसंधान संस्थान

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन स.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

किस्म का विवरण:

: पूसा परिसर, नई दिल्ली-110012

: भारतीय

E7	MC10	26	208

: 21/08/2026

: 24/08/2026

: करेला (मोमोर्डिका चारेंटिया एल.)

: पूसा हाइब्रिड 5 (डीबीजीएच 159)

: विद्यमान (अधिसूचित)

: लागू नहीं

: लागू नहीं

: पीवीजीवाई-201 x सेल-59

: अपना जर्मप्लाज्म

: पूसा विशेष

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (सें.मी.) (गुण 15)	लंबा (7)
फल: व्यास (सें.मी.) (गुण 16)	मोटा (7)
फल छिलके का रंग (गुण 18)	हरा (4)
फल: लंबवत काट में आकृति (गुण 21)	आयताकार (1)
फल: कंद (गुण 22)	मध्यम (5)
फल: उभारदार भाग (गुण 24)	लगातार (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा हाइब्रिड 5 (डीबीजीएच 159) के प्रत्याशी किस्म के विशिष्ट गुण है फल: लंबाई: लंबा और फल: व्यास मोटा।	
संदर्भ किस्मों के विशिष्ट गुण: पूसा विशेष के प्रत्याशी किस्म के विशिष्ट गुण है फल: लंबाई: मध्यम और फल: व्यास: मध्यम।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	: बुवाई का समय
	: सिंचित/वर्षा सिंचित

	: मिट्टी की कम उर्वरता/उच्च उर्वरता	गाद या चिकनी दोमट मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	70:40:30
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	-
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	-
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	-
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	-
8.	शीतकालीन – वसंत फसल मौसम प्रकार	-
9.	फल की उपज (क्यू/एकड़)	-
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	24.5 टन/हेक्टेयर
11.	फल की गुणवत्ता और फल की दृढ़ता	-
12.	फल चुनने का कार्यक्रम	बुवाई के 44-48 दिन बाद
13.	परिवहन क्षमता (दिन)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
पूसा हाइब्रिड 5 (डीबीजीएच 159) के डीयूएस गुण		चित्र- 124

214. भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान (आईएआरआई), पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा हाइब्रिड 6 (डीबीजीएच 542) नामक करेला (मोमोर्डिका चारेंटिया एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E8	MC11	26	2087

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा हाइब्रिड 6 (डीबीजीएच 542)

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

आवेदन सं.

प्राप्ति तिथि

स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

किस्म का प्रकार

किस्म का वर्गीकरण

पहले प्रस्तावित नाम

पैतृक सामग्री का नाम

पैतृक सामग्री का स्रोत

संदर्भ किस्मों का नाम

किस्म का विवरण:

: भारतीय कृषि अनुसंधान संस्थान

: पूसा परिसर, नई दिल्ली-110012

: भारतीय

E8	MC11	26	2087

: 21/08/2026

: 24/08/2026

: करेला (मोमोर्डिका चारेंटिया एल.)

: पूसा हाइब्रिड 6 (डीबीजीएच 542)

: विद्यमान (अधिसूचित)

: लागू नहीं

: लागू नहीं

: पूसा रसदार (डीबीजीएस -54) x सेल-2

: अपना जर्मप्लाज्म

: पूसा दो मौसमी

क. समूह के गुण		टिप्पणी (मापित मान)
फल: लंबाई (सें.मी.) (गुण 15)		लंबा (7)
फल: व्यास (सें.मी.) (गुण 16)		मोटा (7)
फल छिलके का रंग (गुण 18)		हरा (4)
फल: लंबवत काट में आकृति (गुण 21)		धुरे के आकार का (3)
फल: कंद (गुण 22)		मध्यम (5)
फल: उभारदार भाग (गुण 24)		लगातार (2)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा हाइब्रिड 6 (डीबीजीएच 542) के प्रत्याशी किस्म के विशिष्ट गुण है फल: डंठल वाले सिरे पर आधार का आकार: चपटा और फल: लंबाई में काटने पर आकार: तकुए।		
संदर्भ किस्मों के विशिष्ट गुण:		
पूसा दो मौसमी के प्रत्याशी किस्म के विशिष्ट गुण है फल: डंठल के अंत में आधार का आकार: तीव्र और फल: अनुदैर्घ्य खंड में आकार: आयताकार।		
घ. किस्म के व्यावसायीकरण की तिथि		लागू नहीं
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	42-44 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	ज़ोन I (हिमाचल प्रदेश, उत्तराखंड और

		जम्मू-कश्मीर) और ज़ोन VI (दिल्ली केंद्र)
	: बुवाई का समय	वसंत-ग्रीष्म ऋतु
	: सिंचित/वर्षा सिंचित	
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अच्छी जल-निकासी वाली बलुई दोमट मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:50:40
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	-
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	-
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	-
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	-
8.	शीतकालीन – वसंत फसल मौसम प्रकार	-
9.	फल की उपज (क्यू/एकड़)	-
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	ज़ोन I में 35.04 टन/हेक्टेयर, ज़ोन VI में 29.09 टन/हेक्टेयर
11.	फल की गुणवत्ता और फल की दृढ़ता	-
12.	फल चुनने का कार्यक्रम	बुवाई के 44-48 दिन बाद
13.	परिवहन क्षमता (दिन)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
पूसा हाइब्रिड 6 (डीबीजीएच 542) के डीयूएस गुण		चित्र- 125

215. मंगा सुमार गढ़वी और शामला मंगा गढ़वी, मारवा वादी विस्तार, ज़ारपारा, डाकघर: ज़ारपारा, तालुका: मुंद्रा, जिला: कच्छ-370405, गुजरात की ओर से श्री देवशी ए. बैदियावदरा, एसोसिएट रिसर्च साइंटिस्ट और यूनिट हेड और डॉ. कपिल मोहन शर्मा, असिस्टेंट रिसर्च साइंटिस्ट, डेट पाम रिसर्च स्टेशन, एसडीएयू, मुंद्रा, ओल्ड पोर्ट रोड, कच्छ-370421, गुजरात ने दिनांक 03/03/2026 को कृषक किस्म की रेशम नामक खजूर (फीनिक्स डेक्टीलिफेरा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	PDL1	26	316

को

निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं -----
-- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----
में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के
लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : रेशम
आवेदक का नाम : मंगा सुमार गढ़वी और शामला मंगा गढ़वी,
आवेदक का पता : मारवा वादी विस्तार, ज़ारपारा, डाकघर: ज़ारपारा, तालुका: मुंद्रा,
जिला: कच्छ-370405, गुजरात
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन स. :

F1	PDL1	26	316

प्राप्ति तिथि : 03/03/2026
स्वीकृति तिथि : 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खजूर (फीनिक्स डेक्टीलिफेरा एल.)
नाम : रेशम
किस्म का प्रकार : कृषक
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : खुनेज़ी
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
कंटक की लम्बाई (गुण 6)	मध्यम
कंटको के बीज की दूरी (गुण 7)	चौड़ा
डोका अवस्था में फल का रंग (गुण 13)	गहरा लाल
डोका अवस्था में फल का रंग (गुण 14)	लंबा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	

रेशम के प्रत्याशी किस्म के विशिष्ट गुण है कांटे की लंबाई मध्यम, डोका अवस्था में गूदे की मोटाई: कम।	
संदर्भ किस्म के विशिष्ट गुण: खुनेजी के प्रत्याशी किस्म के विशिष्ट गुण है पत्तीदल चौड़ाई : कांटे की लंबाई: अधिक लंबा, डोका अवस्था में गूदे की मोटाई: मोटा।	
घ. किस्म के व्यावसायीकरण की तिथि	-
रेशम के डीयूएस गुण	

216. चारु बारिक, गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 02/03/2026 को कृषक किस्म की चेप्टी गुटी नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F23	MI23	26	297

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े

:

चेप्टी गुटी

आवेदक का नाम

:

चारु बारिक,

आवेदक का पता

:

गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208, पश्चिम बंगाल

आवेदक की राष्ट्रीयता

:

भारतीय

आवेदन का विवरण

:

F23	MI23	26	297

प्राप्ति तिथि

:

02/03/2026

स्वीकृति तिथि

:

24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

:

आम (मैंगिफेरा इंडिका एल.)

नाम

:

चेप्टी गुटी

किस्म का प्रकार

:

कृषक

किस्म का वर्गीकरण

:

प्रारूप

पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : लंगड़ा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	नीचे की ओर झुका हुआ
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	मौजूद
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम (फल पकने के मौसम का दूसरा पखवाड़ा)
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: चेष्टी गुटी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: फलक का आकार: आयताकार, परिपक्व फल: गर्दन: उपस्थित।	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है पत्ती: फलक का आकार: अंडाकार, परिपक्व फल: गर्दन: अनुपस्थित।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र:	* चेष्टी गुटी के डीयूएस गुण

217. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा नूतन नामक तोरई तोरी (लुफा एक्यूटैंगुला (एल.) रॉक्सबर्ग) फसल को पंजीकरण हेतु आवेदन संख्या

E3	LA10	26	2077

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- -- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा नूतन
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता

: कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

छ. आवेदन स.

:

E3	LA10	26	2077

ज. प्राप्ति तिथि

: 21/08/2026

झ. स्वीकृति तिथि

: 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: तोरी (लुफ़ा एक्यूटैंगुला (एल.) रॉक्सबर्ग)

नाम

: पूसा नूतन

किस्म का प्रकार

: विद्यमान (अधिसूचित)

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: जर्मप्लाज़्म या जेनेटिक स्टॉक से चयन

पैतृक सामग्री का स्रोत

: अपना जर्मप्लाज़्म

संदर्भ किस्मों का नाम

: पूसा नसदार

अधिसूचित विवरण

: एस.ओ. 3666(ई) दिनांक 06/12/2016

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 10)	5 लोब्स (2)
फल: लंबाई (गुण 17)	मध्यम (5)
फल: घेरा (गुण 18)	मध्यम (5)
फल: आकृति (गुण 19)	लम्बा (2)
फल: छिलके का रंग (गुण 20)	गहरा हरा (3)
फल: रिज आकृति (गुण 23)	-
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा नूतन के प्रत्याशी किस्म के विशिष्ट गुण है बीजपत्र : हरे रंग की तीव्रता: गहरी और डंठल की लंबाई: कम।	
संदर्भ किस्मों के विशिष्ट गुण:	
पूसा नसदार के प्रत्याशी किस्म के विशिष्ट गुण है बीजपत्र : हरे रंग की तीव्रता : मध्यम और डंठल की लंबाई: मध्यम।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	

क्र. सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलंब	जल्दी तैयार होने वाली: 45–50 दिन
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर भारतीय मैदानी इलाके / एनसीआर दिल्ली
	बुवाई का समय	बसंत-गर्मी और खरीफ
	सिंचित/वर्षा सिंचित	सिंचित और बारिश पर निर्भर, दोनों तरह की खेती के लिए उपयुक्त
	मिट्टी की कम उर्वरता/उच्च उर्वरता	दोनों स्थितियों के लिए उपयुक्त
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के = 100:50:50 किग्रा/हेक्टेयर, जो लगभग 40.5:20.2:20.2 किग्रा/एकड़ के बराबर है।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	किसी खास अजैविक तनाव (जैसे सूखा, गर्मी आदि) को सहने की क्षमता नहीं
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	खेत में 'टोमैटो लीफ कर्ल न्यू दिल्ली वायरस' के प्रति सहनशीलता
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलिस/पंडाल (सहारा) का इस्तेमाल करने की सलाह दी जाती है
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	बसंत-गर्मी और खरीफ; बसंत-गर्मी की खेती के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	~75 क्विंटल/एकड़ (बसंत-गर्मी); ~72 क्विंटल/एकड़ (खरीफ)
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.09 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	लंबे, सीधे, आकर्षक हरे फल; औसत फल का वजन 105 ग्राम; गूदा मुलायम। छिलका नरम; गूदा नरम/स्पंजी और क्रीम रंग का।
12.	फल चुनने का कार्यक्रम	पहली बार/बाजार में बेचने लायक फसल लगभग 45–50 दिनों में तैयार हो जाती है
13.	परिवहन क्षमता (दिन में)	सामान्य तापमान पर 3 से 4 दिन; ठंडे तापमान

		(10-12°C) और 90-95% की उच्च सापेक्ष आर्द्रता में परिवहन करने पर इसकी शेल्फ-लाइफ (ताजगी बनाए रखने की अवधि) को सफलतापूर्वक 2-3 हफ्ते तक बढ़ाया जा सकता है
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	जल्दी तैयार होने वाली; लंबे (25-30 सेमी), सीधे, आकर्षक हरे फल और मुलायम गूदा; खेत में 'टोमैटो लीफ कर्ल न्यू दिल्ली वायरस' के प्रति सहनशीलता।
15.	किस्म/हाइब्रिड से संबंधित कोई अन्य जरूरी जानकारी	चयन द्वारा विकसित मुक्त-परागण वाली किस्म
	चित्र – 126	पूसा नूतन के डीयूएस गुण

218. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म किस्म की **पूसा कृष्णा (डीबीआर-03)** नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E14	SM27	26	2090

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **पूसा कृष्णा (डीबीआर-03)**
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,
 आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली
 आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स.	:	E14	SM27	26	2090
प्राप्ति तिथि	:	21/08/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	बैंगन (सोलेमन मेलांजेना एल.)			
नाम	:	पूसा कृष्णा (डीबीआर-03)			
किस्म का प्रकार	:	विद्यमान (अधिसूचित)			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	चयन द्वारा विकसित			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म			
संदर्भ किस्मों का नाम	:	पूसा बिंदु			
अधिसूचना विवरण	:	एस.ओ. 3254 (ई) दिनांक 20.07.2022			
किस्म का विवरण:	:				

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	-
फल: व्यास (दिन) (गुण 21)	-
फल: सामान्य आकृति (गुण 23)	अंडाकार
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	-
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा कृष्णा (डीबीआर-03) के विशिष्ट गुण है तना: एंथोसायनिन रंग की तीव्रता: कम, पत्ती: फलक के रंग की तीव्रता हल्की और पुष्प: रंग बैंगनी।	
संदर्भ किस्म के विशिष्ट गुण:	
पूसा बिंदु के विशिष्ट गुण है तना: एंथोसायनिन रंग की तीव्रता: प्रबल, पत्ती: फलक के रंग की तीव्रता गहरी और पुष्प: रंग गहरा बैंगनी।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	
क्र. स.	विवरण
	ब्यौरा

1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	जल्दी तैयार होने वाली (पौधे लगाने के 55-60 दिनों में तैयार हो जाती है। फल अकेले-अकेले लगते हैं)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	मध्य प्रदेश और महाराष्ट्र
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	दिल्ली में खेत की स्थितियों में फ्यूसेरियम विल्ट, वायरस कॉम्प्लेक्स और लिटिल लीफ के प्रति प्रतिरोधक क्षमता। खेत की स्थितियों में मुख्य कीट, यानी बैंगन के शूट और फ्रूट बोरेर के प्रति इसका व्यवहार अन्य किस्मों जैसा ही है।
7.	स्टेकिंग और छंटाई प्रथाएँ	
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	—
9.	फल उपज (क्विंटल/एकड़)	—
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	395 क्विंटल/हेक्टेयर, और 600 क्विंटल/हेक्टेयर तक पैदावार की क्षमता।
11.	फल की गुणवत्ता और फल की दृढ़ता	सब्जी के तौर पर इस्तेमाल के लिए अनुशंसित। इसमें खाना पकाने के अच्छे गुण हैं, यानी यह भरता बनाने के लिए उपयुक्त है।
12.	फल चुनने का कार्यक्रम	पौधे लगाने (ट्रांसप्लांटिंग) से लेकर पहली तुड़ाई तक 55-60 दिन लगते हैं।
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	—

15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 90	* पूसा कृष्णा (डीबीआर-03) के डीयूएस गुण	

219. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म किस्म की पूसा औशकी (डीबीएल-175) नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E13	SM26	26	2080

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा औशकी (डीबीएल-175)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद,

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E13	SM26	26	2080

प्राप्ति तिथि : 21/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)

नाम : पूसा औशकी (डीबीएल-175)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : चयन द्वारा विकसित

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : पूसा पर्पल क्लस्टर

अधिसूचना विवरण

: एस.ओ. 4272 (ई) दिनांक 26.11.2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
फल: लंबाई (गुण 20)	मध्यम	
फल: व्यास (दिन) (गुण 21)	छोटा	
फल: सामान्य आकृति (गुण 23)	-	
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी	
फल: धारियां (गुण 30)	अनुपस्थित	
फल: अंखुड़ी का रंग (गुण 35)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा औशकी (डीबीएल-175) के विशिष्ट गुण है पौधा: हाइपोकोटाइल पर एंथोसायनिन रंग की तीव्रता कम; पत्ती:फलक का रंग हरा; और फल: शीर्ष का आकार नुकीला।		
संदर्भ किस्म के विशिष्ट गुण:		
पूसा पर्पल क्लस्टर के विशिष्ट गुण है पौधा: हाइपोकोटाइल पर एंथोसायनिन रंग की तीव्रता बहुत ज्यादा होती है, पत्ती: फलक का रंग बैंगनी और फल: शीर्ष का आकार: चपता ।		
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	जल्दी तैयार होने वाली (पौधे लगाने के 75-85 दिनों बाद पुष्प/फल बेचने लायक हो जाते हैं)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	राजस्थान, गुजरात, हरियाणा, दिल्ली, मध्य प्रदेश और महाराष्ट्र
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	—
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	—
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	—
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	—
5.	जल ठहराव के प्रति सहनशीलता:	—

	संवेदनशील/सहिष्णु	
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	फ़्यूसेरियम विल्ट (Fusarium wilt) के प्रति खेत में प्रतिरोधक क्षमता।
7.	स्टेकिंग और छंटाई प्रथाएँ	खेत की स्थितियों में मुख्य कीट, यानी बैंगन के शूट और फ्रूट बोरर के प्रति इसका व्यवहार अन्य किस्मों जैसा ही है।
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	—
9.	फल उपज (क्विंटल/एकड़)	—
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	—
11.	फल की गुणवत्ता और फल की दृढ़ता	—
12.	फल चुनने का कार्यक्रम	सब्जी के तौर पर इस्तेमाल के लिए अनुशंसित। खाना पकाने के लिहाज से इसके गुण अच्छे हैं।
13.	परिवहन क्षमता (दिन में)	पौधे लगाने से लेकर पहली तुड़ाई तक 50-55 दिन लगते हैं।
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	—
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	—
चित्र: 91		* पूसा औशकी (डीबीएल-175) के डीयूएस गुण

220. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म किस्म की पूसा पर्पल ब्रोकोली-1 (डीपीबी-1) नामक ब्रोकोली (ब्रेसिका ओलेरासिया (एल.) संस्करण इटालिका प्लैक) फसल को पंजीकरण हेतु आवेदन संख्या

E13	BOI1	26	2083

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	पूसा पर्पल ब्रोकोली-1 (डीपीबी-1)				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद,				
आवेदक का पता	:	कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन सं.	:	<table><tr><td>E1</td><td>BOI1</td><td>26</td><td>2083</td></tr></table>	E1	BOI1	26	2083
E1	BOI1	26	2083			
प्राप्ति तिथि	:	21/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	ब्रोकोली (ब्रैसिका ओलेरासिया (एल.) संस्करण इटालिका प्लैक)				
नाम	:	पूसा पर्पल ब्रोकोली-1 (डीपीबी-1)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	पालम विचित्र के विदेशी पैतृक पदार्थ को अलग करना				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	पालम विचित्रा				
अधिसूचना विवरण	:	एस.ओ. 1362 (ई) दिनांक 12.03.2024				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: हाइपोकोटाइल का एंथोसायनिन रंग (गुण1)	उपस्थित (9)
तना: शीर्ष के परिपक्व होने पर मुख्य तने पर शाखाएं (गुण 2)	अनुपस्थित (1)
पत्ते की स्थिति (शीर्ष बनने की शुरुआत में)(गुण3)	अर्ध-सीधा (5)
शीर्ष का रंग (गुण 15)	हरा (5)
शीर्ष: बनावट (गुण 18)	मध्यम (5)
कटाई का समय: 50% पौधों का परिपक्व होना (गुण 24)	शीघ्र (3)

नर बंजरपना (गुण 27)		अनुपस्थित (1)
ख. प्रत्याशी किस्म के विशिष्ट गुण: पूसा पर्पल ब्रोकोली-1 (डीपीबी-1) के विशिष्ट गुण है पत्ती का झुकाव आधा-सीधा, पत्ती: फलक का रंग बैंगनी-हरा, लंबाई की तरफ से देखने पर शीर्ष का आकार आड़ा-तिरछा संकरा अंडाकार और शीर्ष का व्यास मध्यम।		
संदर्भ किस्म के विशिष्ट गुण: पालम विचित्रा के विशिष्ट गुण है पत्ती का झुकाव -सीधा, पत्ती: फलक का रंग हरा, लंबाई की तरफ से देखने पर शीर्ष का आकार गोलाकार अनुदैर्घ्य खंड और शीर्ष का व्यास: बड़ा।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/देर	बुवाई के 105-115 दिन बाद (पौधे लगाने के 75-85 दिन बाद)
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	दिल्ली और वैसी ही जलवायु वाली जगहें
	: बुवाई का समय	अगस्त के मध्य से अक्टूबर के मध्य तक
	: सिंचित/वर्षा सिंचित	सिंचित (ड्रिप सिंचाई)
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ मिट्टी
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	क्रमशः 120:100:60 किग्रा/हेक्टेयर बेसल (शुरुआती खाद): क्रमशः 60:100:60 किग्रा/हेक्टेयर पहली टॉप ड्रेसिंग: पौधे लगाने के 30वें दिन 30 किग्रा/हेक्टेयर नाइट्रोजन (एन) दूसरी टॉप ड्रेसिंग: पौधे लगाने के 45वें दिन 30 किग्रा/हेक्टेयर नाइट्रोजन (एन)
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	पौधों का तना मध्यम-लंबा होता है, जिससे शुरुआती मौसम में पत्तियां ज़मीन के संपर्क में नहीं आतीं और मिट्टी से होने वाली बीमारियों से बचाव होता है। यह सही सिंचाई व्यवस्था में अच्छा प्रदर्शन करती है और जनवरी के आखिर तक इसकी कटाई की जा सकती है (दिल्ली में 'पालम विचित्र' की कटाई का मौसम शुरू होने से पहले)।

5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	-
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	ब्रोकोली की शुरुआती किस्मों में तंबाकू कैटरपिलर और गोभी की मक्खी आम कीट हैं। दिल्ली क्षेत्र में प्राकृतिक परिस्थितियों में डाउनी मिल्ड्यू, ब्लैक रॉट और अल्टरनेरिया लीफ स्पॉट के प्रति खेत में सहनशील।
7.	स्टेकिंग और छंटाई प्रथाएँ	
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	—
9.	फल उपज (क्विंटल/एकड़)	21.4 टन/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	
11.	फल की गुणवत्ता और फल की दृढ़ता	—
12.	फल चुनने का कार्यक्रम	—
13.	परिवहन क्षमता (दिन में)	
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	—
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	एंथोसायनिन से भरपूर नई ब्रोकोली को उपभोक्ता बहुत पसंद करते हैं।
चित्र: 92		* पूसा पर्पल ब्रोकोली-1 (डीपीबी-1) के डीयूएस गुण

221. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की **डीसी-82 (पूसा बरखा)** नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CS6	26	2078

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: डीसी-82 (पूसा बरखा)				
आवेदक का नाम	: भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	: कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन स.	: <table><tr><td>E2</td><td>CS6</td><td>26</td><td>2078</td></tr></table>	E2	CS6	26	2078
E2	CS6	26	2078		
प्राप्ति तिथि	: 21/08/2026				
स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: खीरा (क्यूकुमिस सैटाइवास एल.)				
नाम	: डीसी-82 (पूसा बरखा)				
किस्म का प्रकार	: विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: चयन द्वारा विकसित				
पैतृक सामग्री का स्रोत	: उलुबेरिया, हुगली, पश्चिम बंगाल				
संदर्भ किस्मों का नाम	: हिमांगी				
अधिसूचना विवरण	: एस.ओ. नंबर 3666 (ई) दिनांक 06.12.2016				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	फैलावदार
पौधा: लिंग अभिव्यक्ति (गुण 14)	एकलिंगी
पार्थेनोकार्पी (गुण 17)	अनुपस्थित
फल: लंबाई (गुण 18)	छोटा
फल: बाजार में आने पर छिलके का रंग (गुण 23)	हल्का हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
डीसी-82 (पूसा बरखा) के प्रत्याशी किस्म के विशिष्ट गुण है फल: लंबाई कम; फल: डंठल वाले सिरे पर आकार चपटा; फल: पुष्प शीर्ष आकार: कुंद; और फल: पकने की अवस्था में छिलके का रंग भूरा।	

संदर्भ किस्मों के विशिष्ट गुण: हिमांगी के प्रत्याशी किस्म के विशिष्ट गुण है फल: लंबाई मध्यम, फल: डंठल वाले सिरे पर आकार कुंद, फल: पुष्प वाले सिरे पर आकार गोल और फल: पकने की अवस्था में छिलके का रंग पीला।		
घ. किस्म के व्यावसायीकरण की तिथि		-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	बुआई के 40-45 दिनों में पहली कटाई के लिए तैयार
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	राष्ट्रीय राजधानी क्षेत्र दिल्ली
	: बुवाई का समय	खरीफ़ का मौसम
	: सिंचित/वर्षा सिंचित	—
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	—
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	—
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	ज्यादा नमी और ज्यादा तापमान सहने की क्षमता
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	—
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	कोई बड़ी बीमारी या कीट का हमला नहीं देखा गया
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	—
8.	शीतकालीन – वसंत फसल मौसम प्रकार	—
9.	फल की उपज (क्यू/एकड़)	खरीफ़ के मौसम में 18.8 टन/हेक्टेयर
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	—
11.	फल की गुणवत्ता और फल की दृढ़ता	सब्जी के तौर पर इस्तेमाल के लिए सही। खाना पकाने के लिहाज़ से इसके गुण अच्छे हैं।
12.	फल चुनने का कार्यक्रम	—
13.	परिवहन क्षमता (दिन)	—
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ़ (दिन)	—

15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	कुछ नहीं
डीसी-82 (पूसा बरखा) के डीयूएस गुण		चित्र- 93

222. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा पार्थनोकार्पिक कुकुम्बर-6 (डीपीएसी -6) नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E3	CS7	26	2079

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- -- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा पार्थनोकार्पिक कुकुम्बर-6 (डीपीएसी -6)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, डॉ. राजेंद्र प्रसाद मार्ग, नई दिल्ली- 11012

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

E3	CS7	26	2079

आवेदन स. : 21/08/2026

प्राप्ति तिथि : 24/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खीरा (क्यूकुमिस सैटाइवास एल.)

नाम : पूसा पार्थनोकार्पिक कुकुम्बर-6 (डीपीएसी -6)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : एफ1 हाइब्रिड, डीपीएसीएच-23

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : जापानी लॉन्ग ग्रीन

अधिसूचना विवरण : एस.ओ. नंबर 692 (ई) दिनांक 05.02.2019

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)		अनिश्चित (3)
पौधा: लिंग अभिव्यक्ति (गुण 14)		गाइनोशियस (2)
पार्थेनोकार्पी (गुण 17)		मौजूद (9)
फल: लंबाई (गुण 18)		मध्यम (15-25 सेमी) (5)
फल: बाजार में आने पर छिलके का रंग (गुण 23)		गहरा हरा (4)
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा पार्थेनोकार्पिक कुकुम्बर-6 (डीपीएसी -6) के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का फलक: लंबाई में लंबा, पत्ती की फलक: किनारे पर दांतेदार बनावट: हल्की, पौधा: लिंग अभिव्यक्ति गायनोसियस (सिर्फ मादा पुष्प) और पार्थेनोकार्पी (बिना निषेचन के फल बनना): उपस्थित।		
संदर्भ किस्मों के विशिष्ट गुण: जापानी लॉन्ग ग्रीन के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती का फलक: लंबाई मध्यम, पत्ती का फलक: किनारे पर दांतेदार बनावट: मध्यम, पौधा: लिंग अभिव्यक्ति मोनोशियस (एकलिंगाश्रयी) और पार्थेनोकार्पी अनुपस्थित।		
घ. किस्म के व्यावसायीकरण की तिथि		-
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	बुआई के 40-45 दिनों बाद पहली कटाई के लिए तैयार
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	राष्ट्रीय राजधानी क्षेत्र दिल्ली
	: बुवाई का समय	—
	: सिंचित/वर्षा सिंचित	—
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	—
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	—
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	—
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	—

6.	कीटों के प्रति प्रतिरोध/सहनशीलता	कोई बड़ी बीमारी या कीट का प्रकोप नहीं देखा गया
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	—
8.	शीतकालीन – वसंत फसल मौसम प्रकार	—
9.	फल की उपज (क्यू/एकड़)	सर्दियों के मौसम में 126.0 टन/हेक्टेयर
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	—
11.	फल की गुणवत्ता और फल की दृढ़ता	—
12.	फल चुनने का कार्यक्रम	—
13.	परिवहन क्षमता (दिन)	—
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	—
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	कुछ नहीं
पूसा पार्थनोकार्पिक कुकुम्बर-6 (डीपीएसी -6) के डीयूएस गुण		चित्र- 94

223. – भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पाहुज बांध के पास, झांसी-284006 उत्तर प्रदेश की ओर से निदेशक, आईसीएआर- भारतीय चरागाह एवं चारा अनुसंधान संस्थान, ग्वालियर रोड, पाहुज बांध के पास, झांसी-284006, उत्तर प्रदेश ने दिनांक 20/08/2026 को विद्यमान (अधिसूचित) किस्म की **यू बुंदेल बाजरा 1 (जेएचपीएम -22-2)** नामक बाजरा (पेनिसेटम ग्लाउकम (एल.) आर. बीआर.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	PG23	26	1963

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **यू बुंदेल बाजरा 1 (जेएचपीएम -22-2)**
 आवेदक का नाम : आईसीएआर- भारतीय चरागाह एवं चारा अनुसंधान संस्थान,
 आवेदक का पता : ग्वालियर रोड, पाहुज बांध के पास, झांसी-284006 उत्तर प्रदेश

आवेदक की राष्ट्रीयता	: भारतीय
आवेदन का विवरण	
क. आवेदन सं.	: E6 PG23 26 1963
ख. प्राप्ति तिथि	: 20/08/2026
ग. स्वीकृति तिथि	: 24/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: बाजरा (पेनिसेटम ग्लाउकम (एल.) आर. बीआर.)
नाम	: यू बुंदेल बाजरा 1 (जेएचपीएम -22-2)
किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: पर्ल मिलेट जर्मप्लाज्म आईपी11336 से मास सिलेक्शन
पैतृक सामग्री का स्रोत	: अपना जर्मप्लाज्म
संदर्भ किस्मों का नाम	: बीएआईएफ बाजरा 1 और जाइंट बाजरा
अधिसूचना विवरण	: एस.ओ. नंबर 6123 (ई) दिनांक 31.12.2025

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: बाली निकलने का समय (गुण 3)	अधिक विलंब
परागकोष: रंग (गुण 9)	भूरा
पौधे की उँचाई (गुण 22)	लंबा
शूकी: आकार (गुण 23)	लैंसाकार
बीज: रंग (गुण 24)	ग्रे भूरा
बीज: आकृति (गुण 25)	षट्कोणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: यू बुंदेल बाजरा 1 (जेएचपीएम -22-2) के प्रत्याशी किस्म के विशिष्ट गुण है पौधा: पहली पत्ती के आवरण पर एंथोसायनिन रंग मौजूद, पौधा:गाठ पर रोएं उपस्थित, उपशूकी: लंबाई अधिक और बीज: रंग ग्रे-भूरा।	
संदर्भ किस्मों के विशिष्ट गुण: बीएआईएफ बाजरा 1 के विशिष्ट गुण है पौधा: पहली पत्ती के आवरण पर एंथोसायनिन रंग अनुपस्थित, पौधा: नोड पर रोएं: अनुपस्थित, उपशूकी: लंबाई बहुत अधिक और बीज: रंग ग्रे।	

जाइंट बाजरा के विशिष्ट गुण है पौधा: पहली पत्ती के आवरण पर एंथोसायनिन रंग अनुपस्थित, पौधा: गाठ पर रोए: अनुपस्थित, उपशूकी: लंबाई मध्यम और बीज: रंग ग्रे।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर-पश्चिम क्षेत्र
	: बुवाई का समय	जून से जुलाई
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	अधिक उपजाऊ
3.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किग्रा/एकड़	40:30:20 किग्रा/एकड़
4.	रोग और कीटों के प्रति सहनशीलता	लीफ ब्लास्ट के प्रति मध्यम प्रतिरोधी और मुख्य कीटों के प्रति प्रतिरोधी
5.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के प्रति सहनशीलता	गर्मी सहने की क्षमता
6.	दाना के गुण भौतिक: क) बीज का आकार ख) बीज की चमक (उपस्थित/अनुपस्थित) ग) बीज का रंग	क. 0.4 cm ख. अनुपस्थित ग. ग्रे
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/हेक्टेयर)	214.93 q/acre
8.	बीज उपज क्विंटल/हेक्टेयर (औसत)	10-14.5 q/ha
9.	बीज: वजन (1000 बीज वजन ग्राम में)	9.18-10g
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र- 95		* यू बुंदेल बाजरा 1 (जेएचपीएम -22-2) के डीयूएस गुण

224. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली- 110001 की ओर से निदेशक, आईसीएआर- भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की **एमएच 2417 (पुसा- 1801)** नामक बाजरा (पेनिसेटम ग्लाउकम (एल.) आर. बीआर.) फसल को पंजीकरण हेतु आवेदन संख्या

E7	PG24	26	2059

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: एमएच 2417 (पुसा- 1801)				
आवेदक का नाम	: भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	: कृषि भवन, डॉ. राजेंद्र प्रसाद रोड, नई दिल्ली				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
घ. आवेदन स.	: <table border="1" data-bbox="694 1149 1129 1216"><tr><td>E7</td><td>PG24</td><td>26</td><td>2059</td></tr></table>	E7	PG24	26	2059
E7	PG24	26	2059		
ड. प्राप्ति तिथि	: 21/08/2026				
च. स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: बाजरा (पेनिसेटम ग्लाउकम (एल.) आर. बीआर.)				
नाम	: एमएच 2417 (पुसा- 1801)				
किस्म का प्रकार	: विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	: संकर				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: आईसीएमए 13222 x पीपीएमआई 1239				
पैतृक सामग्री का स्रोत	: आईसीआरआईएसएटी				
संदर्भ किस्मों का नाम	: पूसा 1201 (एमएच 1849) और एमपीएमएच 17				
अधिसूचना विवरण	: एस.ओ. नंबर 6123 (ई) दिनांक 31.12.2025				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पौधा: बाली निकलने का समय (गुण 3)	विलंब	
परागकोष: रंग (गुण 9)	भूरा	
पौधे की उँचाई (गुण 22)	लंबा	
शूकी: आकार (गुण 23)	मोमबती	
बीज: रंग (गुण 24)	ग्रे	
बीज: आकृति (गुण 25)	गोलाकार	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
एमएच 2417 (पुसा- 1801) के प्रत्याशी किस्म के विशिष्ट गुण है उपशूकी: उभार: आंशिक और उपशूकी आकृति: मोमबती के जैसी		
संदर्भ किस्मों के विशिष्ट गुण:		
आईसीएमए 13222 के विशिष्ट गुण है उपशूकी: उभार: पूर्णता और उपशूकी आकृति: बेलनाकार		
पीपीएमआई 1239 के विशिष्ट गुण है उपशूकी: उभार: पूर्णता और उपशूकी आकृति: लैंसाकार		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	विलंब
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	एनसीटी दिल्ली
	: बुवाई का समय	जून-जुलाई
	: सिंचित/वर्षा सिंचित	सिंचित और वर्षा-आधारित (बारिश पर निर्भर) दोनों
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की मध्यम और उच्च उर्वरता
3.	संभावित पैदावार पाने के लिए खाद की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन 25-30: P 12-16: K 12-16 किग्रा/एकड़ नाइट्रोजन दो बार में दें: आधी मात्रा बेसल (बुवाई के समय) के रूप में और बाकी आधी मात्रा 3-4 सप्ताह बाद, बारिश के समय के अनुसार।
4.	रोग और कीटों के प्रति सहनशीलता	डाउनी मिल्ड्यू, ब्लास्ट, रस्ट, एंगोट और स्मट के प्रति प्रतिरोधक क्षमता; ग्रे वीविल और हेलिकोवर्पा के प्रति सहनशील
5.	प्रतिकूल तापमान/ठंड/गर्मी और लवणता के	गर्मी और सूखे के प्रति सहनशील, मध्यम ऊंचाई,

	प्रति सहनशीलता	फसल का न गिरना, खरीफ के मौसम में वर्षा-आधारित खेती के लिए उपयुक्त
6.	दाना के गुण भौतिक: क) बीज का आकार ख) बीज की चमक (उपस्थित/अनुपस्थित) ग) बीज का रंग	- उपस्थित ग्रे
7.	क्षेत्रवार उपज क्षमता (औसत) प्रति एकड़ (क्विंटल/हेक्टेयर)	14 क्विंटल/एकड़
8.	बीज उपज क्विंटल/हेक्टेयर (औसत)	14 क्विंटल/एकड़
9.	बीज: वजन (1000 बीज वजन ग्राम में)	10.1 ग्राम
10.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	एमएच 2417 (पूसा-1801) को 2025 से व्यावसायिक रूप से उपलब्ध कराया गया है। इसे एनसीटी दिल्ली के किसानों द्वारा खेती के लिए जारी और अधिसूचित किया गया है।
चित्र- 96		* एमएच 2417 (पूसा- 1801) के डीयूएस गुण

225. श्री एस. जॉन पीटर राज, नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, जिला: डिंडीगुल-624001 की ओर से डॉ. श्यामलम्मा, एस., प्राध्यापक और प्रमुख अन्वेषक, (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, कृषि विज्ञान विश्वविद्यालय, गांधी कृषि विज्ञान केंद्र, बेंगलुरु-560065 ने दिनांक 19/12/2025 को कृषक किस्म की **मारिया जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम) फसल को पंजीकरण हेतु आवेदन संख्या

F11	AHL12	25	1354

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।
किस्म के पासपोर्ट आंकड़े : **मारिया जैक**

आवेदक का नाम	: श्री एस. जॉन पीटर राज				
आवेदक का पता	: नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, जिला: डिंडीगुल-624001				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table><tr><td>F11</td><td>AHL12</td><td>25</td><td>1354</td></tr></table>	F11	AHL12	25	1354
F11	AHL12	25	1354		
प्राप्ति तिथि	: 19/12/2025				
स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैमा।)				
नाम	: मारिया जैक				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				
पैतृक सामग्री का स्रोत	: लागू नहीं				
संदर्भ किस्मों का नाम	: स्वर्ण				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती का शीर्ष आकार (गुण 5)	नुकीला
पत्ती का आधार आकार (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकनी
पके फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
रीढ़ का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघन >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
पपड़ी की बनावट (गुण 28)	फर्म
पपड़ी का रंग (आरएचएस रंग चार्ट) (गुण 29)	सफेद
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
मारिया जैक के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- मुगदरनुमा और बीज: रंग (छिलके के साथ)- भूरा है।	
संदर्भ किस्म के विशिष्ट गुण:	

स्वर्ण के विशिष्ट गुण है- फल: आकृति- गोल और बीज: रंग (छिलके के साथ)- क्रीम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*मारिया जैक के डीयूएस गुण

226. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी कीर्ति (वीआरबीओजी -63-02) नामक लौकी (लेगेनेरिया सिसेरिया (मोल.) स्टैंडल.) फसल को पंजीकरण हेतु आवेदन संख्या

E1	LS18	26	1871

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी कीर्ति (वीआरबीओजी -63-02)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E1	LS18	26	1871

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : लौकी (लेगेनेरिया सिसेरिया (मोल.) स्टैंडल.)

नाम : काशी कीर्ति (वीआरबीओजी -63-02)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : आईआईवीआर जननद्रव्य पूल से इनब्रीडिंग और चयन

पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : पूसा नवीन
अधिसूचना विवरण : अधिसूचना संख्या एस.ओ. 692 (ई), दिनांक 05/02/2019
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पत्रदल: पालियों की संख्या (गुण 11)	3 लोब	
डिम्बाशय: लंबाई (परागदभाव के दिन)(सें.मी.) (गुण 16)	मध्यम	
पुष्पवृंत: लंबाई (सें.मी.) (गुण 17)	मध्यम	
फल: लंबाई (सें.मी.) (गुण 18)	बेलनाकार	
फल: लंबवत काट में आकृति (गुण 20)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी कीर्ति (वीआरबीओजी -63-02) के प्रत्याशी किस्म के विशिष्ट गुण है- पौधा: बढ़वार स्वभाव- लंबी बेल, तना: प्राथमिक शाखाओं की संख्या- अनेक, पत्ती: लंबाई- लंबी और फल: डंठल के सिर पर शीर्ष का आकार- दबा हुआ है।		
संदर्भ किस्म के विशिष्ट गुण:		
पूसा नवीन के विशिष्ट गुण है- पौधा: बढ़वार स्वभाव- मध्यम बेल, तना: प्राथमिक शाखाओं की संख्या- मध्यम, पत्ती: लंबाई- छोटी और फल: डंठल के सिर पर शीर्ष का आकार- चपटा है।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अति अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	शीत ऋतु: अक्टूबर-नवंबर
	सिंचित वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	100:80:60 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	कम तापमान सहनशीलता

5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	डाउनी मिलड्यू, फ्रूट फ्लाई और पाउडरी मिलड्यू के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	अधिक उपज के लिए आवश्यक
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	सर्दी
9.	फल उपज (क्विंटल/एकड़)	375-425 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	11-13 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	चिकनी सतह, ज्यादा गूदेदार, अच्छी शेल्फ लाइफ
12.	फल चुनने का कार्यक्रम	62-65 दिनों के बाद 2-3 दिन के अंतराल पर
13.	परिवहन क्षमता (दिन में)	5-7 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	5-7 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: 144		*काशी कीर्ति (वीआरबीओजी -63-02) के डीयूएस गुण

227. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी कुंडल (वीआरबीओजी-16) नामक लौकी (लेगेनेरिया सिसेरिया (मोल.) स्टैंडल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	LS19	26	1872

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	काशी कुंडल (वीआरबीओजी-16)				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन सं.	:	<table border="1"><tr><td>E2</td><td>LS19</td><td>26</td><td>1872</td></tr></table>	E2	LS19	26	1872
E2	LS19	26	1872			
प्राप्ति तिथि	:	17/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	लौकी (लेगेनेरिया सिसेरिया (मोल.) स्टैंडल.)				
नाम	:	काशी कुंडल (वीआरबीओजी-16)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	आईआईवीआर जननद्रव्य पूल से इनब्रीडिंग और चयन				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	पंजाब कोमल				
अधिसूचना विवरण	:	अधिसूचना संख्या एस.ओ. 692 (ई), दिनांक 05/02/2019				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्रदल: पालियों की संख्या (गुण 11)	3 लोब
डिम्बाशय: लंबाई (परागदभाव के दिन)(सें.मी.) (गुण 16)	छोटी
पुष्पवृंत: लंबाई (सें.मी.) (गुण 17)	लंबा
फल: लंबाई (सें.मी.) (गुण 18)	गोल
फल: लंबवत काट में आकृति (गुण 20)	हल्का हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी कुंडल (वीआरबीओजी-16) के प्रत्याशी किस्म के विशिष्ट गुण हैं- पौधा: बड़वार स्वभाव- लंबी बेल, पत्ती: आकृति- लंबाकार, पत्ती: चौड़ाई- लंबाकार और फल: व्यास- अधिक है।	
संदर्भ किस्म के विशिष्ट गुण:	
पंजाब कोमल के विशिष्ट गुण हैं- पौधा: बड़वार स्वभाव- छोटी बेल, पत्ती: आकृति- हृदययाकार, पत्ती: चौड़ाई- संकरी और फल: व्यास- मध्यम है।	

घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम परिपक्वता
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश
	बुवाई का समय	जुलाई से सितंबर के पहले हफ्ते तक बुआई के लिए सही
	सिंचित वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	100:80:60 किग्रा/हेक्टेयर
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	कम तापमान सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	संवेदनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	डाउनी मिल्ड्यू, फ्रूट फ्लाई और पाउडरी मिल्ड्यू के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	अधिक उपज के लिए आवश्यक
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	375-410 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	11-13 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	नाशपाती के आकार का फल, चिकनी सतह वाला, अधिक गूदेदार, अच्छी भण्डार क्षमता
12.	फल चुनने का कार्यक्रम	90-96 दिनों के बाद 2-3 दिन के अंतराल पर
13.	परिवहन क्षमता (दिन में)	5-7 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	5-7 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-

चित्र: 145	*काशी कुंडल (वीआरबीओजी-16) के डीयूएस गुण

228. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी कल्याणी (वीआरएसजी-195)** नामक तरौई [लुफ्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

E1	LUC2	26	1885

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी कल्याणी (वीआरएसजी-195)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E1	LUC2	26	1885

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तरौई [लुफ्फा सिलिंड्रिका (एल.) रोम]

नाम : **काशी कल्याणी (वीआरएसजी-195)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : भू-प्रजाति जननद्रव्य की जनसंख्या

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : काशी दिव्य और पूसा सुप्रिय

अधिसूचना विवरण

: अधिसूचना संख्या 3254 (ई), दिनांक 20/07/2022

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पत्ती: पालियों की संख्या (गुण 8)	कम	
फल: लंबाई (गुण 15)	लंबा	
फल: मोटाई (गुण 16)	पतला	
फल: आकृति (गुण 17)	लंबा	
फल: छिलके का रंग (गुण 18)	हरा	
बीज: टेस्टा का रंग (गुण 28)	काला	
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी कल्याणी (वीआरएसजी-195) के प्रत्याशी किस्म के विशिष्ट गुण है- तना: अंतर्गांठ की लंबाई- छोटी और तना: प्राथमिक शाखाओं की संख्या- कम है।		
संदर्भ किस्म के विशिष्ट गुण: काशी दिव्य और पूसा सुप्रिय के विशिष्ट गुण है- तना: अंतर्गांठ की लंबाई- लंबी और तना: प्राथमिक शाखाओं की संख्या- अधिक है।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तर प्रदेश, बिहार और झारखण्ड, तमिलनाडु, केरल और पुदुचेरी राज्य में उगाने के लिए सुझाया गया
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ

	आवश्यकता (एन:पी:के) किग्रा/एकड़	और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहनीय (>35°C)
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज/बोवर सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	60-80 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.0-2.20 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक गहरे हरे, बेलनाकार फल जो पकाने में अच्छे लगते हैं
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 7 से 8 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तरोंई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	हरा, गोल, मध्यम आकार का फल। बीज से फल पकने तक (बीज से बीज तक) 105-115 दिन
चित्र: 146		*काशी कल्याणी (वीआरएसजी-195) के डीयूएस गुण

229. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी रक्षिता (वीआरएसजीएच-1) नामक तरोंई [लुफ्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

E2	LUC3	26	1886

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी रक्षिता (वीआरएसजीएच-1)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E2	LUC3	26	1886

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तरोई [लुप्फा सिलिंड्रिका (एल.) रोम]

नाम : काशी रक्षिता (वीआरएसजीएच-1)

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : वीआरएसजी-136 x वीआरएसजी-195

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : कल्याणपुर हरि चिकानी और काशी सौम्या (वीआरएसजीएच-3)

अधिसूचना विवरण : अधिसूचना संख्या 692 (ई), दिनांक 05/02/2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 8)	कम
फल: लंबाई (गुण 15)	लंबा
फल: मोटाई (गुण 16)	पतला
फल: आकृति (गुण 17)	दीर्घवृत्ताकार

फल: छिलके का रंग (गुण 18)		गहरा हरा
बीज: टेस्टा का रंग (गुण 28)		काला
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी रक्षिता (वीआरएसजीएच-1) के प्रत्याशी किस्म के विशिष्ट गुण है- फल: आकृति- दीर्घवृत्ताकार और 100 बीजों का भार- मध्यम है।		
संदर्भ किस्म के विशिष्ट गुण:		
कल्याणपुर हरि चिकानी और काशी सौम्या (वीआरएसजीएच-3) के विशिष्ट गुण है- फल: आकृति- लंबा और 100 बीजों का भार- कम है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तर प्रदेश, बिहार और झारखण्ड राज्य में उगाने के लिए सुझाया गया
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहन कर सकता है
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	सहनशील

6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज/बोवर सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	75-95 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.65-2.75 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	बेलनाकार आकार, गहरा हरा, मध्यम फल, पकाने में अच्छा
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 7 से 8 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तरोंई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	आकर्षक हरे फल और पकाने में अच्छे लगते हैं। स्पंज गॉर्ड मोजेक वायरस और डाउनी मिल्ड्यू के लिए सहनशील।
चित्र: 147,148		*काशी रक्षिता (वीआरएसजीएच-1) के डीयूएस गुण

230. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी सौम्या (वीआरएसजीएच-3)** नामक तरोंई [लुफ्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी सौम्या (वीआरएसजीएच-3)**

आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन सं.	:	<table><tr><td>E3</td><td>LUC4</td><td>26</td><td>1889</td></tr></table>	E3	LUC4	26	1889
E3	LUC4	26	1889			
प्राप्ति तिथि	:	17/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	तरोई [लुफ्फा सिलिंड्रिका (एल.) रोम]				
नाम	:	काशी सौम्या (वीआरएसजीएच-3)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	वीआरएसजी-9 x वीआरएसजी-195				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	कल्याणपुर हरि चिकानी				
अधिसूचना विवरण	:	अधिसूचना संख्या 692 (ई), दिनांक 05/02/2019				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 8)	कम
फल: लंबाई (गुण 15)	लंबा
फल: मोटाई (गुण 16)	पतला
फल: आकृति (गुण 17)	लंबा
फल: छिलके का रंग (गुण 18)	हरा
बीज: टेस्टा का रंग (गुण 28)	काला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काशी सौम्या (वीआरएसजीएच-3) के प्रत्याशी किस्म के विशिष्ट गुण हैं- फल: पुष्प के सिरे का आकार- नुकीला और बीज: लंबाई- लंबा है।	
संदर्भ किस्म के विशिष्ट गुण:	
कल्याणपुर हरि चिकानी के विशिष्ट गुण हैं- फल: पुष्प के सिरे का आकार- गोल और बीज: लंबाई- छोटा है।	
घ. किस्म के व्यावसायीकरण की तिथि	-

ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश राज्य में उगाने के लिए सुझाया गया
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहन कर सकता है
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज/बोवर सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	70-90 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.65-2.75 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	बेलनाकार आकार, गहरा हरा, मध्यम फल, पकाने में अच्छा
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 5 से 6 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तरोंई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	आकर्षक हरे फल, पकाने में अच्छे। स्पंज गॉर्ड मोजेक वायरस और डाउनी मिल्ड्यू के लिए सहनशील। गर्मी के महीनों में, तापमान 40°C से ज्यादा होने पर भी फल देने में सक्षम।
चित्र: 149,150		*काशी सौम्या (वीआरएसजीएच-3) के डीयूएस गुण

231. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की काशी श्रेया (वीआरएसजी-194) नामक तरोंई [लुफ्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

E4	LUC5	26	1890

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काशी श्रेया (वीआरएसजी-194)

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E4	LUC5	26	1890

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तरोंई [लुफ्फा सिलिंड्रिका (एल.) रोम]

नाम : काशी श्रेया (वीआरएसजी-194)

किस्म का प्रकार	: विद्यमान (अधिसूचित)
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: घर के बगीचे छोटी हरैया और सरदार से एकत्रित जर्मप्लाज्म
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: फुले प्राजक्ता और पूसा चिकनि
अधिसूचना विवरण	: अधिसूचना संख्या 692 (ई), दिनांक 05/02/2019

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पत्ती: पालियों की संख्या (गुण 8)	कम	
फल: लंबाई (गुण 15)	लंबा	
फल: मोटाई (गुण 16)	पतला	
फल: आकृति (गुण 17)	लंबा	
फल: छिलके का रंग (गुण 18)	गहरा हरा	
बीज: टेस्टा का रंग (गुण 28)	काला	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी श्रेया (वीआरएसजी-194) के प्रत्याशी किस्म के विशिष्ट गुण है- फल: मोटाई- मोटा और फल: आकृति- लंबा है।		
संदर्भ किस्म के विशिष्ट गुण:		
फुले प्राजक्ता और पूसा चिकनि के विशिष्ट गुण है- फल: मोटाई- पतला और फल: आकृति- दीर्घवृत्ताकार है।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तर प्रदेश, बिहार और झारखण्ड में उगाने के लिए सुझाया गया।
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई

		करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहन कर सकता है
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज/बोवर सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	60-80 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.0-2.20 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक गहरे हरे, बेलनाकार फल जो पकाने में अच्छे लगते हैं
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 5 से 6 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तराई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	बेलनाकार आकार, मध्यम फल, बीज बोने से फल पकने तक (बीज से बीज तक) 105-115 दिन
चित्र: 151		*काशी श्रेया (वीआरएसजी-194) के डीयूएस गुण

232. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-

221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी वंदना (वीआरएसजी-17-2)** नामक तरौई [लुफ्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

E5	LUC6	26	1891

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी वंदना (वीआरएसजी-17-2)**

आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद

आवेदक का पता : कृषि भवन, नई दिल्ली-110001

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

E5	LUC6	26	1891

प्राप्ति तिथि : 17/08/2026

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तरौई [लुफ्फा सिलिंड्रिका (एल.) रोम]

नाम : **काशी वंदना (वीआरएसजी-17-2)**

किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : वीआरएसजी-91 x वीआरएसजी-171

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : **काशी दिव्य और पूसा सुप्रिय**

अधिसूचना विवरण : अधिसूचना संख्या 1362 (ई), दिनांक 12/04/2024

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 8)	कम
फल: लंबाई (गुण 15)	लंबा
फल: मोटाई (गुण 16)	पतला

फल: आकृति (गुण 17)		लंबा
फल: छिलके का रंग (गुण 18)		हरा
बीज: टेस्टा का रंग (गुण 28)		काला
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
काशी वंदना (वीआरएसजी-17-2) के प्रत्याशी किस्म के विशिष्ट गुण है- तना: अंतर्गांठ की लंबाई- छोटी और फल: पुष्प के सिरे की आकृति- नुकीला है।		
संदर्भ किस्म के विशिष्ट गुण:		
काशी दिव्य और पूसा सुप्रिय के विशिष्ट गुण है- तना: अंतर्गांठ की लंबाई- लंबा और फल: पुष्प के सिरे की आकृति- गोल है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र .सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	पंजाब, उत्तर प्रदेश, बिहार और झारखण्ड, तमिलनाडु, केरल और पुदुचेरी राज्य में उगाने के लिए सुझाया गया
	बुवाई का समय	बरसात के मौसम के लिए जून के आखिरी हफ्ते से जुलाई के बीच तक और गर्मी के मौसम के लिए फरवरी के आखिरी हफ्ते से मार्च के बीच तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहनीय (>35°C)
5.	जल ठहराव के प्रति सहनशीलता/	सहनशील

	संवेदनशील/सहिष्णु	
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज़/बोवर सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	60-80 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.0-2.20 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक गहरे हरे, बेलनाकार फल जो पकाने में अच्छे लगते हैं
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 7 से 8 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तरोई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	हरा, गोल, मध्यम आकार का फल। बीज से फल पकने तक (बीज से बीज तक) 105-115 दिन
चित्र: 152		*काशी वंदना (वीआरएसजी-17-2) के डीयूएस गुण

233. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से डॉ. राजेश कुमार, निदेशक, भा.कृ.अ.प.- भारतीय सब्जी अनुसंधान संस्थान पोस्ट बैग संख्या 01, पी.ओ. जखिनी (शहंशाहपुर), वाराणसी-221305, उत्तर प्रदेश ने दिनांक 17/08/2026 को विद्यमान (अधिसूचित) किस्म की **काशी ज्योति (वीआरएसजी-1-17)** नामक तरोई [लुप्फा सिलिंड्रिका (एल.) रोम] फसल को पंजीकरण हेतु आवेदन संख्या

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **काशी ज्योति (वीआरएसजी-1-17)**

आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
आवेदन सं.	:	<table border="1"><tr><td>E6</td><td>LUC7</td><td>26</td><td>1892</td></tr></table>	E6	LUC7	26	1892
E6	LUC7	26	1892			
प्राप्ति तिथि	:	17/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	तरोई [लुफ्फा सिलिंड्रिका (एल.) रोम]				
नाम	:	काशी ज्योति (वीआरएसजी-1-17)				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	वीआरएसजी-214 x वीआरएसजी-171				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	फुले प्राजक्ता और पंजाब निखार				
अधिसूचना विवरण	:	अधिसूचना संख्या 692 (ई), दिनांक 05/02/2019				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती: पालियों की संख्या (गुण 8)	कम
फल: लंबाई (गुण 15)	लंबा
फल: मोटाई (गुण 16)	पतला
फल: आकृति (गुण 17)	दीर्घवृत्ताकार
फल: छिलके का रंग (गुण 18)	हल्का हरा
बीज: टेस्टा का रंग (गुण 28)	काला
ख. प्रत्याशी किस्म के विशिष्ट गुण: काशी ज्योति (वीआरएसजी-1-17) के प्रत्याशी किस्म के विशिष्ट गुण हैं- फल: आकृति- दीर्घवृत्ताकार और फल: तने के सिरे की आकृति- नुकीला है।	
संदर्भ किस्म के विशिष्ट गुण: फुले प्राजक्ता और पंजाब निखार के विशिष्ट गुण हैं- फल: आकृति- लंबा और फल: तने के सिरे की आकृति- गोल है।	

घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर प्रदेश राज्य में उगाने के लिए सुझाया गया
	बुवाई का समय	ग्रीष्म ऋतु के लिए फरवरी के अंतिम सप्ताह से मध्य मार्च तक और वर्षा ऋतु के लिए जून के अंतिम सप्ताह से मध्य जुलाई तक
	सिंचित वर्षा सिंचित	गर्मियों में 7-10 दिन के अंतराल पर 5-7 बार सिंचाई करें और बारिश के मौसम में आवश्यकता पड़ने पर सिंचाई करें।
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एन:पी:के अनुपात 100:80:60, जैविक खाद के साथ और डब्ल्यूएसएफ (पानी में घुलनशील खाद) 19:19:19 (एन:पी:के) के 2 पत्तियों पर स्प्रे @ 5 ग्राम/लीटर पानी में, बुवाई के 35 और 45 दिन बाद।
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान सहन कर सकता है
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	सहनशील
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	लीफ माइनर, फ्रूट फ्लाई और रेड पंपकिन बीटल के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	ट्रेलीज सिस्टम के लिए उपयुक्त
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	गर्मी और बरसात के मौसम के लिए उपयुक्त
9.	फल उपज (क्विंटल/एकड़)	60-80 क्विंटल/हेक्टेयर
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2.0-2.20 किग्रा
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक हल्के हरे रंग का फल, पकाने में अच्छा
12.	फल चुनने का कार्यक्रम	फलों की कुल तुड़ाई 5 से 6 बार होती है
13.	परिवहन क्षमता (दिन में)	दूर के बाजार (एक्सपोर्ट) के लिए सही

14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	ताजी तरोंई की भण्डार क्षमता कक्ष ताप पर लगभग 4 से 5 दिन हो सकती है
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	फल गोल, मध्यम आकार के (खाने लायक होने पर फल का वजन 100-125 gm)। बीज बोने से फल पकने तक (बीज से बीज तक) 105-115 दिन।
चित्र: 153		*काशी ज्योति (बीआरएसजी-1-17) के डीयूएस गुण

234. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा कार्तिकी (डी सी 23000) नामक पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस) फसल को पंजीकरण हेतु आवेदन संख्या

E1	BB1	26	2081

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : पूसा कार्तिकी (डी सी 23000)
 आवेदक का नाम : भारतीय कृषि अनुसंधान परिषद
 आवेदक का पता : कृषि भवन, नई दिल्ली-110001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

E1	BB1	26	2081

 प्राप्ति तिथि : 21/08/2026
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस)
 नाम : पूसा कार्तिकी (डी सी 23000)
 किस्म का प्रकार : विद्यमान (अधिसूचित)

किस्म का वर्गीकरण	: प्ररूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: ए लाइन डीसी 23000
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: पूसा मेघना
अधिसूचना विवरण	: अधिसूचना संख्या एस.ओ. 3666(ई), दिनांक 07/12/2016
किस्म का विवरण:	

क. समूह के गुण		टिप्पणी (मापित मान)
पोदप्: बीज पत्राधर का एंथोसायनिन रंग (गुण 1)		अनुपस्थित
गोभी : आंतरिक पत्तियों द्वारा आवरण (गुण 16)		आंशिक आवृत्त
गोभी : लम्बवत काट में आकृति (गुण 19)		संकरा दीर्घवृत्ताकार
गोभी: परिपक्वता समूह (गुण 26)		अगेती
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
पूसा कार्तिकी (डी सी 23000) के प्रत्याशी किस्म के विशिष्ट गुण है- गोभी : आंतरिक पत्तियों द्वारा आवरण- आंशिक आवृत्त और गोभी: उभार- मध्यम है।		
संदर्भ किस्म के विशिष्ट गुण:		
पूसा मेघना के विशिष्ट गुण है- गोभी : आंतरिक पत्तियों द्वारा आवरण- अनावृत्त और गोभी: उभार- निर्बल है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं.	विवरण	गुण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	रोपाई के 75-85 दिन बाद या बुवाई के 110-125 दिन बाद
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	उत्तर भारत (जून-अक्टूबर अवधि)
	बुवाई का समय	जून का पहला पखवाड़ा
	सिंचितवर्षा/ सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	60, 36, 36 किग्रा/एकड़, क्रमशः एन का आधा और पी और के का पूरा बेसल डोज के तौर पर दिया जाता है बाकी एन को 2-3 स्प्लिट डोज में, ट्रांसप्लांटिंग के

		30 दिन बाद
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/ सहनशीलता	अबायोटिक स्ट्रेस से जुड़ा कोई खास टेस्ट नहीं किया गया।
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	-
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	ब्लैक रॉट बीमारी के प्रति सहनशील।
7.	स्टेकिंग और छंटाई प्रथाएँ	-
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	90-100 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	गोभी का भार: 650-700 ग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक सफेद, सघन गोभी
12.	फल चुनने का कार्यक्रम	-
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	यह किस्म सफेद सघन गोभी की गुणवत्ता और शुरुआती मौसम में अधिक पैदावार की क्षमता के आधार पर ग्राहकों और किसानों को पसंद आयी।
चित्र 154 –		*पूसा कार्तिकी (डी सी 23000) के डीयूएस गुण

235. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, नई दिल्ली-110001 की ओर से निदेशक, भारतीय कृषि अनुसंधान संस्थान, पूसा परिसर, नई दिल्ली-110012 ने दिनांक 21/08/2026 को विद्यमान (अधिसूचित) किस्म की पूसा अश्विनी {डीसी 31(सेल. 67)} नामक पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस) फसल को पंजीकरण हेतु आवेदन संख्या

E2	BB2	26	2082

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	पूसा अश्विनी {डीसी 31(सेल. 67)}				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
आवेदन सं.	:	<table><tr><td>E2</td><td>BB2</td><td>26</td><td>2082</td></tr></table>	E2	BB2	26	2082
E2	BB2	26	2082			
प्राप्ति तिथि	:	21/08/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	पुष्पगोभी (ब्रैसिका ओलेरासिया एल. वर. बोटीटिस)				
नाम	:	पूसा अश्विनी {डीसी 31(सेल. 67)}				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्ररूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	एक लाइन डीसी 31(सेल. 67)				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	पूसा मेघना				
अधिसूचना विवरण	:	अधिसूचना संख्या एस.ओ. 3666(ई), दिनांक 07/12/2016				
किस्म का विवरण:						

क. समूह के गुण	टिप्पणी (मापित मान)
पोदप्: बीज पत्राधर का एंथोसायनिन रंग (गुण 1)	अनुपस्थित
गोभी : आंतरिक पत्तियों द्वारा आवरण (गुण 16)	आंशिक आवृत्त
गोभी : लम्बवत काट में आकृति (गुण 19)	संकरा दीर्घवृत्ताकार
गोभी: परिपक्वता समूह (गुण 26)	अगेती
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पूसा अश्विनी {डीसी 31(सेल. 67)} के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: रंग- गहरा हर, पत्ती: पत्रदल की ऊपरी सतह की बनावट- समतल और गोभी: उभार- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण:	
पूसा मेघना के विशिष्ट गुण है- पत्ती: रंग- हल्का हर, पत्ती: पत्रदल की ऊपरी सतह की बनावट- अवतल और	

गोभी: उभार- निर्बल है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. सं.	विवरण	गुण
1.	परिपक्वता के दिन: अगोती/मध्यम/पछेती	रोपाई के 75-75 दिन बाद या बुवाई के 110-125 दिन बाद
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	क्षेत्र-IV: उप-आर्द्र सतलुज-गंगा जलोढ़ मैदान (पंजाब, उत्तर प्रदेश, बिहार और झारखण्ड)
	बुवाई का समय	जून-जुलाई
	सिंचितवर्षा/ सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	60, 36, 36 किग्रा/एकड़, क्रमशः एन का आधा और पी और के का पूरा बेसल डोज के तौर पर दिया जाता है बाकी एन को 2-3 स्प्लिट डोज में, ट्रांसप्लान्टिंग के 30 दिन बाद
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	उच्च तापमान, आर्द्रता के प्रति सहनशील
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	-
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	ब्लैक रॉट बीमारी के प्रति सहनशील।
7.	स्टेकिंग और छंटाई प्रथाएँ	-
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	80 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	गोभी का भार: 450-500 ग्राम
11.	फल की गुणवत्ता और फल की दृढ़ता	आकर्षक सफेद, सघन गोभी
12.	फल चुनने का कार्यक्रम	-
13.	परिवहन क्षमता (दिन में)	-
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	-

15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	यह किस्म सफेद गोभी के मुकाबले अपनी क्वालिटी और 25-27 °C पर सघन गोभी की क्षमता के कारण शुरुआती मौसम में अधिक पैदावार की क्षमता के आधार पर ग्राहकों और किसानों को पसंद आएगी।
चित्र- 155,156		*पूसा अश्विनी {डीसी 31(सेल. 67)} के डीयूएस गुण

236. श्री ओम प्रकाश चौरसिया, ग्राम: लेमुआबाद, ब्लॉक: पंडारक, बाढ़, जिला:पटना-803221 की ओर से वरिष्ठ वैज्ञानिक एवं प्रमुख, आईसीएआर-केवीके अगवानपुर, बाढ़, जिला: पटना-803214 ने दिनांक 22/01/2025 को कृषक किस्म की **देसी अजवाइन** नामक अजवाइन (ट्रेचीस्पर्मम अम्मी एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F2	TRA2	25	1231

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **देसी अजवाइन**
 आवेदक का नाम : श्री ओम प्रकाश चौरसिया,
 आवेदक का पता : ग्राम: लेमुआबाद, ब्लॉक: पंडारक, बाढ़, जिला:पटना-803221
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F2	TRA2	25	1231

 प्राप्ति तिथि : 22/01/2025
 स्वीकृति तिथि : 25/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अजवाइन (ट्रेचीस्पर्मम अम्मी एल.)
 नाम : **देसी अजवाइन**
 किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : अजमेर अजवाइन -2

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बीजपत्र: एंथोसिनिन रंजकता (गुण: 1)	अनुपस्थित
तना: सफ़ेद परत (गुण: 6)	उपस्थित
पर्ण घनत्व (गुण: 7)	विरल
पौधे की वृद्धि आदत (गुण: 8)	सीधा
वृंत की लंबाई (मुख्य पुष्पछत्र) (गुण: 11)	लंबा
पुष्पछत्र की सघनता (गुण: 16)	ढीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: देसी अजवाइन के प्रत्याशी किस्म के विशिष्ट गुण है पर्ण घनत्व: विरल	
संदर्भ किस्म के विशिष्ट गुण: अजमेर अजवाइन -2 के प्रत्याशी किस्म के विशिष्ट गुण है पर्ण घनत्व: सघन	
घ. किस्म के व्यावसायीकरण की तिथि	-
देसी अजवाइन के डीयूएस गुण	

237. श्री एस. जॉन पीटर राज, नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, ज़िला: डिंडीगुल-624001 की ओर से डॉ. श्यामलाम्मा एस., प्रोफ़ेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बेंगलोर-560065 ने दिनांक 19/12/2025 को कृषक किस्म की **सवारी जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F9	AHL10	25	1352

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के

लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सवारी जैक**
 आवेदक का नाम : श्री एस. जॉन पीटर राज,
 आवेदक का पता : नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, ज़िला: डिंडीगुल-624001
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :

F9	AHL10	25	1352

 आवेदन स. :
 प्राप्ति तिथि : 19/12/2025
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)
 नाम : **सवारी जैक**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **लालबाग मधुरा**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	अधिक बड़ा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
गुच्छे की बनावट (गुण 28)	मजबूत
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
सवारी जैक के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: पिरामिड जैसा और	

पत्तियां: सीधी (खड़ी)।	
संदर्भ किस्म के विशिष्ट गुण: लालबाग मधुरा के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार: अंडाकार और पत्तियां: क्षैतिज।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
सवारी जैक के डीयूएस गुण	

238. श्री एस. जॉन पीटर राज, नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, जिला: डिंडीगुल-624001 की ओर से डॉ. श्यामलाम्मा एस., प्रोफेसर और प्रधान अन्वेषक (डीयूएस परियोजना), पादप जैव-प्रौद्योगिकी विभाग, यूएएस, जीकेवीके, बैंगलोर-560065 ने दिनांक 19/12/2025 को कृषक किस्म की **रूबी जैक** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F11	AHL11	25	1353

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को----लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	: रूबी जैक				
आवेदक का नाम	: श्री एस. जॉन पीटर राज,				
आवेदक का पता	: नंबर 9/2 एलजीबी कंपाउंड, तीसरी स्ट्रीट, जिला: डिंडीगुल-624001				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन सं.	: <table border="1" data-bbox="683 1545 1216 1617"> <tr> <td>F11</td><td>AHL11</td><td>25</td><td>1353</td></tr> </table>	F11	AHL11	25	1353
F11	AHL11	25	1353		
प्राप्ति तिथि	: 19/12/2025				
स्वीकृति तिथि	: 24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: कटहल (आर्टोकार्पस हेटरोफिलस लैम.)				
नाम	: रूबी जैक				
किस्म का प्रकार	: कृषक				

किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : जनागरे
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	बड़ा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
गुच्छे की बनावट (गुण 28)	मजबूत
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: रूबी जैक के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक का आकार अंडाकार और पत्ती की स्थिति चपटी।	
संदर्भ किस्म के विशिष्ट गुण: जनागरे के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती फलक का आकार लंबाकार और पत्ती की स्थिति कंडुप्लिकेट।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं।
रूबी जैक के डीयूएस गुण	

239. कम्युनिटी सीड बैंक, डेक्कन डेवलपमेंट सोसाइटी, पास्तापुर गाँव, जहीराबाद-502318, जिला: संगारेड्डी की ओर से डॉ. सी. वारा प्रसाद, वरिष्ठ वैज्ञानिक एवं वैज्ञानिक प्रमुख, डीडीएस- कृषि विज्ञान केंद्र (डीडीएस-केवीके), डिडगी गांव, जहीराबाद, जिला: संगारेड्डी-502228 ने दिनांक 01/04/2025 को कृषक किस्म की **वमु** नामक अजवाइन (ट्रेचीस्पर्मम अम्मी एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	TRA1	25	355

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।
 उक्त किस्म के संबंध में कवेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----

में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वमु**
 आवेदक का नाम : कम्युनिटी सीड बैंक,
 आवेदक का पता : डेक्कन डेवलपमेंट सोसाइटी, पास्तापुर गाँव, जहीराबाद-502318, ज़िला: संगारेड्डी
 आवेदक की राष्ट्रियता : भारतीय
 आवेदन का विवरण :

F1	TRA1	25	355

 आवेदन स. :
 प्राप्ति तिथि : 22/01/2025
 स्वीकृति तिथि : 24/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अजवाइन (ट्रेचीस्पर्मम अम्मी एल.)
 नाम : **वमु**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपनी समग्री
 संदर्भ किस्मों का नाम : **एए-73**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बीजपत्र: एंथोसिनिन रंजकता (गुण: 1)	अनुपस्थित
तना: सफ़ेद परत (गुण: 6)	उपस्थित
पर्ण घनत्व (गुण: 7)	विरल
पौधे की वृद्धि आदत (गुण: 8)	फैलवदार
वृंत की लंबाई (मुख्य पुष्पछत्र) (गुण: 11)	लंबा
पुष्पछत्र की सघनता (गुण: 16)	सघन
ख. प्रत्याशी किस्म के विशिष्ट गुण: वमु के प्रत्याशी किस्म के विशिष्ट गुण है परीक्षण वजन: कम।	

संदर्भ किस्म के विशिष्ट गुण: एए-73 के प्रत्याशी किस्म के विशिष्ट गुण है परीक्षण वजन: उच्च।	
घ. किस्म के व्यावसायीकरण की तिथि	-
वमु के डीयूएस गुण	

240. कम्युनिटी सीड बैंक, डेक्कन डेवलपमेंट सोसाइटी, पास्तापुर गाँव, जहीराबाद-502318, जिला: संगारेड्डी की ओर से डॉ. सी. वारा प्रसाद, वरिष्ठ वैज्ञानिक एवं वैज्ञानिक प्रमुख, डीडीएस- कृषि विज्ञान केंद्र (डीडीएस-केवीके), डिडगी गांव, जहीराबाद, जिला: संगारेड्डी-502228 ने दिनांक दिनांक 1/4/2025 को कृषक किस्म की दानियालु नामक धनिया (कोरियन्ड्रम सैटिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	CO1	25	0356

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	दानियालु				
आवेदक का नाम	:	कम्युनिटी सीड बैंक,				
आवेदक का पता	:	डेक्कन डेवलपमेंट सोसाइटी, पास्तापुर गाँव, जहीराबाद-502318, ज़िला: संगारेड्डी				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
घ. आवेदन स.	:	<table><tr><td>F1</td><td>CO1</td><td>25</td><td>0356</td></tr></table>	F1	CO1	25	0356
F1	CO1	25	0356			
ड. प्राप्ति तिथि	:	01/04/2025				
च. स्वीकृति तिथि	:	22/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	धनिया (कोरियन्ड्रम सैटिवम एल.)				
नाम	:	दानियालु				
किस्म का प्रकार	:	कृषक				
किस्म का वर्गीकरण	:	प्रारूप				

पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : सुधा

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
बेसल पत्तियों की संख्या	कम (1-3) (3)
सबसे लंबी बेसल पत्तियों की लंबाई	छोटा (3)
बढ़ने का तरीका	सीधा (5)
प्रति अम्बेल (गुच्छे) बीजों की संख्या	अच्छा (5)
7% नमी पर 1000 बीजों का वजन	उच्च(7)
बीज का आकार	अंडाकार (5)
ख. प्रत्याशी किस्म के विशिष्ट गुण: दानियालु के प्रत्याशी किस्म के विशिष्ट गुण है प्राथमिक शाखाओं का कोण: मध्यम (5) : बीज का रंग: भूरा (5)	
संदर्भ किस्मों के विशिष्ट गुण: सुधा के विशिष्ट गुण है प्राथमिक शाखाओं का कोण: संकीर्ण (3), बीज का रंग: हल्का भूरा (3)	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
दानियालु के डीयूएस गुण	

241. एसके. सेराजुल इस्लाम और एसके. सुकिद, रुकुंदीपुर, रतुआ-I-732205, पश्चिम बंगाल की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 24/07/2017 को कृषक किस्म की राढ़ी नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F36	MI36	17	1751

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया -----गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : राढ़ी

आवेदक का नाम : एसके. सेराजुल इस्लाम और एसके. सुकिद,
आवेदक का पता : रुकुंदीपुर, रतुआ-I-732205, पश्चिम बंगाल
आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन स. :

F36	MI36	17	1751

प्राप्ति तिथि : 24/7/2017

स्वीकृति तिथि : 24/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : आम (मैंगिफेरा इंडिका एल.)

नाम : **राढ़ी**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम : **लंगड़ा**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	उपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: राढ़ी के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: साइनस: उपस्थित और परिपक्व फल: स्टाइलर निशान के पास का हिस्सा: उभरा ॥	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है परिपक्व फल: साइनस: अनुपस्थित और परिपक्व फल: स्टाइलर निशान के पास का हिस्सा: अनुपस्थित ॥	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* राढ़ी के डीयूएस गुण

242. श्री दिलीप कुमार पात्रा, ग्राम एवं डाकघर: भेदुआसोल, थाना: इंद पुर, जिला: बांकुरा, पश्चिम बंगाल-722121 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 02/03/2026 को कृषक किस्म की **दिलखुश कटहल** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F2	AHL2	26	0266

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **दिलखुश कटहल**
 आवेदक का नाम : श्री दिलीप कुमार पात्रा,
 आवेदक का पता : ग्राम एवं डाकघर: भेदुआसोल, थाना: इंद पुर, जिला: बांकुरा, पश्चिम बंगाल-722121

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F2	AHL2	26	0266

प्राप्ति तिथि : 02/03/2026

स्वीकृति तिथि : 27/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : **दिलखुश कटहल**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : **मलेशिया जैक**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	तिरछा
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	मध्यम (>6-12 किग्रा)
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	घना >50
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 एमएम)
गुच्छे की बनावट (गुण 28)	सख्त
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: दिलखुश कटहल के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती स्थिति: मुड़ी हुई और बीज आकृति: अंडाकार	
संदर्भ किस्म के विशिष्ट गुण: मलेशिया जैक के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती स्थिति: कॉनडुप्लिकेट'और बीज आकृति: रीनिफॉर्म	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
दिलखुश कटहल के डीयूएस गुण	

243. श्री रासबिहारी महतो, ग्राम: चंदाई, डाकघर: दरपा, थाना: झालदा, जिला: पुरलिया, पश्चिम बंगाल-723212 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा, पश्चिम बंगाल-732103 ने दिनांक 09/12/2024 को कृषक किस्म की रासबिहारी जैम नामक जामुन (सिजीजियम क्यूमिनी स्किल्स) फसल को पंजीकरण हेतु आवेदन संख्या

F10	SC10	24	1089

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : रासबिहारी जैम

आवेदक का नाम : श्री रासबिहारी महतो,

आवेदक का पता : ग्राम: चंदाई, डाकघर: दरपा, थाना: झालदा, जिला: पुरलिया, पश्चिम बंगाल-723212

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन स.

:

F10	SC10	24	1089

प्राप्ति तिथि

: 09/12/2024

स्वीकृति तिथि

: 27/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: जामुन (सिजीजियम क्यूमिनी स्किल्स)

नाम

: रासबिहारी जैम

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: अपना जर्मप्लाज्म

संदर्भ किस्मों का नाम

: सीआईएसएच जे-37

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
वृद्धि की आदत (गुण 1)	-
पत्ती का शीर्ष (गुण 5)	तीव्र
पत्ती का आधार (गुण 6)	गोल
परिपक्व फल: आकार (गुण 14)	गोल
परिपक्व फल: आधार डंठल अंत (गुण 16)	चपटा
गूदा: बीज अनुपात (गुण 26)	कम
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
रासबिहारी जैम के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल की लंबाई कम (<3.0 cm) और चौड़ाई मध्यम (2.0 से 2.5 cm)।	
संदर्भ किस्म के विशिष्ट गुण :	
सीआईएसएच जे-37 के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल की लंबाई लंबा (>4.0 cm) और चौड़ाई: चौड़ा (>2.5 cm).।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
	रासबिहारी जैम के डीयूएस गुण

244. चारु बारिक, गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 02/03/2026 को कृषक किस्म की **सिंदुरिया गुटी** नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F24	MI24	26	298

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया ----- गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	सिंदुरिया गुटी				
आवेदक का नाम	:	चारु बारिक,				
आवेदक का पता	:	गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table border="1" data-bbox="774 1153 1284 1209"><tr><td>F24</td><td>MI24</td><td>26</td><td>298</td></tr></table>	F24	MI24	26	298
F24	MI24	26	298			
प्राप्ति तिथि	:	02/03/2026				
स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	आम (मैंगिफेरा इंडिका एल.)				
नाम	:	सिंदुरिया गुटी				
किस्म का प्रकार	:	कृषक				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	लागू नहीं				
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म				
संदर्भ किस्मों का नाम	:	लंगड़ा				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	बाहर की ओर मुड़ा हुआ
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण: सिंदुरिया गुटी के प्रत्याशी किस्म के विशिष्ट गुण है पत्ती: रंग गहरा हरा (गुण 5), परिपक्व फल: लेंटिसेल्स का घनत्व अधिक (गुण 18)।	
संदर्भ किस्म के विशिष्ट गुण: लंगड़ा के विशिष्ट गुण है पत्ती: रंग हल्का हरा (गुण 5), परिपक्व फल: लेंटिसेल्स का घनत्व: विरल (गुण 18)।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* सिंदुरिया गुटी के डीयूएस गुण

245. चारु बारिक, गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208 की ओर से डॉ. दीपक नायक, वरिष्ठ वैज्ञानिक प्रभारी, आईसीएआर- केंद्रीय उपोष्णकटिबंधीय बागवानी संस्थान, क्षेत्रीय अनुसंधान केंद्र, माधव नगर, मालदा-732103, पश्चिम बंगाल ने दिनांक 02/03/2026 को कृषक किस्म की काल्थी गुटी नामक आम (मैंगिफेरा इंडिका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F25	MI25	26	299

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या लागू नहीं ----- पर ----- लागू-----नहीं स्वीकार किया ----- गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : काल्थी गुटी
 आवेदक का नाम : चारु बारिक,
 आवेदक का पता : गांव और डाकघर: अमृति, थाना: इंग्लिश बाजार, जिला: मालदा-732208
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण

आवेदन स.	:	F25	MI25	26	299
प्राप्ति तिथि	:	02/03/2026			
स्वीकृति तिथि	:	24/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	आम (मैंगिफेरा इंडिका एल.)			
नाम	:	काल्थी गुटी			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	अपना जर्मप्लाज्म			
संदर्भ किस्मों का नाम	:	लंगड़ा			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
परिपक्व फल: उदर कंधे का आकार (गुण 23)	ऊपर की ओर गोल
परिपक्व फल: साइनस की उपस्थिति (गुण 26)	अनुपस्थित
परिपक्वता: फल कटाई के लिए तैयार (गुण 29)	मध्यम
बीज: भ्रूण (गुण 33)	एकभ्रूणीय
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
काल्थी गुटी के प्रत्याशी किस्म के विशिष्ट गुण है परिपक्व फल: सतह खुरदरी, परिपक्व फल: गर्दन : उपस्थित ।	
संदर्भ किस्म के विशिष्ट गुण:	
लंगड़ा के विशिष्ट गुण है परिपक्व फल: सतह अनुपस्थित, परिपक्व फल: गर्दन : अनुपस्थित ।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	* काल्थी गुटी के डीयूएस गुण

246. शुशील उराँव, गाँव: नावाडीह, ब्लॉक: घाघरा, जिला: गुमला-835208, झारखंड ने दिनांक दिनांक 15/09/2025 को कृषक किस्म की देहाती धनिया नवाडीह नामक धनिया (कोरियन्ड्रम सैटिवम एल.) फसल को पंजीकरण हेतु आवेदन संख F4 CO5 25 1114 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : देहाती धनिया नवाडीह

आवेदक का नाम : शुशील उराँव,

आवेदक का पता : गाँव: नावाडीह, ब्लॉक: घाघरा, जिला: गुमला-835208, झारखंड

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

क. आवेदन स.	:	F4	CO5	25	1114
ख. प्राप्ति तिथि	:	15/09/2025			
ग. स्वीकृति तिथि	:	27/08/2026			

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : धनिया (कोरियन्ड्रम सैटिवम एल.)

नाम : देहाती धनिया नवाडीह

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप

पैतृक सामग्री का स्रोत : लागू नहीं

संदर्भ किस्मों का नाम : एसीआर-1

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
आधार की पत्तियों की संख्या	मध्यम
सबसे लंबी आधार की पत्ती की लंबाई	मध्यम
बढ़ने का तरीका	आधा सीधा
इनवोल्यूकर (involucre)	उपस्थित
प्रति अम्बेल बीज	अच्छी मात्रा
प्रति अम्बेल अम्बेललेट	मध्यम
1000 बीजों का वजन	कम
बीज का आकार	हल्का गोल

ख. प्रत्याशी किस्म के विशिष्ट गुण: देहाती धनिया नवाडीह के प्रत्याशी किस्म के विशिष्ट गुण है तने का रंग : अनुपस्थित और इनवोल्यूकर उपस्थित।	
संदर्भ किस्मों के विशिष्ट गुण: एसीआर-1 के विशिष्ट गुण है तने का रंग : उपस्थित और इनवोल्यूकर: अनुपस्थित।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
देहाती धनिया नवाडीह के डीयूएस गुण	

247. अध्यक्ष, कृषि हर्ष चेतना कृषक समूह, ग्राम: सुनकिया, पोस्ट: भटेलिया, द/ब्लॉक: धारी, जिला: नैनीताल-263132, उत्तराखंड ने दिनांक दिनांक 24/2/2026 को कृषक किस्म की **खुबानी मिश्री** नामक खुबानी (प्रूनस आर्मेनियाका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	PA1	26	206

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वाकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्या.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े

आवेदक का नाम

आवेदक का पता

आवेदक की राष्ट्रीयता

आवेदन का विवरण

क. आवेदन स.

ख. प्राप्ति तिथि

ग. स्वीकृति तिथि

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

नाम

: खुबानी मिश्री

: अध्यक्ष, कृषि हर्ष चेतना कृषक समूह, उत्तराखंड

: ग्राम: सुनकिया, पोस्ट: भटेलिया, द/ब्लॉक: धारी, जिला: नैनीताल-263132,

: भारतीय

F1	PA1	26	206

: 24/2/2026

: 27/08/2026

: खुबानी (प्रूनस आर्मेनियाका एल.)

: खुबानी मिश्री

किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : सीआईटीएच-एप्रिकोर-1 और ईरानी

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पेड़ के बढ़ने का तरीका (गुण 1)	सीधा
पत्ते का आकार (गुण 7)	कुंद
पूरी तरह खिलने में लगने वाले दिन (गुण 13)	मध्य
फल: तोड़ने के लिए परिपक्वता (दिन) (गुण 15)	शीघ्र
फल का आकार (गुण 19)	गोल
गुठली का आकार (गुण 29)	गोल
ख. प्रत्याशी किस्म के विशिष्ट गुण: खुबानी मिश्री के प्रत्याशी किस्म के विशिष्ट गुण है फल : कटाई के लिए परिपक्वता (दिन) – शीघ्र; और गुठली: वजन (ग्राम) – मध्यम।	
संदर्भ किस्मों के विशिष्ट गुण: सीआईटीएच-एप्रिकोर-1 के विशिष्ट गुण है फल : कटाई के लिए परिपक्वता (दिन) – विलंब; और गुठली: वजन (ग्राम) – बड़ा। ईरानी के विशिष्ट गुण है फल : कटाई के लिए परिपक्वता (दिन) – मध्य; और गुठली: वजन (ग्राम) – बड़ा।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
खुबानी मिश्री के डीयूएस गुण	

248. अध्यक्ष, कृषि हर्ष चेतना कृषक समूह, ग्राम: सुनकिया, पोस्ट: भटेलिया, द/ब्लॉक: धारी, जिला: नैनीताल-263132, उत्तराखंड ने दिनांक दिनांक 24/2/2026 को कृषक किस्म की **चौरु** नामक खुबानी (प्रूनस आर्मेनियाका एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F2	PA2	26	207

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्या.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।
 उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं-----में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **चौरु**
 आवेदक का नाम : अध्यक्ष, कृषि हर्ष चेतना कृषक समूह, उत्तराखंड
 आवेदक का पता : ग्राम: सुनकिया, पोस्ट: भटेलिया, द/ब्लॉक: धारी, जिला: नैनीताल-263132,
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 क. आवेदन स. :

F2	PA2	26	207

 ख. प्राप्ति तिथि : 24/2/2026
 ग. स्वीकृति तिथि : 27/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खुबानी (प्रूनस आर्मेनियाका एल.)
 नाम : **चौरु**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : सीआईटीएच-एप्रिकोर-1 और ईरानी

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पेड़ के बढ़ने का तरीका (गुण 1)	सीधा
पत्ते का आकार (गुण 7)	कुंद
पूरी तरह खिलने में लगने वाले दिन (गुण 13)	मध्य
फल: तोड़ने के लिए परिपक्वता (दिन) (गुण 15)	मध्य
फल का आकार (गुण 19)	गोल
गुठली का आकार (गुण 29)	गोल
ख. प्रत्याशी किस्म के विशिष्ट गुण: चौरु के प्रत्याशी किस्म के विशिष्ट गुण है फल: गूदे का वजन / गुठली का वजन मध्यम और फल: शीर्ष का आकार चपटा।	

संदर्भ किस्मों के विशिष्ट गुण:	
सीआईटीएच-एप्रिकोर-1 के विशिष्ट गुण है फल: गूदे का वजन / गुठली के वजन का अनुपात कम है और फल: ऊपरी सिरे का आकार नुकीला है।	
ईरानी के विशिष्ट गुण है फल: गूदे का वजन / गुठली के वजन का अनुपात कम है और फल के ऊपरी सिरे का आकार गोल है।	
घ. किस्म के व्यावसायीकरण की तिथि	लागू नहीं
चौरु के डीयूएस गुण	

249. श्री बी.एस. शरथ कुमार पुत्र सिद्धा मरियप्पा, गांव: बेंडेकेरे, मुख्यालय: अरासिकेरे, शिवमोग्गा, कर्नाटक - 573103 की ओर से प्रोफेसर और विभागाध्यक्ष, फल विज्ञान विभाग, बागवानी महाविद्यालय, यूएचएस कैपस, जीकेवीके, बेंगलुरु-560065 ने दिनांक 25/08/2025 को कृषक किस्म की **जेने कल्लू चंद्रा** नामक कटहल (आर्टोकार्पस हेटरोफिलस लैम.) फसल को पंजीकरण हेतु आवेदन संख्या

F7	AHL9	25	1049

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **जेने कल्लू चंद्रा**

आवेदक का नाम : श्री बी.एस. शरथ कुमार

आवेदक का पता : पुत्र सिद्धा मरियप्पा, गांव: बेंडेकेरे, मुख्यालय: अरासिकेरे, शिवमोग्गा, कर्नाटक -573103

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

F7	AHL9	25	1049

आवेदन सं. :

प्राप्ति तिथि : 25/08/2025

स्वीकृति तिथि : 27/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : कटहल (आर्टोकार्पस हेटरोफिलस लैम.)

नाम : **जेने कल्लू चंद्रा**

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: बायराचंद्र

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्ती नोक: आकृति (गुण 5)	नुकीला
पत्ती के आधार की आकृति (गुण 6)	गोल
पत्ती की ऊपरी सतह (गुण 9)	चिकना
परिपक्व फल का आकार (गुण 15)	अधिक बड़ा
कटकों का घनत्व (5x5 सेमी ² क्षेत्रफल) (गुण 19)	सघना (>50)
फल के छिलके की मोटाई (गुण 21)	मोटा (>5 मिमी)
गुच्छे की बनावट (गुण 28)	कोमल
गुच्छे का रंग (दाहिनी ओर रंग चार्ट) (गुण 29)	नारंगी
ख. प्रत्याशी किस्म के विशिष्ट गुण: जेने कल्लू चंद्रा के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार गोलाकार और पत्ती फलक की लंबाई मध्यम (101-150 मिमी)।	
संदर्भ किस्म के विशिष्ट गुण: बायराचंद्र के प्रत्याशी किस्म के विशिष्ट गुण है पेड़ के ऊपरी हिस्से (क्राउन) का आकार :पिरामिड जैसा और पत्ती फलक की लंबाई लंबा(>150 मिमी)।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं
जेने कल्लू चंद्रा के डीयूएस गुण	

250. एचएम क्लॉज, रुए लुई सैलांट, जैड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस की ओर से श्री गिलौम लेगल, एचएम क्लॉज इंडिया प्राइवेट लिमिटेड, #6-98/4, सर्वे नंबर 563/पार्ट, गौडावेली गांव, मेडचल मंडल, जिला मेडचल-501401, तेलंगाना ने दिनांक 15/09/2025 को विद्यमान (वीसीके) किस्म की **विनायक एफ1** नामक तोरई (लुफ्फा एक्यूटैंगुला (एल.) रोकसब.) फसल को पंजीकरण हेतु आवेदन संख्या

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **विनायक एफ1**

आवेदक का नाम : एचएम क्लॉज,

आवेदक का पता : रुए लुई सैलांट, जैड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस

आवेदक की राष्ट्रीयता : फ्रांसीसी

आवेदन का विवरण

आवेदन सं. :

E1	LA3	25	1113

प्राप्ति तिथि : 15/09/2025

स्वीकृति तिथि : 31/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरई (लुफ्फा एक्यूटैंगुला (एल.) रोक्सब.)

नाम : **विनायक एफ1**

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : फिक्स्ड इनब्रेड (P1) x फिक्स्ड इनब्रेड (P2)

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : पूसा नासदार और जीएआरजी-1

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पत्रदल: पालियों की संख्या (गुण 10)	5
फल: लंबाई (गुण 17)	-
फल: मोटाई (गुण 18)	मध्यम
फल: आकृति (गुण 19)	लंबा
फल: छिलके का रंग (गुण 20)	गहरा हरा

बीज: धारियों की आकृति (गुण 23)		मध्यम
ख. प्रत्याशी किस्म के विशिष्ट गुण: विनायक एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: चौड़ाई (15-20 गांठों के बीच)- मध्यम और बाजार में बेचने के लिए परिपक्वता का समय- अगेती है।		
संदर्भ किस्म के विशिष्ट गुण: जीएआरजी-1 के विशिष्ट गुण है- पत्ती: चौड़ाई (15-20 गांठों के बीच)- चौड़ी है। पूसा नासदार के विशिष्ट गुण है- बाजार में बेचने के लिए परिपक्वता का समय- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती से मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	कर्नाटक, महाराष्ट्र, तमिलनाडु, आंध्र प्रदेश
	बुवाई का समय	ग्रीष्मकाल (फरवरी-सितंबर), वर्षाकाल (जून-सितंबर)
	सिंचित वर्षा सिंचित	सिंचित
	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:40:40, किग्रा/एकड़
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	तापमान के लिए मध्यवर्ती सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	-
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	मध्यवर्ती
7.	स्टेकिंग और छंटाई प्रथाएँ	आवश्यक
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	दक्षिण भारत के कुछ बाजारों में
9.	फल उपज (क्विंटल/एकड़)	120-140 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	3.5-4.0 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	गहरे हरे रंग के लंबे पतले फल, जिनमें एक जैसा पन और सबलता होती है
12.	फल चुनने का कार्यक्रम	3 दिन में एक बार

13.	परिवहन क्षमता (दिन में)	3-4 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	अच्छे फल वाले आकर्षक फल, सबल पौधा, मध्यम गर्मी सहने की क्षमता और 2-3 दिन की सबसे अच्छी भण्डार क्षमता
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	फलों की अच्छी लंबाई, प्रजनन, कायाकल्प और फसल की शक्ति
चित्र: उपलब्ध नहीं		*विनायक एफ1 के डीयूएस गुण

251. एल्डोरैडो एग्रीटेक लिमिटेड, प्लॉट नंबर ए11 और ए12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना की ओर से डॉ. वसुधा जादोन, मैनेजर आईपीआर और रेगुलेटरी अफेयर्स, प्लॉट नंबर A11 और A12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना ने दिनांक 24/12/2025 को विद्यमान (वीसीके) किस्म की **श्रीकर अनीता एसवी-657** नामक तोरई (लुफ्फा एक्यूटैंगुला (एल.) रोक्सब.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	LA4	25	1380

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **श्रीकर अनीता एसवी-657**

आवेदक का नाम : एल्डोरैडो एग्रीटेक लिमिटेड

आवेदक का पता : प्लॉट नंबर ए11 और ए12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E2	LA4	25	1380

प्राप्ति तिथि : 24/12/2025

स्वीकृति तिथि : 31/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : तोरई (लुफ्फा एक्यूटैंगुला (एल.) रोक्सब.)

नाम	: श्रीकर अनीता एसवी-657
किस्म का प्रकार	: विद्यमान (वीसीके)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: एसवीआरजी220121 x एसवीआरजी220103
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: अर्का सुजात और पूसा नसदार

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)	
पत्रदल: पालियों की संख्या (गुण 10)	5	
फल: लंबाई (गुण 17)	लंबा	
फल: मोटाई (गुण 18)	मध्यम	
फल: आकृति (गुण 19)	लंबा	
फल: छिलके का रंग (गुण 20)	हल्का हरा	
बीज: धारियों की आकृति (गुण 23)	मध्यम	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
श्रीकर अनीता एसवी-657 के प्रत्याशी किस्म के विशिष्ट गुण है- डंठल: लंबाई (15-20 गांठों के बीच)- छोटा और 100 बीजों का भार- अधिक है।		
संदर्भ किस्म के विशिष्ट गुण:		
अर्का सुजात के विशिष्ट गुण है- डंठल: लंबाई (15-20 गांठों के बीच)- मध्यम है।		
पूसा नसदार के विशिष्ट गुण है- पत्ती: चौड़ाई (15-20 गांठों के बीच)- चौड़ी और 100 बीजों का भार- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि	-	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं	विवरण	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	दक्षिण भारत, भारत का पूर्वी भाग
	बुवाई का समय	जनवरी-फरवरी, जून-जुलाई, सितंबर-अक्टूबर
	सिंचित वर्षा सिंचित	सिंचित

	मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की अच्छी उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:80:100
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	प्रतिकूल तापमान के प्रति मध्यम सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता/ संवेदनशील/सहिष्णु	पानी के ठहराव के प्रति मध्यम सहनशीलता
6.	कीट/कीटों के प्रति प्रतिरोध/ सहनशीलता	डीएम और पीएम के प्रति सहनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	खूँटा लगाना
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	वसंत, बरसात और बरसात के बाद के मौसम
9.	फल उपज (क्विंटल/एकड़)	80-85 क्विंटल/एकड़
10.	फल उपज/पौधा (किलोग्राम/प्रति) (औसत)	2-2.2 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	बहुत अच्छा
12.	फल चुनने का कार्यक्रम	3-5 दिन में एक बार बहुत अच्छा
13.	परिवहन क्षमता (दिन में)	3-5 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	अच्छी भण्डार क्षमता 7-10 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	फल दिखने में आकर्षक और ज्यादा पैदावार वाले होते हैं
चित्र: उपलब्ध नहीं		*श्रीकर अनीता एसवी-657 के डीयूएस गुण

252. एचएम क्लॉज, रुए लुई सैलांट, जैड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस की ओर से श्री गिलौम लेगल, एचएम क्लॉज इंडिया प्राइवेट लिमिटेड, #6-98/4, सर्वे नंबर 563/पार्ट, गौडावेली गांव, मेडचल मंडल, जिला मेडचल-501401, तेलंगाना ने दिनांक 15/09/2025 को विद्यमान (वीसीके) किस्म की **आरणा एफ1** नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CS6	25	1111

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **आरणा एफ1**
 आवेदक का नाम : एचएम क्लॉज
 आवेदक का पता : रुए लुई सैलांट, जैड.आई. ला मोट्टे, 26800 पोर्ट्स-लेस-वैलेंस, फ्रांस
 आवेदक की राष्ट्रीयता : फ्रांसीसी
 आवेदन का विवरण
 आवेदन स. :

E2	CS6	25	1111

 प्राप्ति तिथि : 15/09/2025
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खीरा (क्यूकुमिस सैटाइवास एल.)
 नाम : **आरणा एफ1**
 किस्म का प्रकार : विद्यमान (वीसीके)
 किस्म का वर्गीकरण : संकर
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : सीयूसी2632पीएल x सीयूसी5741पीएल
 पैतृक सामग्री का स्रोत : अपना जर्मप्लाज्म
 संदर्भ किस्मों का नाम : **चित्रा**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	अप्रसारित
पौधा: लिंग अभिव्यक्ति (गुण 14)	एकलिंगी
पार्थेनोकार्पी (गुण 17)	अनुपस्थित
फल: लंबाई (गुण 18)	मध्यम
फल: बाजार में आने पर छिलके का रंग (गुण 23)	हल्का हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: आरणा एफ1 के प्रत्याशी किस्म के विशिष्ट गुण है- पत्रदल: लंबाई- छोटा, पत्रदल: फफोले- अनुपस्थित है।	
संदर्भ किस्मों के विशिष्ट गुण: चित्रा के विशिष्ट गुण है- पत्रदल: लंबाई- मध्यम, पत्रदल: फफोले- उपस्थित है।	

घ. किस्म के व्यावसायीकरण की तिथि		27/03/2024
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: शीघ्र/मध्यम/विलम्ब	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	-
	: बुवाई का समय	अगस्त-अक्टूबर और जनवरी-मार्च
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	एफवाईएम-20000, एन-40, पी-120, के-80
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	मध्यम सहनशीलता
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	जेडवाईएमवी और पीआरएसवी के प्रति प्रतिरोध, टीओएलसीएनडीवी के प्रति सहनशीलता
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	बिना छंटाई की आवश्यकता के स्टेकिंग और खूंटी ना लगाना
8.	शीतकालीन – वसंत फसल मौसम प्रकार	बसंत
9.	फल की उपज (क्यू/एकड़)	10000 किग्रा
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	3 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	मध्यम दृढ़ता
12.	फल चुनने का कार्यक्रम	हर दूसरे दिन
13.	परिवहन क्षमता (दिन)	2-3 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	3-5 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	सीधे फल और एक जैसे
चिंत: उपलब्ध नहीं		*आरणा एफ1 के डीयूएस गुण

253. एल्डोरैडो एग्रीटेक लिमिटेड, प्लॉट नंबर ए11 और ए12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना की ओर से डॉ. वसुधा जादोन, मैनेजर आईपीआर और रेगुलेटरी अफेयर्स, प्लॉट नंबर A11 और A12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना ने दिनांक 24/12/2025 को विद्यमान (वीसीके) किस्म की **श्रीकर बलराम-999** नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E4	CS10	25	1379

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **श्रीकर बलराम-999**

आवेदक का नाम : एल्डोरैडो एग्रीटेक लिमिटेड

आवेदक का पता : प्लॉट नंबर ए11 और ए12/1, रोड नंबर 1 और 12, आईपी नचाराम, मेडचल-मलकजगिरी, हैदराबाद-500076, तेलंगाना

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

E4	CS10	25	1379

प्राप्ति तिथि : 24/12/2025

स्वीकृति तिथि : 31/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खीरा (क्यूकुमिस सैटाइवास एल.)

नाम : **श्रीकर बलराम-999**

किस्म का प्रकार : विद्यमान (वीसीके)

किस्म का वर्गीकरण : संकर

पहले प्रस्तावित नाम : लागू नहीं

पैतृक सामग्री का नाम : एसवीसीयूजीपी190005x एसवीसीयूजीपी190006

पैतृक सामग्री का स्रोत : अपना जननद्रव्य

संदर्भ किस्मों का नाम : **फुले शुभांगी और स्वर्ण अगेती**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

पौधा: वृद्धि स्वभाव (गुण 1)		अप्रसारित
पौधा: लिंग अभिव्यक्ति (गुण 14)		एकलिंगी
पार्थेनोकार्पी (गुण 17)		अनुपस्थित
फल: लंबाई (गुण 18)		छोटा
फल: बाजार में आने पर छिलके का रंग (गुण 23)		पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: श्रीकर बलराम-999 के प्रत्याशी किस्म के विशिष्ट गुण है- फल: बाजार में आने पर छिलके का रंग- पीला, फल: आवरण पर नुकीले रोमों का प्रकार- अरोमिल है।		
संदर्भ किस्मों के विशिष्ट गुण: फुले शुभांगी और स्वर्ण अगेती के विशिष्ट गुण है- फल: बाजार में आने पर छिलके का रंग- हल्का हरा, फल: आवरण पर नुकीले रोमों का प्रकार- काँटेदार है।		
घ. किस्म के व्यावसायीकरण की तिथि		16/10/2024
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ	ब्यौरा
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र	दक्षिणी भारत
	: बुवाई का समय	पूरे वर्ष
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	मिट्टी की अच्छी उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80:80:100
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/सहनशीलता	प्रतिकूल तापमान के प्रति मध्यम से अच्छी सहनशीलता
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	पानी के ठहराव के प्रति मध्यम सहनशीलता
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	पीएम और डीएम के प्रति सहनशील
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	फैलाव/खुले खेत में खेती
8.	शीतकालीन – वसंत फसल मौसम प्रकार	वसंत, बरसात और बरसात के बाद का मौसम
9.	फल की उपज (क्विंटल/एकड़)	130-140 क्विंटल/एकड़
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	1.8- किग्रा/पौधा

11.	फल की गुणवत्ता और फल की दृढ़ता	बहुत अच्छा
12.	फल चुनने का कार्यक्रम	3-4 दिन में एक बार
13.	परिवहन क्षमता (दिन)	14-15 दिन
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	250-300 दिन की अच्छी भंडार क्षमता
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	फल दिखने में अच्छे लगते हैं और गूदा भी अच्छा होता है और पैदावार भी अधिक होती है
चित: उपलब्ध नहीं		*श्रीकर बलराम-999 के डीयूएस गुण

254. कलश सीड्स प्राइवेट लिमिटेड, मंथा रोड, जालना-431203, महाराष्ट्र की ओर से डॉ. प्रफुल्ल एस. कांबले, डिप्टी मैनेजर- R&D, कलश सीड्स प्राइवेट लिमिटेड, मंथा रोड, जालना-431203, महाराष्ट्र ने दिनांक 17/11/2025 को विद्यमान (वीसीके) किस्म की **केएसपी 1614** नामक खीरा (क्यूकुमिस सैटाइवास एल.) फसल को पंजीकरण हेतु आवेदन सं.

E3	CS7	25	1263

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **केएसपी 1614**
 आवेदक का नाम : कलश सीड्स प्राइवेट लिमिटेड
 आवेदक का पता : मंथा रोड, जालना-431203, महाराष्ट्र
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन स. :
 प्राप्ति तिथि : 17/11/2025
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : खीरा (क्यूकुमिस सैटाइवास एल.)
 नाम : **केएसपी 1614**

किस्म का प्रकार	: विद्यमान (वीसीके)
किस्म का वर्गीकरण	: संकर
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: सीएम 15140 x सीएम 15175
पैतृक सामग्री का स्रोत	: अपना जननद्रव्य
संदर्भ किस्मों का नाम	: कल्याणपुर ग्रीन और इंडम जया
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
पौधा: वृद्धि स्वभाव (गुण 1)	अप्रसारित
पौधा: लिंग अभिव्यक्ति (गुण 14)	स्त्री-पुष्पी
पार्थेनोकार्पी (गुण 17)	अनुपस्थित
फल: लंबाई (गुण 18)	मध्यम
फल: बाजार में आने पर छिलके का रंग (गुण 23)	गहरा हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण: केएसपी 1614 के प्रत्याशी किस्म के विशिष्ट गुण है- पौधा: लिंग अभिव्यक्ति- स्त्री-पुष्पी, फल: वृंत की लंबाई- लंबा है।	
संदर्भ किस्मों के विशिष्ट गुण: फुले शुभांगी और स्वर्ण अगेती के विशिष्ट गुण है- पौधा: लिंग अभिव्यक्ति- एक-लिंगी, फल: वृंत की लंबाई- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	13/09/2021
क्र. सं.	महत्वपूर्ण कृषि और वाणिज्यिक विशेषताएँ
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती
2.	उत्पादन की स्थिति: देश में उपयुक्त क्षेत्र
	महाराष्ट्र, कर्नाटक, आंध्र प्रदेश, तेलंगाना, तमिलनाडु, गुजरात, मध्य प्रदेश, राजस्थान, उत्तर प्रदेश, पंजाब, हरियाणा, छत्तीसगढ़
	: बुवाई का समय
	जून से सितंबर, जनवरी – फरवरी
	: सिंचित/वर्षा सिंचित
	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता
	उच्च उर्वरता
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़
	61:30:30 किग्रा/एकड़

4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता-संवेदनशील/सहनशीलता	प्रतिकूल तापमान के प्रति मध्यम से अच्छी सहनशीलता
5.	जल के ठहराव के प्रति सहनशीलता: संवेदनशील/सहनशील	गर्मी और पाले के प्रति संवेदनशील
6.	कीटों के प्रति प्रतिरोध/सहनशीलता	संवेदनशील
7.	स्टेकिंग और प्रूनिंग प्रथाएँ	चूसने वाले कीड़ों के प्रति प्रतिरोधक
8.	शीतकालीन – वसंत फसल मौसम प्रकार	आवश्यक
9.	फल की उपज (क्विंटल/एकड़)	वर्षा, बसंत
10.	फल की उपज/पौधा (किग्रा/पौधा) (औसत)	250-300
11.	फल की गुणवत्ता और फल की दृढ़ता	3.5-4.5 किग्रा
12.	फल चुनने का कार्यक्रम	एक समान फल
13.	परिवहन क्षमता (दिन)	तोड़ने के बीच 1-2 दिन का अंतराल
14.	अद्वितीय विक्रय प्रस्ताव और इष्टतम शेल्फ-लाइफ (दिन)	3-4 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	अधिक पैदावार वाला और 5-6 दिन की भण्डार क्षमता वाला जल्दी पकने वाली संकर
चित्र: उपलब्ध नहीं		*केएसपी 1614 के डीयूएस गुण

255. श्री रमेश चौहान, गाँव: सांडा दसाऊ, ब्लॉक: चकराता, जिला: देहरादून-248123 उत्तराखंड, भारत ने दिनांक 22/10/2024 को कृषक किस्म की **दसाऊ गोथम** नामक चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F7	TA20	24	787

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **दसाऊ गोथम**

आवेदक का नाम : श्री रमेश चौहान

आवेदक का पता

: गाँव: सांडा दसाऊ, ब्लॉक: चकराता, जिला: देहरादून-248123
उत्तराखंड, भारत

आवेदक की राष्ट्रीयता

: भारतीय

आवेदन का विवरण

आवेदन स.

:

F7	TA20	24	787

प्राप्ति तिथि

: 22/10/2024

स्वीकृति तिथि

: 31/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा)

: चपाती गेहूं (ट्रिटिकम एस्टिवम एल.)

नाम

: **दसाऊ गोथम**

किस्म का प्रकार

: कृषक

किस्म का वर्गीकरण

: प्रारूप

पहले प्रस्तावित नाम

: लागू नहीं

पैतृक सामग्री का नाम

: लागू नहीं

पैतृक सामग्री का स्रोत

: अपना जननद्रव्य

संदर्भ किस्मों का नाम

: **जे 1-7**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पताका पत्ती: कर्णपल्लव का एंथोसियानिन रंग (गुण 4)	अनुपस्थित
बाली अंकुरण का समय (50 प्रतिशत बालियों पर प्रथम शूकी दिखाई देती हुई) (गुण 7)	अगेती
पौधा: लंबाई (शूकियों को छोड़कर) (गुण 14)	मध्यम
बाहरी तुष: तारुण्य (गुण 23)	अनुपस्थित
बाली: रंग (गुण 24)	सफेद
दाना: फिनाँल रंग सहित (गुण 31)	अधिक गहरा
दाना: कठोरता (गुण 38)	अर्ध कठोर
ख. प्रत्याशी किस्म के विशिष्ट गुण: दसाऊ गोथम प्रत्याशी किस्म के विशिष्ट गुण है- पताका पत्ती: कर्णपल्लव पर रोम- सबल, बाली मोमियापन- अनुपस्थित और निचला तुष: स्कंध की चौड़ाई- संकरी है।	
संदर्भ किस्म के विशिष्ट गुण : जे 1-7 के विशिष्ट गुण है- पताका पत्ती: कर्णपल्लव पर रोम- अनुपस्थित, बाली मोमियापन- अत्यधिक सबल और निचला तुष: स्कंध की चौड़ाई- मध्यम है।	

घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*दसाऊ गोथम के डीयूएस गुण

256. श्री सुरेन्द्र सिंह चौहान, गाँव: थतलिओ, डाकघर : समाल्टा, तहसील: चकराता, जिला: देहरादून-248165 उत्तराखंड, भारत ने दिनांक 22/10/2024 को कृषक किस्म की **वाह गेहूँ** नामक चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.) फसल को पंजीकरण हेतु आवेदन सं.

F9	TA22	24	789

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **वाह गेहूँ**
 आवेदक का नाम : श्री सुरेन्द्र सिंह चौहान
 आवेदक का पता : गाँव: थतलिओ, डाकघर : समाल्टा, तहसील: चकराता, जिला: देहरादून-248165 उत्तराखंड, भारत
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F9	TA22	24	789

 प्राप्ति तिथि : 22/10/2024
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.)
 नाम : **वाह गेहूँ**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **एचडी 3118**

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पताका पत्ती: कर्णपल्लव का एंथोसियानिन रंग (गुण 4)	अनुपस्थित
बाली अंकुरण का समय (50 प्रतिशत बालियों पर प्रथम शूकी दिखाई देती हुई) (गुण 7)	मध्यम
पौधा: लंबाई (शूकियों को छोड़कर) (गुण 14)	मध्यम
बाहरी तुष: तारुण्य (गुण 23)	अनुपस्थित
बाली: रंग (गुण 24)	सफेद
दाना: फिनाँल रंग सहित (गुण 31)	गहरा
दाना: कठोरता (गुण 38)	कठोर
ख. प्रत्याशी किस्म के विशिष्ट गुण: वाह गेहूं प्रत्याशी किस्म के विशिष्ट गुण है- दाना: फिनाँल रंग सहित- गहरा और ब्रश: रोम लंबाई- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण : एचडी 3118 के विशिष्ट गुण है- दाना: फिनाँल रंग सहित- अधिक गहरा और ब्रश: रोम लंबाई- अनुपस्थित/छोटा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*वाह गेहूं के डीयूएस गुण

257. एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015, कोयंबटूर, तमिलनाडु की ओर से ओंकार सिंह, एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, गांव- नुन्हेरा, टोल प्लाजा के पास, वेद इंटरनेशनल स्कूल के सामने, सोहना-बल्लभगढ़ रोड, सोहना, गुरुग्राम-122103 ने दिनांक 17/09/2024 को विद्यमान (वीसीके) किस्म की **पारुल** नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E5	SM7	24	507

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।
किस्म के पासपोर्ट आंकड़े : **पारुल**

आवेदक का नाम	:	एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड				
आवेदक का पता	:	नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015, कोयंबटूर, तमिलनाडु				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन सं.	:	<table border="1"><tr><td>E5</td><td>SM7</td><td>24</td><td>507</td></tr></table>	E5	SM7	24	507
E5	SM7	24	507			
प्राप्ति तिथि	:	17/09/2024				
स्वीकृति तिथि	:	31/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	बैंगन (सोलेमन मेलांजेना एल.)				
नाम	:	पारुल				
किस्म का प्रकार	:	विद्यमान (वीसीके)				
किस्म का वर्गीकरण	:	संकर				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	आरएचईपी2003 x आरएचईपी2002				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	अर्का शिरीष				

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
फल: लंबाई (गुण 20)	मध्यम
फल: व्यास (दिन) (गुण 21)	मध्यम
फल: सामान्य आकृति (गुण 23)	अंडाकार
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	हरा
फल: धारियां (गुण 30)	अनुपस्थित
फल: अंखुड़ी का रंग (गुण 35)	हरा
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
पारुल प्रत्याशी किस्म के विशिष्ट गुण है- पत्ती: चौड़ाई- छोटी (<10 सेमी), पुष्प: रंग- बैंगनी और फल: घुमाव (केवल बेलनाकार किस्मों के लिए)- अनुपस्थित है।	
संदर्भ किस्म के विशिष्ट गुण:	
अर्का शिरीष के विशिष्ट गुण है- पत्ती: चौड़ाई- मध्यम (10-20 सेमी), पुष्प: रंग- हरापन युक्त सफेद और फल: घुमाव (केवल बेलनाकार किस्मों के लिए)- मध्यम है।	

घ. किस्म के व्यावसायीकरण की तिथि		13/04/2013
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	गुण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	मध्यम
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	तमिलनाडु, मध्य प्रदेश, गुजरात
	: बुवाई का समय	सितंबर-अक्टूबर और फरवरी-जून
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	इसे दोनों तरह की मिट्टी में उगाया जा सकता है
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80: 60: 40
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	-
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	-
7.	स्टेकिंग और छंटाई प्रथाएँ	-
8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	185
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	1.25 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	अच्छा
12.	फल चुनने का कार्यक्रम	रोपाई के 55-60 दिन बाद पहली तुड़ाई करें और फिर पहली तुड़ाई के बाद हर चौथे से पांचवें दिन
13.	परिवहन क्षमता (दिन में)	3 दिन
14.	अद्वितीय विक्रय प्रस्ताव और भंडार क्षमता (दिन)	मजबूत पौधे का प्रकार, फल का रंग और हरे रंग का पुष्प, भंडार क्षमता 2 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: उपलब्ध नहीं		*पारुल के डीयूएस गुण

258. एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015, कोयंबटूर, तमिलनाडु की ओर से ओंकार सिंह, एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड, गांव- नुन्हेरा, टोल प्लाजा के पास, वेद इंटरनेशनल स्कूल के सामने, सोहना-बल्लभगढ़ रोड, सोहना, गुरुग्राम-122103 ने दिनांक 17/09/2024 को विद्यमान (वीसीके) किस्म की नैनो नामक बैंगन (सोलेमन मेलांजेना एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E6	SM8	24	508

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : नैनो
आवेदक का नाम : एसीएसईएन एग्रीसाइंस प्राइवेट लिमिटेड
आवेदक का पता : नंबर-47, को-ऑपरेटिव कॉलोनी, उप्पिलिपलायम, कोयंबटूर-641015, कोयंबटूर, तमिलनाडु
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन सं. :

E6	SM8	24	508

प्राप्ति तिथि : 17/09/2024
स्वीकृति तिथि : 31/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : बैंगन (सोलेमन मेलांजेना एल.)
नाम : नैनो
किस्म का प्रकार : विद्यमान (वीसीके)
किस्म का वर्गीकरण : संकर
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : आरएचईपी024 x आरएचईपी023
पैतृक सामग्री का स्रोत : अपना जननद्रव्य
संदर्भ किस्मों का नाम : सीओ-2
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)

फल: लंबाई (गुण 20)	मध्यम	
फल: व्यास (दिन) (गुण 21)	छोटा	
फल: सामान्य आकृति (गुण 23)	अंडाकार	
फल: व्यवसायिक कटाई पर छिलके का रंग (गुण 27)	बैंगनी	
फल: धारियां (गुण 30)	अनुपस्थित	
फल: अंखुड़ी का रंग (गुण 35)	हरा	
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
नैनो प्रत्याशी किस्म के विशिष्ट गुण है- पुष्प: आकार- मध्यम, फल: डंठल की लंबाई- लंबा (> 5.0 सेमी) और फल: फल: कार्याकीय परिपक्वता पर छिलके का रंग- भूरा है।		
संदर्भ किस्म के विशिष्ट गुण:		
सीओ-2 के विशिष्ट गुण है- पुष्प: आकार- बड़ा, फल: डंठल की लंबाई- मध्यम (1.0-5.0 सेमी) और फल: फल: कार्याकीय परिपक्वता पर छिलके का रंग- पीला है।		
घ. किस्म के व्यावसायीकरण की तिथि	05/05/2012	
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र. स.	विवरण	गुण
1.	परिपक्वता के दिन: अगेती/मध्यम/पछेती	अगेती
2.	उत्पादन की स्थिति: देश में उपयुक्तता क्षेत्र	मध्य प्रदेश, हरियाणा, उत्तर प्रदेश, पंजाब, बिहार, झारखण्ड, राजस्थान
	: बुवाई का समय	अक्टूबर-नवंबर और फरवरी-अप्रैल
	: सिंचित/वर्षा सिंचित	सिंचित
	: मिट्टी की कम उर्वरता/उच्च उर्वरता	इसे दोनों तरह की मिट्टी में उगाया जा सकता है
3.	संभावित उपज प्राप्त करने के लिए उर्वरक की आवश्यकता (एन:पी:के) किग्रा/एकड़	80: 60: 40
4.	प्रतिकूल तापमान/ठंड/गर्मी के प्रति सहनशीलता- संवेदनशील/ सहनशीलता	सहनशीलता
5.	जल ठहराव के प्रति सहनशीलता: संवेदनशील/सहिष्णु	-
6.	कीटों के प्रति प्रतिरोध/सहिष्णुता	एफएसबी के प्रति संवेदनशील
7.	स्टेकिंग और छंटाई प्रथाएँ	-

8.	शीत ऋतु – वसंत ऋतु की फसल का प्रकार	-
9.	फल उपज (क्विंटल/एकड़)	195
10.	फल उपज/पौधा (किलोग्राम/प्रति)(औसत)	1.32 किग्रा/पौधा
11.	फल की गुणवत्ता और फल की दृढ़ता	अच्छा
12.	फल चुनने का कार्यक्रम	रोपाई के 55-60 दिन बाद पहली तुड़ाई करें और फिर पहली तुड़ाई के बाद हर चौथे से पांचवें दिन
13.	परिवहन क्षमता (दिन में)	3 दिन
14.	अद्वितीय विक्रय प्रस्ताव और भंडार क्षमता (दिन)	मजबूत पौधे का प्रकार, फल का रंग और हरे रंग का पुष्प, भंडार क्षमता 2 दिन
15.	किस्म/संकर से संबंधित कोई अन्य प्रासंगिक जानकारी	-
चित्र: उपलब्ध नहीं		*नैनो के डीयूएस गुण

259. श्री भिखारी राय, गाँव: सुरहुरिया, ब्लॉक: सूर्यपुरा, डाकघर: अगरेरीकला, जिला: रोहतास-802226, बिहार, भारत ने दिनांक 14/10/2024 को कृषक किस्म की **एशिका गोल्ड** नामक चपाती गेहूं (ट्रिटिकम एस्टिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F3	TA16	24	735

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **एशिका गोल्ड**
आवेदक का नाम : श्री भिखारी राय
आवेदक का पता : गाँव: सुरहुरिया, ब्लॉक: सूर्यपुरा, डाकघर : अगरेरीकला, जिला: रोहतास-802226, बिहार, भारत
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण

आवेदन स.	:	F3	TA16	24	735
प्राप्ति तिथि	:	14/10/2024			
स्वीकृति तिथि	:	31/08/2026			
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	चपाती गेहूं (ट्रिटिकम एस्टिवम एल.)			
नाम	:	एशिका गोल्ड			
किस्म का प्रकार	:	कृषक			
किस्म का वर्गीकरण	:	प्रारूप			
पहले प्रस्तावित नाम	:	लागू नहीं			
पैतृक सामग्री का नाम	:	लागू नहीं			
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य			
संदर्भ किस्मों का नाम	:	एचयूडब्ल्यू 510			
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
पताका पत्ती: कर्णपल्लव का एंथोसियानिन रंग (गुण 4)	अनुपस्थित
बाली अंकुरण का समय (50 प्रतिशत बालियों पर प्रथम शूकी दिखाई देती हुई) (गुण 7)	अगेती
पौधा: लंबाई (शूकियों को छोड़कर) (गुण 14)	छोटा
बाहरी तुष: तारुण्य (गुण 23)	अनुपस्थित
बाली: रंग (गुण 24)	सफेद
दाना: फिनाल रंग सहित (गुण 31)	गहरा
दाना: कठोरता (गुण 38)	अर्ध-कठोर
ख. प्रत्याशी किस्म के विशिष्ट गुण:	
एशिका गोल्ड प्रत्याशी किस्म के विशिष्ट गुण है- पताका पत्ती: कर्णपल्लव पर रोम- मध्यम, पताका पत्ती: फलक का मोमियापन- निर्बल, दाना: आकृति- लंबाकार और दाना: आकार (1000 बीजों का भार)- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण :	
एचयूडब्ल्यू 510 के विशिष्ट गुण है- पताका पत्ती: कर्णपल्लव पर रोम- अनुपस्थित, पताका पत्ती: फलक का मोमियापन- मध्यम, दाना: आकृति- अंडाकार और दाना: आकार (1000 बीजों का भार)- बड़ा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*एशिका गोल्ड के डीयूएस गुण

260. श्री लालबाबू सिंह, गाँव: मोथा, डाकघर : मोथा, जिला: रोहतास, बिहार, भारत ने दिनांक 14/10/2024 को कृषक किस्म की **सोनम** नामक चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F4	TA17	24	736

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सोनम**
 आवेदक का नाम : श्री लालबाबू सिंह
 आवेदक का पता : गाँव: मोथा, डाकघर : मोथा, जिला: रोहतास, बिहार, भारत
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन सं. :

F4	TA17	24	736

 प्राप्ति तिथि : 14/10/2024
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.)
 नाम : **सोनम**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : अपना जननद्रव्य
 संदर्भ किस्मों का नाम : **एचआई 1544 और एचयूडब्ल्यू 510**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पताका पत्ती: कर्णपल्लव का एंथोसियानिन रंग (गुण 4)	अनुपस्थित
बाली अंकुरण का समय (50 प्रतिशत बालियों पर प्रथम शूकी दिखाई देती हुई) (गुण 7)	मध्यम
पौधा: लंबाई (शूकियों को छोड़कर) (गुण 14)	लंबा

बाहरी तुष: तारुण्य (गुण 23)	अनुपस्थित
बाली: रंग (गुण 24)	सफेद
दाना: फिनाँल रंग सहित (गुण 31)	गहरा
दाना: कठोरता (गुण 38)	कठोर
ख. प्रत्याशी किस्म के विशिष्ट गुण: सोनम प्रत्याशी किस्म के विशिष्ट गुण है- पौधा: पताका पत्ती प्रवृत्ति- सीधी, पताका पत्ती: आवरण का मोमियापन- अत्यधिक सबल, कल्म: कंठ वृंतक का मोमियापन- अत्यधिक सबल और दाना: आकृति- लंबाकार है।	
संदर्भ किस्म के विशिष्ट गुण : एचआई 1544 के विशिष्ट गुण है- पौधा: पताका पत्ती प्रवृत्ति- झुकी हुई, पताका पत्ती: आवरण का मोमियापन- मध्यम, कल्म: कंठ वृंतक का मोमियापन- मध्यम और दाना: आकृति- अंडाकार है। एचयूडब्ल्यू 510 के विशिष्ट गुण है- पौधा: पताका पत्ती प्रवृत्ति- अर्ध-सीधी, पताका पत्ती: आवरण का मोमियापन- सबल, कल्म: कंठ वृंतक का मोमियापन- मध्यम और दाना: आकृति- अंडाकार है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*सोनम के डीयूएस गुण

261. श्री तिरपन सिंह, गाँव और डाकघर: डाबला जस्टा, ब्लॉक: चकराता, जिला: देहरादून-248123, उत्तराखंड, भारत ने दिनांक 22/10/2024 को कृषक किस्म की **सुडोल गोधाम** नामक चपाती गेहूँ (ट्रिटिकम एस्टिवम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F5	TA18	24	785

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **सुडोल गोधाम**

आवेदक का नाम : श्री तिरपन सिंह

आवेदक का पता : गाँव और डाकघर: डाबला जस्टा, ब्लॉक: चकराता, जिला: देहरादून-248123, उत्तराखंड, भारत

आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण	:					
आवेदन स.	:	<table><tr><td>F5</td><td>TA18</td><td>24</td><td>785</td></tr></table>	F5	TA18	24	785
F5	TA18	24	785			
प्राप्ति तिथि	:	22/10/2024				
स्वीकृति तिथि	:	31/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	चपाती गेहूं (ट्रिटिकम एस्टिवम एल.)				
नाम	:	सुडोल गोधाम				
किस्म का प्रकार	:	कृषक				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	लागू नहीं				
पैतृक सामग्री का स्रोत	:	अपना जननद्रव्य				
संदर्भ किस्मों का नाम	:	एचयूडब्ल्यू 510				
किस्म का विवरण:	:					

क. समूह के गुण	टिप्पणी (मापित मान)
पताका पत्ती: कर्णपल्लव का एंथोसियानिन रंग (गुण 4)	अनुपस्थित
बाली अंकुरण का समय (50 प्रतिशत बालियों पर प्रथम शूकी दिखाई देती हुई) (गुण 7)	अगेती
पौधा: लंबाई (शूकियों को छोड़कर) (गुण 14)	मध्यम
बाहरी तुष: तारुण्य (गुण 23)	अनुपस्थित
बाली: रंग (गुण 24)	-
दाना: फिनाल रंग सहित (गुण 31)	अधिक गहरा
दाना: कठोरता (गुण 38)	अर्ध-कठोर
ख. प्रत्याशी किस्म के विशिष्ट गुण: सुडोल गोधाम प्रत्याशी किस्म के विशिष्ट गुण है- पौधा: पताका पत्ती प्रवृत्ति- झुकी हुई, बाली: लंबाई (शूकियों व स्कर को छोड़कर- छोटी और ब्रश रोम: लंबाई- लंबा है।	
संदर्भ किस्म के विशिष्ट गुण : एचयूडब्ल्यू 510 के विशिष्ट गुण है- पौधा: पताका पत्ती प्रवृत्ति- अर्ध-सीधी, बाली: लंबाई (शूकियों व स्कर को छोड़कर- लंबी और ब्रश रोम: लंबाई- अनुपस्थित/छोटे है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया

चित्र: उपलब्ध नहीं

*सुडोल गोधाम के डीयूएस गुण

262. भारतीय कृषि अनुसंधान परिषद, कृषि भवन, राजेंद्र प्रसाद रोड, नई दिल्ली-110001 की ओर से निदेशक, केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, कासरगोड, केरल-671124 ने दिनांक 16/02/2026 को विद्यमान (अधिसूचित) किस्म की **कल्प नक्षत्र** नामक नारियल (कोकोस न्यूसिफेरा एल.) फसल को पंजीकरण हेतु आवेदन संख्या

E2	CN4	26	2165

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ स्वीकार कर पंजीकरण संख्या दी गई है कथित किस्म के संदर्भ में, संयोजन आवेदन पत्र, संख्यां.... (लागू नहीं).... को पंजीकरण संख्या.....(लागू नहीं)....में फाइल किया गया।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियमावली, 2003 के नियम 29 के तहत कार्यवाही के प्रतिरोध के लिए रजिस्ट्रार, पीपीवी और एफआर प्राधिकरण, नई दिल्ली-110012 उपयुक्त कार्यालय है।

किस्म के पासपोर्ट आंकड़े	:	कल्प नक्षत्र				
आवेदक का नाम	:	भारतीय कृषि अनुसंधान परिषद				
आवेदक का पता	:	कृषि भवन, राजेंद्र प्रसाद रोड, नई दिल्ली-110001				
आवेदक की राष्ट्रीयता	:	भारतीय				
आवेदन का विवरण						
क. आवेदन सं.	:	<table border="1" data-bbox="699 1272 1145 1328"><tr><td>E2</td><td>CN4</td><td>26</td><td>2165</td></tr></table>	E2	CN4	26	2165
E2	CN4	26	2165			
ख. प्राप्ति तिथि	:	16/02/2026				
ग. स्वीकृति तिथि	:	24/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	:	नारियल (कोकोस न्यूसिफेरा एल.)				
नाम	:	कल्प नक्षत्र				
किस्म का प्रकार	:	विद्यमान (अधिसूचित)				
किस्म का वर्गीकरण	:	प्रारूप				
पहले प्रस्तावित नाम	:	लागू नहीं				
पैतृक सामग्री का नाम	:	आईएनडी 007एस x आईएनडी 091एस				
पैतृक सामग्री का स्रोत	:	केंद्रीय वृक्षारोपण फसल अनुसंधान संस्थान, कासरगोड, केरल				
संदर्भ किस्मों का नाम	:	चंद्र लक्ष और चंद्र शंकर				

अधिसूचना विवरण

: एस.ओ. 3708(ई) दिनांक 08/07/2026

किस्म का विवरण:

क. समूह के गुण		टिप्पणी (मापित मान)
पौधा: पर्णवृंत का रंग (गुण 1)		भूरा
पौधा: उंचाई (गुण 4)		मध्यम
पुष्प क्रम: नर और मादा प्रावस्थाओं को ओवर लैप करते हुए इंटरा स्पैंडिक्स (गुण 15)		उपस्थित
फल: रंग (गुण 17)		भूरा
फल: आकृति (ध्रुवीय दृश्य) (गुण 18)		अंडाकार
जटा युक्त फल: आकृति (गुण 23)		गोल
ख. प्रत्याशी किस्म के विशिष्ट गुण:		
कल्प नक्षत्र के प्रत्याशी किस्म के विशिष्ट गुण है- पत्रक: चौड़ाई (सेमी) (गुण- 7)- चौड़ा, फल: भूसी की मोटाई (सेमी) (गुण- 22)- मध्यम, खोल: भार (गुण- 23)- अधिक है।		
संदर्भ किस्मों के विशिष्ट गुण:		
चंद्र लक्ष और चंद्र शंकर के विशिष्ट गुण है- पत्रक: चौड़ाई (सेमी) (गुण- 7)- मध्यम, फल: भूसी की मोटाई (सेमी) (गुण- 22)- मोटा, खोल: भार (गुण- 23)- मध्यम है।		
घ. किस्म के व्यावसायीकरण की तिथि		व्यावसायीकरण नहीं किया गया
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण		
क्र.सं.	विवरण	व्यौरा
1.	पेड़ बढ़वार स्वभाव	लंबा
2.	खेती का क्षेत्र	केरल
3.	पुष्पक्रम: उद्भव (महीने)	46
4.	पुष्पक्रम: पेड़ के 50% हिस्से में पुष्प आने का समय (इलाके का मुख्य पुष्प आने का मौसम)	55.8 महीने (पूरे साल पुष्प, हर महीने एक पुष्पक्रम)
5.	परिपक्वता: कटाई के लिए तैयार फल (दिनों में)	335-365
6.	संभावित उपज पाने के लिए उर्वरक की आवश्यकता (एन:पी:के)	500 ग्राम एन :320 ग्राम पी:1200 ग्राम के
7.	प्रति एकड़ उपज क्षमता (औसत) (क्विंटल/एकड़)	26,497
8.	प्रति पौधे फलों की उपज (औसत)	151.41
9.	फल का भार (ग्राम में)	1020

10.	भूसी वाले फल का वजन (ग्राम में)	643
11.	शुष्क भ्रूणपोष का भार (ग्राम)	206.58
12.	कीटों/रोगों के प्रति प्रतिरोध/सहनशीलता	कासरगोड में खेतों में कोई बड़ा कीट और बीमारी का प्रकोप नहीं देखा गया
13.	किस्म से जुड़ी कोई अन्य प्रासंगिक जानकारी	बहु-उद्देश्य किस्म, नारियल, खोपरा और नीरा बनाने के लिए सही।
चित्र- उपलब्ध नहीं		*कल्प नक्षत्र के डीयूएस गुण

263. श्री जवाहर सिंह नेगी, गाँव: डुंगरोली, डाकघर : डुंगियारा, जिला: देहरादून-248123, उत्तराखंड ने दिनांक 10/10/2024 को कृषक किस्म की जावा चुआ नामक अनाज चौलाई (एमारेथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F2	AV2	24	841

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : जावा चुआ
 आवेदक का नाम : श्री जवाहर सिंह नेगी
 आवेदक का पता : गाँव: डुंगरोली, डाकघर : डुंगियारा, जिला: देहरादून-248123, उत्तराखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F2	AV2	24	841

 प्राप्ति तिथि : 10/10/2024
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अनाज चौलाई (एमारेथस विरिडिस)
 नाम : जावा चुआ
 किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **ईसी 169657**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	उपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	उपस्थित
पुष्पक्रम: रंग (गुण 7)	गुलाबी
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: जावा चुआ प्रत्याशी किस्म के विशिष्ट गुण है- पत्रदल: चौड़ाई- संकरा, पुष्पक्रम: रंग- गुलाबी, पुष्पक्रम: कंटीलापन- उपस्थित और पौधा ऊंचाई- छोटा है।	
संदर्भ किस्म के विशिष्ट गुण : ईसी 169657 के विशिष्ट गुण है- पत्रदल: चौड़ाई- मध्यम, पुष्पक्रम: रंग- लाल, पुष्पक्रम: कंटीलापन- अमपस्थित और पौधा ऊंचाई- लंबा है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*जावा चुआ के डीयूएस गुण

264. श्री मोहर सिंह, गाँव: मटियावा, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की **मोह चुलाई** नामक अनाज चौलाई (एमारेथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F3	AV3	24	842

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **मोह चुलाई**
 आवेदक का नाम : श्री मोहर सिंह
 आवेदक का पता : गाँव: मटियावा, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण
 आवेदन स. :

F3	AV3	24	842

 प्राप्ति तिथि : 04/11/2024
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अनाज चौलाई (ऐमारेथस विरिडिस)
 नाम : **मोह चुलाई**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं
 पैतृक सामग्री का स्रोत : लागू नहीं
 संदर्भ किस्मों का नाम : **आईसी 7918**
 किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	अनुपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित
पुष्पक्रम: रंग (गुण 7)	हरा
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: मोह चुलाई प्रत्याशी किस्म के विशिष्ट गुण है- अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता- अनुपस्थित, पौधा ऊंचाई- छोटा और बीज: रंग- पीला है।	
संदर्भ किस्म के विशिष्ट गुण :	

आईसी 7918 के विशिष्ट गुण है- अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता- उपस्थित, पौधा ऊंचाई- मध्यम और बीज: रंग- गुलाबी है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*मोह चुलाई के डीयूएस गुण

265. श्री सुरेन्द्र सिंह चौहान, गाँव: डाबला, डाकघर : जस्टा, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की **चामुख चौलाई** नामक अनाज चौलाई (एमरेंथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F4	AV4	24	844

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **चामुख चौलाई**
 आवेदक का नाम : श्री सुरेन्द्र सिंह चौहान
 आवेदक का पता : गाँव: डाबला, डाकघर : जस्टा, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड
 आवेदक की राष्ट्रीयता : भारतीय
 आवेदन का विवरण :
 आवेदन सं. :

F4	AV4	24	844

 प्राप्ति तिथि : 04/11/2024
 स्वीकृति तिथि : 31/08/2026
 फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अनाज चौलाई (एमरेंथस विरिडिस)
 नाम : **चामुख चौलाई**
 किस्म का प्रकार : कृषक
 किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : लागू नहीं

पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : छत्तीसगढ़ राजगिरा – 1
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	अनुपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित
पुष्पक्रम: रंग (गुण 7)	हरा
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: चामुख चौलाई प्रत्याशी किस्म के विशिष्ट गुण है- पौधा ऊंचाई- छोटा, बीज: रंग- पीला और बीज: भार (ग्राम/10 मिली)- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण : छत्तीसगढ़ राजगिरा – 1 के विशिष्ट गुण है- पौधा ऊंचाई- मध्यम, बीज: रंग- क्रीम जैसा और बीज: भार (ग्राम/10 मिली)- अधिक है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*चामुख चौलाई के डीयूएस गुण

266. श्री सरदार सिंह, गाँव: बदनू, डाकघर : दांतनु, ब्लॉक: कालसी, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की असरदार चुवाई नामक अनाज चौलाई (एमारेथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F6	AV6	24	847

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : असरदार चुवाई
आवेदक का नाम : श्री सरदार सिंह

आवेदक का पता	: गाँव: बदनू, डाकघर : दांतनु, ब्लॉक: कालसी, जिला: देहरादून-248165, उत्तराखंड				
आवेदक की राष्ट्रीयता	: भारतीय				
आवेदन का विवरण					
आवेदन स.	: <table><tr><td>F6</td><td>AV6</td><td>24</td><td>847</td></tr></table>	F6	AV6	24	847
F6	AV6	24	847		
प्राप्ति तिथि	: 04/11/2024				
स्वीकृति तिथि	: 31/08/2026				
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: अनाज चौलाई (एमारेथस विरिडिस)				
नाम	: असरदार चुवाई				
किस्म का प्रकार	: कृषक				
किस्म का वर्गीकरण	: प्रारूप				
पहले प्रस्तावित नाम	: लागू नहीं				
पैतृक सामग्री का नाम	: लागू नहीं				
पैतृक सामग्री का स्रोत	: लागू नहीं				
संदर्भ किस्मों का नाम	: छत्तीसगढ़ राजगिरा – 1				
किस्म का विवरण:					

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	अनुपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित
पुष्पक्रम: रंग (गुण 7)	हरा
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	क्रीम जैसा
ख. प्रत्याशी किस्म के विशिष्ट गुण: असरदार चुवाई प्रत्याशी किस्म के विशिष्ट गुण है- पौधा ऊंचाई- छोटा, तना: सतह- चिकना और बीज: भार (ग्राम/10 मिली)- मध्यम है।	
संदर्भ किस्म के विशिष्ट गुण : छत्तीसगढ़ राजगिरा – 1 के विशिष्ट गुण है- पौधा ऊंचाई- मध्यम, तना: सतह- धारीदार और बीज: भार (ग्राम/10 मिली)- अधिक है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*असरदार चुवाई के डीयूएस गुण

267. श्री सुरेन्द्र सिंह चौहान, गाँव और डाकघर: थतलिओ, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की प्रसाद चौलाई नामक अनाज चौलाई (एमरैथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F5	AV5	24	848

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- - लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : प्रसाद चौलाई
आवेदक का नाम : श्री सुरेन्द्र सिंह चौहान
आवेदक का पता : गाँव और डाकघर: थतलिओ, ब्लॉक: चकराता, जिला: देहरादून-248165, उत्तराखंड
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन सं. :

F5	AV5	24	848

प्राप्ति तिथि : 04/11/2024
स्वीकृति तिथि : 31/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अनाज चौलाई (एमरैथस विरिडिस)
नाम : प्रसाद चौलाई
किस्म का प्रकार : कृषक
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : जीए 7
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	अनुपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित

पुष्पक्रम: रंग (गुण 7)	हरा
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	पीला
ख. प्रत्याशी किस्म के विशिष्ट गुण: प्रसाद चौलाई प्रत्याशी किस्म के विशिष्ट गुण है- अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता- अनुपस्थित, पुष्पक्रम: कंटीलापन- उपस्थित और पौधा: ऊंचाई- छोटा है।	
संदर्भ किस्म के विशिष्ट गुण : जीए 7 के विशिष्ट गुण है- अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता- उपस्थित, पुष्पक्रम: कंटीलापन- अनुपस्थित और पौधा: ऊंचाई- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*प्रसाद चौलाई के डीयूएस गुण

268. श्री गोपाल सिंह तोमर, गाँव और डाकघर : थैना, ब्लॉक: कालसी, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की **थाईना चोलाई** नामक अनाज चौलाई (एमार्थस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F7	AV7	24	850

 को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **थाईना चोलाई**

आवेदक का नाम : श्री गोपाल सिंह तोमर

आवेदक का पता : गाँव और डाकघर : थैना, ब्लॉक: कालसी, जिला: देहरादून-248165, उत्तराखंड

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F7	AV7	24	850

प्राप्ति तिथि : 04/11/2024

स्वीकृति तिथि	: 31/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा)	: अनाज चौलाई (ऐमारेथस विरिडिस)
नाम	: थाईना चोलाई
किस्म का प्रकार	: कृषक
किस्म का वर्गीकरण	: प्रारूप
पहले प्रस्तावित नाम	: लागू नहीं
पैतृक सामग्री का नाम	: लागू नहीं
पैतृक सामग्री का स्रोत	: लागू नहीं
संदर्भ किस्मों का नाम	: आईसी 7920
किस्म का विवरण:	

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	उपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	उपस्थित
पुष्पक्रम: रंग (गुण 7)	गुलाबी
पुष्पक्रम: आकृति (गुण 13)	झुका हुआ
बीज: रंग (गुण 18)	गुलाबी
ख. प्रत्याशी किस्म के विशिष्ट गुण: थाईना चोलाई प्रत्याशी किस्म के विशिष्ट गुण है- पुष्पक्रम: सघनता- ढीला, तना: सतह- चिकनी और बीज: भार (ग्राम/10 मिली)- अधिक है।	
संदर्भ किस्म के विशिष्ट गुण : आईसी 7920 के विशिष्ट गुण है- पुष्पक्रम: सघनता- मध्यवर्ती, तना: सतह- धारीदार और बीज: भार (ग्राम/10 मिली)- मध्यम है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*थाईना चोलाई के डीयूएस गुण

269. श्रीमती भारती, गाँव: रोटिवाल, डाकघर: तिलवाड़ी, ब्लॉक: सहसपुर, जिला: देहरादून-248165, उत्तराखंड ने दिनांक 04/11/2024 को कृषक किस्म की चुलबुल चौलाई नामक अनाज चौलाई (ऐमारेथस विरिडिस) फसल को पंजीकरण हेतु आवेदन संख्या

F10	AV10	24	856

निम्नलिखित

विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर -----
- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **चुलबुल चौलाई**
आवेदक का नाम : श्रीमती भारती
आवेदक का पता : गाँव: रोटिवाल, डाकघर : तिलवाड़ी, ब्लॉक: सहसपुर, जिला: देहरादून-248165, उत्तराखंड
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण
आवेदन स. :

F10	AV10	24	856

प्राप्ति तिथि : 04/11/2024
स्वीकृति तिथि : 31/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : अनाज चौलाई (एमरेंथस विरिडिस)
नाम : **चुलबुल चौलाई**
किस्म का प्रकार : कृषक
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : लागू नहीं
पैतृक सामग्री का स्रोत : लागू नहीं
संदर्भ किस्मों का नाम : **आईसी 17936**
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
अंकुर: बीज पत्राधार का एंथोसियानिन रंजकता (गुण 1)	उपस्थित
पत्रदल: धब्बों की उपस्थिति (गुण 4)	अनुपस्थित
पुष्पक्रम: रंग (गुण 7)	गुलाबी
पुष्पक्रम: आकृति (गुण 13)	सीधा
बीज: रंग (गुण 18)	गुलाबी

ख. प्रत्याशी किस्म के विशिष्ट गुण: चुलबुल चौलाई प्रत्याशी किस्म के विशिष्ट गुण है- पत्रदल: धब्बों की उपस्थिति- अनुपस्थित और तना: सतह-चिकनी है।	
संदर्भ किस्म के विशिष्ट गुण : आईसी 17936 के विशिष्ट गुण है- पत्रदल: धब्बों की उपस्थिति- उपस्थित और तना: सतह- धारीदार है।	
घ. किस्म के व्यावसायीकरण की तिथि	व्यावसायीकरण नहीं किया गया
चित्र: उपलब्ध नहीं	*चुलबुल चौलाई के डीयूएस गुण

270. कृष्णा बाई राठौड़, पत्नी महेन्द्र कुमार राठौड़, ग्राम: दहलवाड़ा खुर्द, डाकघर: सिंहपुर, तहसील: बनखेड़ी, जिला: होशंगाबाद-461990, मध्य प्रदेश की ओर से डॉ. स्तुति शर्मा, कृषि महाविद्यालय, जवाहर लाल नेहरू कृषि विश्वविद्यालय, जबलपुर-482004, मध्य प्रदेश ने दिनांक 31/07/2025 को कृषक किस्म की कृष्णा सुगंधि मेथी नामक मेथी (ट्राइगोनेला फ्रीनियम ग्रेकुम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F1	TF1	25	870

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : कृष्णा सुगंधि मेथी

आवेदक का नाम : कृष्णा बाई राठौड़,

आवेदक का पता : पत्नी महेन्द्र कुमार राठौड़, ग्राम: दहलवाड़ा खुर्द, डाकघर: सिंहपुर, तहसील: बनखेड़ी, जिला: होशंगाबाद-461990, मध्य प्रदेश

आवेदक की राष्ट्रीयता : भारतीय

आवेदन का विवरण

आवेदन सं. :

F1	TF1	25	870

प्राप्ति तिथि : 31/07/2025

स्वीकृति तिथि : 25/08/2026

फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मेथी (ट्राइगोनेला फ्रीनियम ग्रेकुम एल.)

नाम : कृष्णा सुगंधि मेथी

किस्म का प्रकार : कृषक

किस्म का वर्गीकरण : प्रारूप
 पहले प्रस्तावित नाम : लागू नहीं
 पैतृक सामग्री का नाम : -
 पैतृक सामग्री का स्रोत : -
 संदर्भ किस्मों का नाम : आरएमटी-351

किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पहली पत्रदल का शीर्ष आकृति (गुण 2)	-
प्रथम प्राथमिक शाखा अक्ष पर पत्ती का आकार लंबाई और चौड़ाई के लिए (ल/चौ) (गुण 3)	लंबाई और चौड़ाई में छोटा
प्रथम प्राथमिक शाखा अक्ष पर पत्रदल का शीर्ष आकार (गुण 5)	अधिक कोण वाला
पहली फली अक्ष पर पत्तियों का आकार की लंबाई और चौड़ाई (गुण 6)	लंबाई में छोटा लेकिन चौड़ा
पूर्ण विकसित अंतिम पत्ती पर पत्ती का आकार की लंबाई और चौड़ाई (गुण 9)	लंबाई और चौड़ाई में छोटा
पूर्ण विकसित अंतिम पत्ती पर पत्रदल का शीर्ष आकार (गुण 11)	अधिक कोण वाला
प्राथमिक शाखाओं की संख्या (गुण 12)	कम
पौधा: बढ़वार पैटर्न (गुण 13)	V-आकार का
पौधा: बढ़वार स्वभाव (गुण 14)	अनिश्चित
फली: लम्बाई (गुण 17)	छोटा
फली: वक्रता (गुण 18)	हल्का मुड़ा हुआ
1000 बीज वजन (गुण 19)	कम
ख. प्रत्याशी किस्म के विशिष्ट गुण: कृष्णा सुगंधि मेथी के प्रत्याशी किस्म के विशिष्ट गुण है पहली पत्ती फलक का आधार: कुंद और पहली मुख्य शाखा की धुरी पर पत्ती फलक का शीर्ष: कुंद।	
ग. संदर्भ किस्म के विशिष्ट गुण : आरएमटी-351 के प्रत्याशी किस्म के विशिष्ट गुण है पहली पत्ती फलक का आधार: तीव्र और पहली मुख्य शाखा की धुरी पर पत्ती फलक का शीर्ष: गोल।	
घ. किस्म के व्यावसायीकरण की तिथि	-

ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	-
चित्र – उपलब्ध नहीं	कृष्णा सुगंधि मेथी के डीयूएस गुण

271. विनोद पाटीदार, पुत्र स्व. जयराम सिंह पाटीदार, ग्राम: चक्रोड, तहसील: कालापीपल, जिला: शाजापुर-465335, मध्य प्रदेश की ओर से डॉ. स्तुति शर्मा, कृषि महाविद्यालय, जवाहर लाल नेहरू कृषि विश्वविद्यालय, जबलपुर-482004, मध्य प्रदेश ने दिनांक 30/09/2025 को कृषक किस्म की **चक्रोड मेथी** नामक मेथी (ट्राइगोनेला फ्रीनियम ग्रेकुम एल.) फसल को पंजीकरण हेतु आवेदन संख्या

F2	TF2	25	1216

को निम्नलिखित विशिष्टताओं व उल्लिखित चित्रों और फोटोग्राफ के साथ पंजीकरण संख्या -----लागू नहीं ----- पर ----- लागू नहीं----- स्वीकार किया गया है।

उक्त किस्म के संबंध में कन्वेंशन आवेदन संख्या -----लागू नहीं-----, -----लागू नहीं----- को---लागू नहीं----- में दाखिल की गई है।

पौधा किस्म और कृषक अधिकार संरक्षण नियम, 2003 के नियम 29 के अंतर्गत कार्यवाही का विरोध करने के लिए उपयुक्त कार्यालय रजिस्ट्रार, पीपीवीएफआर प्राधिकरण, नई दिल्ली-110012 का कार्यालय है।

किस्म के पासपोर्ट आंकड़े : **चक्रोड मेथी**
आवेदक का नाम : विनोद पाटीदार,
आवेदक का पता : पुत्र स्व. जयराम सिंह पाटीदार, ग्राम: चक्रोड, तहसील: कालापीपल, जिला: शाजापुर-465335, मध्य प्रदेश
आवेदक की राष्ट्रीयता : भारतीय
आवेदन का विवरण :
आवेदन सं. :

F2	TF2	25	1216

प्राप्ति तिथि : 30/09/2025
स्वीकृति तिथि : 25/08/2026
फसल (वर्गीकरणविज्ञानी वंश परंपरा) : मेथी (ट्राइगोनेला फ्रीनियम ग्रेकुम एल..)
नाम : **चक्रोड मेथी**
किस्म का प्रकार : कृषक
किस्म का वर्गीकरण : प्रारूप
पहले प्रस्तावित नाम : लागू नहीं
पैतृक सामग्री का नाम : -
पैतृक सामग्री का स्रोत : -
संदर्भ किस्मों का नाम : **जीएम-2**
किस्म का विवरण:

क. समूह के गुण	टिप्पणी (मापित मान)
पहली पत्रदल का शीर्ष आकृति (गुण 2)	-
प्रथम प्राथमिक शाखा अक्ष पर पत्ती का आकार लंबाई और चौड़ाई के लिए (ल/चौ) (गुण 3)	लंबाई और चौड़ाई में छोटा
प्रथम प्राथमिक शाखा अक्ष पर पत्रदल का शीर्ष आकार (गुण 5)	अधिक कोण वाला
पहली फली अक्ष पर पत्तियों का आकार की लंबाई और चौड़ाई (गुण 6)	लंबाई और चौड़ाई में छोटा
पूर्ण विकसित अंतिम पत्ती पर पत्ती का आकार की लंबाई और चौड़ाई (गुण 9)	लंबाई और चौड़ाई में छोटा
पूर्ण विकसित अंतिम पत्ती पर पत्रदल का शीर्ष आकार (गुण 11)	अधिक कोण वाला
प्राथमिक शाखाओं की संख्या (गुण 12)	कम
पौधा: बढ़वार पैटर्न (गुण 13)	V-आकार का
पौधा: बढ़वार स्वभाव (गुण 14)	अनिश्चित
फली: लम्बाई (गुण 17)	छोटा
फली: वक्रता (गुण 18)	हल्का मुड़ा हुआ
1000 बीज वजन (गुण 19)	कम
ख. प्रत्याशी किस्म के विशिष्ट गुण: चक्रोड मेथी के प्रत्याशी किस्म के विशिष्ट गुण है पहली फली की धुरी पर पत्ती का आकार लंबाई और चौड़ाई: छोटा, और पूरी तरह से विकसित टर्मिनल पत्ती का आकार लंबाई और चौड़ाई: छोटा।	
ग. संदर्भ किस्म के विशिष्ट गुण : जीएम-2 के प्रत्याशी किस्म के विशिष्ट गुण है पहली फली की धुरी पर पत्ती का आकार लंबाई और चौड़ाई: छोटा लेकिन चौड़ा, और पूरी तरह से विकसित टर्मिनल पत्ती का आकार लंबाई और चौड़ाई: छोटा लेकिन चौड़ा।	
घ. किस्म के व्यावसायीकरण की तिथि	-
ड. सस्यविज्ञानी एवं वाणिज्यिक गुण	-
चित्र – उपलब्ध नहीं	चक्रोड मेथी के डीयूएस गुण

PUBLIC NOTICE

No.PVJ/2026/8-1

Date: 1 September, 2026

Subject: Advertisement is given under sub-section (2) and (3) of Section 21 of the Protection of Plant Varieties and Farmers' Rights Act, 2001 and Rules 30 and 31 of PPV & FR Rules, 2003.

The passport data of each variety furnished by the applicant are herewith advertised as specified for calling objections from any persons.

The place or places where the specimen of the variety may be inspected can be obtained in writing from the Registrar of the PPV & FR Authority.

Any person may, within three months from the date of advertisement of the application(s) give notice of opposition in writing to the Registration of variety (as per Form PV-3 of the First Schedule of PPV&FR Rules, 2003). Oppositions, if any, to the Registration must be submitted, in triplicate, to the Registrar, PPV&FRA, Plant Authority Bhawan, Dev Prakash Shastri Marg, Near NASC Complex, Opposite Todapur Village, New Delhi -110 012 accompanied with the fee of Rs.10,000/- (Rupees Ten Thousand Only) by way of Demand Draft drawn in favour of "PPV & FR Authority" payable at New Delhi.

*Farmer(s) are exempted from payment of any fee in proceeding under Section 44 of PPV&FR Act,2001.

Sd/-
(D.K. Agarwal)
Registrar General

No.PVJ/2026/8-2

Date: 1 September, 2026

Corrigendum

In Plant Variety of Journal of India Vol. 20, No. 04 (April, 2026), Date.04.05.2026 at Sr. No. 67 in Page No.320 to 321 the following variety was published for inviting opposition but inadvertently the Date of acceptance of variety was mentioned incorrect and the same is corrected and may be read as follows:

Crop	Denomination	Inadvertently Mentioned Date of acceptance	Correct & read as Date of acceptance
Cotton	UC102015BGI	27.05.2026	27.04.2026

All other things remain unchanged.
Inconvenience caused in this regard is deeply regretted.

Sd/-
(Dipal Roy Choudhury)
Registrar

PUBLIC NOTICE**No.PVJ/2026/8-3****Date: 1 September, 2026****(02 of 2026)**

The PPV&FR Authority in its 42nd Meeting held on 28.07.2026, has approved, the DUS Test Guidelines for following Crop Species under Rule 29(9) of PPV&FR Rules, 2003. The same is being published in this issue of PVJ namely: -

Sl. No.	Name of Crop Species	Published in PVJ
1.	Niger (<i>Guizotia abyssinica</i> (L.f.) Cass.)	Vol.-20 No. 08 (August 2026) (Date of Publication: 1 st September, 2026)
2.	Summer Squash (<i>Cucurbita pepo</i> L.)	
3.	Rubber (<i>Hevea brasiliensis</i> Muell. Arg)	
4.	Mahua (<i>Madhuca longifolia</i>)	
5.	Alstromeria (<i>Alstroemeria</i> spp)	
6.	Tulip (<i>Tulipa</i> sp.)	

The receipt of applications for registration of extant varieties in respect of these crop species begins from the date of publication of the instant public notice in Plant Variety Journal. In respect of new varieties of the above-said crop species the applications will be received on notification of the crop species in Official Gazette under Section 29(2) of PPVFR Act, 2001.

Sd/-
(D.K. Agarwal)
Registrar General

PUBLIC NOTICE

No.PVJ/2026/8-4
Date: 1 September, 2026
(03 of 2026)

Under Rule 22(2) of PPV&FR Rules, 2003, the PPVFR Authority in its 42nd Meeting held on 28.07.2026, has approved the time limit for registration of extant varieties of the following crop species which are as follows: -

Sl.No.	Name of Crop Species	DUS Test guidelines Published in PVJ	Time-limit for registration of Extant Notified Variety, Extant Variety about which there is Common Knowledge and Farmers Variety
1	Niger (<i>Guizotia abyssinica</i> (L.f.) Cass.)	Vol.-20 No. 08 (August 2026) (Date of Publication: 1 st September, 2026)	10 years from the date of publication in Plant Variety Journal of India.
2	Summer Squash (<i>Cucurbita pepo</i> L.)		
3	Rubber (<i>Hevea brasiliensis</i> Muell. Arg)		
4	Mahua (<i>Madhuca longifolia</i>)		
5	Alstromeria (<i>Alstroemeria</i> spp)		
6	Tulip (<i>Tulipa</i> sp.)		

Sd/-
(D.K. Agarwal)
Registrar General

PUBLIC NOTICE

No.PVJ/2026/8-5
Date: 1 September, 2026
(03 of 2026)

Under Rule 22(2) of PPV&FR Rules, 2003, the PPVFR Authority in its 42nd Meeting held on 28.07.2026, has approved the time limit for registration of extant varieties of the following crop species which are as follows: -

Sl.No.	Name of Crop Species	DUS Test guidelines Published in PVJ	Time-limit for registration of Extant Notified Variety, Extant Variety about which there is Common Knowledge and Farmers Variety
1	Niger (<i>Guizotia abyssinica</i> (L.f.) Cass.)	Vol.-20 No. 08 (August 2026) (Date of Publication: 1 st September, 2026)	10 years from the date of publication in Plant Variety Journal of India.
2	Summer Squash (<i>Cucurbita pepo</i> L.)		
3	Rubber (<i>Hevea brasiliensis</i> Muell. Arg)		
4	Mahua (<i>Madhuca longifolia</i>)		
5	Alstromeria (<i>Alstroemeria</i> spp)		
6	Tulip (<i>Tulipa</i> sp.)		

Sd/-
(D.K. Agarwal)
Registrar General

PUBLIC NOTICE

No.PVJ/2026/8-6
Date: 1 September, 2026
(05 of 2026)

The PPV&FR Authority in its 42nd Meeting held on 28.07.2026, has approved, the amended DUS Test Guidelines for following Crop Species under Rule 29(9) of PPV&FR Rules, 2003. The same is being published in this issue of PVJ namely: -

Sr.	Name of Crop Species	Published in PVJ
1.	Rice (<i>Oryza sativa</i> L.)	Vol.-20 No. 08 (August 2026) (Date of Publication: 1 st September, 2026)
2.	Maize (<i>Zea mays</i> L.)	
3.	Chickpea (<i>Cicer arietinum</i> L.)	
4.	Field Pea (<i>Pisum sativum</i> L.)	
5.	Lentil (<i>Lens culinaris</i> Medik.)	
6.	Green Gram (<i>Vigna radiata</i> (L.) R. Wilczek)	
7.	Urd Bean/Black Gram (<i>Vigna mungo</i> (L.) Hepper)	
8.	Pigeon Pea (<i>Cajanus cajan</i> (L.) Millsp.)	
9.	Soybean (<i>Glycine max</i> (L.) Merr.)	
10.	Tetraploid Cotton (<i>Gossypium hirsutum</i> L.)	
11.	Diploid Cotton (<i>Gossypium arboreum</i> L.)	
12.	Palak (Spinach) (<i>Spinacia oleracea</i> L.)	
13.	Ridge Gourd (<i>Luffa acutangula</i> (L.) Roxb.)	
14.	Vegetable Amaranth (<i>Amaranthus tricolor</i> L.)	
15.	Tomato (<i>Solanum lycopersicum</i> L.)	
16.	Potato (<i>Solanum tuberosum</i> L.)	
17.	Cauliflower (<i>Brassica oleracea</i> L. var. botrytis)	
18.	Cabbage (<i>Brassica oleracea</i> L. var. capitata)	
19.	Onion (<i>Allium cepa</i> L.)	
20.	Garlic (<i>Allium sativum</i> L.)	
21.	Bougainvillea (<i>Bougainvillea</i> spp.)	
22.	Marigold (<i>Tagetes</i> spp.)	
23.	Chrysanthemum (<i>Chrysanthemum</i> × <i>morifolium</i> Ramat)	
24.	Apple (<i>Malus domestica</i> Borkh.)	
25.	Apricot (<i>Prunus armeniaca</i> L.)	
26.	Cherry (<i>Prunus avium</i> L.)	
27.	Peach (<i>Prunus persica</i> (L.) Batsch)	
28.	Plum (<i>Prunus domestica</i> L.)	
29.	Walnut (<i>Juglans regia</i> L.)	
30.	Pear (<i>Pyrus communis</i> L.)	
31.	Jamun (<i>Syzygium cumini</i> (L.) Skeels)	
32.	Grapes (<i>Vitis vinifera</i> L.)	
33.	Bael (<i>Aegle marmelos</i> (L.) Corrêa)	
34.	Guava (<i>Psidium guajava</i> L.)	
35.	Pomegranate (<i>Punica granatum</i> L.)	
36.	Chironji (<i>Buchanania lanzan</i> Spreng.)	

The amended DUS test guidelines in respect of the above crop species published in the instant PVJ will come into effect from 1st day of October, 2026. Accordingly, applicants are hereby to note that all applications filed on or after 1st October, 2026 in respect of the above mentioned 36 crop species shall be strictly filed in accordance with the amended DUS test guidelines only.

Varieties, which are already under DUS testing irrespective of the year of testing, shall be treated as per the earlier unamended DUS guidelines. All the remaining cases including those for which applications have been already received but DUS test is yet to be initiated and all new applications would be dealt as per amended DUS guidelines.

Any applicant claiming special characteristics as described in the amended DUS test guidelines shall have to pay the fees as prescribed in the guidelines. The location/ lab for conducting the tests have been mentioned in the amended DUS guidelines. In case the test(s) to be conducted, test procedures, fees for conducting the tests and test location/ lab are not mentioned in the amended guidelines for any special characteristics claimed by an applicant, the same shall be determined by the Standing Committee constituted by the PPVFR Authority in this regard.

Sd/-
(D.K. Agarwal)
Registrar General

(7) Passport data of 271 varieties published for calling objection(s) if any from persons in the matter.

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
1.	REG/2024/0022	Itumthirteen	Grapes	New	600
2.	REG/2024/0023	Itumseventeen	Grapes	New	601
3.	REG/2024/0013	Itumtwo	Grapes	New	603
4.	REG/2024/0015	Itumnine	Grapes	New	605
5.	REG/2024/0021	Itumsix	Grapes	New	607
6.	REG/2025/0136	ITUMFIVE	Grapes	New	609
7.	REG/2025/0137	ITUMEIGHT	Grapes	New	610
8.	REG/2025/0135	ITUMTWELVE	Grapes	New	612
9.	REG/2024/0014	Itumfifteen	Grapes	New	614
10.	REG/2026/0596	Badki Jamun	Jamun	Farmer	616
11.	REG/2026/0105	Aditi Jamun	Jamun	Farmer	617
12.	REG/2026/0536	AAROHI JAMUN	Jamun	Farmer	618
13.	REG/2026/0537	AMIT JAMUN	Jamun	Farmer	619
14.	REG/2026/0601	AMIT JUMBO	Jamun	Farmer	620
15.	REG/2026/0498	SUSHILA JAMUN	Jamun	Farmer	621
16.	REG/2026/0499	MUNSHIRAM JAMUN	Jamun	Farmer	623
17.	REG/2024/1243	DHAMAAL F1	Cauliflower	Extant (VCK)	624
18.	REG/2025/0002	MOUSUMI F1	Cauliflower	Extant (VCK)	626
19.	REG/2025/0005	ROHAN 46 F1	Cauliflower	Extant (VCK)	628
20.	REG/2026/0779	Arka Jamun (JN-I/1)	Jamun	Farmer	629
21.	REG/2026/0527	Billouwa PM	Jamun	Farmer	631
22.	REG/2026/0534	Gauri Jamun	Jamun	Farmer	632
23.	REG/2024/0174	BHUDEV JHINGLI	Ridge Gourd	Farmer	633
24.	REG/2024/0721	VIVEKANAND GHINGLI	Ridge Gourd	Farmer	635
25.	REG/2013/686	SYN-SF-S-275 PR Plus	Sunflower	New	636
26.	REG/2026/1096	TKM 15 [TM 12077] (IET 26645)	Rice	Extant (Notified)	638
27.	REG/2026/1850	VNR-2111 PLUS (IET 24075) (VNR 212)	Rice	Extant (Notified)	641
28.	REG/2025/1127	Him Palam Dhan 1 (HPR 2656)	Rice	Extant (Notified)	643
29.	REG/2025/1128	Him Palam Dhan 2 (HPR 2880)	Rice	Extant (Notified)	644
30.	REG/2023/0142	Mahabeej-2006	Chickpea	New	646
31.	REG/2025/1355	ARANJIKKA JACK	Jackfruit	Farmer	648
32.	REG/2025/1356	RAJ JACK	Jackfruit	Farmer	649
33.	REG/2025/1364	KNK JACK	Jackfruit	Farmer	651
34.	REG/2025/1363	KKN AMBER JACK	Jackfruit	Farmer	652
35.	REG/2025/1048	AJJIBHAT MAHARAJA	Jackfruit	Farmer	653
36.	REG/2025/1286	HULGOL RUDRAKSHI	Jackfruit	Farmer	654

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
37.	REG/2026/1803	SMH-9099	Maize	Extant (Notified)	656
38.	REG/2026/1851	Bheem-115 (IET-28964) (VNR 227)	Rice	Extant (Notified)	657
39.	REG/2025/0007	DARSH GOLD F1	Tomato	Extant (VCK)	659
40.	REG/2026/1092	BIDHAN SNIGDHA	Tuberose	Extant (Notified)	661
41.	REG/2026/1093	BIDHAN UJJWAL	Tuberose	Extant (Notified)	663
42.	REG/2026/1094	BIDHAN GOLD	Marigold	Extant (Notified)	665
43.	REG/2026/1095	BIDHAN BASANTI	Marigold	Extant (Notified)	668
44.	REG/2026/0977	ARKA CHANDRA (Clone 18-5)	Pummelo	Extant (Notified)	671
45.	REG/2026/0978	ARKA ANANTHA (Clone 25-5)	Pummelo	Extant (Notified)	673
46.	REG/2026/1822	PHULE PRIDE	Banana	Extant (Notified)	674
47.	REG/2025/0533	Pusa Bio fortified Maize Hybrid-4 (APH-4)	Maize	Extant (Notified)	676
48.	REG/2026/1821	MAH 14-138	Maize	Extant (Notified)	678
49.	REG/2026/1802	SMH-4555	Maize	Extant (Notified)	680
50.	REG/2026/1852	VNR-2228 (IET 24951) (VNR 218)	Rice	Extant (Notified)	682
51.	REG/2025/0739	HVTM-259	Tomato	Extant (VCK)	684
52.	REG/2026/1830	Him Palam Mirch-1	Chilli	Extant (Notified)	686
53.	REG/2026/1831	Him Palam Mirch-2	Chilli	Extant (Notified)	688
54.	REG/2026/0360	DRR Dhan 91 (IET-32061)	Rice	Extant (Notified)	690
55.	REG/2023/0132	Nagori Ashwagandha	Ashwagandha	Farmer	693
56.	REG/2024/0454	CIM-PUSHTI	Ashwagandha	Extant (VCK)	694
57.	REG/2026/1138	PHULE MALAV-7 (VDN-1808)	Rice	Extant (Notified)	696
58.	REG/2026/1139	Surma Dhan (AAU-KMJ Dhan-46)(IET-28296)	Rice	Extant (Notified)	698
59.	REG/2026/1024	Patel Akal	Jamun	Farmer	701
60.	REG/2026/0533	NAINA JAMUN	Jamun	Farmer	703
61.	REG/2026/1023	Patel Jumbo	Jamun	Farmer	704
62.	REG/2025/0729	AVINASH-2	Mango	Farmer	705
63.	REG/2024/0332	KANCHAN KHOSA	Mango	Farmer	706
64.	REG/2026/1159	VANY	Jackfruit	Farmer	707
65.	REG/2026/1166	INDURA	Jackfruit	Farmer	708
66.	REG/2026/1268	DARAKH MOTA	Jackfruit	Farmer	710
67.	REG/2026/1245	JHUL BANBA	Jackfruit	Farmer	711
68.	REG/2026/1189	RARANI	Jackfruit	Farmer	712
69.	REG/2026/1196	AVANTI	Jackfruit	Farmer	713
70.	REG/2026/1214	LAMBRADAR	Jackfruit	Farmer	714
71.	REG/2026/1217	JOGINYA	Jackfruit	Farmer	715
72.	REG/2026/1234	GERUA	Jackfruit	Farmer	716
73.	REG/2026/1240	LODHA KATHAR	Jackfruit	Farmer	717

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
74.	REG/2026/1206	MANTRI	Jackfruit	Farmer	719
75.	REG/2026/1264	VERANGA	Jackfruit	Farmer	720
76.	REG/2026/1296	KANYAN MOTI	Jackfruit	Farmer	721
77.	REG/2026/1614	KBC-12	Cowpea	Extant (Notified)	722
78.	REG/2026/1036	BRG-3	Pigeon pea	Extant (Notified)	724
79.	REG/2026/1615	Arka Mangala	Yardlong bean	Extant (Notified)	726
80.	REG/2026/1828	Him Palam Matar-1 (DPP-SP-22)	Garden Pea	Extant (Notified)	728
81.	REG/2026/1829	Him Palam Meethi Phali-2 (DPEPP-10-1)	Snow Pea/Edible podded pea	Extant (Notified)	730
82.	REG/2026/1875	Kashi Agrim (VRFBB-91)	Kidney bean/French bean	Extant (Notified)	732
83.	REG/2026/1878	Kashi Rajhans (VRFBB-2/NR/BKS-2)	Kidney bean/French bean	Extant (Notified)	733
84.	REG/2026/1876	Kashi Baingani (VRFBP-14)	Kidney bean/French bean	Extant (Notified)	735
85.	REG/2026/1877	Kashi Sampann (VRFBB-1/NR/BKS-1)	Kidney bean/French bean	Extant (Notified)	737
86.	REG/2026/1880	Kashi Sampada	Faba bean	Extant (Notified)	738
87.	REG/2026/1874	Kashi Nidhi (VRCP-6)	Vegetable Cowpea	Extant (Notified)	740
88.	REG/2025/1365	KVN JACK	Jackfruit	Farmer	742
89.	REG/2025/1357	CHOCOLATE JACK	Jackfruit	Farmer	743
90.	REG/2026/0053	R-42 (RAMASAMY 42 BRIX)	Jackfruit	Farmer	744
91.	REG/2025/1366	VIAR FL-YEL JACK	Jackfruit	Farmer	745
92.	REG/2024/1129	LAXMI KATHAL	Jackfruit	Farmer	746
93.	REG/2024/1134	GOUTAM KATHAL	Jackfruit	Farmer	747
94.	REG/2024/1118	AJIT KATHAL	Jackfruit	Farmer	749
95.	REG/2025/0823	Pratap Aam	Mango	Farmer	750
96.	REG/2025/0820	Tapsee	Mango	Farmer	751
97.	REG/2026/0058	Sharad Mango	Mango	Farmer	752
98.	REG/2025/1020	NEHAL PASAND	Mango	Farmer	753
99.	REG/2025/0561	HVCB-094	Cabbage	Extant (VCK)	754
100.	REG/2025/0562	HVCB-094F	Cabbage	Extant (VCK)	756
101.	REG/2025/0824	MADHURI-RASEELI	Mango	Farmer	758
102.	REG/2025/0733	KAMLA	Mango	Farmer	760
103.	REG/2025/0819	Divya	Mango	Farmer	761
104.	REG/2026/1867	Kashi Abha (VR-339)	Chilli	Extant (Notified)	762
105.	REG/2026/1866	Kashi Garima (CCH-11)	Chilli	Extant (Notified)	764
106.	REG/2026/1869	Kashi Ratna (CCH-12)	Chilli	Extant (Notified)	766

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
107.	REG/2026/1868	Kashi Tej (CCH-4)	Chilli	Extant (Notified)	768
108.	REG/2026/1857	Kashi Tamatar-8 (Kashi Chayan)	Tomato	Extant (Notified)	770
109.	REG/2026/1858	KASHI ABHIMAN (VRTH-101)	Tomato	Extant (Notified)	772
110.	REG/2026/1873	Kashi Basant (VRPK-230)	Pumpkin	Extant (Notified)	775
111.	REG/2026/1888	Kashi Shivani (VRPG-27)	Ridge gourd	Extant (Notified)	777
112.	REG/2022/0127	Pusa Basmati 1886	Rice	Extant (Notified)	779
113.	REG/2021/0045	Pusa Basmati 1979	Rice	Extant (Notified)	782
114.	REG/2026/1901	VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24)	Maize	Extant (Notified)	784
115.	REG/2026/1899	VLQPM Hybrid 45 (FQH 165)	Maize	Extant (Notified)	785
116.	REG/2026/1898	VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)	Maize	Extant (Notified)	787
117.	REG/2022/0129	Pusa Basmati 1847	Rice	Extant (Notified)	789
118.	REG/2026/1883	KASHI SUHA AVANI (VRAM-42)	Vegetable Amaranth	Extant (Notified)	791
119.	REG/2026/1870	Kashi Nutan (VRCUH -1)	Cucumber	Extant (Notified)	793
120.	REG/2026/1893	Kashi Suphal (VRPG-2)	Pointed Gourd	Extant (Notified)	796
121.	REG/2026/1887	KASHI NANDA (VRRG-6A)	Ridge Gourd	Extant (Notified)	798
122.	REG/2026/1855	Kashi Tapas (VRNTH-19095)	Tomato	Extant (Notified)	800
123.	REG/2026/1512	Pusa Mustard 37 (NPJ-253)	Indian Mustard	Extant (Notified)	802
124.	REG/2017/1880	LALBABU	Mango	Farmer	804
125.	REG/2026/1955	Arka Kanaka	Crossandra	Extant (Notified)	805
126.	REG/2026/1956	Arka Chenna	Crossandra	Extant (Notified)	807
127.	REG/2026/1903	CICR-A NC Cotton 67 (CNA 1092)	Diploid Cotton	Extant (Notified)	808
128.	REG/2026/1902	VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)	Maize	Extant (Notified)	810
129.	REG/2026/1900	VL Poshika (FQH-160)	Maize	Extant (Notified)	811
130.	REG/2022/0128	Pusa Basmati 1885	Rice	Extant (Notified)	814
131.	REG/2026/1954	VL Triposhi (FQPLH-20)	Maize	Extant (Notified)	816
132.	REG/2026/0300	KALKI BHOG	Mango	Farmer	818
133.	REG/2026/1856	KASHI ADBHUT	Tomato	Extant (Notified)	819

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
		(VRNTH-18283)			
134.	REG/2026/1859	KASHI UTSAV (IVBHL-22)	Brinjal	Extant (Notified)	821
135.	REG/2026/1860	KASHI UTTAM (BR-14)	Brinjal	Extant (Notified)	823
136.	REG/2026/1861	KASHI MODAK (IVBSR-1)	Brinjal	Extant (Notified)	825
137.	REG/2026/1862	Kashi Brinjal Green Round (IVBR-17)	Brinjal	Extant (Notified)	826
138.	REG/2026/1863	Kashi Vijay (IVBL-23)	Brinjal	Extant (Notified)	828
139.	REG/2026/1864	Kashi Himani (IVBL-26)	Brinjal	Extant (Notified)	830
140.	REG/2026/1865	Kashi Manohar (IVBHL-20)	Brinjal	Extant (Notified)	832
141.	REG/2026/1879	Kashi Shristi (VROH-12; IC628085)	Okra	Extant (Notified)	834
142.	REG/2026/1881	Kashi Chaman (VRO-109; IC0610502)	Okra	Extant (Notified)	836
143.	REG/2026/1882	Kashi Lalima (VROR-157; IC628076)	Okra	Extant (Notified)	839
144.	REG/2026/1958	Pusa 1824 (IET-28442)	Rice	Extant (Notified)	841
145.	REG/2024/0942	LAL CHUA	Grain Amaranth	Farmer	843
146.	REG/2026/1960	Pusa Basmati 1882 (IET 28788)	Rice	Extant (Notified)	844
147.	REG/2013/173	6317-2 BGII	Tetraploid Cotton	Extant (VCK)	846
148.	REG/2026/0829	Sorghum K 13	Sorghum	Extant (Notified)	848
149.	REG/2026/2058	Pusa Bahar	Marigold	Extant (Notified)	850
150.	REG/2021/0072	Pusa Basmati 1985	Rice	Extant (Notified)	853
151.	REG/2026/1849	VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)	Rice	Extant (Notified)	855
152.	REG/2026/1957	Pusa 2090 (IET-29217)	Rice	Extant (Notified)	857
153.	REG/2025/9370	Atma Pasand	Mango	Farmer	859
154.	REG/2026/1115	BIRSA SOYBEAN-4 (BAUS-96)	Soybean	Extant (Notified)	860
155.	REG/2026/1114	BIRSA SOYBEAN-3 (BAUS-40)	Soybean	Extant (Notified)	862
156.	REG/2025/0825	Gulab Pasand	Mango	Farmer	864
157.	REG/2025/1023	Mulayam Aam	Mango	Farmer	865
158.	REG/2026/1025	Patel Samruddhi	Jamun	Farmer	866
159.	REG/2026/1984	ALR 4 (CRP 738) (IC 610371)	Coconut	Extant (Notified)	867
160.	REG/2026/1973	NRC 130	Soybean	Extant (Notified)	869

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
161.	REG/2026/1972	NRC 157	Soybean	Extant (Notified)	871
162.	REG/2026/2064	Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH- 1	Maize	Extant (Notified)	873
163.	REG/2026/2060	Pusa Jawahar Arhar Dwarf 22-01	Pigeon pea	Extant (Notified)	874
164.	REG/2026/2061	Pusa Jawahar Arhar 22-02	Pigeon pea	Extant (Notified)	876
165.	REG/2026/2088	Pusa Bhendi-5 (DOV-66)	Okra	Extant (Notified)	878
166.	REG/2026/1896	VL Madhuri (VP SP 906-1)	Garden pea	Extant (Notified)	880
167.	REG/2026/1897	VL Uphaar (VP 1429)	Garden pea	Extant (Notified)	882
168.	REG/2026/1933	CAZRI MOTH-4 (CZMO-18-2)	Moth bean	Extant (Notified)	884
169.	REG/2026/1974	Pusa Chickpea 20211 (Pusa Chickpea Manav)	Chickpea	Extant (Notified)	886
170.	REG/2026/1975	Pusa Chickpea Vijay (BGM 10217)	Chickpea	Extant (Notified)	888
171.	REG/2026/1976	Pusa Chickpea 10216 (BGM 10216)	Chickpea	Extant (Notified)	890
172.	REG/2026/1977	Pusa Chickpea 3057 (BG 3057)	Chickpea	Extant (Notified)	891
173.	REG/2026/1978	Pusa Parvati (BG 3062)	Chickpea	Extant (Notified)	893
174.	REG/2026/2062	Pusa Jawahar Arhar 21-29	Pigeon pea	Extant (Notified)	895
175.	REG/2026/2063	KCD-11 (KCD-2019-05)	Chickpea	Extant (Notified)	897
176.	REG/2025/1367	KVAK HONEY JACK	Jackfruit	Farmer	899
177.	REG/2025/1368	KKVR ORED JACK	Jackfruit	Farmer	900
178.	REG/2026/1104	RRD-2	Jackfruit	Farmer	901
179.	REG/2024/1230	SAHARI KATHAL	Jackfruit	Farmer	902
180.	REG/2024/1126	SUPRAKASH KATHAL	Jackfruit	Farmer	903
181.	REG/2024/1229	KOUSHALIYA KATHAL	Jackfruit	Farmer	905
182.	REG/2024/1179	BIJOY KATHAL	Jackfruit	Farmer	906
183.	REG/2024/1227	SUKLAL KATHAL	Jackfruit	Farmer	907
184.	REG/2024/1224	PADMALOCHAN KATHAL	Jackfruit	Farmer	908
185.	REG/2024/1212	AMAR KATHAL	Jackfruit	Farmer	909
186.	REG/2024/1220	PURNACHANDRA KATHAL	Jackfruit	Farmer	910
187.	REG/2024/1133	GANGAMUNI KATHAL	Jackfruit	Farmer	911

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
188.	REG/2024/1203	SWAPAN KATHAL	Jackfruit	Farmer	913
189.	REG/2024/1219	CHANDAN KATHAL	Jackfruit	Farmer	914
190.	REG/2024/1186	PARITOSH KATHAL	Jackfruit	Farmer	915
191.	REG/2026/1082	NALBARI (VTL-75)	Arecanut	Extant (Notified)	916
192.	REG/2026/1083	MADHURAMANGALA (VTL-62) (Shriwardhan 1)	Arecanut	Extant (Notified)	918
193.	REG/2026/1795	CTRI Navya (FCH 2)	Flue-Cured Virginia (FCV)	Extant (Notified)	919
194.		IISR SURYA	Turmeric	Extant (Notified)	922
195.	REG/2025/1350	IISR MANUSHREE	Small Cardamom	Extant (Notified)	923
196.	REG/2025/1351	IISR KAVERI	Small Cardamom	Extant (Notified)	925
197.	REG/2026/2076	Pusa Sinduri	Gladiolus	Extant (Notified)	927
198.	REG/2026/2075	CO 3 (Banana)	Banana	Extant (Notified)	928
199.	REG/2026/1961	JHO-21-1 (Bundel Jai 2021-1)	Oat	Extant (Notified)	930
200.	REG/2026/1962	Budel Dinanath-3 (JHD-19-4)	Dinanath Grass	Extant (Notified)	932
201.	REG/2026/1971	Gujarat Wheat 1346 (GW 1346)	Durum Wheat	Extant (Notified)	934
202.	REG/2026/1979	(PUSA CHICKPEA ASWINI) BG4037	Chickpea	Extant (Notified)	937
203.	REG/2026/1980	PUSA CHICKPEA 4005	Chickpea	Extant (Notified)	939
204.	REG/2026/1981	(PUSA SUMANGALA)BGD 133	Chickpea	Extant (Notified)	940
205.	REG/2026/1982	PUSA JG-16(BGM 10221)	Chickpea	Extant (Notified)	942
206.	REG/2026/1983	BGD 111-1	Chickpea	Extant (Notified)	944
207.	REG/2024/0333	Gobinda Bhog	Mango	Farmer	946
208.	REG/2026/0278	ALAMJAM	Mango	Farmer	947
209.	REG/2025/0857	ORI	Coriander	Farmer	948
210.	REG/2025/1067	KUMHAI	Coriander	Farmer	949
211.	REG/2026/2085	Pusa Sona (SEL.153-1) (OSR1347)	Onion	Extant (Notified)	951
212.	REG/2026/2084	Pusa Shobha (SEL.126)	Onion	Extant (Notified)	952
213.	REG/2026/2086	Pusa Hybrid 5 (DBGH 159)	Bitter gourd	Extant (Notified)	954
214.	REG/2026/2087	Pusa Hybrid 6 (DBGH -542)	Bitter gourd	Extant (Notified)	956
215.	REG/2026/0316	Resham	Date Palm	Farmer	957
216.	REG/2026/0297	CHEPTI GUTI	Mango	Farmer	959

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
217.	REG/2026/2077	Pusa Nutan	Ridge gourd	Extant (Notified)	960
218.	REG/2026/2090	Pusa Krishna (DBR-03)	Brinjal	Extant (Notified)	962
219.	REG/2026/2080	PUSA OISHIKI (DBL-175)	Brinjal	Extant (Notified)	964
220.	REG/2026/2083	Pusa Purple Broccoli-1 (DPB-1)	Broccoli	Extant (Notified)	967
221.	REG/2026/2078	DC-82 (Pusa Barkha)	Cucumber	Extant (Notified)	969
222.	REG/2026/2079	PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)	Cucumber	Extant (Notified)	971
223.	REG/2026/1963	Bundel Bajra 1 (JHPM-22-2)	Pearl Millet	Extant (Notified)	973
224.	REG/2026/2059	MH 2417 (PUSA-1801)	Pearl Millet	Extant (Notified)	975
225.	REG/2025/1354	MARIA JACK	Jackfruit	Farmer	977
226.	REG/2026/1871	Kashi Kirti (VRBOG-63-02)	Bottle Gourd	Extant (Notified)	978
227.	REG/2026/1872	Kashi Kundal (VRBOG-16)	Bottle Gourd	Extant (Notified)	980
228.	REG/2026/1885	KASHI KALYANI (VRSG-195)	Sponge gourd	Extant (Notified)	982
229.	REG/2026/1886	KASHI RAKSHITA (VRSGH-1)	Sponge gourd	Extant (Notified)	984
230.	REG/2026/1889	KASHI SAUMYA (VRSGH-3)	Sponge gourd	Extant (Notified)	986
231.	REG/2026/1890	KASHI SHREYA (VRSG-194)	Sponge gourd	Extant (Notified)	988
232.	REG/2026/1891	KASHI VANDANA (VRSG-17-2)	Sponge gourd	Extant (Notified)	990
233.	REG/2026/1892	KASHI JYOTI (VRSG-1-17)	Sponge gourd	Extant (Notified)	992
234.	REG/2026/2081	PUSA KARTIKI (D C 23000)	Cauliflower	Extant (Notified)	994
235.	REG/2026/2082	Pusa Ashwini {DC 31(Sel. 67)}	Cauliflower	Extant (Notified)	996
236.	REG/2025/1231	Desi Ajwain	Ajwain	Farmer	998
237.	REG/2025/1352	SAVARI JACK	Jackfruit	Farmer	999
238.	REG/2025/1353	RUBY JACK	Jackfruit	Farmer	1000
239.	REG/2025/0355	Vamu	Ajwain	Farmer	1001
240.	REG/2025/0356	Daniyalu	Coriander	Farmer	1002
241.	REG/2017/1751	RARHI	Mango	Farmer	1003
242.	REG/2026/0266	DILKHUS KATHAL	Jackfruit	Farmer	1004
243.	REG/2024/1089	RASBIHARI JAM	Jamun	Farmer	1006
244.	REG/2026/0298	SINDURIA GUTI	Mango	Farmer	1007
245.	REG/2026/0299	KALTHI GUTI	Mango	Farmer	1008

S.No	Ack. No.	Denomination	Crop	Type of variety	Page No.
246.	REG/2025/1114	DEHATI DHANIA NAWADIH	Coriander	Farmer	1009
247.	REG/2026/206	KHURMANI MISHRI	Apricot	Farmer	1010
248.	REG/2026/207	CHUARU	Apricot	Farmer	1012
249.	REG/2025/1049	JENE KALLU CHANDRA	Jackfruit	Farmer	1013
250.	REG/2025/1113	VINAYAK F1	Ridge gourd	Extant (VCK)	1014
251.	REG/2025/1380	SRIKAR ANITHA SV-657	Ridge gourd	Extant (VCK)	1016
252.	REG/2025/1111	AARNA F1	Cucumber	Extant (VCK)	1018
253.	REG/2025/1379	SRIKAR BALARAM-999	Cucumber	Extant (VCK)	1020
254.	REG/2025/1263	KSP 1614	Cucumber	Extant (VCK)	1022
255.	REG/2024/0787	DASAU GOTHAM	Bread Wheat	Farmer	1024
256.	REG/2024/0789	WAH GEHUN	Bread Wheat	Farmer	1025
257.	REG/2024/0507	PARUL	Brinjal	Extant (VCK)	1026
258.	REG/2024/0508	NANO	Brinjal	Extant (VCK)	1028
259.	REG/2024/0735	ESHIKA GOLD	Bread Wheat	Farmer	1030
260.	REG/2024/0736	SONAM	Bread Wheat	Farmer	1031
261.	REG/2024/0785	SUDOL GODHAM	Bread Wheat	Farmer	1032
262.	REG/2026/2165	Kalpa Nakshatra	Coconut	Extant (Notified)	1034
263.	REG/2024/0841	JAWA CHUA	Grain Amaranth	Farmer	1036
264.	REG/2024/0842	MOH CHULAI	Grain Amaranth	Farmer	1037
265.	REG/2024/0844	CHAMUKH CHOLAI	Grain Amaranth	Farmer	1038
266.	REG/2024/0847	ASARDAR CHUWAI	Grain Amaranth	Farmer	1039
267.	REG/2024/0848	PRASAD CHOLAI	Grain Amaranth	Farmer	1040
268.	REG/2024/0850	THAINA CHOLAI	Grain Amaranth	Farmer	1041
269.	REG/2024/0856	CHULBUL CHOLAI	Grain Amaranth	Farmer	1042
270.	REG/2025/0870	KRASHNA SUGANDHI METHI	Fenugreek	Farmer	1044
271.	REG/2025/1216	CHAKROD METHI	Fenugreek	Farmer	1045

1. Application No.

N5	VS5	24	22

 filed on 23/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for New variety of **Grapes (*Vitis vinifera*)** having denomination **Itumthirteen** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Itumthirteen**

Applicant : INVESTIGACION Y TECNOLOGIA
DE UVA DE MESA, S.L

Address of the applicant : Calle San Martin de Porres, n^o 3-1^o, Murcia 30001,
Spain

Nationality of applicant : Spanish

Application details

a. Number :

N5	VS5	24	22

b. Date of receipt : 23/1/2024

c. Date of acceptance : 07/8/2026

Crop (taxonomical lineage) : Grapes (*Vitis vinifera*)

Denomination : Itumthirteen

Type of variety : New

Classification of variety : Hybrid

Previously proposed : Not applicable

Denomination

Name of parental material : ITUM 02-12-15 x PRINCESS

Source of parental material : Own germplasm

Name of reference variety : Thompson Seedless

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).	Pentagonal and Five
Physiological maturity of the berry(Characteristic 18)	Medium
Bunch peduncle length (Characteristic 22)	Medium
Bunch shape/type (Characteristic 23)	Conical
Berry shape (Characteristic 26)	Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)	Green yellow

Berry flavour (Characteristic 31)		Neutral
Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: Itumthirteen has distinguishing characters as Mature leaf: width of blade (cm) very large, Bunch: uniformity of berry size uniform and Total acid content of must (g/l tartaric acid) low.		
C. Distinct characteristics of reference variety: Thompson Seedless has distinguishing characters as Mature leaf: width of blade (cm) medium, Bunch: uniformity of berry size non uniform and Total acid content of must (g/l tartaric acid) high.		
D. Date of commercialization of the variety		02/9/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Horizontal Pinot Noir
2.	Physiological maturity of the berry (days after fruit pruning)	Medium 121-130 days (Kishmism Chernyi)
3.	Bunch Shape	Winged conical (Diamond Jubilee)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	130 days
6.	Yield Potential (Average) per acre (q/ac)	16 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	36,36 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	80
11.	Total acid content of must (g/l tartaric acid)	Low 3-6 (Perlette)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
DUS Characteristics of Itumthirteen		

2. Application No.

N6	VS6	24	23

 filed on 23/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **Itumseventeen** has been accepted and given registration number -----NA -----on ----
----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Itumseventeen**
Applicant : INVESTIGACION Y TECNOLOGIA
DE UVA DE MESA, S.L
Address of the applicant : Calle San Martin de Porres, n^o 3-1^o, Murcia 30001,
Spain
Nationality of applicant : Spanish
Application details
a. Number :

N6	VS6	24	23

b. Date of receipt : 23/1/2024
c. Date of acceptance : 07/8/2026
Crop (taxonomical lineage) : Grapes (*Vitis vinifera*)
Denomination : Itumseventeen
Type of variety : New
Classification of variety : Hybrid
Previously proposed : Not applicable
Denomination :
Name of parental material : ITUM 150-242 x SUPERIOR
Source of parental material : Own germplasm
Name of reference variety : Thompson Seedless

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).	Pentagonal and Five
Physiological maturity of the berry(Characteristic 18)	Medium
Bunch peduncle length (Characteristic 22)	Medium
Bunch shape/type (Characteristic 23)	Cylindrical
Berry shape (Characteristic 26)	Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)	Green yellow
Berry flavour (Characteristic 31)	Muscat
Formation of seeds (Characteristic 34)	Rudimentary
Sugar content of must (Characteristic 37)	Medium
Total acid content of must (Characteristic 38)	Medium
B. Distinct characteristics of candidate variety: Itumseventeen has distinguishing characters as Shoot: fertile basal buds (Mean of 3 buds) medium and Bunch: uniformity of berry size uniform.	

C. Distinct characteristics of reference variety:

Thompson Seedless has distinguishing characters as Shoot: fertile basal buds (Mean of 3 buds) very low and Bunch: uniformity of berry size non uniform.

D. Date of commercialization of the variety

Not commercialized

S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Horizontal Pinot Noir
2.	Physiological maturity of the berry (days after fruit pruning)	Early <110 (Perlette)
3.	Bunch Shape	Cylindrical (Arkavati)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	105 days
6.	Yield Potential (Average) per acre (q/ac)	14 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	31,82 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	80
11.	Total acid content of must (g/l tartaric acid)	Low 3-6 (Perlette)
12.	Resistance/ Tolerance to pests / Disease	Powdery Mildew
13.	Any other relevant information specific to the variety	none

[DUS Characteristics of Itumseventeen](#)

3. Application No.

N1	VS1	24	13

 filed on 18/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, nº 3-1º, Murcia 30001, Spain** for New variety of Grapes (*Vitis vinifera*) having denomination **Itumtwo** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Itumtwo**

Applicant : **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L**

Address of the applicant : Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain

Nationality of applicant : Spanish

Application details

a. Number :

N1	VS1	24	13

b. Date of receipt : 18/1/2024

c. Date of acceptance : 07/8/2026

Crop (taxonomical lineage) : Grapes (*Vitis vinifera*)

Denomination : Itumtwo

Type of variety : New

Classification of variety : Hybrid

Previously proposed : Not applicable

Denomination

Name of parental material : ITUM 150-242 x SUPERIOR

Source of parental material : Own germplasm

Name of reference variety : Thompson Seedless

Variety description:

A. Grouping characteristics		Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).		Pentagonal and Five
Physiological maturity of the berry(Characteristic 18)		Medium
Bunch peduncle length (Characteristic 22)		Medium
Bunch shape/type (Characteristic 23)		Conical
Berry shape (Characteristic 26)		Long elliptical
Berry skin colour after removal of bloom (Characteristic 27)		Green yellow
Berry flavour (Characteristic 31)		Neutral
Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Low
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: Itumtwo has distinguishing characters as time of bud burst (Days after fruit pruning) early, Bunch: uniformity of berry size uniform and total acid content of must (g/l tartaric acid) low.		
C. Distinct characteristics of reference variety: Thompson Seedless has distinguishing characters as time of bud burst (Days after fruit pruning) late, Bunch: uniformity of berry size non uniform and total acid content of must (g/l tartaric acid) high.		
D. Date of commercialization of the variety		02/9/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi-erect
2.	Physiological maturity of the berry (days	Medium 121-130 days

	after fruit pruning)	
3.	Bunch Shape	Conical (Perlette)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	115 days
6.	Yield Potential (Average) per acre (q/ac)	14 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	31,82 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	78
11.	Total acid content of must (g/l tartaric acid)	Low 3-6 (Perlette)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
DUS Characteristics of Itumtwo		

4. Application No.

N3	VS3	24	15

 filed on 18/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **Itumnine** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Itumnine**

Applicant : INVESTIGACION Y TECNOLOGIA
DE UVA DE MESA, S.L

Address of the applicant : Calle San Martin de Porres, n^o 3-1^o, Murcia 30001,
Spain

Nationality of applicant : Spanish

Application details

a. Number :

N3	VS3	24	15

b. Date of receipt : 18/1/2024

c. Date of acceptance : 07/8/2026

Crop (taxonomical lineage) : Grapes (*Vitis vinifera*)
 Denomination : Itumnine
 Type of variety : New
 Classification of variety : Hybrid
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : Autumn Royal x PRINCESS
 Source of parental material : Own germplasm
 Name of reference variety : **Sharad Seedless**

Variety description:

A. Grouping characteristics		Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).		Pentagonal and Five
Physiological maturity of the berry (Characteristic 18)		Late
Bunch peduncle length (Characteristic 22)		Medium
Bunch shape/type (Characteristic 23)		Conical
Berry shape (Characteristic 26)		Long elliptical
Berry skin colour after removal of bloom (Characteristic 27)		Blue black
Berry flavour (Characteristic 31)		Neutral
Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: Itumnine has distinguishing characters as Mature leaf: anthocyanin coloration of main vein on lower side of blade absent, Bunch: berry density / compactness in table grapes medium and Berry: Must Recovery (V/W %) medium.		
C. Distinct characteristics of reference variety: Sharad Seedless has distinguishing characters as Mature leaf: anthocyanin coloration of main vein on lower side of blade present, Bunch: berry density / compactness in table grapes compact and Berry: Must Recovery (V/W %) little.		
D. Date of commercialization of the variety		27/8/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi-erect (Sauvignon Blanc)
2.	Physiological maturity of the berry (days after fruit pruning)	Late 131-140 days (Red Globe)
3.	Bunch Shape	Winged conical (Diamond Jublee)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	140 days
6.	Yield Potential (Average) per acre (q/ac)	18 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre

8.	Yield per vine (Average) (kg)	40,90 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	80
11.	Total acid content of must (g/l tartaric acid)	High 9-12 (Thompson seedless)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
<u>DUS Characteristics of Itumnine</u>		

5. Application No.

N4	VS4	24	21

 filed on 23/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **Itumsix** has been accepted and given registration number -----NA -----on ----- NA ---.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: Itumsix				
Applicant	: INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L				
Address of the applicant	: Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain				
Nationality of applicant	: Spanish				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>N4</td><td>VS4</td><td>24</td><td>21</td></tr></table>	N4	VS4	24	21
N4	VS4	24	21		
b. Date of receipt	: 23/1/2024				
c. Date of acceptance	: 07/8/2026				
Crop (taxonomical lineage)	: Grapes (<i>Vitis vinifera</i>)				
Denomination	: Itumsix				
Type of variety	: New				
Classification of variety	: Hybrid				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: Itum 02-12-97 x PRINCESS				
Source of parental material	: Own germplasm				
Name of reference variety	: Thompson Seedless				

Variety description:

A. Grouping characteristics		Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).		Cordate and Five
Physiological maturity of the berry (Characteristic 18)		Late
Bunch peduncle length (Characteristic 22)		Medium
Bunch shape/type (Characteristic 23)		Cylindrical
Berry shape (Characteristic 26)		Long elliptical
Berry skin colour after removal of bloom (Characteristic 27)		Green yellow
Berry flavour (Characteristic 31)		Neutral
Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: Itumsix has distinguishing characters as Shoot: fertile basal buds (Mean of 3 buds) medium, berry shape Long elliptical and Total acid content of must (g/l tartaric acid) low.		
C. Distinct characteristics of reference variety: Thompson Seedless has distinguishing characters Shoot: fertile basal buds (Mean of 3 buds) very low berry shape short elliptical and Total acid content of must (g/l tartaric acid) high.		
D. Date of commercialization of the variety		2/9/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi-erect (Sauvignon Blanc)
2.	Physiological maturity of the berry (days after fruit pruning)	Medium 121-130 days (Kishmish Chernyi)
3.	Bunch Shape	Conical (Perlette)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	145 days
6.	Yield Potential (Average) per acre (q/ac)	16 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	36,36 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	81
11.	Total acid content of must (g/l tartaric acid)	Medium 6- 9 (Flame seedless)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
DUS Characteristics of Itumsix		

6. Application No.

N2	VS4	25	136

 filed on 10/2/2025 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **ITUMFIVE** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ITUMFIVE**

Applicant : **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L**

Address of the applicant : **Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain**

Nationality of applicant : **Spanish**

Application details

a. Number :

N2	VS4	25	136

b. Date of receipt : 10/2/2025

c. Date of acceptance : 07/8/2026

Crop (taxonomical lineage) : **Grapes (*Vitis vinifera*)**

Denomination : **ITUMFIVE**

Type of variety : **New**

Classification of variety : **Hybrid**

Previously proposed : **Not applicable**

Denomination

Name of parental material : **Itum 91-89-56 x PRINCESS**

Source of parental material : **Own germplasm**

Name of reference variety : **Thompson Seedless**

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).	Pentagonal and Five
Physiological maturity of the berry(Characteristic 18)	Late
Bunch peduncle length (Characteristic 22)	Medium
Bunch shape/type (Characteristic 23)	Conical
Berry shape (Characteristic 26)	Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)	Green yellow
Berry flavour (Characteristic 31)	Neutral

Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: ITUMFIVE has distinguishing characters as Inflorescence: average number of inflorescences per shoot <1 and Total acid content of must (g/l tartaric acid) low.		
C. Distinct characteristics of reference variety: Thompson Seedless has distinguishing characters Inflorescence: average number of inflorescences per shoot 2 to <3 and Total acid content of must (g/l tartaric acid) high.		
D. Date of commercialization of the variety		2/9/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi-erect (Sauvignon Blanc)
2.	Physiological maturity of the berry (days after fruit pruning)	Late 131-140 days (Kishmish Chernyi)
3.	Bunch Shape	Conical (Perlette)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	150 days
6.	Yield Potential (Average) per acre (q/ac)	14 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	10-8-60 per acre
8.	Yield per vine (Average) (kg)	31,82 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	79
11.	Total acid content of must (g/l tartaric acid)	Medium 6- 9 (Flame seedless)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none

DUS Characteristics of ITUMFIVE

7. Application No.

N3	VS5	25	137

 filed on 10/2/2025 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for New variety of **Grapes (*Vitis vinifera*)** having denomination **ITUMEIGHT** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ITUMEIGHT**
Applicant : INVESTIGACION Y TECNOLOGIA
DE UVA DE MESA, S.L
Address of the applicant : Calle San Martin de Porres, n^o 3-1^o, Murcia 30001,
Spain
Nationality of applicant : Spanish
Application details
a. Number :

N3	VS5	25	137

b. Date of receipt : 10/2/2025
c. Date of acceptance : 07/8/2026
Crop (taxonomical lineage) : Grapes (*Vitis vinifera*)
Denomination : ITUMEIGHT
Type of variety : New
Classification of variety : Hybrid
Previously proposed : Not applicable
Denomination :
Name of parental material : Autumn Royal x PRINCESS
Source of parental material : Own germplasm
Name of reference variety : Crimson Seedless

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).	Pentagonal and Five
Physiological maturity of the berry (Characteristic 18)	Late
Bunch peduncle length (Characteristic 22)	Medium
Bunch shape/type (Characteristic 23)	Conical
Berry shape (Characteristic 26)	Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)	Green yellow
Berry flavour (Characteristic 31)	Neutral
Formation of seeds (Characteristic 34)	Rudimentary
Sugar content of must (Characteristic 37)	Medium
Total acid content of must (Characteristic 38)	Low
B. Distinct characteristics of candidate variety: ITUMEIGHT has distinguishing characters as Mature leaf: erect hairs between veins on lower side of blade present and Total acid content of must (g/l tartaric acid) low.	
C. Distinct characteristics of reference variety: Crimson Seedless has distinguishing characters Mature leaf: erect hairs between veins on lower side of blade absent and Total acid content of must (g/l tartaric acid) very high.	

D. Date of commercialization of the variety		2/9/2019
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi drooping (Waltham Cross)
2.	Physiological maturity of the berry (days after fruit pruning)	Medium 121-130 days (Kishmish Chernyi)
3.	Bunch Shape	Cylindrical (Arkavati)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	120 days
6.	Yield Potential (Average) per acre (q/ac)	16 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	36,36 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	78
11.	Total acid content of must (g/l tartaric acid)	High 9-12 (Thompson seedless)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
DUS Characteristics of ITUMEIGHT		

8. Application No.

N1	VS3	25	135

 filed on 06/2/2025 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **ITUMTWELVE** has been accepted and given registration number -----NA -----on - ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: ITUMTWELVE
Applicant	: INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L
Address of the applicant	: Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain
Nationality of applicant	: Spanish
Application details	

a. Number	N1 VS3 25 135
b. Date of receipt	: 06/2/2025
c. Date of acceptance	: 07/8/2026
Crop (taxonomical lineage)	: Grapes (<i>Vitis vinifera</i>)
Denomination	: ITUMTWELVE
Type of variety	: New
Classification of variety	: Hybrid
Previously proposed	: Not applicable
Denomination	
Name of parental material	: AUTUMN ROYAL x CRIMSON
Source of parental material	: Own germplasm
Name of reference variety	: Crimson Seedless

Variety description:

A. Grouping characteristics		Remarks (measured values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).		Pentagonal and Five
Physiological maturity of the berry (Characteristic 18)		Medium
Bunch peduncle length (Characteristic 22)		Medium
Bunch shape/type (Characteristic 23)		Conical
Berry shape (Characteristic 26)		Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)		Blue black
Berry flavour (Characteristic 31)		Neutral
Formation of seeds (Characteristic 34)		Rudimentary
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety: ITUMTWELVE has distinguishing characters as Mature leaf: erect hairs between veins on lower side of blade present and Total acid content of must (g/l tartaric acid) low.		
C. Distinct characteristics of reference variety: Crimson Seedless has distinguishing characters Mature leaf: erect hairs between veins on lower side of blade absent and Total acid content of must (g/l tartaric acid) very high.		
D. Date of commercialization of the variety		12/1/2022
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Horizontal Pinot Noir (Waltham Cross)
2.	Physiological maturity of the berry (days after fruit pruning)	Medium 121-130 days (Kishmish Chernyi)
3.	Bunch Shape	Winged conical (Daimond Jublee)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	120 days
6.	Yield Potential (Average) per acre (q/ac)	14 kg (acre)

7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	31,82 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	82
11.	Total acid content of must (g/l tartaric acid)	High 9-12 (Thompson seedless)
12.	Resistance/ Tolerance to pests / Disease	none
13.	Any other relevant information specific to the variety	none
DUS Characteristics of ITUMTWELVE		

9. Application No.

N2	VS2	24	14

 filed on 18/1/2024 by **Neeti Wilson, B-41, Nizamuddin East New Delhi 110013, India** on behalf of **INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L, Calle San Martin de Porres, n^o 3-1^o, Murcia 30001, Spain** for **New variety of Grapes (*Vitis vinifera*)** having denomination **Itumfifteen** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: ITUMFIFTEEN				
Applicant	: INVESTIGACION Y TECNOLOGIA DE UVA DE MESA, S.L				
Address of the applicant	: Calle San Martin de Porres, n ^o 3-1 ^o , Murcia 30001, Spain				
Nationality of applicant	: Spanish				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>N2</td><td>VS2</td><td>24</td><td>14</td></tr></table>	N2	VS2	24	14
N2	VS2	24	14		
b. Date of receipt	: 18/1/2024				
c. Date of acceptance	: 07/8/2026				
Crop (taxonomical lineage)	: Grapes (<i>Vitis vinifera</i>)				
Denomination	: Itumfifteen				
Type of variety	: New				
Classification of variety	: Hybrid				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: ITUM 150-242 x SUPERIOR				

Source of parental material : Own germplasm

Name of reference variety : Flame Seedless

Variety description:

A. Grouping characteristics		Remarks (mes. values)
Mature leaf shape of blade and number of lobes (Characteristics 9 and 10).		Wedge-shaped and Five
Physiological maturity of the berry (Characteristic 18)		Early
Bunch peduncle length (Characteristic 22)		Medium
Bunch shape/type (Characteristic 23)		Cylindrical
Berry shape (Characteristic 26)		Short elliptical
Berry skin colour after removal of bloom (Characteristic 27)		Red
Berry flavour (Characteristic 31)		Muscat
Formation of seeds (Characteristic 34)		Seedless
Sugar content of must (Characteristic 37)		Medium
Total acid content of must (Characteristic 38)		Low
B. Distinct characteristics of candidate variety:		
Itumfifteen has distinguishing characters as Young leaf: colour of upper side of blade green and Mature leaf: anthocyanin coloration of main vein on lower side of blade absent.		
C. Distinct characteristics of reference variety:		
Flame Seedless has distinguishing characters as Young leaf: colour of upper side of blade copper and Mature leaf: anthocyanin coloration of main vein on lower side of blade present.		
D. Date of commercialization of the variety		22/11/2021
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Vine growth habit	Semi-erect (sauvignon Blanc)
2.	Physiological maturity of the berry (days after fruit pruning)	Early, 110 (Perlette)
3.	Bunch Shape	Conical (Perlette)
4.	Bunch weight (g)	Large > 500 (Red globe)
5.	Bunch: Harvest maturity (days)	105 days
6.	Yield Potential (Average) per acre (q/ac)	14 kg (acre)
7.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	40-8-60 per acre
8.	Yield per vine (Average) (kg)	31,82 kg per vine
9.	Berry: Seed formation	Seedless
10.	Berry: Must Recovery (V/W %)	83
11.	Total acid content of must (g/l tartaric acid)	Medium 6-9 (Flame seedless)
12.	Resistance/ Tolerance to pests / Disease	POWDERY MILDEW
13.	Any other relevant information specific to the variety	none
DUS Characteristics of Itumfifteen		

10. Application No.

F12	SC12	26	596

 filed on 17/04/2026, **Amit Dubey, S/o Lakshmi Doobe, Village: Kharagpur, PO: Kharagpur, Bansgaon, Dist: Azamgarh-276126** for **Farmer** variety of **Jamun (*Syzygium cumini*)** having denomination **Badki Jamun**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Badki Jamun
Applicant : Amit Dubey
Address of the applicant : S/o Lakshmi Doobe, Village: Kharagpur,
PO: Kharagpur, Bansgaon, Dist: Azamgarh-276126
Nationality of applicant : Indian
Application details

F12	SC12	26	596

a. Number :
b. Date of receipt : 17/04/2026
c. Date of acceptance : 12.08.2026
Crop (taxonomical lineage) : Jamun (*Syzygium cumini* Skeels)
Denomination : Badki Jamun
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : Goma Priyanka

Variety description:

A. Group characteristics	Remarks (measured values)
Growth habit (Characteristic 1)	Spreading
Leaf apex(Characteristic 5)	Acuminate
Leaf base(Characteristic 6)	Acute
Mature fruit: Shape(Characteristic 15)	Oblong
Mature fruit: stalk end(Characteristic 17)	Flattened
Pulp: seed ratio(Characteristic 27)	Medium
B. Distinct characteristics of candidate variety: Badki Jamun has distinguishing characters as Petiole length - Long (Characteristic. 9), Inflorescence length: diameter ratio - High (Characteristic.13)	

C. Distinct characteristics of reference variety:		
Goma Priyanka has distinguishing characters as Petiole length -Medium (Characteristic. 9), Inflorescence length: diameter ratio – Low (Characteristic.13)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Badki Jamun

11. Application No.

F3	SC3	26	105

 filed on 9/02/2026, **Pankaj Kumar Singh, Village: Jalha, Post: Manglapur, Block: Sangrampur, Dist: Purvi Champaran-845434** by Director, Central Institute for Subtropical Horticulture, Rehmankhera, PO, **Kakori, Lucknow-227107** for Farmer variety of **Jamun (*Syzygium cumini*)** having denomination **Aditi Jamun**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Aditi Jamun
Applicant : Pankaj Kumar Singh
Address of the applicant : Village: Jalha, Post: Manglapur, Block: Sangrampur, Dist: Purvi Champaran-845434

Nationality of applicant : Indian

Application details

F3	SC3	26	105

a. Number :
b. Date of receipt : 09/02/2026
c. Date of acceptance : 12/08/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cumini* Skeels)
Denomination : Aditi Jamun
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : Konkan Bahadoli

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic 1)		Spreading
Leaf apex(Characteristic 5)		Acuminate
Leaf base(Characteristic 6)		Acute
Mature fruit: Shape(Characteristic 15)		Oblong
Mature fruit: stalk end(Characteristic 17)		Depressed
Pulp: seed ratio(Characteristic 27)		Low
B. Distinct characteristics of candidate variety: Aditi Jamun has distinguishing characters as Internodal length - Medium (Characteristic. 8), Ripe fruit length- Short (Characteristic.20)		
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Internodal length - Long (Characteristic. 8), Ripe fruit length- Medium (Characteristic.20)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Aditi Jamun

12. Application No.

F10	SC10	26	536

 filed on 08/4/2026 by **Devideen, S/o Brahmadeen, 12, Hindupur, Post: Bairi Akabarpur, Bithoor, District: Kanpur-208017, Uttar Pradesh** for **Farmer** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **AAROHI JAMUN** has been accepted and given registration number ----- NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **AAROHI JAMUN**

Applicant : Devideen,

Address of the applicant : S/o Brahmadeen, 12, Hindupur, Post: Bairi Akabar Pur, Bithoor, District: Kanpur-208017, Uttar Pradesh

Nationality of applicant : Indian

Application details

a. Number :

F10	SC10	26	536

b. Date of receipt : 08/4/2026

c. Date of acceptance : 14/8/2026

Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)

Denomination : AAROHI JAMUN
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : Konkan Bahadoli

Variety description:

A. Grouping characteristics	Remarks (measured values)
Growth habit (Characteristic 1)	Spreading
Leaf Apex (Characteristic 5)	Acuminate
Leaf Base (Characteristic 6)	Acute
Mature fruit: Shape (Characteristic 14)	Oblong
Mature fruit: base stalk end (Characteristic 16)	Depressed
Pulp: Seed ratio (Characteristic 26)	Low
B. Distinct characteristics of candidate variety: AAROHI JAMUN has distinguishing characters as Internodal length short and seed weight low.	
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Internodal length long and seed weight high.	
D. Date of commercialization of the variety	-
DUS Characteristics of AAROHI JAMUN	

13. Application No.

F11	SC11	26	537

 filed on 08/4/2026 by **Amit Kumar, S/o Suresh, 182, Bhopal Purwa, Katarijiyora, Nawabganj, District: Kanpur-208002, Uttar Pradesh** for **Farmer** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **AMIT JAMUN** has been accepted and given registration number -----NA -----on --- ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **AMIT JAMUN**
Applicant : Amit Kumar
Address of the applicant : S/o Suresh, 182, Bhopal Purwa, Katarijiyora,
Nawabganj, District: Kanpur-208002, Uttar Pradesh
Nationality of applicant : Indian

Application details

a. Number	:	F11	SC11	26	537
b. Date of receipt	:	08/4/2026			
c. Date of acceptance	:	14/8/2026			
Crop (taxonomical lineage)	:	Jamun (<i>Syzygium cuminii</i> Skeels)			
Denomination	:	AMIT JAMUN			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	Not applicable			
Source of parental material	:	Own germplasm			
Name of reference variety	:	Konkan Bahadoli			

Variety description:

A. Grouping characteristics	Remarks (measured values)
Growth habit (Characteristic 1)	Spreading
Leaf Apex (Characteristic 5)	Acuminate
Leaf Base (Characteristic 6)	Acute
Mature fruit: Shape (Characteristic 14)	Oblong
Mature fruit: base stalk end (Characteristic 16)	Depressed
Pulp: Seed ratio (Characteristic 26)	Low
B. Distinct characteristics of candidate variety: AMIT JAMUN has distinguishing characters as Leaf Apex acuminate and Pulp TSS high.	
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Leaf Apex acute and Pulp TSS medium.	
D. Date of commercialization of the variety	-
DUS Characteristics of AMIT JAMUN	

14. Application No.

F13	SC13	26	601

 filed on 17/4/2026 by **Amit Kumar Singh, S/o Vinod Kumar Singh, Village: Kathan, Post: Singhpur, Bansgaon, District: Azamgarh-276126, Uttar Pradesh** for **Farmer** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **AMIT JAMBO** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **AMIT JAMBO**
Applicant : Amit Kumar Singh
Address of the applicant : S/o Vinod Kumar Singh, Village: Kathan, Post: Singhpur, Bansgaon, District: Azamgarh-276126, Uttar Pradesh
Nationality of applicant : Indian
Application details
a. Number :

F13	SC13	26	601

b. Date of receipt : 17/4/2026
c. Date of acceptance : 14/8/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)
Denomination : AMIT JAMBO
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : Goma Priyanka

Variety description:

A. Grouping characteristics	Remarks (measured values)
Growth habit (Characteristic 1)	Upright
Leaf Apex (Characteristic 5)	Acuminate
Leaf Base (Characteristic 6)	Acute
Mature fruit: Shape (Characteristic 14)	Oblong
Mature fruit: base stalk end (Characteristic 16)	Flattened
Pulp: Seed ratio (Characteristic 26)	Medium
B. Distinct characteristics of candidate variety: AMIT JAMBO has distinguishing characters as Growth habit Semi-spreading and Internodal length short.	
C. Distinct characteristics of reference variety: Goma Priyanka has distinguishing characters as Growth habit Spreading and Internodal length long.	
D. Date of commercialization of the variety	-
DUS Characteristics of AMIT JUMBO	

15. Application No.

F4	SC4	26	498

 filed on 6/4/2026 **Kishor Ekka**
S/o Munshi Ram Village: Parpatiya, Dist: Surguja-497111 (Chhattisgarh) for Farmer
variety of **Jamun** (*Syzygium cuminii* Skeels) having denomination **SUSHILA JAMUN**, the
specification including its drawing and or photograph(s) of which are given below, has been
accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **SUSHILA JAMUN**
 Applicant : Kishor Ekka
 Address of the applicant : S/o Munshi Ram
 Villag:Parpatiya, Dist:Surguja-497111, Chhattisgarh
Nationality of applicant : Indian
Application details
 a. Number :

F4	SC4	26	498

 b. Date of receipt : 06/04/2026
 c. Date of acceptance : 14/08/2026
 Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)
 Denomination : SUSHILA JAMUN
 Type of variety : Farmer
 Classification of variety :
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : NA
 Source of parental material : Own material
 Name of reference variety : Konkan Bahadoli

Variety description:

A. Group characteristics	Remarks (measured values)
Growth habit (Characteristic.1)	Spreading
Leaf apex (Characteristic. 5)	Acuminate
Leaf base (Characteristic. 6)	Acute
Mature fruit shape (Characteristic.15)	Oblong
Mature fruit: stalk end (Characteristic.17)	Depressed
Pulp: seed ratio (Characteristic.27)	Low
B. Distinct characteristics of candidate variety: SUSHILA JAMUN has distinguishing characters as Ch22: Ripe fruit size: Length (Average): Small (3), Ch24: Pulp content: Low (3).	
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Ch22: Ripe fruit size: Length (Average): Medium (5), Ch24: Pulp content: Medium (5).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of SUSHILA JAMUN

16. Application No.

F5	SC5	26	499

 filed on 6/4/2026 **Kishor Ekka S/o Munshi Ram Village: Parpatiya, Dist: Surguja-497111 (Chhattisgarh)** for Farmer variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **MUNSHIRAM JAMUN**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
--- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **MUNSHIRAM JAMUN**
Applicant : Kishor Ekka
Address of the applicant : S/o Munshi Ram
Villag: Parpatiya, Dist: Surguja-497111, Chhattisgarh

Nationality of applicant : Indian

Application details

F5	SC5	26	499

a. Number :
b. Date of receipt : 06/04/2026
c. Date of acceptance : 14/08/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)
Denomination : MUNSHIRAM JAMUN
Type of variety : Farmer
Classification of variety :
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Konkan Bahadoli

Variety description:

A. Group characteristics	Remarks (measured values)
Growth habit (Characteristic.1)	Upright
Leaf apex (Characteristic. 5)	Acuminate
Leaf base (Characteristic. 6)	Acute
Mature fruit shape (Characteristic.15)	Oblong
Mature fruit: stalk end (Characteristic.17)	Depressed
Pulp: seed ratio (Characteristic.27)	Low
B. Distinct characteristics of candidate variety:	
MUNSHIRAM JAMUN has distinguishing characters as Ch23: Seed weight: Low.	

C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Ch23: Seed weight: High.	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of MUNSHIRAM JAMUN

17. Application No.

E1	BB1	24	1243

 filed on 17/12/2024 by **Mr. Guillaume LAIGLE**, HM Clause India Pvt. Ltd., #6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal Mandal, District Medchal-501401, Telangana on behalf of **HM. CLAUSE**, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France for Extant (VCK), Hybrid variety of crop **Cauliflower** (*Brassica oleracea* L.var. botrytis L.) having denomination **DHAMAAL F1** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **DHAMAAL F1**
Applicant : HM. CLAUSE
Address of the applicant : Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France
Nationality of applicant : French
Application details

E1	BB1	24	1243

a. Number :
b. Date of receipt : 17/12/2024
c. Date of acceptance : 14/08/2026
Crop (taxonomical lineage) : Cauliflower (*Brassica oleracea* L.var. botrytis L.)
Denomination : DHAMAAL F1
Type of variety : Extant (VCK)
Classification of variety : Hybrid
Previously proposed denomination : NA
Name of parental material : CA8967PL x CA2935PL
Source of parental material : Own germplasm
Name of reference variety : PUSA SHARAD

Variety description:

A. Grouping characteristics	Remarks (measured values)
Seedling: Anthocyanin colouration of hypocotyls	Absent

(characteristic 1)		
Curd: Covering by inner leaves (characteristic 16)		Not covered
Curd: Shape in longitudinal section (characteristic 19)		Broad elliptic
Curd: Maturity group (characteristic 26)		Mid-early
B. Distinct characteristics of candidate variety:		
DHAMAAL F1 has distinguishing character as Leaf: Shape: Broad elliptic and Curd: Compactness: Compact		
C. Distinct characteristics of reference variety:		
PUSA SHARAD has distinguishing character as Leaf: Shape: Elliptic and Curd: Compactness: Medium		
D. Date of commercialization of the variety		28/07/2023
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	South
	: Time of Sowing	August-September
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:50:50 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Intermediate
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	NA
6.	Resistance/Tolerance to Pest/s	Intermediate
7.	Staking & pruning Practices	NA
8.	Winter-spring cropping seasons Type	Monsoon
9.	Fruit Yield q/acre	101.2 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	0.9-1.2 kg/p
11.	Fruit quality and Fruit firmness	NA
12.	Fruit Picking Schedule	NA
13.	Transport Potential (Days)	NA
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	NA
15.	Any other relevant information specific to the variety/hybrid	Erect, Strong, Vigor
<u>DUS Characteristics of DHAMAAL F1</u>		

18. Application No.

E1	BB1	25	2

 filed on 01/01/2025 by **Mr. Guillaume LAIGLE, HM Clause India Pvt. Ltd., #6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal Mandal, District Medchal-501401, Telangana** on behalf of **HM. CLAUSE, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France** for Extant (VCK), Hybrid variety of crop **Cauliflower** (*Brassica oleracea* L.var. botrytis L.) having denomination **MOUSUMI F1** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **MOUSUMI F1**
Applicant : HM. CLAUSE
Address of the applicant : Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France
Nationality of applicant : French
Application details

E1	BB1	25	2

a. Number :
b. Date of receipt : 01/01/2025
c. Date of acceptance : 14/08/2026
Crop (taxonomical lineage) : Cauliflower (*Brassica oleracea* L.var. botrytis L.)
Denomination : MOUSUMI F1
Type of variety : Extant (VCK)
Classification of variety : Hybrid
Previously proposed denomination : NA
Name of parental material : CA2142PL x CA3355PL
Source of parental material : Own germplasm
Name of reference variety : PUSA MEGHNA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Seedling: Anthocyanin colouration of hypocotyls (characteristic 1)	Absent
Curd: Covering by inner leaves (characteristic 16)	Not covered
Curd: Shape in longitudinal section (characteristic 19)	Broad elliptic
Curd: Maturity group (characteristic 26)	Early
B. Distinct characteristics of candidate variety: MOUSUMI F1 has distinguishing character as Leaf: Colour: Bluish green and Flower: Stalk length (cm): Short	

C. Distinct characteristics of reference variety: PUSA MEGHNA has distinguishing character as Leaf: Colour: Light green and Flower: Stalk length (cm): Medium		
D. Date of commercialization of the variety		13/06/2023
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	West & North
	: Time of Sowing	June-July
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:50:50 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Intermediate
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	NA
6.	Resistance/Tolerance to Pest/s	Intermediate
7.	Staking & pruning Practices	NA
8.	Winter-spring cropping seasons Type	Spring
9.	Fruit Yield q/acre	111.33 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	0.5-0.7 kg/p
11.	Fruit quality and Fruit firmness	NA
12.	Fruit Picking Schedule	NA
13.	Transport Potential (Days)	NA
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	NA
15.	Any other relevant information specific to the variety/hybrid	Semi Erect, Good vigor
<u>DUS Characteristics of MOUSUMI F1</u>		

19. Application No.

E2	BB3	25	5

 filed on 01/01/2025 by **Mr. Guillaume LAIGLE, HM Clause India Pvt. Ltd., #6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal Mandal, District Medchal-501401, Telangana** on behalf of **HM. CLAUSE, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France** for Extant (VCK), Hybrid variety of crop **Cauliflower** (*Brassica oleracea* L.var. botrytis L.) having denomination **ROHAN 46 F1** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on ---NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **ROHAN 46 F1**
Applicant : HM. CLAUSE
Address of the applicant : Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France
Nationality of applicant : French
Application details
a. Number :

E2	BB3	25	2

b. Date of receipt : 01/01/2025
c. Date of acceptance : 14/08/2026
Crop (taxonomical lineage) : Cauliflower (*Brassica oleracea* L.var. botrytis L.)
Denomination : ROHAN 46 F1
Type of variety : Extant (VCK)
Classification of variety : Hybrid
Previously proposed denomination : NA
Name of parental material : CA7840PL x CA6296PL
Source of parental material : Own germplasm
Name of reference variety : PUSA PAUSHJA

Variety description:

A. Grouping characteristics		Remarks (measured values)
Seedling: Anthocyanin colouration of hypocotyls (characteristic 1)		Absent
Curd: Covering by inner leaves (characteristic 16)		Partly covered
Curd: Shape in longitudinal section (characteristic 19)		Broad elliptic
Curd: Maturity group (characteristic 26)		Mid-early
B. Distinct characteristics of candidate variety: ROHAN 46 F1 has distinguishing character as Curd: Doming: Strong and Curd: Compactness: Compact		
C. Distinct characteristics of reference variety: PUSA PAUSHJA has distinguishing character as Curd: Doming: Medium and Curd: Compactness: Medium		
D. Date of commercialization of the variety		29/06/2023
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium

2.	Production condition: Suitability Area in the Country	All India
	: Time of Sowing	August-September
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:50:50 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Intermediate
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	NA
6.	Resistance/Tolerance to Pest/s	Intermediate
7.	Staking & pruning Practices	NA
8.	Winter-spring cropping seasons Type	Monsoon
9.	Fruit Yield q/acre	131.5 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	1.2-1.5 kg/p
11.	Fruit quality and Fruit firmness	NA
12.	Fruit Picking Schedule	NA
13.	Transport Potential (Days)	NA
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	NA
15.	Any other relevant information specific to the variety/hybrid	Erect and Strong vigor
DUS Characteristics of ROHAN 46 F1		

20. Application No.

E1	SC14	26	779

 filed on 18/5/2026 **Director ICAR-Indian Institute of Horticultural Research (IIHR), Hessaraghatta Lake PO, Bangalore-560089 (Karnataka)** on behalf of **Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bangalore-560089, (Karnataka)** for **Extant (VCK)** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **Arka Jamun (JN-I/1)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Arka Jamun (JN-I/1)**

Applicant : Indian Institute of Horticultural Research

Address of the applicant : Hessaraghatta Lake PO, Bangalore-560089, (Karnataka)

Nationality of applicant : Indian

Application details

a. Number	:	E1	SC14	26	779
b. Date of receipt	:	18/05/2026			
c. Date of acceptance	:	14/08/2026			

Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)

Denomination : Arka Jamun (JN-I/1)

Type of variety : Extant (VCK)

Classification of variety :

Previously proposed : Not applicable

Denomination :

Name of parental material : NA

Source of parental material : Own material

Name of reference variety : Goma Priyanka

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic.1)		Spreading
Leaf apex (Characteristic. 5)		Acuminate
Leaf base (Characteristic. 6)		Acute
Mature fruit shape (Characteristic.15)		Elliptic
Mature fruit: stalk end (Characteristic.17)		Flat
Pulp: seed ratio (Characteristic.27)		Low
B. Distinct characteristics of candidate variety:		
Arka Jamun (JN-I/1) has distinguishing characters as Ripe fruit Size (Ch22): Small (3), Seed weight (Ch23): Low (3), Pulp: seed ratio (Ch27) – Low (3)		
C. Distinct characteristics of reference variety:		
Goma Priyanka has distinguishing characters as Ripe fruit Size (Ch22): Large (7), Seed weight (Ch23): Medium (5), Pulp: seed ratio (Ch27) – Medium (5)		
D. Date of commercialization of the variety		04/03/2021
E. Agronomic and commercial attributes		Arka Jamun (JN-I/1)
Sl. No.	Important agronomic and commercial attributes	Remarks
1	Days to Maturity: Early / Medium / Late	Early
2	Production Condition: Suitable Area in the Country	Tropical
	Time of Planting	June–July
	Irrigated / Rainfed	Rainfed & Irrigated
	Low Fertility / High Fertility	Low fertility
3	Fertilizer experiment (N: P: K) to attain potential yield	N:P: K – 500:600:300
4	Tolerance to adverse temperature / Frost and Heat – Sensitive / Tolerant	Tolerant to drought and heat
5	Tolerance to water stagnation – Sensitive / Tolerant	Sensitive to water stagnation

6	Resistance / Tolerance to pests	Nil
7	Days taken for Flowering	Five years
8	Fruit yield	36.75 t/ha
9	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Arka J-1/1 possesses desirable quality characteristics, with high total soluble solids (14.53 °Brix) and anthocyanin content of 66.94 mg/100 g, Contributing to improved flavour and nutritional value. The selection early maturity (about 80 days), bold fruit size small seed, size, and higher pulp proportion with comparatively less astringency, enhancing consumer preference
Figure: NA		DUS Characteristics of Arka Jamun (JN-1/1)

21. Application No.

F6	SC6	26	527

 filed on 08/04/2026, **Pran Singh, 173, Harijan Basti, Ward No. 02, Billouwa, Antri, Gwalior-475001** by **Director, ICAR- Central Institute for Subtropical Horticulture, Rehmankhara, PO, Kakori, Lucknow-227107** for **Farmer** variety of **Jamun (*Syzygium cumini* (L.) Skeels.)** having denomination **Billouwa PM**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Billouwa PM**
Applicant : Pran Singh
Address of the applicant : 173, Harijan Basti, Ward No. 02, Billouwa, Antri, Gwalior-475001
Nationality of applicant : Indian
Application details
a. Number :

F6	SC6	26	527

b. Date of receipt : 08/04/2026
c. Date of acceptance : 14/08/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cumini* (L.) Skeels.)
Denomination : Billouwa PM
Type of variety : Farmer

Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : NA
 Source of parental material : NA
 Name of reference variety : Konkan Bahadoli

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic 1)		Spreading
Leaf apex (Characteristic 5)		Acuminate
Leaf base (Characteristic 6)		Acute
Mature fruit: Shape (Characteristic 15)		Oblong
Mature fruit: stalk end (Characteristic 17)		Depressed
Pulp: seed ratio (Characteristic 27)		Low
B. Distinct characteristics of candidate variety: Billouwa PM has distinguishing characters as Leaf apex -High Characteristic.5)		
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Leaf apex -Low Characteristic.5)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Billouwa PM

22. Application No.

F8	SC8	26	534

 filed on 08/04/2026, **Ramavtar, S/o Kushchar, Hindupur, Mainawati Road, Bairi, Kalyanpur, Dist: Kanpur-208017** for **Farmer** variety of **Jamun (*Syzygium cumini* (L.) Skeels.)** having denomination **Gauri Jamun**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
 ---- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Gauri Jamun
 Applicant : Ramavtar
 Address of the applicant : S/o Kushchar, Hindupur, Mainawati Road, Bairi, Kalyanpur, Dist: Kanpur-208017
 Nationality of applicant : Indian

Application details

a. Number	:	F8	SC8	26	534
b. Date of receipt	:	08/04/2026			
c. Date of acceptance	:	14/08/2026			
Crop (taxonomical lineage)	:	Jamun (<i>Syzygium cumini</i> (L.) Skeels.)			
Denomination	:	Gauri Jamun			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	Konkan Bahadoli			

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic 1)		Spreading
Leaf apex (Characteristic 5)		Acuminate
Leaf base (Characteristic 6)		Acute
Mature fruit: Shape (Characteristic 15)		Oblong
Mature fruit: stalk end (Characteristic 17)		Depressed
Pulp: seed ratio (Characteristic 27)		Low
B. Distinct characteristics of candidate variety: Gauri Jamun has distinguishing characters as Ripe fruit breadth -Narrow Characteristic.21), Pulp TSS- High Characteristic.26),		
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Ripe fruit breadth -Medium Characteristic.21), Pulp TSS- Medium Characteristic.26)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Gauri Jamun

23. Application No.

F1	LA2	24	174

 filed on 20/05/2024 by Dr. Ravishankar, G.V.T- Krishi Vigyan Kendra, Dist: Godda-814133, Jharkhand on behalf of Bhudev Mahto, Village: Nipania, Panchayat: Nipania, Block: Godda, Dist: Godda-814153, Jharkhand for **Farmer** variety of crop **Ridge gourd (*Luffa acutangula* (L.) Roxb.)** having denomination **Bhudev Jhingli** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Bhudev Jhingli**
 Applicant : Bhudev Mahto
 Address of the applicant : Village: Nipania, Panchayat: Nipania, Block: Godda,
 Dist: Godda-814153, Jharkhand
 Nationality of applicant : Indian

Application details

a. Number :

F1	LA2	24	174

 b. Date of receipt : 20/05/2024
 c. Date of acceptance : 14/08/2026
 Crop (taxonomical lineage) : Ridge gourd (*Luffa acutangula* (L.) Roxb)
 Denomination : Bhudev Jhingli
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : Not applicable
 Source of parental material : Own germplasm
 Name of reference varieties : Deepthi

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf	: Leaf blade: number of lobes (characteristic 10)	5 Lobes
Fruit	: length (characteristic 17)	Medium (20.1-30cm)
Fruit	: girth (characteristic 18)	Large (>14cm)
Fruit	: shape (characteristic 19)	Elongate
Fruit	: skin color (characteristic 20)	Light Green
Fruit	: ridge (rib) shape (characteristic 23)	Medium
B. Distinct characteristics of candidate variety:		
Bhudev Jhingli has distinguishing characters as Leaf : Length (Between 15-20 nodes): Small (<10cm), Leaf : Width (Between 15-20 nodes): Small (<15cm), Skin softness of the marketable fruits: Soft and Time of marketable maturity: Early (<60 Days).		
C. Distinct characteristics of reference variety:		
Deepthi have distinguishing characters as Leaf : Length (Between 15-20 nodes): Medium (10.1-15cm), Leaf : Width (Between 15-20 nodes): Medium (15.1-20cm), Skin softness of the marketable fruits: mild soft and Time of marketable maturity: Medium (60.1-70days).		
D. Date of commercialization of the variety		NA
DUS Characteristics of BHUDEV JHINGLI		

24. Application No.

F2	LA3	24	721

 filed on 14/10/2024 by Dr. Ravishankar, G.V.T- Krishi Vigyan Kendra, Dist: Godda-814133, Jharkhand on behalf of Vivekanand Kumar, Village: Nipania, Panchayat: Nipania, Block: Godda, Dist: Godda-814153, Jharkhand for **Farmer** variety of crop **Ridge gourd (*Luffa acutangula* (L.) Roxb.)** having denomination **VIVEKANAND GHINGLI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **VIVEKANAND GHINGLI**
Applicant : Vivekanand Kumar
Address of the applicant : Village: Nipania, Panchayat: Nipania, Block: Godda, Dist: Godda-814153, Jharkhand
Nationality of applicant : Indian
Application details
a. Number :

F2	LA3	24	721

b. Date of receipt : 14/10/2024
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Ridge gourd (*Luffa acutangula* (L.) Roxb)
Denomination : VIVEKANAND GHINGLI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference varieties : PUSA NASDAR

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf	: Leaf blade: number of lobes (characteristic 9)	5 Lobes
Fruit	: length (characteristic 17)	Medium (20.1-30cm)
Fruit	: girth (characteristic 18)	Large (>14cm)
Fruit	: shape (characteristic 19)	Elongate
Fruit	: skin color (characteristic 20)	Light Green
Fruit	: ridge (rib) shape (characteristic 23)	Medium

B. Distinct characteristics of candidate variety:

VIVEKANAND GHINGLI has distinguishing characters as Stem: length of internodes (between 15th and 20th node): Long (>15cm), Petiole length (Between 15-20 nodes): Short (<8cm) and Plant growth habit: Medium Viny (3.51 -5.5m).

C. Distinct characteristics of reference variety:

PUSA NASDAR have distinguishing characters as Stem: length of internodes (between 15th and 20th node): Medium, Petiole length (Between 15-20 nodes): Long (>10cm) and Plant growth habit: Short Viny (<3.5m).

D. Date of commercialization of the variety

NA

[DUS Characteristics of VIVEKANAND GHINGLI](#)

25. Application No.

N24	HA17	13	686

 filed on **31/10/2013** by **Syngenta India Limited, Amar Paradigm, S. No. 110/11/3, Baner Road, Baner, Pune-411005, Maharashtra** through **Anuradha Verma, APAC Field Crops Variety Registration and Protection Lead, Registrations and Regulatory, Syngenta India Private Limited, Hyderabad Innovation Centre, Sampanbole-500101, Telangana** for New variety of **Sunflower (*Helianthus annuus* L.)** having denomination **SYN-SF-S-275 PR Plus**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **SYN-SF-S-275 PR Plus**

Applicant : Syngenta India Limited

Address of the applicant : Amar Paradigm, S. No. 110/11/3, Baner Road, Baner, Pune - 411005, Maharashtra.

Nationality of applicant : Indian

Application details

a. Number :

N24	HA17	13	686

b. Date of receipt : 31/10/2013

c. Date of acceptance : 17/08/2026

Crop (taxonomical lineage) : Sunflower (*Helianthus annuus* L.)

Denomination : SYN-SF-S-275 PR Plus

Type of variety : New

Classification of variety : Hybrid

Previously proposed : Not applicable

Denomination :

Name of parental material : (FS 703, F703 x RW66645)
Source of parental material : Own material
Name of reference variety : KBSH-41

Variety description:

A. Group characteristics		Remarks (measured values)
Plant : Time of 50% flowering (Characteristic 2)		Medium
Leaf : Serration (Characteristic 7)		Medium
Plant : Height (Characteristic 24)		Tall
Plant : Branching (Characteristic 25)		Absent
Seed Coat: Stripes (Characteristic 31)		Present
B. Distinct characteristics of candidate variety:		
SYN-SF-S-275 PR Plus has distinguishing characters as Head: Shape of grain side: Convex.		
C. Distinct characteristics of reference variety:		
KBSH-41 has distinguishing characters as Head: Shape of grain side: Flat.		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S. No.	Commercial Attributes	Details
1.	Days to Maturity: Early/ Medium/ Late/Very late	Medium
2.	Production Condition: Suitability Area in the country	Karnataka, AP, MH
	: Time of sowing	Rabi
	: Irrigated/ Rainfed	--
	: Low fertility/ High fertility	--
3.	Recommended Nutrition, q/ac schedule to attain potential yield and time of application:	6 to 8
	: Organic (q/ac)	--
	: Inorganic (q/ac)	--
	: Other fertilizer (q/ac)	--
4.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	24/36/24
5.	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	--
6.	Tolerance to water stagnation: Sensitive/Tolerant	--
7.	Resistance/ Tolerance to pest/Pathogens	Tolerance to Necrosis virus
8.	Seed Yield (Average) /ac	2 Kg/Acre
9.	Seed: Weight (1000 seed weight in g)	48.03
10.	Seed: Coat colour	--
11.	Seed: Oil content (%): Low/medium/high	--
12.	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Recommended fertilizer for Irrigated condition.
DUS Characteristics of SYN-SF-S-275 PR Plus		

26. Application No.

E43	OS247	26	1096

 filed on 22/06/2026 by **Director Centre for Plant Breeding and Genetics, Tamil Nadu Agricultural University, Coimbatore-641003** on behalf of **Tamil Nadu Agricultural University Coimbatore-641003** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **TKM 15 [TM 12077] (IET 26645)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
---on ----- NA ---

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA---.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : TKM 15 [TM 12077] (IET 26645)
Applicant : Tamil Nadu Agricultural University
Address of the applicant : Director, Centre for Plant Breeding and Genetics,
Tamil Nadu Agricultural University, Coimbatore-641003
Nationality of applicant : India
Application details
a. **Number** :

E43	OS247	26	1096

b. **Date of receipt** : 22/06/2026
c. **Date of acceptance** : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : TKM 15 [TM 12077] (IET 26645)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : TKM (R) /IET 21620
Source of parental material : Own germplasm
Name of reference varieties : Anna (R) & CO 53
Notification Details : S.O. 4065(E) dt. 31.08.2022

Variety description:

A. Grouping characteristics	Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)	Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)	Early (3)
Stem: Length excluding panicles (Characteristics 29)	Very Short (1)
Decorticated grain: Length (Characteristics 54)	Medium (3)
Decorticated grain: Shape (in lateral view) (Characteristics 56)	Medium slender (3)
Decorticated grain: Colour (Characteristics 57)	White (1)
Endosperm: Content of amylose (Characteristics 59)	Medium (5)
Decorticated grain: Aroma (Characteristics 62)	Absent (1)

B. Distinct characteristics of candidate variety:		
TKM 15 [TM 12077] (IET 26645): It has distinguishing characters as Panicle: Curvature of main axis is Drooping and Decorticated grain: Shape (in lateral view) Medium slender		
C. Distinct characteristics of reference varieties:		
Anna (R): It has distinguishing characters as Panicle: Curvature of main axis is Deflexed and Decorticated grain: Shape (in lateral view) Long slender.		
CO 53: It has distinguishing characters as Panicle: Curvature of main axis is Drooping and Decorticated grain: Shape (in lateral view) Short bold.		
D. Date of commercialization of the variety		02.06.2022
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	86-88 days
2.	Days to maturity: Early/Medium/Late	Early
3.	Production condition: Suitability Area in the Country	Direct sown Rained and semidry areas of Tamil Nadu like Kanchipuram, Chengalpattu, Tiruvallur, Pudukottai, Ramanathapuram, Virudhunagar, Sivagangai and Thoothukudi
4.	Time of Sowing	September-October sowing
	Seed rate (kg/acre)	30 kg/ acre (Direct sown condition)
	Transplanting spacing	20 x 15 cm
	Irrigated/Rainfed conditions	Rainfed/Semidry
	Low fertility/High fertility of Soil	Low/Moderate fertility
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:10:10 kg NPK/acre
5.	Tolerance to Disease & Pests	Moderate resistance to blast (LB), rot sheath blight, brown spot and RTD. Field tolerant to major pest such as stem borer, leaf folder and gall midge.
	IPM Details Schedule	Stem borer and leaf folder: Flubendiamide 20% WG 125 g/ha Cartap hydrochloride 50% SP 1000 g/ha Thiamethoxam 25% WG 100 g/ha BPH/WBPH: Azadirachtin 0.03% 1000 ml/ha

		Fipronil 5% SC 1000-1500 ml Imidacloprid 17.8 SL 100-125 ml Thrips: Thiamethoxam 25% WG 100 g/ha Leafspot, Sheathrot, Sheath blight: Carbendazim 250 g/ha or Metominostrobin @ 500 ml/ha or Hexaconazole 75% WG @ 100 mg/lit Blast: Tricyclazole 75 WP @ 500g/ha or Metominostrobin 20 SC @ 500 ml/ha or Azoxystrobin 25 SC @ 500 ml/ha
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	Tolerant to drought and high temperature
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	Medium slender
	b) L/B Ratio	3.1 mm
	c) Kernel Length	White
8.	Grain yield (Quintal/Acre)	15.98 q/acre
9.	Seed: Weight (1000 seed weight in g)	15 gm
10.	Any other relevant information specific to the variety/hybrid	TKM 15 (TM 12077) (IET 26645) was evaluated in agronomy trail wherein it had better agronomic efficiency by registering a greater number of tillers/plants, grains per panicle and grain yield under semidry direct sown condition with the spacing of 20 x 15 cm and under 100% NPK (50:25:25 kg /ha) fertilizer application.
Figure: 1		DUS Characteristics of TKM 15 [TM 12077] (IET 26645)

27. Application No.

E59	OS359	26	1850

 filed on 17/08/2026 by **Dr. Krishan Chandra Upadhyay, Head Research & Development, C/o CS-VSPL, VNR Seeds Pvt Ltd, Corporate Centre, Canal Road Crossing, Ring Road No.1, Raipur, Chhattisgarh-492006** on behalf of **VNR Seeds Private Limited, Corporate Center, Canal Road Crossing, Ring Road no. 1, Raipur, Chhattisgarh-492006** for Extant (Notified) of crop **Rice (*Oryza sativa* L.)** having denomination **VNR-2111 PLUS (IET 24075) (VNR 212)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : VNR-2111 PLUS (IET 24075) (VNR 212)
Applicant : VNR Seeds Private Limited
Address of the applicant : Corporate Center, Canal Road Crossing, Ring Road no. 1, Raipur, Chhattisgarh-492006
Nationality of applicant : India
Application details
a. Number :

E59	OS359	26	1850

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : VNR-2111 PLUS (IET 24075) (VNR 212)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed :
Denomination : Not applicable
Name of parental material : A line: VNRF-121, B line: VNRM-121, R line: VNRRB-1968
Source of parental material : Own germplasm
Name of reference varieties : PAC 807 & MTU1010
Notification Details : S.O.6318 (E) Dated-26.12.2018

Variety description:

A. Grouping characteristics	Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)	Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)	Early (3)
Stem: Length excluding panicles (Characteristics 29)	Short (3)
Decorticated grain: Length (Characteristics 54)	Long (5)
Decorticated grain: Shape (in lateral view) (Characteristics 56)	Long bold (4)
Decorticated grain: Colour (Characteristics 57)	Light brown (2)
Endosperm: Content of amylose (Characteristics 59)	Medium (5)

Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety: VNR-2111 PLUS (IET 24075) (VNR 212): It has distinguishing characters as Panicle curvature of main axis is Semi-straight and Decorticated grain width is Broad.		
C. Distinct characteristics of reference varieties: PAC 807 & MTU1010: It has distinguishing characters as Panicle curvature of main axis is Drooping and Decorticated grain width is Medium.		
D. Date of commercialization of the variety		07.05.2020
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	85-90 days
2.	Days to maturity: Early/Medium/Late	Early
3.	Production condition: Suitability Area in the Country	Irrigated ecology of Punjab, Uttarakhand, Haryana, Odisha, West Bengal, Uttar Pradesh, and Jharkhand, Madhya Pradesh, Chhattisgarh, Maharashtra.
4.	Time of Sowing	Kharif (June-July)
	Seed rate (kg/acre)	6 kg/ acre
	Transplanting spacing	15 x 20 cm
	Irrigated/Rainfed conditions	Irrigated areas
	Low fertility/High fertility of Soil	Suitable in moderate to high fertility soils.
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:24:24 kg NPK/acre
5.	Tolerance to Disease & Pests	Moderate resistance to leaf and neck blast
	IPM Details Schedule	Need base standard rice crop protection recommendations.
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	Length:6.22 mm & Breadth: 2.30
	b) L/B Ratio	2.71 mm
	c) Kernel Length	Light brown
8.	Grain yield (Quintal/Acre)	25.23 q/acre
9.	Seed: Weight (1000 seed weight in g)	23-24 gm
10.	Any other relevant information specific to the variety/hybrid	High spikelet fertility and HRR percent
Figure: 2,3		DUS Characteristics of VNR-2111 PLUS (IET 24075) (VNR 212)

28. Application No.

E67	OS285	25	1127

 filed on 17/09/2025 by **Director of Research, CSKHPKV, Palampur, Himanchal Pradesh-176062** on behalf of **Chaudhary Sarwan Kumar Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Himanchal Pradesh-176062** for Extant (Notified) variety of crop Rice (*Oryza sativa* L.) having denomination **Him Palam Dhan 1 (HPR 2656)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety

Applicant

: Him Palam Dhan 1 (HPR 2656)

: Chaudhary Sarwan Kumar Himachal Pradesh
Krishi Vishvavidyalaya

Address of the applicant

: Palampur, Himanchal Pradesh-176062

Nationality of applicant

: Indian

Application details

a. Number

:

E67	OS285	25	1127

b. Date of receipt

: 17/09/2025

c. Date of acceptance

: 24/08/2026

Crop (Taxonomical lineage)

: Rice (*Oryza sativa* L.)

Denomination

: Him Palam Dhan 1 (HPR 2656)

Type of variety

: Extant (Notified)

Classification of variety

: Typical

Previously proposed

Denomination

: NA

Name of parental material

: RP 2421/VL Dhan 221

Source of parental material

: RP 2421- Lawfully acquired from IIRR, Hyderabad
and VL Dhan 221-Lawfully acquired from VPKAS,
Almora.

Name of reference varieties

: Him Palam Dhan-2 & Him Palam Dhan-3

Notification details

: Notification no. S.O. 99(E), dt. 06.01.2020

Variety description:

A. Grouping characteristics	(Measured values)
Basal leaf: Sheath colour (Characteristics 2)	Green
Time of heading (50% of plants with panicles) (Characteristics 20)	Early
Stem: Length excluding panicles (Characteristics 29)	Short
Decorticated grain: Length (Characteristics 54)	Medium
Decorticated grain: Shape (in lateral view) (Characteristics 56)	Short Bold
Decorticated grain: Colour (Characteristics 57)	Light brown
Endosperm: Content of amylose (Characteristics 59)	Medium
Decorticated grain: Aroma (Characteristics 62)	Absent
B. Distinct characteristics of candidate variety:	
Him Palam Dhan 1 (HPR 2656) has distinguishing character as Decorticated grain shape is Short Bold and Decorticated grain colour is Light brown	

C. Distinct characteristics of reference varieties:		
Him Palam Dhan-2 have distinguishing character as as Decorticated grain shape is Medium Slender and Decorticated grain colour is White and Him Palam Dhan-3 Decorticated grain shape is Long Bold and Decorticated grain colour is White		
D. Date of commercialization of the variety		22.05.2017
S.No.	Agro & Com Attributes	Remarks
1.	Days to flowering/Anthesis (Average)	78 days
2.	Days to Maturity (Early/Medium/Late)	Medium
3.	Production condition: suitable area in the country	Himachal Pradesh
4.	Time of Sowing	First week of June
	Seed rate (kg/acre)	25 kg /acre
	Spacing: Plant-Plant(cm), Row-Row(cm)	Plant-Plant (15 cm), Row-Row (20cm)
	Irrigated /Rainfed conditions	Upland Rainfed
	Low fertility /High fertility of soil	Low fertility of soils
	Fertiliser requirement: NPK (kg/acre) Schedule	N.P.K: 24:16:16 kg/acre
5.	Tolerance to Disease and Pests	Field tolerant to Leaf Blast, Neck Blast, False Smut, Rice Hispa.
	IPM Details Schedule	-
6.	Tolerance to adverse Temperature/ Frost/Heat/Salinity	Tolerant to Low Temperature
7.	Grain characters physical	Details
	a) Grain size	Length: 5.69 mm & Breadth 2.38 mm
	b) L/B Ratio	2.39 mm
	c) Kernel colour	-
8.	Grain yield (Quintal/Acre)	13 q/acre
9.	Seed: weight (1000 seed weight in g)	23.4 gm
10.	Any other relevant information specific to the variety/Hybrid to attain potential yield	AICRP Trial/IET No is IET-22294
Figure: 4		DUS Characteristics of Him Palam Dhan 1 (HPR 2656)

29. Application No.

E68	OS286	25	1128

filed on 17/09/2025 by

Director of Research, CSKHPKV, Palampur, Himanchal Pradesh-176062 on behalf of **Chaudhary Sarwan Kumar Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Himanchal Pradesh-176062** for Extant (Notified) variety of crop **Rice (*Oryza sativa* L.)** having denomination **Him Palam Dhan 2 (HPR 2880)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Him Palam Dhan 2 (HPR 2880)
Applicant : Chaudhary Sarwan Kumar Himachal Pradesh
 Krishi Vishwavidyalaya
Address of the applicant : Palampur, Himanchal Pradesh-176062
Nationality of applicant : Indian
Application details
 a. Number : E68 OS286 25 1128
 b. Date of receipt : 17/09/2025
 c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : Him Palam Dhan 2 (HPR 2880)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : NA
Name of parental material : HPU 2216/Tetap
Source of parental material : HPU 2216- Own germplasm & Tetap-Lawfully
 acquired from IRRI, Manila, Philippines
Name of reference varieties : Him Palam Dhan-3 & Him Palam Dhan-4
Notification details : Notification no. S.O. 99(E), dt. 06.01.2020

Variety description:

A. Grouping characteristics		(Measured values)
Basal leaf: Sheath colour (Characteristics 2)		Green
Time of heading (50% of plants with panicles) (Characteristics 20)		Early
Stem: Length excluding panicles (Characteristics 29)		-
Decorticated grain: Length (Characteristics 54)		Medium
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Medium Slender
Decorticated grain: Colour (Characteristics 57)		White
Endosperm: Content of amylose (Characteristics 59)		Medium
Decorticated grain: Aroma (Characteristics 62)		Absent
B. Distinct characteristics of candidate variety:		
Him Palam Dhan 2 (HPR 2880) has distinguishing character as Flag leaf attitude of blade (late observation) is Erect, Decorticated grain shape is Medium Slender and Decorticated grain aroma is Absent.		
C. Distinct characteristics of reference varieties:		
Him Palam Dhan-3 have distinguishing character as has distinguishing character as Flag leaf attitude of blade (late observation) is Semi-erect, Decorticated grain Shape is Long bold and Him Palam Dhan-4 Flag leaf attitude of blade (late observation) is Semi-erect, Decorticated grain shape is Long slender and Decorticated grain aroma is Present.		
D. Date of commercialization of the variety		06.05.2017
S.No.	Agro & Com Attributes	Remarks
1.	Days to flowering/Anthesis (Average)	87 days
2.	Days to Maturity (Early/Medium/Late)	Medium

3.	Production condition: suitable area in the country	Himachal Pradesh
4.	Time of Sowing	Last week of May
	Seed rate (kg/acre)	10 kg /acre
	Spacing: Plant-Plant(cm), Row-Row(cm)	Plant-Plant (15 cm), Row-Row (20cm)
	Irrigated /Rainfed conditions	Irrigated
	Low fertility /High fertility of soil	High fertility of soils
	Fertiliser requirement: NPK (kg/acre) Schedule	N.P.K: 36:24:15 kg/acre
5.	Tolerance to Disease and Pests	Field tolerant to Leaf Blast, Neck Blast, False Smut, Rice Hispa.
	IPM Details Schedule	-
6.	Tolerance to adverse Temperature/ Frost/Heat/Salinity	Tolerant to Low Temperature
7.	Grain characters physical	Details
	a) Grain size	Length: 6.55 mm & Breadth 2.26 mm
	b) L/B Ratio	2.9 mm
	c) Kernel colour	White
8.	Grain yield (Quintal/Acre)	20 q/acre
9.	Seed: weight (1000 seed weight in g)	24.1 gm
10.	Any other relevant information specific to the variety/Hybrid to attain potential yield	AICRP Trial/IET No is IET-24209
Figure: 5		DUS Characteristics of Him Palam Dhan 2 (HPR 2880)

30. Application No.

N1	CA2	23	142

 filed on 05/12/2023 by **Dr. Prafull Lahane General Manager (Q.C & Research), Mahabeej Bhavan, Krishi Nagar, Akola-444104, Maharashtra** on behalf of **Maharashtra State Seeds Corporation Ltd., Mahabeej bhawan, krishi Nagar Akola 444104, Maharashtra** for New, Typical variety of crop **Chickpea (*Cicer arietinum* L.)** having denomination **Mahabeej-2006** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Mahabeej-2006**
Applicant : Maharashtra State Seeds Corporation Ltd
Address of the applicant : Mahabeej bhawan, krishi Nagar Akola 444104, Maharashtra

Nationality of applicant : Indian

Application details

a. Number	:	N1	CA2	23	142
b. Date of receipt	:	05/12/2023			
c. Date of acceptance	:	17/08/2026			

Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)

Denomination : Mahabeej-2006

Type of variety : New

Classification of variety : Typical

Previously proposed : NA

denomination

Name of parental material : Vishal x Jaki-9218

Source of parental material : Own germplasm

Name of reference variety : Digvijay and Vijay

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (Characteristic 3)		Medium , Early
Flower : Colour (Characteristic 9)		Pink
Seed: Colour (Characteristic 15)		Brown, Orange
Seed : Size (Characteristic 16)		Medium
B. Distinct characteristics of candidate variety:		
Mahabeej-2006 has distinguishing character as Plant: Growth habit (Characteristic 4): Semi-erect, Peduncle length (Characteristic 11): Long and Seed : Size (weight of 100 seeds at 10% moisture content) (Characteristic 16): Medium		
C. Distinct characteristics of reference variety:		
GG 2 and Avrodhi has distinguishing character as Peduncle length (Characteristic 11):Medium		
Digvijay has distinguishing character as Plant: Growth habit (Characteristic 4): Spreading, Seed : Size (weight of 100 seeds at 10% moisture content) (Characteristic 16): Small		
Vijay has distinguishing character as Plant: Growth habit (Characteristic 4): Spreading, Seed : Size (weight of 100 seeds at 10% moisture content) (Characteristic 16): Very Small		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Maharashtra
	: Time of Sowing	20 th October -10 th November
	: Irrigated/Rainfed	NA
	: Low fertility/High fertility of Soil	Medium fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	10:20:12

4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Tolerance
5.	Resistance/Tolerance to Pest/s	Tolerance to major pests
6.	The best growing season to attain the potential yield (zonewise)	Maharashtra: Rabi season
7.	Number of Pods per Plant (average)	61
8.	Zone Wise Yield Potential (Average) per acre (q/Acre)	8.60
9.	Seed yield q/acre (average)	8.10
10.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	Medium
DUS Characteristics of Mahabeej-2006		

31. Application No.

F12	AHL13	25	1355

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. S. K. Rajanna, S/o Late Kempanna, Post: Kodiyala, Tq: Gubbi, Sulayana Palya, Dist: Tumakuru-572117** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **ARANJIKAJACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : ARANJIKAJACK
Applicant : Ms. S. K. Rajanna
Address of the applicant : S/o Late Kempanna, Post: Kodiyala, Tq: Gubbi, Sulayana Palya, Dist: Tumakuru-572117
Nationality of applicant : Indian
Application details
a. Number :

F12	AHL13	25	1355

b. Date of receipt : 19/12/2025
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : ARANJIKAJACK
Type of variety : Farmer

Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination
 Name of parental material : NA
 Source of parental material : NA
 Name of reference variety : RED-RTB
 Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Coppery red
B. Distinct characteristics of candidate variety: ARANJKA JACK has distinguishing characters as Leaf Blade: Width is Medium (51-75mm) & Ripe fruit Peel colour is Greenish yellow.	
C. Distinct characteristics of reference variety: RED-RTB has distinguishing characters as Leaf Blade: Width is Broad (> 75 mm) & Ripe fruit Peel colour is Brown	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of ARANJKA JACK

32. Application No.

F13	AHL14	25	1356

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. S. K. Rajanna, S/o Late Kempanna, Post: Kodiyala, Tq: Gubbi, Sulayana Palya, Dist: Tumakuru-572117** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **RAJ JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----,

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : RAJ JACK
Applicant : Ms. S. K. Rajanna
Address of the applicant : S/o Late Kempanna, Post: Kodyala, Tq: Gubbi,
Sulayana Palya, Dist: Tumakuru-572117
Nationality of applicant : Indian
Application details
a. Number :

F13	AHL14	25	1356

b. Date of receipt : 19/12/2025
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : RAJ JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : NA
Source of parental material : NA
Name of reference variety : SWARNA

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: RAJ JACK has distinguishing characters as Stalk attachment to fruit is Depressed & Seed Shape is Oblong	
C. Distinct characteristics of reference variety: SWARNA has distinguishing characters as Stalk attachment to fruit is Inflated & Seed Shape is Reniform.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of RAJ JACK

33. Application No.

F16	AHL17	25	1364

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. Krishna Naik K., S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KNK JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
---- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : KNK JACK
Applicant : Ms. Krishna Naik K
Address of the applicant : S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial Layout, Bangalore North-560065
Nationality of applicant : Indian
Application details :

F16	AHL17	25	1364

a. Number :
b. Date of receipt : 22/12/2025
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : KNK JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JANAGERE
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	-
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm

Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KNK JACK has distinguishing characters as Tree Crown Shape is Elliptical & Seed Shape is Oblong.	
C. Distinct characteristics of reference variety: JANAGERE has distinguishing characters as Tree Crown Shape is Broadly pyramidal & Seed Shape is Reniform.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KNK JACK

34. Application No.

F15	AHL16	25	1363

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. Krishna Naik K., S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KKN AMBER JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety	: KKN AMBER JACK				
Applicant	: Ms. Krishna Naik K				
Address of the applicant	: S/o Kasanu Naik #89, 22 nd Cross, 16 th Main, Judicial Layout, Bangalore North-560065				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F15</td><td>AHL16</td><td>25</td><td>1363</td></tr></table>	F15	AHL16	25	1363
F15	AHL16	25	1363		
a. Number	:				
b. Date of receipt	: 22/12/2025				
c. Date of acceptance	: 18/08/2026				
Crop (taxonomical lineage)	: Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)				
Denomination	: KKN AMBER JACK				
Type of variety	: Farmer				
Classification of variety	: Typical				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: NA				

Source of parental material : NA
Name of reference variety : SWARNA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Blisters
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KKN AMBER JACK has distinguishing characters as Tree Crown Shape is Elliptical & Stalk attachment to fruit is Depressed.	
C. Distinct characteristics of reference variety: SWARNA has distinguishing characters as Tree Crown Shape is Broadly pyramidal & Stalk attachment to fruit is Inflated.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KKN AMBER JACK

35. Application No.

F6	AHL17	25	1048

 filed on 25/08/2025 by **Dr. G.S.K. Swamy, Professor and Head, Department of Fruit Science, College of Horticulture, UHS campus, GKVK, Bengaluru-560065** through **Ms. Subramanya A S, Village: Namana, At & Post: Keladi, Tq: Sagar, Dist: Shivamogga, Karnataka** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **AJJIBHAT MAHARAJA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : AJJIBHAT MAHARAJA
Applicant : Ms. Subramanya A S
Address of the applicant : Village: Namana, At & Post: Keladi, Tq: Sagar, Dist: Shivamogga, Karnataka.

Nationality of applicant : Indian

Application details

a. Number	F6	AHL17	25	1048

b. Date of receipt : 25/08/2025

c. Date of acceptance : 18/08/2026

Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)

Denomination : AJJIBHAT MAHARAJA

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : NA

Source of parental material : NA

Name of reference variety : LALBAGH MADHURA

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Blisters
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: AJJIBHAT MAHARAJA has distinguishing characters as Fruit Shape is Clavate & Seed colour (with seed coat) is Brown.	
C. Distinct characteristics of reference variety: LALBAGH MADHURA has distinguishing characters as Fruit Shape is Ellipsoid & Seed colour (with seed coat) is Cream.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of AJJIBHAT MAHARAJA

36. Application No.

F8	AHL19	25	1286

 filed on 20/11/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. Indira Gopal Hegde, Hulgol, Sirsi, Hulgol, Dist: Uttara Kannada, Karnataka-581402** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **HULGOL**

RUDRAKSHI the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : HULGOL RUDRAKSHI
 Applicant : Ms. Indira Gopal Hegde
 Address of the applicant : Hulgol, Sirsi, Hulgol, Dist: Uttara Kannada, Karnataka -581402
 Nationality of applicant : Indian
Application details
 a. Number : F8
 b. Date of receipt : 20/11/2025
 c. Date of acceptance : 20/08/2026
 Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
 Denomination : HULGOL RUDRAKSHI
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : NA
 Source of parental material : NA
 Name of reference variety : RUDRAKSHI

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: HULGOL RUDRAKSHI has distinguishing characters as Leaf Blade Shape is Obovate & Fruiting position is Only on branches (Primary, secondary and tertiary branches)	
C. Distinct characteristics of reference variety: RUDRAKSHI has distinguishing characters as Leaf Blade Shape is Elliptical & Fruiting position is Trunk, primary and secondary branches.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of HULGOL RUDRAKSHI

37. Application No.

E29	ZM95	26	1803

 filed on 10/08/2026 by **Mr. Veeranjanyulu Dronadula, Managing Director, Invicta Agritech India Private Limited, 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad, Telangana, India** on behalf of **Invicta Agritech India Private Limited, 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad, Telangana, India** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **SMH-9099** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **SMH-9099**
Applicant : Invicta Agritech India Private Limited
Address of the applicant : 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad, Telangana, India
Nationality of applicant : India
Application details
a. Number :

E29	ZM95	26	1803

b. Date of receipt : 10/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Maize (*Zea mays* L.)
Denomination : SMH-9099
Type of variety : Extant (notified)
Classification of variety : Hybrid
Previously proposed denomination : Not applicable
Name of parental material : 900F X 900M
Source of parental material : Own germplasm
Name of reference varieties : Bio 9637 & DHM 117
Notification details : Notification no. S.O No. 6133 (E), Dt. 31/12/2025

Variety description:

A. Grouping characteristics	Remarks
Tassel: Time of anthesis (Characteristic 4)	Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)	Early
Ear: Anthocyanin colouration of silks (Characteristic 12)	Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)	Long
Ear: Type of grain (Characteristic 22)	Semi-Dent

B. Distinct characteristics of candidate variety:		
SMH-9099: It has distinguishing characters as Leaf: Attitude of blade (on leaf just above upper ear) is straight & Tassel: Density of spikelet's (in middle third of main axis) is Dense.		
C. Distinct characteristics of reference varieties:		
Bio 9637 & DHM 117: It has distinguishing characters as leaf: attitude of blade (on leaf just above upper ear) is drooping & Tassel: Density of spikelet's (in middle third of main axis) is Sparse.		
D. Date of commercialization of the variety		24/03/2025
E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Early
2.	The best growing season to attain the potential yield	Kharif
3.	Production condition: suitability area in the country	Andhra Pradesh & Telangana
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	61 Kg of N, 21 Kg of P ₂ O ₅ , 24 Kg of K ₂ O
	Other fertilizer Kg/acre	ZnSO ₄ : 10 Kg/ Acre
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Zone V- Central West Zone (CWZ): Rajasthan, Gujarat & Madhya Pradesh.
6.	Resistance/Tolerance to pests/diseases	Under field condition hybrid is resistant to CLS and Moderately resistant to FSR, Fall Army worm and <i>Chilo Partellus</i> .
7.	Zone wise yield potential (q/acre)	31 q/acre
8.	Seed yield /acre (average)	16-19 q/acre
9.	Seed: weight (1000 seeds weight in g)	290-350 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
Figure: 157		DUS Characteristics of SMH-9099

38. Application No.

E60	OS360	26	1851

 filed on 17/08/2026 by **Dr. Krishan Chandra Upadhyay, Head Research & Development, C/o CS-VSPL, VNR Seeds Pvt Ltd, Corporate Centre, Canal Road Crossing, Ring Road No.1, Raipur, Chhattisgarh -492006** on behalf of **VNR Seeds Pvt Ltd., Corporate Centre, Canal Road**

Crossing, Ring Road No.1, Raipur, Chhattisgarh- 492006 for Extant (Notified) variety of crop Rice (*Oryza sativa* L.) having denomination Bheem-115 (IET-28964) (VNR 227) the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Bheem-115 (IET-28964) (VNR 227)

Applicant : VNR Seeds Pvt Ltd.,

Address of the applicant : Corporate Centre, Canal Road Crossing, Ring: Road No.1, Raipur, Chhattisgarh- 492006

Nationality of applicant : Indian

Application details

a. Number :

E60	OS360	26	1851

b. Date of receipt :

17/08/2026

c. Date of acceptance :

24/08/2026

Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)

Denomination : Bheem-115 (IET-28964, VNR 227)

Type of variety : Extant (notified)

Classification of variety : Hybrid

Previously proposed

Denomination : NA

Name of parental material : A Line:VNRF-48,B Line:VNRM-48,R Line:VNRRB-5770

Source of parental material : Own germplasm

Name of reference varieties : PA 6444 & Mahamaya

Notification details : Notification no. S.O No. 1560(E) Dt.: 26/03/2024

Variety description:

A. Grouping characteristics	(Measured values)
Basal leaf: Sheath colour (2)	Light Purple
Time of heading (50% of plants with panicles (20)	Early
Stem: Length (excluding panicle; excluding floating rice) (29)	Short
Decorticated grain: Length (54)	Long
Decorticated grain: Shape (in lateral view) (56)	Long Bold
Decorticated grain: Colour (57)	White
Endosperm: Content of amylose (59)	Medium
Decorticated grain: Aroma (62)	Absent
B. Distinct characteristics of candidate variety:	
Bheem-115 (IET-28964) (VNR 227): It has distinguishing characters as panicle: awns is absent and decorticated grain: colour is white.	
C. Distinct characteristics of reference varieties:	
PA 6444: It has distinguishing characters as panicle: awns is present and decorticated grain: colour is light brown	

Mahamaya: It has distinguishing characters as panicle: awns is present and decorticated grain: colour is variegated brown.		
D. Date of commercialization of the variety		31/05/2021
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Irrigated ecology of UP, Bihar, Jharkhand & Odisha
	Time of Sowing	<i>Kharif</i> (June-July)
	Seed rate (kg/acre)	6 kg/acre
	Transplanting spacing	Plant-Plant: 15 cm Row-Row: 20 cm
	Irrigated/Rainfed conditions	Irrigated areas
	Low fertility/High fertility of Soil	Moderate to high fertility soils
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:24:24 kg/acre.
4.	Tolerance to Disease & Pests	Moderately resistant to leaf and neck blast
5.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
6.	Grain Characters Physical:	Details
	a) Grain Size (cm)	Length:6.3mm & Breadth:2.7 mm
	b) L/B Ratio	2.3 mm
	c) Kernel colour	Light Brown
7.	Zone Wise Yield Potential (Average) per acre (q/Acre)	-
8.	Grain yield (Quintal/Acre)	23.68 quintal/acre
9.	Seed: Weight (1000 seed weight in g)	26-27 g
10.	Any other relevant information specific to the variety/hybrid	High spikelet fertility and HRR percent
Figure: 6,7		DUS Characteristics of Bheem-115 (IET-28964) (VNR 227)

39. Application No.

E2	LL2	25	7

 Filed on 01/01/2025 by **Guillaume LAIGLE**, HM Clause India Pvt Ltd, 6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal, Mandal, Dist-Medchal Telangana on behalf of H M Clause, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE France for Extant (VCK) Hybrid variety of crop Tomato (*Lycopersicon lycopersicum* (L.) Karsten ex. Farw.) having denomination **DARSH GOLD F1** has been accepted and given registration number --
-----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **DARSH GOLD F1**
Applicant : H M Clause.
Address of the applicant : Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-
LES-VALENCE France
Nationality of applicant : French
Application details
a. Number :

E2	LL2	25	7

b. Date of receipt : 01/01/2025
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Tomato (*Lycopersicon lycopersicum* (L.) Karsten ex.
Farw.)
Denomination : DARSH GOLD F1
Type of variety : Extant (VCK)
Classification of variety : Hybrid
Previously proposed denomination : NA
Name of parental material : TO2585PL and TO7785PL
Source of parental material : Own germplasm
Name of reference varieties : Abhinav and Abhilash

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: Growth type (Characteristic 3)	Determinate (1)
Leaflet: Serration (Characteristic 12)	Less serrated (3)
Fruit: Green shoulder (before maturity) (Characteristic 29)	Present (9)
Fruit: Shape in longitudinal section (Characteristic 33)	Slightly flattened (2)
Fruit: Colour at maturity (Characteristic 43)	Red (4)
B. Distinct characteristics of candidate variety: DARSH GOLD F1 has distinguishing character as Leaflet: Width Medium, Fruit: Shape in longitudinal section Slightly flattened and Fruit: Thickness of the pericarp Medium.	
C. Distinct characteristics of reference varieties: Abhinav has distinguishing character as Leaflet: Width Broad, Fruit: Shape in longitudinal section Obovoid and Fruit: Thickness of the pericarp Thick. Abhilash has distinguishing character as Leaflet: Width Narrow and Fruit: Shape in longitudinal section Slightly flattened	

D. Date of commercialization of the variety		03/06/2021
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Across all the locations in India
	: Time of Sowing	July to Dec
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Both
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	80:60:40 Kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Good level of Tolerance to high temperature
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	–
6.	Resistance/Tolerance to Pests	High level of tolerance to ToLCV and foliar disease (EB, SM).
7.	Staking & pruning Practices	Staking
8.	Winter – spring cropping seasons Type	Rainy and Winter season
9.	Fruit Yield (q/ ha)	350-400q/acre
10.	Fruit Yield/plant (kg/p) (average)	4-6 kg/PI
11.	Fruit quality and Fruit firmness	Very good fruit size, colour, shape and firmness.
12.	Fruit picking Schedule	Every 2 days interval
13.	Transport Potential (Days)	7 to 9 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Very good Vigor, Foliage health, fruit size, shape, color and firmness
15.	Any other relevant information specific to the variety/hybrid	–
DUS Characteristics of DARSH GOLD F1		

40. Application No.

E1	PT1	26	1092

 filed on 22.6.2026 **Dr. Tapas Kumar Chowdhuri, Professor, Department of Floriculture and Landscape Architecture, Faculty of Horticulture and Officer In-charge, AICRP on Floriculture, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** on behalf of **Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** for Extant (Notified) variety of **Tuberose (*Polianthes tuberosa* L.)** having denomination **BIDHAN SNIGDHA** has been accepted and given registration number -----
-NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **BIDHAN SNIGDHA**
Applicant : Bidhan Chandra Krishi Viswavidyalaya
Address of the applicant : Mohanpur-741252, District: Nadia, West Bengal
Nationality of applicant : Indian
Application details
a. Number :

E1	PT1	26	1092

b. Date of receipt : 22.6.2026
c. Date of acceptance : 24.8.2026
Crop (taxonomical lineage) : Tuberose (*Polianthes tuberosa* L.)
Denomination : BIDHAN SNIGDHA
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Arka Nirantara and Arka Prajwal
Source of parental material : Own germplasm
Name of reference variety : Arka Nirantara
Notification details : S.O.4917 (E) 13.11.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Leaf variegation (Characteristic No.2)	Absent
Pigmentation on leaf base on abaxial side (Characteristic. 5)	-
Bud colour (Characteristic. 7)	Green
Flower type (Characteristic. 9)	Single
Flower shape (Characteristic.16)	Narrow
Inflorescence length (Characteristic .19)	-
Stigma type (Characteristic.27)	-
Stigmatic lobes (Characteristic. 28)	Trifid
Pigmentation on peduncle (Characteristic. 31)	Absent
Days taken for flowering (Characteristic. 32)	-
Fruit locule (Characteristic.34)	NA
B. Distinct characteristics of candidate variety:	
BIDHAN SNIGDHA: It has distinguishing characters as Bud colour green and inflorescence straight.	

C. Distinct characteristics of reference variety: Arka Nirantara: It has distinguishing characters as Bud colour pink and inflorescence crooked.		
D. Date of commercialization of the variety		NA
S. no.	Important Agronomic and Commercial attributes	Remarks
1	Days to Maturity: Early/ Medium/ Late	Medium to late (100-140 days)
2	Production Condition: Suitable Area in the country	Punjab, UP,MP, Chatisgarh, Bihar, Gujrat, Jharkhand, Orrisa, AP, Telangana, Karnataka, TamilNadu, AP, Rajasthan and Assam
	: Time of sowing	March-April
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	High fertility
3	Fertilizer requirement (N:P:K) to attain potential yield	NPK:200-200-200kg/ha
4	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	Tolerance to adverse temperature(15-40°C
5	Tolerance to water stagnation: Sensitive/Tolerant	Susceptible to water stagnation
6	Resistance/ Tolerance to pest/s	It is less susceptible to leaf spot(11%), Sclerotial wilt(2.5%), Root gall index mean(1.34) and Tolerent to root Knot nematode
7	Days taken for flowering	100-110 days
8	Flower yield/ha (Average)	181.47 q per ha
9	No. of spikes/ha	5.33/plant/year= 4.5-5.0lakhs/ha
10	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Compact florets suitable for loose flower production. Bright white colour flower with pinkish shade suitable for string/garland making and decoration. It also used for cut flower production. Florets have long post harvest life due to thicken florets
Figure- 8		DUS Characteristics of BIDHAN SNIGDHA

41. Application No.

E2	PT2	26	1093

 filed on 22.6.2026 **Dr. Tapas Kumar Chowdhuri, Professor, Department of Floriculture and Landscape Architecture, Faculty of Horticulture and Officer In-charge, AICRP on Floriculture, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** on behalf of **Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** for Extant (Notified) variety of Tuberose (*Polianthes tuberosa* L.) having

denomination **BIDHAN UJJWAL** has been accepted and given registration number -----
NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been
filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection
of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR
Authority, New Delhi – 110 012.

Passport data of the variety : **BIDHAN UJJWAL**
Applicant : Bidhan Chandra Krishi Viswavidyalaya
Address of the applicant : Mohanpur-741252, District: Nadia, West Bengal
Nationality of applicant : Indian
Application details
a. Number :

E2	PT2	26	1093

b. Date of receipt : 22.6.2026
c. Date of acceptance : 24.8.2026
Crop (taxonomical lineage) : Tuberose (*Polianthes tuberosa* L.)
Denomination : BIDHAN UJJWAL
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Sikkim selection and Phule Rajani
Source of parental material : Own germplasm
Name of reference variety : Calcutta Single
Notification details : S.O.4917 (E) 13.11.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Leaf variegation (Characteristic No.2)	Absent
Pigmentation on leaf base on abaxial side (Characteristic. 5)	-
Bud colour (Characteristic. 7)	Green
Flower type (Characteristic. 9)	Single
Flower shape (Characteristic.16)	Narrow
Inflorescence length (Characteristic .19)	-
Stigma type (Characteristic.27)	-
Stigmatic lobes (Characteristic. 28)	Trifid
Pigmentation on peduncle (Characteristic. 31)	Absent
Days taken for flowering (Characteristic. 32)	-
Fruit locule (Characteristic 34)	NA
B. Distinct characteristics of candidate variety:	
BIDHAN UJJWAL: It has distinguishing characters as leaf colour light green and flower	

length long.		
C. Distinct characteristics of reference variety:		
Calcutta Single: It has distinguishing characters as leaf colour dark green and flower length medium.		
D. Date of commercialization of the variety		NA
S. no.	Important Agronomic and Commercial attributes	Remarks
1	Days to Maturity: Early/ Medium/ Late	Early (80-100 days)
2	Production Condition: Suitable Area in the country	Punjab, UP,MP, Chatisgarh, Bihar, Gujrat, Jharkhand, Orrisa, AP, Telangana, Karnataka, TamilNadu, AP, Rajasthan and Assam
	: Time of sowing	March-April
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	High fertility
3	Fertilizer requirement (N:P:K) to attain potential yield	NPK:200-200-200kg/ha
4	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	Tolerance to adverse temperature(15-40°C
5	Tolerance to water stagnation: Sensitive/Tolerant	Susceptible to water stagnation
6	Resistance/ Tolerance to pest/s	It is less susceptible to leaf spot(11%), Sclerotial wilt(2.5%), Root gall index mean(1.34) and Tolerant to root Knot nematode
7	Days taken for flowering	80-85 days
8	Flower yield/ha (Average)	171.0 q /ha.
9	No. of spikes/ha	4.88/plant/year= 4 -4.5lakhs/ha
10	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Compact florets suitable for loose flower production. Bright white colour flower suitable for string/garland making and decoration. Flower has well sweet fragrance. It also used for cut flower production. Profuse spike appears at a time leads to cut flower production.
Figure- 9		DUS Characteristics of BIDHAN UJJWAL

42. Application No.

E4	TS6	26	1094

 filed on 22.6.2026 **Dr. Tapas Kumar Chowdhuri, Professor, Department of Floriculture and Landscape Architecture, Faculty of Horticulture and Officer In-charge, AICRP on Floriculture, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** on behalf of **Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West**

Bengal for Extant (Notified) variety of **Marigold** (*Tagetes spp.*) having denomination **BIDHAN GOLD** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **BIDHAN GOLD**

Applicant : Bidhan Chandra Krishi Viswavidyalaya

Address of the applicant : Mohanpur-741252, District: Nadia, West Bengal

Nationality of applicant : Indian

Application details

a. Number :

E4	TS6	26	1094

b. Date of receipt : 22/6/2026

c. Date of acceptance : 24/8/2026

Crop (taxonomical lineage) : Marigold (*Tagetes spp.*)

Denomination : BIDHAN GOLD

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : Siracole Sel-2, Orange Single-1

Source of parental material : Own germplasm

Name of reference variety : Pusa Narangi Gaiinda

Notification details : S.O.4272 (E) 26.11.2019

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: height - characteristic : 5	Medium
Plant: growth habit - characteristic : 6	Spreading
Flower head: floret type - characteristic : 17	All ligulate
Flower head: diameter - characteristic : 18	Medium
Only varieties with tubulate and ligulate floret type: flower head: number of ligulate floret whorls - characteristic : 19	--
Flower head: number of colours - characteristic : 25	One
Only varieties with one flower head colour: Flower head: colour with the following groups:- characteristic : 26 Whitish	Orange

Light yellow Yellow Light orange Orange Red Other		
Tubulate and/or tubuligulate floret: main colour with the following groups: - characteristic : 28 Whitish Light yellow Yellow Light orange Orange Red Other	-	
Only varieties with two flower head colours: ligulate floret: main colour with the following groups: - characteristic : 31 Whitish Light yellow Yellow Light orange Orange Red Other	--	
B. Distinct characteristics of candidate variety: BIDHAN GOLD : It has distinguishing characters as Stem: intensity of anthocyanin colouration weak and Shape of flower head: view from above round.		
C. Distinct characteristics of reference variety: Pusa Narangi Gainda : It has distinguishing characters as Stem: intensity of anthocyanin colouration medium and Shape of flower head: view from above irregular.		
D. Date of commercialization of the variety	-	
S. no.	Important Agronomic and Commercial attributes	Remarks
1.	Plant growth habit	Plant habit is spreading type and this plant belongs to medium height category. The type of leaf is pinnate with medium length and narrow width. Depth of the leaf margin indentation is shallow with dark green and light green colour in upper side and lower side respectively. Floret type is ligulate, medium size flower having orange colour whorls.
2.	Days to Maturity: Early/ Medium/ Late	Medium (50-60days)
3.	Production Condition: Suitable Area in the country	Jammu and Kashmir, Haryana, HP, Punjab, UP,MP, Chatisgarh, Bihar, Gujrat, Jharkhand,

		Orrisa, AP, Telangana, Karnataka, TamilNadu, AP, Rajasthan and Assam
	: Time of sowing	Round the year
	: Irrigated/ Rainfed	Irrigated
4.	: Low fertility/ High fertility	High fertility
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	NPK:40-40-30kg/acre
6.	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	Tolerance to adverse temperature, grow up to 15-40°C temperature
7.	Tolerance to water stagnation: Sensitive/Tolerant	Sensitive
8.	Resistance/ Tolerance to pest/s	Moderately resistant to <i>Alternaria</i> blight, Less susceptible to red spider mite and less resistant to thrips
9.	Days taken for flowering	Days to flower bud initiation-55 days Flowering duration-55 days
10.	Flower head: floret type	Round, All ligulate
11.	Flower: Colour	Orange
12.	Flower: Fragrance	Yes
13.	Flower yield kg/acre (Average)	3868-4000kg/acre
14.	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	It is heat tolerant and photo insensitive variety, round the year for loose flower production. It has compact florets, longer post harvest life suitable for garland making and long distance transport.
Figure- 10		DUS Characteristics of BIDHAN GOLD

43. Application No.

E5	TS7	26	1095

 filed on 22.6.2026 **Dr. Tapas Kumar Chowdhuri, Professor, Department of Floriculture and Landscape Architecture, Faculty of Horticulture and Officer In-charge, AICRP on Floriculture, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** on behalf of **Bidhan Chandra Krishi Viswavidyalaya, Mohanpur-741252, District: Nadia, West Bengal** for Extant (Notified) variety of **Marigold (*Tagetes spp.*)** having denomination **BIDHAN BASANTI** has been accepted and given registration number -----NA -----
-on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **BIDHAN BASANTI**
Applicant : Bidhan Chandra Krishi Viswavidyalaya
Address of the applicant : Mohanpur-741252, District: Nadia, West Bengal
Nationality of applicant : Indian
Application details
a. Number :

E5	TS7	26	1095

b. Date of receipt : 22/6/2026
c. Date of acceptance : 24/6/2026
Crop (taxonomical lineage) : Marigold (*Tagetes spp.*)
Denomination : **BIDHAN BASANTI**
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Siracole Sel-2X, Yellow Single-1
Source of parental material : Own germplasm

Name of reference variety : Pusa Narangi Gaiinda
Notification details : S.O.4272 (E) 26.11.2019

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: height - characteristic : 5	Medium
Plant: growth habit - characteristic : 6	Spreading
Flower head: floret type - characteristic : 17	All ligulate
Flower head: diameter - characteristic : 18	Medium
Only varieties with tubulate and ligulate floret type: flower head: number of ligulate floret whorls - characteristic : 19	--
Flower head: number of colours - characteristic : 25	One
Only varieties with one flower head colour: Flower head: colour with the following groups:- characteristic : 26 Whitish Light yellow Yellow Light orange Orange Red Other	Yellow
Tubulate and/or tubuligulate floret: main colour with the following groups: - characteristic : 28 Whitish Light yellow Yellow	-

Light orange Orange Red Other		
Only varieties with two flower head colours: ligulate floret: main colour with the following groups: - characteristic : 31 Whitish Light yellow Yellow Light orange Orange Red Other		--
B. Distinct characteristics of candidate variety: BIDHAN BASANTI : It has distinguishing characters as Plant growth habit spreading, Shape of flower head: view from above round and only varieties with one flower head colour Yellow-6A.		
C. Distinct characteristics of reference variety: Pusa Narangi Gainda : It has distinguishing characters as plant growth habit semi upright, Shape of flower head: view from above irregular and only varieties with one flower head colour light orange.		
D. Date of commercialization of the variety		-
S. no.	Important Agronomic and Commercial attributes	Remarks
1.	Plant growth habit	Plant habit is spreading type and this plant belongs to medium height category. The type of leaf is pinnate with medium length and narrow width. Depth of the leaf margin indentation is shallow with dark green and light green colour in upper side and lower side respectively. Floret type is ligulate, medium size flower having yellow colour whorls.
2.	Days to Maturity: Early/ Medium/ Late	Medium (40-60days)
3.	Production Condition: Suitable Area in the country	Jammu and Kashmir, Haryana, HP, Punjab, UP, MP, Chatisgarh, Bihar, Gujrat, Jharkhand, Orrisa, AP, Telangana, Karnataka, TamilNadu, AP, Rajasthan and Assam
	: Time of sowing	Round the year
	: Irrigated/ Rainfed	Irrigated
4.	: Low fertility/ High fertility	High fertility
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	NPK:40-40-30kg/acre

6.	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	Tolerance to adverse temperature, grow up to 15-40°C temperature
7.	Tolerance to water stagnation: Sensitive/Tolerant	Sensitive
8.	Resistance/ Tolerance to pest/s	Moderately resistant to <i>Alternaria</i> blight, Less susceptible to red spider mite and less resistant to thrips
9.	Days taken for flowering	Days to flower bud initiation-48 days Flowering duration-51 days
10.	Flower head: floret type	Round, All ligulate
11.	Flower: Colour	Yellow
12.	Flower: Fragrance	Yes
13.	Flower yield kg/acre (Average)	3496-3500kg/acre
14.	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	It is heat tolerant and photo insensitive variety, round the year for loose flower production. It has compact florets, longer post harvest life suitable for garland making and long distance transport.
Figure-11		DUS Characteristics of BIDHAN BASANTI

44. Application No.

E1	CMM1	26	977

 filed on 29/5/2026 by **Director, ICAR-Indian Institute of Horticultural Research, Hesaraghatta Lake Post, Bengaluru-560089, Karnataka** on behalf of **ICAR-Indian Institute of Horticultural Research, Hesaraghatta Lake Post, Bengaluru-560089, Karnataka** for Extant (Notified) variety of **Pummelo** (*Citrus maxima* (J. Burm.) Merr.) having denomination **ARKA CHANDRA** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ARKA CHANDRA**
Applicant : ICAR-Indian Institute of Horticultural Research
Address of the applicant : Hesaraghatta Lake Post, Bengaluru-560089, Karnataka
Nationality of applicant : Indian
Application details
a. Number :

E1	CMM1	26	977

b. Date of receipt	: 29/5/2026
c. Date of acceptance	: 24/6/2026
Crop (taxonomical lineage)	: Pummelo (<i>Citrus maxima</i> (J. Burm.) Merr.)
Denomination	: ARKA CHANDRA
Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed	: Not applicable
Denomination	
Name of parental material	: Accession 18-5
Source of parental material	: Own germplasm
Name of reference variety	: Midnapur selection
Notification details	: S.O.4000 (E) 01.9.2025

Variety description:

A. Grouping characteristics		Remarks (measured values)
Shape of leaf blade (characteristic- 3)		Elliptic
Petiole wing shape (characteristic- 6)		Cordiform
Fruit shape (characteristic- 11)		Oblate
Fruit core (characteristic- 14)		Solid
Fruit flesh colour (characteristic- 18)		White
Seediness (characteristic- 20)		Present
B. Distinct characteristics of candidate variety: ARKA CHANDRA: It has distinguishing characters as Petiole wing shape Cordiform and fruit core solid.		
C. Distinct characteristics of reference variety: Midnapur selection: It has distinguishing characters as Petiole wing shape Deltoid and fruit core hollow.		
D. Date of commercialization of the variety		27.2.2024
S. no.	Important Agronomic and Commercial attributes	Remarks
1.	Tree growth habit	Spreading
2.	Days to Maturity	Late
3.	Fruit: Harvest maturity (days)	8-9 months
4.	Fertilizer requirement (N:P:K) to attain potential yield Kg/ac	600:200:400 k per tree
5.	Yield Potential (Average) per acre (q/Acre)	35-40 fruits/plant/season
6.	Yield of fruits per plant (Average)	35-40 fruits/plant
7.	Fruit weight (g)	0.8-1.0 kg
8.	Fruit juiciness: Less juicy/Intermediate/Juicy	High
9.	Fruit: firmness of flesh: Soft/Medium/Hard	
10.	Fruit flesh colour and Juice recovery (%)(w/w)	White

11.	Resistance/ Tolerance to pests / Disease	Filed tolerant to canker and leaf miner
12.	Any other relevant information specific to the variety	-
Figure- 12		DUS Characteristics of ARKA CHANDRA (Clone 18-5)

45. Application No.

E2	CMM2	26	978

 filed on 29/5/2026 by **Director, ICAR-Indian Institute of Horticultural Research, Hesaraghatta Lake Post, Bengaluru-560089, Karnataka** on behalf of **ICAR-Indian Institute of Horticultural Research, Hesaraghatta Lake Post, Bengaluru-560089, Karnataka** for **Extant (Notified)** variety of **Pummelo** (*Citrus maxima* (J. Burm.) Merr.) having denomination **ARKA ANANTHA** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ARKA ANANTHA**
Applicant : ICAR-Indian Institute of Horticultural Research
Address of the applicant : Hesaraghatta Lake Post, Bengaluru-560089, Karnataka
Nationality of applicant : Indian
Application details
a. Number :

E2	CMM2	26	978

b. Date of receipt : 29/5/2026
c. Date of acceptance : 24/8/2026
Crop (taxonomical lineage) : Pummelo (*Citrus maxima* (J. Burm.) Merr.)
Denomination : **ARKA ANANTHA**
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Accession 25-5
Source of parental material : Own germplasm
Name of reference variety : Devanahalli selection
Notification details : S.O.4000 (E) 01.9.2025

Variety description:

A. Grouping characteristics	Remarks (measured values)
Shape of leaf blade (characteristic- 3)	Elliptic
Petiole wing shape (characteristic- 6)	Cordiform

Fruit shape (characteristic- 11)		Ovoid
Fruit core (characteristic- 14)		Hallow
Fruit flesh colour (characteristic- 18)		Red
Seediness (characteristic- 20)		Present
B. Distinct characteristics of candidate variety: ARKA ANANTHA: It has distinguishing characters as Fruit shape ovoid and fruit flesh colour red.		
C. Distinct characteristics of reference variety: Devanahalli selection: It has distinguishing characters as Fruit shape spheroid and fruit flesh colour red & purple.		
D. Date of commercialization of the variety		27.2.2024
S. no.	Important Agronomic and Commercial attributes	Remarks
1.	Tree growth habit	Drooping
2.	Days to Maturity	Late
3.	Fruit: Harvest maturity (days)	8-9 months
4.	Fertilizer requirement (N:P:K) to attain potential yield Kg/ac	600:200:400 k per tree
5.	Yield Potential (Average) per acre (q/Acre)	35-40 fruits/plant/season
6.	Yield of fruits per plant (Average)	35-40 fruits/plant
7.	Fruit weight (g)	0.8-1.0 kg
8.	Fruit juiciness: Less juicy/Intermediate/Juicy	
9.	Fruit: firmness of flesh: Soft/Medium/Hard	
10.	Fruit flesh colour and Juice recovery (%)(w/w)	Red
11.	Resistance/ Tolerance to pests / Disease	Filed tolerant to canker and leaf miner
12.	Any other relevant information specific to the variety	-
Figure- 13		DUS Characteristics of ARKA ANANTHA (Clone 25-5)

46. Application No.

E4	MS24	26	1822

 filed on 11/8/2026 by **Dr. A. B. Bhosale, AICRP on fruits Banana, Jalgaon, Old National Highway No. 06, Nimkhedi Road, Jalgaon, 4250001, Maharashtra** on behalf of **Mahatma Phule Krishi Vidhyapeeth, Rahuri, District Ahilyanagar, 413722, Maharashtra** for **Extant (Notified)** variety of

Banana (*Musa spp.*) having denomination **PHULE PRIDE** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **PHULE PRIDE**
Applicant : Mahatma Phule Krishi Vidhyapeeth
Address of the applicant : Rahuri, District Ahilyanagar, 413722, Maharashtra
Nationality of applicant : Indian
Application details
a. Number :

E4	MS24	26	1822

b. Date of receipt : 11/8/2026
c. Date of acceptance : 24/8/2026
Crop (taxonomical lineage) : Banana (*Musa spp.*)
Denomination : PHULE PRIDE
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : BRS 2013-3
Source of parental material : Own germplasm
Name of reference variety : Grand Naine
Notification details : S.O.1480 (E) 01.4.2021

Variety description:

A. Grouping characteristics	Remarks (measured values)
Pseudostem appearance (Characteristic 1 and 2)	Very short Green
Leaf orientation (Characteristic 5), Leaf blade - shape of base (Characteristic 8)	Spreading, Both side rounded
Peduncle length (Characteristic 9), Peduncle colour (Characteristic 10)	Short Light green
Bunch shape (Characteristic 12), Rachis (Characteristics 15, 16 and 17), Male bud (Characteristic 18,19, 20 and 21)	Cylindrical Curved with vertical end Present
Fruit orientation (Characteristic 26), Fruit shape (Characteristic 28), Pedicel (Characteristic 32, 33 and 34) Peel (Characteristic 35,36 and 38), Pulp (Characteristic 39).	Curved upwards Slightly curved Pubescence Pale green Cream

B. Distinct characteristics of candidate variety: PHULE PRIDE has distinguishing characters as pseudostem length very short and fruit apex blunt tipped.		
C. Distinct characteristics of reference variety: Grand Naine has distinguishing characters as pseudostem length medium and fruit apex pointed.		
D. Date of commercialization of the variety		14.6.2021
S. no.	Important Agronomic and Commercial attributes	Remarks
1	Days to Maturity: Early/ Medium/ Late/Very late	Early
2	Production Condition: Suitability Area in the country	Maharashtra, Gujrat and Andhra Pradesh
	: Time of sowing	June-July Oct-Nov. February
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	Medium
3	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	200:60:200
4	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	Tolerant to high temperature, heat and resistance to lodging
5	Tolerance to water stagnation: Sensitive/Tolerant	Sensitive
6	Resistance/ Tolerance to pest/s	Tolerant
7	Number of bunch per plant	01
8	Fruit yield (Average) q/ac	38-40 t/acre
9	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Table purpose variety
Figure- 14		DUS Characteristics of PHULE PRIDE

47. Application No.

E36	ZM80	25	533

 filed on 02/05/2025 by **Director, ICAR-IARI, Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for Extant (Notified) variety of crop **Maize (Zea mays L.)** having denomination **Pusa Bio fortified Maize Hybrid-4 (APH-4)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Bio fortified Maize Hybrid-4 (APH-4)**
Applicant : Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E36	ZM80	25	533

b. Date of receipt : 02/05/2025
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Maize (*Zea mays* L.)
Denomination : Pusa Bio fortified Maize Hybrid-4 (APH-4)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed denomination : Not applicable
Name of parental material : PMI-PV5 x PMI-PV13
Source of parental material : Own germplasm
Name of reference varieties : HQPM-5
Notification details : Notification no. S.O No. 4388 (E) Dt.: 08.10.2024

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Long
Ear: Type of grain (Characteristic 22)		Flint
B. Distinct characteristics of candidate hybrid: Pusa Bio fortified Maize Hybrid-4 (APH-4): It has distinguishing characters as ear: diameter without husk (in middle) is large and ear: type of grain (in middle third of ear) is flint.		
C. Distinct characteristics of reference variety: HQPM-5 It has distinguishing characters ear: diameter without husk (in middle) is Medium and ear: type of grain (in middle third of ear) is semi-flint.		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes of candidate hybrid		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Medium
2.	The best growing season to attain the potential yield (Zone wise)	Kharif Season

3.	Production condition: suitability area in the country	Punjab, Haryana, Delhi, Uttrakhand (Plain), Uttar Pradesh (Western Region), Maharashtra, Karnataka, Andhra Pradesh, Telangana & Tamil Nadu, Gujarat, Madhya Pradesh, Chhattisgarh & Rajasthan.
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	60N:24P:24K Kg/acre
	Other fertilizer Kg/acre	Zinc 10 Kg/acre
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Punjab, Haryana, Delhi, Uttrakhand (Plain), Uttar Pradesh (Western Region), Maharashtra, Karnataka, Andhra Pradesh, Telangana & Tamil Nadu, Gujarat, Madhya Pradesh, Chhattisgarh & Rajasthan.
6.	Resistance/Tolerance to pests/diseases	-
7.	Zone wise yield potential (q/acre)	NWPZ: 33.73 q/ac PZ: 25.38 q/ac CWZ: 20.31 q/ac
8.	Seed yield /ac (average)	-
9.	Seed: weight (1000 seeds weight in g)	354 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	The Candidate Variety Pusa Biofortified Maize Hybrid-4 (APH-4) has a higher provitamin A content (6.7 µg/g) compared to Pusa Biofortified Maize Hybrid-3 (APH-3) (5.7 µg/g)
Figure- 15,16		DUS Characteristics of Pusa Bio fortified Maize Hybrid-4 (APH-4)

48. Application No.

E30	ZM96	26	1821

 filed on 11/08/2026 by **Dr. P. Mahadevu, Professor & Head, AICRP on Maize, Zonal Agricultural Research Station, V.C. Farm, Mandya** on behalf of **University of Agricultural Sciences, GKVK, Bangalore-560065** for Extant (Notified) variety of crop **Maize (*Zea mays* L.)** having denomination **MAH 14-138** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : MAH 14-138

Applicant : University of Agricultural Sciences

Address of the applicant : GKVK, Bangalore-560065

Nationality of applicant : Indian

Application details

a. Number :

E30	ZM96	26	1821

b. Date of receipt : 11/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Maize (*Zea mays* L.)

Denomination : MAH 14-138

Type of variety : Extant (Notified)

Classification of variety : Hybrid

Previously proposed

Denomination : NA

Name of parental material : (MAI-729x MAI-105)

Source of parental material : Own germplasm

Name of reference varieties : MAH 14-5

Notification details : S.O. 4388(E) Dt. 08/10/2024

Variety description:

A. Grouping characteristics		(Measured values)
Tassel: Time of anthesis (Characteristic 4)		Late (7)
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Late (7)
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present (9)
Hybrids and open pollinated varieties only: Plant: Length (up to flag leaf) (Characteristic 15.2)		Long (7)
Ear: Type of grain (Characteristic 22)		Semi dent (2)
B. Distinct characteristics of candidate variety:		
MAH 14-138: It has distinguishing characters as Stem: Anthocyanin colouration of brace root is absent, Ear: Anthocyanin colouration of silks is present.		
C. Distinct characteristics of reference varieties:		
MAH 14-5: It has distinguishing characters as Stem: Anthocyanin colouration of brace root is present, Ear: Anthocyanin colouration of silks is absent.		
D. Date of commercialization of the variety		26/06/2023
E. Agronomic & commercial attributes		
S. No.	Agronomic & Commercial Attributes	Remarks
1.	Days to flowering/ anthesis: early/medium/late	-
2.	The best growing season to attain the potential yield	Kharif & Rabi
3.	Production condition: suitability area in the country	Karnataka
4.	Fertilizer requirement to attain potential yield (N.P.K)	N.P.K: 60: 30: 16

	kg/acre	kg/acre
	Other fertilizer kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Karnataka
6.	Resistance/Tolerance to pests/diseases	Resistant to turicum leaf blight, moderate resistant to sorghum downy mildew diseases.
7.	Zone wise yield potential (q/acre)	35-38 q/acre
8.	Seed yield (q/acre) (average)	35-38 q/acre
9.	Seed: weight (1000 seeds weight in g)	250-300 g
10.	Any other relevant value addition information specific to the variety/hybrid in terms of trade	Medium duration (115-120 days), higher grain yield with high parental seed production potential. Optimum anthesis-silking interval for better seed set and stays green.
Figure: 17,18		DUS Characteristics of MAH 14-138

49. Application No.

E28	ZM94	26	1802

 filed on 10/08/2026 by **Mr. Veeranjaneeyulu Dronadula, Managing Director, Invicta Agritech India Private Limited, 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad, Telangana, India** on behalf of **Invicta Agritech India Private Limited, 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad, Telangana, India** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **SMH-4555** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : SMH-4555
Applicant : Invicta Agritech India Private Limited
Address of the applicant : 5-31, Flat No. 301, Agrinivas, Mahalakshmi Layout, Dulapally-500014, Secunderabad, Hyderabad,

Telangana, India

Nationality of applicant : India

Application details

E28	ZM94	26	1802

a. Number : 26

b. Date of receipt : 10/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Maize (*Zea mays* L.)

Denomination : SMH-4555

Type of variety : Extant (notified)

Classification of variety : Hybrid

Previously proposed denomination : Not applicable

Name of parental material : 901F X 901M

Source of parental material : Own germplasm

Name of reference varieties : Bio 9637 & DHM 117

Notification details : S.O No. 2128 (E), Dt. 13/05/2025

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Early
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Long
Ear: Type of grain (Characteristic 22)		Semi-Dent
B. Distinct characteristics of candidate variety:		
SMH-4555: It has distinguishing characters as Tassel: Density of spikelet's (in middle third of main axis) is Dense and ear shape is Cylindrical		
C. Distinct characteristics of reference variety:		
Bio 9637 & DHM 117: It has distinguishing characters as Tassel: Density of spikelet's (in middle third of main axis) is Sparse and ear shape is Conico-cylindrical		
D. Date of commercialization of the variety		26/11/2024
E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Early
2.	The best growing season to attain the potential yield	Kharif
3.	Production condition: suitability area in the country	Andhra Pradesh & Telangana
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	61 Kg of N, 21 Kg of P ₂ O ₅ , 24 Kg of K ₂ O

	Other fertilizer Kg/acre	ZnSO ₄ : 10 Kg/ Acre
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Zone II- North West Plain Zone (NWPZ): Punjab, Haryana, Delhi, Uttarakhand (Plain), Uttar Pradesh (western region) and Zone V- Central West Zone (CWZ) Rajasthan, Gujarat and Madhya Pradesh
6.	Resistance/Tolerance to pests/diseases	Under field condition hybrid is resistant to MLB, TLB, BLSB, Charcoal Rot and Fusarium stalk. and moderately resistant to Fall Army worm and <i>Chilo Partellus</i> (Swinhoe)
7.	Zone wise yield potential (q/acre)	Zone V (CWZ): 31 q/acre Zone II (NWPZ): 30 q/acre
8.	Seed yield /acre (average)	15-18 q/acre
9.	Seed: weight (1000 seeds weight in g)	290-350 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
Figure- 19,20		DUS Characteristics of SMH-4555

50. Application No.

E61	OS361	26	1852

 filed on 17/08/2026 by **Dr. Krishan Chandra Upadhyay, Head Research & Development, C/o CS-VSPL, VNR Seeds Pvt Ltd, Corporate Centre, Canal Road Crossing, Ring Road No.1, Raipur, Chhattisgarh -492006** on behalf of **VNR Seeds Pvt Ltd., Corporate Centre, Canal Road Crossing, Ring Road No.1, Raipur, Chhattisgarh- 492006** for Extant (Notified) variety of crop **Rice (*Oryza sativa* L.)** having denomination **VNR-2228 (IET 24951) (VNR 218)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : VNR-2228 (IET 24951) (VNR 218)
Applicant : VNR Seeds Pvt Ltd.,
Address of the applicant : Corporate Centre, Canal Road Crossing, Ring: Road No.1, Raipur, Chhattisgarh- 492006
Nationality of applicant : Indian
Application details

a. Number	:	E61	OS361	26	1852
b. Date of receipt	:	17/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Rice (<i>Oryza sativa</i> L.)			
Denomination	:	VNR-2228 (IET 24951) (VNR 218)			
Type of variety	:	Extant (notified)			
Classification of variety	:	Hybrid			
Previously proposed	:				
Denomination	:	NA			
Name of parental material	:	A line: VNRF-102 X R line: VNRRDN-10221; B line: VNRM-102			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	PA 6444 & Mahamaya			
Notification details	:	S.O. 6318(E) Dt. 26/12/2018			

Variety description:

A. Grouping characteristics		(Measured values)
Basal leaf: Sheath colour (2)		Green
Time of heading (50% of plants with panicles (20)		Medium
Stem: Length (excluding panicle; excluding floating rice) (29)		Short
Decorticated grain: Length (54)		Medium
Decorticated grain: Shape (in lateral view) (56)		Medium slender
Decorticated grain: Colour (57)		Light Brown
Endosperm: Content of amylose (59)		Medium
Decorticated grain: Aroma (62)		Absent
B. Distinct characteristics of candidate variety: VNR-2228 (IET 24951) (VNR 218): It has distinguishing characters as panicle: awns are absent and decorticated grain shape is medium slender.		
C. Distinct characteristics of reference varieties: PA 6444 & Mahamaya: It has distinguishing characters as panicle: awns are present and decorticated grain shape is long bold.		
D. Date of commercialization of the variety		06/05/2020
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Mid-early
2.	Production condition: Suitability Area in the Country	Irrigated ecology of Assam and Tripura
	Time of Sowing	Kharif (June-July)
	Seed rate (kg/acre)	6 kg/acre
	Transplanting spacing	Plant-Plant: 15 cm Row-Row: 20 cm
	Irrigated/Rainfed conditions	Irrigated areas
	Low fertility/High fertility of Soil	Moderate to high fertility soils
3.	Fertilizer requirement to attain potential	50:24:24 kg/acre.

	yield (N:P: K:) kg/acre	
4.	Tolerance to Disease & Pests	Moderately resistant to leaf and neck blast
5.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
6.	Grain Characters Physical:	Details
	a) Grain Size (cm)	Length:5.8 mm & Breadth:2.07 mm
	b) L/B Ratio	2.79 mm
	c) Kernel colour	Light Brown
7.	Zone Wise Yield Potential (Average) per acre (q/Acre)	-
8.	Grain yield (Quintal/Acre)	25.48 quintal/acre
9.	Seed: Weight (1000 seed weight in g)	23-24 g
10.	Any other relevant information specific to the variety/hybrid	High spikelet fertility and HRR percent
Figure- 21,22		DUS Characteristics of VNR-2228 (IET 24951) (VNR 218)

51. Application No.

E8	LL 21	25	739

 filed on 20/06/2025 by **Mr. Onkar Singh, ACSEN Agriscience Pvt. Ltd., Village- Nunhera, Near Toll Plaza, Opp. Veda International School, Sohna-Ballabgarh Road, Sohna, Gurugram-122103, Haryana** on behalf of **ACSEN AGRISCIENCE PVT LTD, No-47, Co-operative colony, Uppilpalayam, Coimbatore-6410, Tamil Nadu** for Extant (VCK), Hybrid variety of crop **Tomato (*Lycopersicon lycopersicum* (L.)Karsten ex. Farw.)** having denomination **HVTM-259** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **HVTM-259**
Applicant : **ACSEN AGRISCIENCE PVT LTD**
Address of the applicant : **No-47, Co-operative colony, Uppilpalayam, Coimbatore-6410, Tamil Nadu**
Nationality of applicant : **Indian**
Application details
a. Number :

E8	LL 21	25	739

b. Date of receipt : 20/06/2025

c. Date of acceptance	:	30/07/2026
Crop (taxonomical lineage)	:	Tomato (<i>Lycopersicon lycopersicum</i> (L.)Karsten ex. Farw.
Denomination	:	HVTM-259
Type of variety	:	Extant (VCK)
Classification of variety	:	Hybrid
Previously proposed	:	Not applicable
Denomination	:	
Name of parental material	:	22ITMSSD07x 22ITMSSD08
Source of parental material	:	Own germplasm
Name of reference varieties	:	US-440 and Sahoo

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant: Growth type (Characteristic 3)		determinate
Leaflet: Serration (Characteristic 12)		Less serrated
Fruit: Green shoulder (before maturity) (Characteristic 29)		Absent
Fruit: Shape in longitudinal section (Characteristic 33)		Slightly flattened
Fruit: Colour at maturity (Characteristic 43)		Red
B. Distinct characteristics of candidate variety:		
HVTM-259 has distinguishing character as Leaf: Attitude in relation to main stem (in middle third of plant): Drooping, Leaf: Attitude in relation to main stem (in middle third of plant): Horizontal, Jointed peduncle: Length (from abscission layer to calyx) (cm): Medium (1.5-2.0) and Time of flowering (50% of the plants with at least one open flower from seed sowing) (days): Medium (65-80).		
C. Distinct characteristics of reference varieties:		
US-440 and Sahoo has distinguishing character as Leaf: Attitude in relation to main stem (in middle third of plant): Horizontal, Leaf: Attitude in relation to main stem (in middle third of plant):semi erect to semi- drooping, Jointed peduncle: Length (from abscission layer to calyx) (cm) : Short (<1.5) and Time of flowering (50% of the plants with at least one open flower from seed sowing) (days): Early (<65).		
D. Date of commercialization of the variety		22 may 2024 as Nayak
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Karnataka , Gujarat and Other
	: Time of Sowing	June to July for Autum/ Winter crop and for spring summer crop -Nov
	: Irrigated/Rainfed	Irrigated

	: Low fertility/High fertility of Soil	High fertile soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	180: 100: 60
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	30C
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive to water Stagnation
6.	Resistance/Tolerance to Pests	Intermediate resistance to ToLCV
7.	Staking & pruning Practices	Not Applicable
8.	Winter – spring cropping seasons Type	July to oct
9.	Fruit Yield (q/ ac)	700-750 q/ha
10.	Fruit Yield/plant (kg/p)(average)	4.5-5 kg/plant
11.	Fruit quality and Fruit firmness	Firm
12.	Fruit picking Schedule	4-5 days
13.	Transport Potential (Days)	5-7 days
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	High yielder with good fruits quality
DUS Characteristics of HVTM-259		

52. Application No.

E22	CA(C) 43	26	1830

 filed on 12/08/2026 by Director of Research CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Dist: Kangra-176062, Himanchal Pradesh on behalf of CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Distt. Kangra- 176062, Kangra, Himanchal Pradesh for **Extant (Notified)** variety of crop **Chilli** (*Capsicum annuum* L.) having denomination **Him Palam Mirch -1** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Him Palam Mirch -1**
Applicant : CSK Himachal Pradesh Krishi Vishvavidyalaya
Address of the applicant : Palampur, Distt. Kangra- 176062, Kangra, Himanchal Pradesh
Nationality of applicant : Indian

Application details

a. Number	:	E22	CA(C) 43	26	1830
b. Date of receipt	:	12/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Chilli (<i>Capsicum annuum</i> L.)			
Denomination	:	Him Palam Mirch -1			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	Pusa Jwala x Surajmukhi			
Source of parental material	:	Own Germplasm			
Name of reference varieties	:	Surajmukhi ©			
Date of Notification	:	Notified S.O. 3254(E) 20/07/2022			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Habit (characteristic 2)		Upright
Flower/Fruit: Orientation (characteristic 24)		Erect
Fruit: Fruit bearing habit (characteristic 25)		Cluster
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Narrowly Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinct characteristics of candidate variety:		
Him Palam Mirch -1 has distinguishing character as Fruit shape in longitudinal section : Narrowly triangular and Fruit : Calyx Cover : Enveloping.		
C. Distinct characteristics of reference varieties:		
Surajmukhi has distinguishing character as Fruit shape in longitudinal section : Moderately triangular and Fruit : Calyx Cover : Non- Enveloping.		
D. Date of commercialization of the variety		19/04/2021
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Low Hill of HP
	: Time of Sowing	Spring –summer, Rainy season
	: Irrigated/Rainfed	--

	: Low fertility/High fertility of Soil	---
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	75:60:50
4.	Tolerance to adverse Temperature/Frost/ &Heat-Sensitive/Tolerance	Sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	---
6.	Resistance/Tolerance to Pests	Tolerant to bacterial wilt
7.	Staking & pruning Practices	--
8.	Winter – spring cropping seasons Type	--
9.	Fruit Yield (q/ ac)	8-10 q/acre
10.	Fruit Yield/plant (kg/p) (average)	65
11.	Fruit quality and Fruit firmness	
12.	Fruit picking Schedule	60
13.	Transport Potential (Days)	
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	-
15	Any other relevant information specific to the variety/hybrid	Medium
DUS Characteristics of Him Palam Mirch-1		Figure- 23

53. Application No.

E23	CA(C) 44	26	1831

 filed on 12/08/2026 by Director of Research CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Dist: Kangra-176062, Himanchal Pradesh on behalf of CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Distt. Kangra- 176062, Kangra, Himanchal Pradesh for **Extant (Notified)** variety of crop **Chilli** (*Capsicum annum* L.) having denomination **Him Palam Mirch -2** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Him Palam Mirch -2**
Applicant : CSK Himachal Pradesh Krishi Vishvavidyalaya
Address of the applicant : Palampur, Distt. Kangra- 176062, Kangra, Himanchal Pradesh
Nationality of applicant : Indian

Application details

a. Number	:	E23	CA(C) 44	26	1831
b. Date of receipt	:	12/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Chilli (<i>Capsicum annuum</i> L.)			
Denomination	:	Him Palam Mirch -2			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed					
Denomination	:	Not applicable			
Name of parental material	:	Pusa Jwala x Surajmukhi			
Source of parental material	:	Own Germplasm			
Name of reference varieties	:	Surajmukhi ©			
Date of Notification	:	Notified S.O. 3254(E) 20/07/2022			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Habit (characteristic 2)		Upright
Flower/Fruit: Orientation (characteristic 24)		Erect
Fruit: Fruit bearing habit (characteristic 25)		Cluster
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Narrowly Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinct characteristics of candidate variety:		
Him Palam Mirch -2 has distinguishing character as Plant: Habit: Semi Upright and Fruit: Bearing habit (No of fruit/ node): 1 (Solitary).		
C. Distinct characteristics of reference varieties:		
Surajmukhi has distinguishing character as Plant: Habit: Upright and Fruit: Bearing habit (No of fruit/ node): >3 (Cluster).		
D. Date of commercialization of the variety		19/04/2021
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Low Hill of HP
	: Time of Sowing	Spring –summer, Rainy season
	: Irrigated/Rainfed	--

	: Low fertility/High fertility of Soil	---
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	75:60:50
4.	Tolerance to adverse Temperature/Frost/ Sensitive/Tolerance &Heat-	Sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	---
6.	Resistance/Tolerance to Pests	Tolerant to bacterial wilt
7.	Staking & pruning Practices	--
8.	Winter – spring cropping seasons Type	--
9.	Fruit Yield (q/ ac)	8-10 q/acre
10.	Fruit Yield/plant (kg/p) (average)	65
11.	Fruit quality and Fruit firmness	
12.	Fruit picking Schedule	60
13.	Transport Potential (Days)	
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	-
15	Any other relevant information specific to the variety/hybrid	Medium
DUS Characteristics of Him Palam Mirch-2		Figure- 24

54. Application No.

E11	OS62	26	360

 filed on 13/03/2026 by **Director, ICAR- Indian Institute of Rice Research, Rajendranagar, Hyderabad-500030** on behalf of **Indian Institute of Rice Research, Rajendranagar, Hyderabad-500030** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **DRR Dhan 91 (IET-32061)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
---- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : DRR Dhan 91 (IET-32061)
Applicant : Indian Institute of Rice Research
Address of the applicant : Director, ICAR- Indian Institute of Rice Research,
Rajendranagar, Hyderabad-500030
Nationality of applicant : India

Application details

a. Number :

E11	OS62	26	360

b. Date of receipt : 13/03/2026
 c. Date of acceptance : 24/08/2026
 Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
 Denomination : DRR Dhan 91 (IET-32061)
 Type of variety : Extant (Notified)
 Classification of variety : Typical
 Previously proposed :
 Denomination : Not applicable
 Name of parental material : ISM-12-305-106 (NIL of ISM)/DRR Dhan 50
 Source of parental material : Own germplasm
 Name of reference varieties : Improved Samba Mahsuri
 Notification Details : S.O. 6123(E) dt. 31.12.2025

Variety description:

A. Grouping characteristics		Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Medium (5)
Stem: Length excluding panicles (Characteristics 29)		Very short (1)
Decorticated grain: Length (Characteristics 54)		Short (1)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Medium slender (3)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety:		
DRR Dhan 91 (IET-32061): It has distinguishing characters as Spikelet density of pubescence of lemma is Medium and Panicle Exertion is Well exerted and Grain weight of 1000 fully developed grains is Medium		
C. Distinct characteristics of reference variety:		
Improved Samba Mahsuri: It has distinguishing characters Spikelet density of pubescence of lemma is Weak and Panicle Exertion is Mostly exerted and Grain weight of 1000 fully developed grains is Low		
D. Date of commercialization of the variety		04.03.2026
E. Agronomic & commercial attributes:		
S. No	Attributes	Details
1.	Days to flowering/Anthesis (Average)	96-101 days Medium
2.	Days to maturity: Early/Medium/Late	135-140 days Medium
3.	Production condition: Suitability Area in the Country	Andhra Pradesh, Telangana, Tamil Nadu, Jharkhand, Odisha, Bihar, Chhattisgarh, Maharashtra, Gujrat
4.	Time of Sowing	June to July
	Seed rate (kg/acre)	20 kg/ acre
	Transplanting spacing	20 x 15 cm
	Irrigated/Rainfed conditions	Irrigated conditions

	Low fertility/High fertility of Soil	High fertility of Soil
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	48:16:20 kg NPK/acre The dosages of N in four splits, 1 st after 15 days after rice emergence. 2 nd at maximum tillering, 3 rd at panicle initiation and 4 th at booting stage. *Basal application of total phosphorous at time of sowing. *Two equal splits of potassium, basal at the time of sowing and at panicle initiation stage Fe-3% Ferrous sulphate foliar spray at weekly intervals for 3-4 times. (In case of Fe deficiency) Zn-0.5% foliar spray at weekly intervals for 3-4 times. (In case of Zn deficiency)
5.	Tolerance to Disease & Pests	Resistant to Blast, BLB, and moderately resistant to Sheath rot Blast (SI:5.0) Bacterial leaf blight (SI: 4.4) Moderate resistance to sheath rot (SI-5.3) Moderate resistance to stem borer and case worm.
	IPM Details Schedule	Stem borer: Cartap hydrochloride 4G @ 4.5 kg/acre Leaf folder: Monocrotophos 36 EC@ 400 ml/acre Brown Plant Hopper: Carbofuran 3G @7kg/acre or imidacloride+ethiprole 80WG @ 0.25 g Blast: tricyclazole @ 120g/acre or isoprothiolane @1ml/lit
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters Physical:	Details
	a) Grain size (mm)	Medium slender (4.89 mm)
	b) L/B Ratio	2.72 mm
	c) Kernel Length	White
8.	Grain yield (Quintal/Acre)	35-40 q/acre
9.	Seed: Weight (1000 seed weight in g)	16.72 gm
10.	Any other relevant information specific to the variety/hybrid	The candidate variety has <i>Pi54</i> gene responsible for blast resistance derived from <i>Tetep</i> and <i>Sub 1</i> gene

		responsible for submergence tolerance are present in DRR Dhan 91, wheares these genes are absent in DRR Dhan 58
Figure- 25		DUS Characteristics of DRR Dhan 91 (IET-32061)

55. Application No.

F1	WS1	23	132

 filed on 16-10-2023 by The Nagauri Welfare Society, Nagaur, Rajasthan facilitated by Dr. Parmeshwar Lal Saran, I/c PME Cell Dr. Kuldeepsingh A. Kalariya, Nodal Officer, ITMU Cell, ICAR-Directorate of Medicinal and Aromatic Plants Research, Boriavi, Anand-387310, Gujarat for **Farmer** variety of crop **Ashwagandha** [*Withania somnifera* (L.) Dunal] having denomination **Nagori Ashwagandha** the specification of which are given below,has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Nagori Ashwagandha**
Applicant : The Nagauri Welfare Society
Address of the applicant : The Nagauri Welfare Society, Nagaur, Rajasthan
Nationality of applicant : Indian
Application details
a. Number

F1	WS1	23	132

b. Date of receipt : 16-10-2023
c. Date of acceptance : 14-08-2026
Crop (Taxonomical lineage) : Ashwagandha [*Withania somnifera* (L.) Dunal]
Denomination : Nagori Ashwagandha
Type of variety :Farmer
Classification of variety :Typical
Previously proposed

denomination : Not applicable
Name of parental material :Not applicable
Source of parental material :Not applicable
Name of reference varieties : CIMAP-Pratap

Variety description:

A. Grouping characteristics	Nagori Ashwagandha
Plant: Growth habit	Indeterminate
Flower: Appearance of the first flower (days)	Medium
Leaf: Shape	Elliptic
Fruit: Berry colour (RHS colour chart)	-
Seed colour (RHS colour chart)	Strong orangish yellow

Root: Thickness of bark (mm)	Thick
Root (Fresh): Brittleness	Break with even fracture
B. Distinct characteristics of candidate variety:	
Nagori Ashwagandha has distinguishing characters Leaf: Lamina breadth (cm) is Pale yellow (Ch.5), Root (Fresh): Colour (RHS colour chart) is Narrow (Ch.28).	
C. Distinct characteristics of reference variety:	
CIMAP-Pratap has distinguishing characters as as Leaf: Lamina breadth (cm) is Moderate orange yellow (Ch.5), Root (Fresh): Colour (RHS colour chart) is Broad (Ch.28).	
D. Date of commercialization of the variety	Not commercialized
DUS Characteristics of Nagori Ashwagandha	

56. Application No.

E1	WS1	24	454

 filed on 14-08-2026 by Dr. Tripta Jhang, Plant Breeding and Genetic Resource Conservation Division, CSIR- Central Institute of Medicinal and Aromatic Plants (CSIR-CIMAP), P.O.- CIMAP, Near Kukrail Picnic Spot, Lucknow-226015, Uttar Pradesh On behalf of CSIR- Central Institute of Medicinal and Aromatic Plants, P.O.- CIMAP, Near Kukrail Picnic Spot, Lucknow-226015, Uttar Pradesh by for **Extant (VCK)** variety of crop **Ashwagandha [*Withania somnifera* (L.) Dunal]** having denomination **CIM-PUSHTI** the specification of which are given below,has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **CIM-PUSHTI**
Applicant : CSIR- Central Institute of Medicinal and Aromatic Plants
Address of the applicant : P.O.- CIMAP, Near Kukrail Picnic Spot, Lucknow-226015, Uttar Pradesh
Nationality of applicant : Indian
Application details

E1	WS1	24	454

a. Number
b. Date of receipt : 14-08-2024
c. Date of acceptance : 14-08-2026
Crop (Taxonomical lineage) : Ashwagandha [*Withania somnifera* (L.) Dunal]
Denomination : CIM-PUSHTI
Type of variety : Extant (VCK)
Classification of variety :Typical
Previously proposed
denomination : Not applicable
Name of parental material :Not applicable
Source of parental material :Not applicable
Name of reference varieties : GAA-1
Variety description:

A. Grouping characteristics		CIM-PUSHTI
Plant: Growth habit		Determinate
Flower: Appearance of the first flower (days)		Medium
Leaf: Shape		Obtuse
Fruit: Berry colour (RHS colour chart)		Vivid orange yellow
Seed colour (RHS colour chart)		Light yellow
Root: Thickness of bark (mm)		Thin
Root (Fresh): Brittleness		Light yellow
B. Distinct characteristics of candidate variety: CIM-PUSHTI has distinguishing characters Leaf: Deflection is Conduplicate (Ch.8), Root total withanolide content (%) on dry weight basis is High (Ch.35).		
C. Distinct characteristics of reference variety: GAA-1 has distinguishing characters as as Leaf: Deflection is Flat (Ch.8), Root total withanolide content (%) on dry weight basis is Low (Ch.35).		
D. Date of commercialization of the variety		31/01/2021
DUS Characteristics of CIM-PUSHTI		
S.No	Agronomic and Commercial Attributes	Remarks
1	Days to Maturity:/Early/Medium/Late	Medium (168-178 days after sowing)
2	Production Conditions: Suitability Area in Country	Indian agro-climate zones (VIII, XIII & XIV) i.e Central Plateau, Western dry region and Gujarat plains regions of India.
3	Production Conditions: Time of Sowing	Late Kharif season September second week to Oct second week when night temperature dips around 20-25c
4.	Production Conditions: Irrigated/ Rainfed	Irrigated
5.	Production Conditions: Low Fertility/High Fertility	Low Fertility
6.	Fertilizer requirement (NPK) to attain potential yield	15-25 tonnes FYM/green manuring. Organic cultivation of Ashwagandha by the use of farmyard manures and Jeev Amrit, Dashparni Ark, and Neem Astra, Neem Khali are recommended for soil fertility and pest management. May be supplemented by 15Kg Nitrogen, 25 Kg Phosphorus and 10 kg Potash in 20:40:20 NPK Kg/ha to attain dry root yield: ha 12-17 q/ha and dry herb yield: 629.42q/ha
7.	Tolerance to adverse temperature (Frost and Heat):	Tolerant
8.	Tolerance to water stagnation: Sensitive/ Tolerant	Sensitive to more than 36 hours
9.	Resistance/ Tolerance to Pests	Tolerant to Leaf Spot Disease
10	Leaf total withanolide content (%) on dry weight basis	0.3-0.4%

11	Seed Test Weight (1000 seeds) (g)	On average 1.85g
12	Root Polysaccharide Content (%)	Average 25-28%
13	Root total withanolide content (%) on a dry weight basis	0.64-0.7%
14	Any other relevant value additional information specific to the variety/Hybrid in terms of trade	Root Quality smooth with even fracture, 21-25cm long, starch to fiber ratio of 1.23 with brittle and even root fracture
<u>DUS Characteristics of CIM-PUSHTI</u>		

57. Application No.

E45	OS252	26	1138

 filed on 30/06/2026 by **Dr. T. J. Bhor, Assistant Professor of Agricultural Botany, Agriculture Research Station, Vadgaon Maval, Dist: Pune-412106** on behalf of **Mahatma Phule Krishi Vidyapeeth, Rahuri, Dist: Ahilyanagar-413722, Maharashtra** for Extant variety of crop Rice (*Oryza sativa* L.) having denomination **PHULE MAVAL-7 (VDN-1808)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----. P
Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **PHULE MAVAL-7 (VDN-1808)**

Applicant : Mahatma Phule Krishi Vidyapeeth

Address of the applicant : Rahuri, Dist: Ahilyanagar-413722

Nationality of applicant : India

Application details

a. Number :

E45	OS252	26	1138

b. Date of receipt : 30/06/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)

Denomination : PHULE MAVAL-7 (VDN-1808)

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

Name of parental material : VDN-3-3-2-1/KJT-2

Source of parental material : Own germplasm

Name of reference varieties : Karjat-2

Notification Details : S.O.6123 (E) Date 31-12-2025

Variety description:

A. Grouping characteristics		PHULE MAVAL-7 (VDN-1808)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		-
Stem: Length excluding panicles (Characteristics 29)		Short (3)
Decorticated grain: Length (Characteristics 54)		Long (5)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Long slender (5)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Low (3)
Decorticated grain: Aroma (Characteristics 62)		Present (9)
B. Distinct characteristics of candidate variety: PHULE MAVAL-7 (VDN-1808) : It has distinguishing characteristics as, Panicle length of the main axis is Long and decorticated grain aroma is present		
C. Distinct characteristics of reference varieties: Karjat -2 : It has distinguishing characteristics, Panicle length of the main axis is medium and decorticated grain aroma is absent		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic & Commercial Attributes		
1.	Days to flowering/ anthesis: early/medium/late	-
2.	Days to maturity: early/medium/late	Late
3.	Production condition: suitability area in the country	Western Maharashtra
4.	Time of sowing	Kharif (I week of June to last week of June)
	Seed rate	-
	Spacing	-
	Plant - plant	-
	Row-Row	-
	Irrigated /Rainfed condition	Irrigated
	Low fertility / high fertility	-
5.	Fertilizer requirement to attain potential yield (N-P-K) Kg/ha	N: 40 kg/ha, P: 20kg/ha and K: 20 kg/ha
	Tolerance to pests/diseases	Moderate resistance to neck blast, brown Spot, grain discoloration, and moderately resistance to stem borer
	IPM Details Schedule	-

6.	Tolerance to adverse temperature. Frost Heat/salinity	-
7.	Grain Characters Physical	
	a) Grain Size	-
	b) L/B ratio	3.4
	c) Kernal color	Straw
8.	Grain yield (q/acre)	20.88 q/acre
9.	Seed: weight (1000 seeds weight in g)	22.9 g
10	Any other relevant value additional information specific to the variety/hybrid in terms of trade	-
DUS Characteristics of PHULE MAVAL-7 (VDN-1808)		Figure- 26

58. Application No.

E46	OS253	26	1139

filed on 01/07/2026 by **Dr.**

Safikul Hussain, Sr. Scientist (Rice Breeder), AAU- Assam Rice Research Institute, Titabar, Dist: Jorhat-785630 on behalf of **Assam Agricultural University, Jorhat-785013, Assam** of crop **Rice (*Oryza sativa* L.)** having denomination **Surma Dhan (AAU-KMJ Dhan-46) (IET-28296)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA ----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Surma Dhan (AAU-KMJ Dhan-46) (IET-28296)**

Applicant : Assam Agricultural University

Address of the applicant : Jorhat-785013, Assam

Nationality of applicant : India

Application details

a. Number

:

E46	OS253	26	1139

b. Date of receipt

:

01.07.2026

c. Date of acceptance

:

24.08.2026

Crop (Taxonomical lineage)

:

Rice (*Oryza sativa* L.)

Denomination

:

Surma Dhan (AAU-KMJ Dhan-46) (IET-28296)

Type of variety

:

Extant (Notified)

Classification of variety

:

Typical

Previously proposed

denomination

:

Not applicable

Name of parental material

:

CN1216/CN1131-4-1-4

Source of parental material : Rice Reserch Station, Chinsura

Name of reference varieties : CR Dhan -506

Notification Details : S.O.1560 (E) Date 26-03-2024

Variety description:

A. Grouping characteristics		Surma Dhan (AAU-KMJ Dhan-46) (IET-28296)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Late (7)
Stem: Length excluding panicles (Characteristics 29)		Short (3)
Decorticated grain: Length (Characteristics 54)		Medium (3)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Long bold (4)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety:		
Surma Dhan (AAU-KMJ Dhan-46) (IET-28296): It has distinguishing characteristics as, Leaf color of ligule is light purple, Panicle: Length of main axis is Long and Decorticated grain width is Narrow		
C. Distinct characteristics of reference varieties:		
CR Dhan-506: It has distinguishing characteristics, Leaf color of ligule is White, Panicle: Length of main axis is medium and Decorticated grain width is medium		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic & Commercial Attributes		
1.	Days to flowering/ anthesis: early/medium/late	Medium
2.	Days to maturity: early/medium/late	Late
3.	Production condition: suitability area in the country	Assam, West Bengal, Bihar, Odisha and Uttar Pradesh
4.	Time of sowing	Kharif
	Seed rate	40
	Spacing	
	Plant - plant	15
	Row-Row	20
	Irrigated /Rainfed condition	Rainfed
	Low fertility / high fertility	-
	Fertilizer requirement to attain potential yield (N-P-K) Kg/ha	80:40:40 NPK kg/ha Basal Dose : ½ N total P & K 1 st top dressing ¼ N +1/4 at 30-35 DAT 2 nd top dressing ¼ N at panicle initiation

		stage
5.	Tolerance to pests/diseases	Moderate resistance to neck blast, brown Spot, grain discoloration, and moderately resistance to stem borer
	IPM Details Schedule	IPM includes chemical control, cultural control, biological control and ITKs. Chemical control: 1. Seed treatment with Carboxin @ 2.0g/kg seed 2. Nursery treatment with carbofuran 3g @ 1 kg /ha 5-7 days before uprooting of seedlings. 3. Need based application of pesticide based on ETL. Cultural control: 1. Timely planting i.e., within July. 2. Optimum plant population i.e. 33 plant/sqm 3. Balanced fertilizer application and split application of N and K 4. Clean cultivation 5. Regular pest monitoring (use pheromone traps @8 traps/ha for YSB) Biological control: 6. Release of egg parasitoids <i>Trichogramma</i> spp. @50,000/ha (six releases) on observing the moths of YSB 7. Application <i>Beauveria Bassiana</i> impregnated Rice Husk Saw Dust Rice Bran (RHSDRB) medium @ 3kg/ha in 600 litres of water (107 spores/ml) 1 Use bamboo perches to encourage predatory birds. Remove the perches as the crop reaches milky grain stage. 2 Use the <i>Eupetorium odoratum</i> twigs and leaves in the field to repel insects like case worm. 3 Use neem leaf (soil incorporation) against case worm and stem borer. ITKs: 1. Use bamboo perches to encourage predatory

		birds. Remove the perches as the crop reaches milky grain stage. 2. Use the <i>Eupetorium odoratum</i> twigs and leaves in the field to repel insects like case worm. 3. Use neem leaf (soil incorporation) against case worm and stem borer.
6.	Tolerance to adverse temperature. Frost/Heat/salinity	-
7.	Grain Characters Physical	
	d) Grain Size	Long Bold
	e) L/B ratio	3.7
	f) Kernal color	White
8.	Grain yield (q/acre)	20.2–24.3
9.	Seed: weight (1000 seeds weight in g)	19.13
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	The variety, Surma Dhan (AAU-KMJ Dhan- 46) is of intermediate plant height, tolerance to lodging. It also possesses acceptable HRR (61.9%), intermediate ASV (6.2) and AC (22.8%) with better seedling survival, submergence tolerance, elongation ability, desirable phenotypic acceptability and low grain shattering.
DUS Characteristics of Surma Dhan (AAU-KMJ Dhan-46)(IET-28296)		Figure- 27,28

59. Application No.

F15	SC16	26	1024

 filed on 10/06/2026 **Dr. Kanupriya Principal Scientist, Division of Fruit Crops, ICAR- Indian Institute of Horticultural Crops, Dist: Bengaluru-560089 (Karnataka)** on behalf of **N. C. Patel, S/o Chikkakempaiah Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064, (Karnataka)** for **Farmer** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **Patel Akal**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Patel Akal**
Applicant : **N. C. Patel**
Address of the applicant : S/o Chikkakempaiah, Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064, (Karnataka)
Nationality of applicant : Indian
Application details
a. Number :

F15	SC16	26	1024

b. Date of receipt : 10/06/2026
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)
Denomination : Patel Akal
Type of variety : Farmer
Classification of variety :
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Goma Priyanka

Variety description:

A. Group characteristics	Remarks (measured values)
Growth habit (Characteristic.1)	Spreading
Leaf apex (Characteristic. 5)	Acuminate
Leaf base (Characteristic. 6)	Acute
Mature fruit shape (Characteristic.15)	Oblong
Mature fruit: stalk end (Characteristic.17)	Flattened
Pulp: seed ratio (Characteristic.27)	Medium
B. Distinct characteristics of candidate variety: Patel Akalhas distinguishing characters as Ch4: Leaf lamina surface: Wavy (5), Ch21: Ripe fruit breadth: Narrow (1), Ch22: Ripe fruit size: Small (3)	
C. Distinct characteristics of reference variety: PAPAYA RAJU GOA has distinguishing characters as Ch4: Leaf lamina surface: Smooth (3), Ch21: Ripe fruit breadth: Wide (3), Ch22: Ripe fruit size: Large (7)	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Patel Akal

60. Application No.

F7	SC7	26	533

 filed on 08/04/2026 **Jayavind Pal S/o Ghasite Lal Hindupur, Mainawati Marg, Bithur, Dist: Kanpur-208017 (Uttar Pradesh)** for **Farmer** variety of **Jamun (*Syzygium cuminii* Skeels)** having denomination **NAINA JAMUN**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **NAINA JAMUN**
Applicant : Jayavind Pal
Address of the applicant : S/o Ghasite Lal
Hindupur, Mainawati Marg, Bithur,
Dist: Kanpur-208017, (Uttar Pradesh)
Nationality of applicant : Indian
Application details
a. Number :

F7	SC7	26	533

b. Date of receipt : 08/04/2026
c. Date of acceptance : 17/08/2026
Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels)
Denomination : NAINA JAMUN
Type of variety : Farmer
Classification of variety :
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Konkan Bahadoli

Variety description:

A. Group characteristics	Remarks (measured values)
Growth habit (Characteristic.1)	Spreading
Leaf apex (Characteristic. 5)	Acuminate
Leaf base (Characteristic. 6)	Acute
Mature fruit shape (Characteristic.15)	Oblong
Mature fruit: stalk end (Characteristic.17)	Depressed
Pulp: seed ratio (Characteristic.27)	Low
B. Distinct characteristics of candidate variety:	

NAINA JAMUN has distinguishing characters as Ch 8: Internodal length: Short (3), Ch19: Ripe fruit weight - Low (3), Ch23: Seed weight: Low (3)	
C. Distinct characteristics of reference variety: Konkan Bahadoli has distinguishing characters as Ch 8: Internodal length: Long (7), Ch19: Ripe fruit weight – Medium (5), Ch23: Seed weight: High (5)	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of NAINA JAMUN

61. Application No.

F14	SC15	26	1023

 filed on 10/06/2026, N. C. Patel, S/o Chikkakempaiah, Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064 by Dr. Kanupriya, Principal Scientist, Division of Fruit Crops, ICAR- Indian Institute of Horticultural Crops, Dist: Bengaluru-560089 for Farmer variety of Jamun (*Syzygium cumini* (L.) Skeels.) having denomination **Patel Jumbo**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: Patel Jumbo				
Applicant	: N. C. Patel				
Address of the applicant	: S/o Chikkakempaiah, Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F14</td><td>SC15</td><td>26</td><td>1023</td></tr></table>	F14	SC15	26	1023
F14	SC15	26	1023		
b. Date of receipt	: 10/06/2026				
c. Date of acceptance	: 17/08/2026				
Crop (taxonomical lineage)	: Jamun (<i>Syzygium cumini</i> (L.) Skeels.)				
Denomination	: Patel Jumbo				
Type of variety	: Farmer				
Classification of variety	: Typical				
Previously proposed	: Not applicable				
Denomination	:				
Name of parental material	: NA				
Source of parental material	: NA				
Name of reference variety	: Goma Priyanka				

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic 1)		Spreading
Leaf apex(Characteristic 5)		Acuminate
Leaf base(Characteristic 6)		Acute
Mature fruit: Shape(Characteristic 15)		Oblong
Mature fruit: stalk end(Characteristic 17)		Flattened
Pulp: seed ratio(Characteristic 27)		Medium
B. Distinct characteristics of candidate variety: Patel Jumbo has distinguishing characters as Inflorescence length: diameter ratio - High (Characteristic 13), Seed weight -Medium (Characteristic.23)		
C. Distinct characteristics of reference variety: Goma Priyanka has distinguishing characters as Inflorescence length: diameter ratio – Medium (Characteristic. 13), Seed weight – Low (Characteristic.23)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Patel Jumbo

62. Application No.

F12	MI12	25	729

 filed on 17/06/2025 by **Sh Vidhyadhar Patel, House No. 19/2, Village: Gautiya Para, Tehsil: Baramkela, Kamalapani, Raigarh-496551, Chhattisgarh** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **AVINASH-2** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **AVINASH-2**

Applicant : Sh Vidhyadhar Patel

Address of the applicant : House No. 19/2, Village: Gautiya Para, Tehsil: Baramkela, Kamalapani, Raigarh-496551, Chhattisgarh

Nationality of applicant : Indian

Application details

a. Number	:	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F12</td><td>MI12</td><td>25</td><td>729</td></tr></table>	F12	MI12	25	729
F12	MI12	25	729			
b. Date of receipt	:	17/06/2025				
c. Date of acceptance	:	18/08/2026				

Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : **AVINASH-2**
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : Mohan Bhog

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded upward
Mature fruit: Presence of sinus (Characteristic 26)	Absent
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: AVINASH-2 has distinguishing characters as Leaf: Colour: Light Green and Mature fruit: Presence of groove in ventral shoulder: Absent .	
C. Distinct characteristics of reference variety: Mohan Bhog has distinguishing characters as Leaf: Colour: Dark Green and Mature fruit: Presence of groove in ventral shoulder: Present .	
D. Date of commercialization of the variety	-
DUS Characteristics of AVINASH-2	

63. Application No.

F48	MI48	24	332

 filed on 19/06/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** on behalf of **Sh Biman Mandal, Village: Binodpur, PO: Niamatpur, PS: English Bazar, Dist: Malda-732208, West Bengal** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **KANCHAN KHOSA** has been accepted and given registration number -----
-NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KANCHAN KHOSA**
Applicant : Sh Biman Mandal
Address of the applicant : Village: Binodpur, PO: Niamatpur, PS: English Bazar,
Dist: Malda-732208, West Bengal.

Nationality of applicant	: Indian				
Application details					
a. Number	: <table><tr><td>F48</td><td>MI48</td><td>24</td><td>332</td></tr></table>	F48	MI48	24	332
F48	MI48	24	332		
b. Date of receipt	: 19/06/2026				
c. Date of acceptance	: 18/08/2026				
Crop (taxonomical lineage)	: Mango (<i>Mangifera indica</i> L.)				
Denomination	: KANCHAN KHOSA				
Type of variety	: Farmer				
Classification of variety	: Typical				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: Not applicable				
Source of parental material	: Own germplasm				
Name of reference variety	: LANGRA				

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded Upward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: KANCHAN KHOSA has distinguishing characters as Mature fruit: Presence of groove in ventral shoulder: Present and Mature fruit: Presence of sinus: Present .	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Presence of groove in ventral shoulder: Absent and Mature fruit: Presence of sinus : Absent .	
D. Date of commercialization of the variety	-
DUS Characteristics of KANCHAN KHOSA	

64. Application No.

F28	AHL30	26	1159

 filed on 01/07/2026 by President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124 through Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124 for FARMER variety of crop Jackfruit (*Artocarpus heterophyllus* Lam.) having denomination VANY the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on -----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : VANY
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :
b. Date of receipt : 01/07/2026
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : VANY
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : KANYAN MOTI

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Blisters
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	White
B. Distinct characteristics of candidate variety: VANY has distinguishing characters as Fruit Shape is Irregular & Stalk attachment to fruit is Inflated.	
C. Distinct characteristics of reference variety: KANYAN MOTI has distinguishing characters as Fruit Shape is Oblong & Stalk attachment to fruit is Flattened.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of VANY

65. Application No. F35 AHL37 26 1166 filed on 01/07/2026 by President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124 through Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124 for FARMER variety of crop Jackfruit (*Artocarpus heterophyllus*)

Lam.) having denomination **INDURA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : INDURA
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :

F35	AHL37	26	1166

b. Date of receipt : 01/07/2026
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : INDURA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : DARAKH MOTA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: INDURA has distinguishing characters as Leaf posture is Conduplicate & Fruit Shape is Oblong.	
C. Distinct characteristics of reference variety: DARAKH MOTA has distinguishing characters as Leaf posture is Flattened & Fruit Shape is Clavate.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of INDURA

66. Application No.

F137	AHL139	26	1268

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **DARAKH MOTA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : DARAKH MOTA
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details :

F137	AHL139	26	1268

a. Number :
b. Date of receipt : 01/07/2026
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : DARAKH MOTA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : INDURA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: DARAKH MOTA has distinguishing characters as Leaf Blade Shape is Obovate & Fruiting position is Trunk, primary and secondary branches.	
C. Distinct characteristics of reference variety:	

INDURA has distinguishing characters as Leaf Blade Shape is Elliptical & Fruiting position is All positions (Including roots).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of DARAKH MOTA

67. Application No.

F114	AHL116	26	1245

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **JHUL BANBA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : JHUL BANBA
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details

F114	AHL116	26	1245

a. Number :
b. Date of receipt : 01/07/2026
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : JHUL BANBA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : VERANGA

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Rounded
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm

Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: JHUL BANBA has distinguishing characters as Fruit Clustering Habit is Solitary & Fruit Shape is Clavate.	
C. Distinct characteristics of reference variety: VERANGA has distinguishing characters as Fruit Clustering Habit is Clusters & Fruit Shape is Oblong.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of JHUL BANBA

68. Application No.

F58	AHL60	26	1189

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **RARANI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : RARANI
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :

F58	AHL60	26	1189

b. Date of receipt : 01/07/2026
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : RARANI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JOGINYA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Rounded

Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: RARANI has distinguishing characters as Leaf Base Shape is Rounded & Fruit Shape is Oblong.	
C. Distinct characteristics of reference variety: JOGINYA has distinguishing characters as Leaf Base Shape is Oblique & Fruit Shape is Ellipsoid.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of RARANI

69. Application No.

F65	AHL67	26	1196

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **AVANTI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on -----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : AVANTI
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian

Application details
a. Number :

F65	AHL67	26	1196

b. Date of receipt : 01/07/2026
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : AVANTI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA

Source of parental material : NA
Name of reference variety : LODHA KATHAR
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: AVANTI has distinguishing characters as Fruit Clustering Habit is Solitary & Fruit Shape is Clavate.	
C. Distinct characteristics of reference variety: LODHA KATHAR has distinguishing characters as Fruit Clustering Habit is Clusters & Fruit Shape is Irregular	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of AVANTI

70. Application No.

F83	AHL85	26	1214

 filed on 01/07/2026 by President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124 through Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124 for FARMER variety of crop Jackfruit (*Artocarpus heterophyllus* Lam.) having denomination LAMBRADAR the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on -----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : LAMBRADAR
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :

F83	AHL85	26	1214

b. Date of receipt : 01/07/2026

c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : LAMBRADAR
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JOGINYA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: LAMBRADAR has distinguishing characters as Fruit Shape is Irregular & Fruit core diameter is High (>50 mm).	
C. Distinct characteristics of reference variety: JOGINYA has distinguishing characters as Fruit Shape is Ellipsoid & Fruit core diameter is Low (<50mm).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of LAMBRADAR

71. Application No.

F86	AHL88	26	1217

 filed on 01/07/2026 by President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124 through Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124 for FARMER variety of crop Jackfruit (*Artocarpus heterophyllus* Lam.) having denomination JOGINYA the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : JOGINYA
Applicant : Shanidev Mahila Self-Help Group

Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124

Nationality of applicant : Indian

Application details

a. Number	F86	AHL88	26	1217

b. Date of receipt : 01/07/2026

c. Date of acceptance : 19/08/2026

Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)

Denomination : JOGINYA

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : NA

Source of parental material : NA

Name of reference variety : RARANI

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: JOGINYA has distinguishing characters as Leaf Base Shape is Oblique & Fruit core diameter is Low (<50mm).	
C. Distinct characteristics of reference variety: RARANI has distinguishing characters as Leaf Base Shape is Rounded & Fruit core diameter is High (>50 mm).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of JOGINYA

72. Application No.

F103	AHL105	26	1234

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **GERUA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : GERUA
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number : F103 AHL105 26 1234
b. Date of receipt : 01/07/2026
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : GERUA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : AVANTI

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: GERUA has distinguishing characters as Leaf Blade Shape is Obovate & Ripe fruit Peel colour is Green.	
C. Distinct characteristics of reference variety: AVANTI has distinguishing characters as Leaf Blade Shape is Elliptical & Ripe fruit Peel colour is Brown.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of GERUA

73. Application No. F109 AHL111 26 1240 filed on 01/07/2026 by President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram,

Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124 through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **LODHA KATHAR** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : LODHA KATHAR
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian

Application details

a. Number	: F109	AHL111	26	1240
b. Date of receipt	: 01/07/2026			
c. Date of acceptance	: 19/08/2026			
Crop (taxonomical lineage)	: Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)			
Denomination	: LODHA KATHAR			
Type of variety	: Farmer			
Classification of variety	: Typical			
Previously proposed	: Not applicable			
Denomination				
Name of parental material	: NA			
Source of parental material	: NA			
Name of reference variety	: AVANTI			

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety:	
LODHA KATHAR has distinguishing characters as Leaf Orientation is Erect & Leaf posture is Conduplicate.	
C. Distinct characteristics of reference variety:	
AVANTI has distinguishing characters as Leaf Orientation is Horizontal & Leaf posture is Revolute.	

D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of LODHA KATHAR

74. Application No.

F75	AHL77	26	1206

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **MANTRI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : MANTRI
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :

F75	AHL77	26	1206

b. Date of receipt : 01/07/2026
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : MANTRI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : GAUTAM KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm

Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: MANTRI has distinguishing characters as Leaf Blade: Length is Medium & Individual flake length is Short (<50 mm).	
C. Distinct characteristics of reference variety: GAUTAM KATHAL has distinguishing characters as Leaf Blade: Length is Long & Individual flake length is Long (>75 mm).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of MANTRI

75. Application No.

F133	AHL135	26	1264

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **VERANGA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on ----- NA-----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : VERANGA
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details
a. Number :

F133	AHL135	26	1264

b. Date of receipt : 01/07/2026
c. Date of acceptance : 20/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : VERANGA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JHUL BANBA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate

Ch.6: Leaf base shape	Rounded
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: VERANGA has distinguishing characters as Fruit Shape is Oblong & Ripe fruit Peel colour is Green.	
C. Distinct characteristics of reference variety: JHUL BANBA has distinguishing characters as Fruit Shape is Clavate & Ripe fruit Peel colour is Brown.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of VERANGA

76. Application No.

F165	AHL167	26	1296

 filed on 01/07/2026 by **President, Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** through **Shanidev Mahila Self-Help Group, Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124** for FARMER variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KANYAN MOTI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : KANYAN MOTI
Applicant : Shanidev Mahila Self-Help Group
Address of the applicant : Village: Rahmatpur Mafi, PO: Bilram, Block: Kasganj, Dist.: Kasganj, Uttar Pradesh-207124
Nationality of applicant : Indian
Application details :

F165	AHL167	26	1296

a. Number :
b. Date of receipt : 01/07/2026
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : KANYAN MOTI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :

Name of parental material : NA
Source of parental material : NA
Name of reference variety : VANY
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KANYAN MOTI has distinguishing characters as Leaf Orientation is Horizontal & Leaf posture is Revolute.	
C. Distinct characteristics of reference variety: VANY has distinguishing characters as Leaf Orientation is Erect & Leaf posture is Conduplicate.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KANYAN MOTI

77. Application No.

E2	VU5	2026	1614

 filed on 30/07/2026 by **Dr. Lohithaswa, H.C., Principal Scientist (Plant Breeding) & Head AICRP on Pigeonpea, Zonal Agricultural Research Station, University of Agricultural Sciences, GKVK, Bengaluru-560065, Karnataka** on behalf of **University of Agricultural Sciences, GKVK, Bengaluru-560065, Karnataka** for Extant (Notified) variety of crop **Cowpea** (*Vigna unguiculata* (L.) Wala, SSP) having denomination **KBC-12** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **KBC-12**
Applicant : University of Agricultural Sciences
Address of the applicant : GKVK, Bengaluru-560065, Karnataka
Nationality of applicant : Indian

Application details

a. Number	:	E2	VU5	2026	1614
b. Date of receipt	:	30/07/2026			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Cowpea (<i>Vigna unguiculate</i> (L.) Wala, SSP)			
Denomination	:	KBC-12			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	(C152 x V16) x (C152 x V57817)			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	KBC-9			
Notification Details	:	S.O. 2128 (E) dt. 13.05.2025			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Days to 50% flowering (Characteristics 3)		Medium (5)
Plant: Growth Habit (Characteristics 4)		Erect (3)
Plant: Twining tendency (Characteristics 9)		Absent (1)
Pod: Length (cm) (Characteristics 13)		Medium (5)
Seed : Eye colour (Characteristics 19)		Tan Brown (3)
Seed: Colour (Main colour-colour of largest area of seed) (Characteristics 22)		Brown (3)
B. Distinct characteristics of candidate variety: KBC-12 has distinguishing characters as Plant: Growth Habit: Erect and Plant: Twining tendency: Absent		
C. Distinct characteristics of reference varieties: KBC-9 has distinguishing characters as Plant: Growth Habit: Semi-erect and Plant: Twining tendency: Present		
D. Date of commercialization of the variety		06.05.2025
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Karnataka Zone 5 (Eastern dry zone) & Zone 6 (Southern dry zone)
	: Time of Sowing	Khariif
	: Irrigated/Rainfed	Both
	: Low fertility/High fertility of Soil	Low fertile soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	10:20:10 kg/acre

4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerance to moisture stress
5.	Resistance/Tolerance to Pests	Resistance to Bacterial leaf blight, Cowpea mosaic virus, Cercospora leaf spot and dry root rot diseases
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i>
7.	Number of Pods per Plant (Average)	24
8.	Zone wise yield potential (Average per acre (q/acre)	5-6 q/acre
9.	Seed yield q/acre (average)	5-6 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Medium duration *85-90 days), higher grain yield, erect growth habit with rare tendency of tendril formation, wider adaptability
Figure- 29,30		DUS Characteristics of KBC-12

78. Application No.

E7	CC12	2026	1036

 filed on 16/06/2026 by **Dr. Lohithaswa, H.C., Principal Scientist (Plant Breeding) & Head AICRP on Pigeonpea, Zonal Agricultural Research Station, University of Agricultural Sciences, GKVK, Bengaluru-560065, Karnataka** on behalf of **University of Agricultural Sciences, GKVK, Bangalore-560065, Karnataka** for **Extant (Notified)** variety of crop **Pigeon pea (*Cajanus cajan* (L.) Millsp.)** having denomination **BRG-3** has been accepted and given registration number -----
NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----
NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **BRG-3**
Applicant : University of Agricultural Sciences
Address of the applicant : GKVK, Bangalore-560065, Karnataka
Nationality of applicant : Indian
Application details
a. Number :

E7	CC12	26	1036

b. Date of receipt : 16/06/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Pigeon pea (*Cajanus cajan* (L.) Millsp.)

Denomination	: BRG-3
Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed denomination	: Not applicable
Name of parental material	: BRG 1 x ICP 8863
Source of parental material	: Own germplasm
Name of reference varieties	: BRG 2
Notification Details	: S.O. 6318 (E) dt. 26.12.2018

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Medium (5)
Plant: Growth habit (Characteristics 4)		Indeterminate (3)
Stem : Colour (Characteristics 5)		Green (1)
Pod: Waxiness (Characteristics 12)		Absent (1)
Seed: Colour (Characteristics 18)		Brown (2)
B. Distinct characteristics of candidate variety: BRG-3 has distinguishing characters as Flower: Colour of base of petal (standard): Red and Seed : Colour: Brown		
C. Distinct characteristics of reference varieties: BRG 2 has distinguishing characters as Flower: Colour of base of petal (standard): Yellow and Seed : Colour: Cream		
D. Date of commercialization of the variety		19/06/2018
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Karnataka Zone 5 (Eastern dry zone)
	: Time of Sowing	<i>Kharif</i>
	: Irrigated/Rainfed	Both
	: Low fertility/High fertility of Soil	Low fertile soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	25:50:25 kg/acre
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	Resistance to Fusarium wilt & Sterility mosaic disease
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i>
7.	Number of Pods per Plant (Average)	130-150

8.	Zone wise yield potential (Average per acre (q/acre)	7-8 q/acre
9.	Seed yield q/acre (average)	7-8 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Medium matured (160-170 days), intermediate, semi spreading, green stem, red flowers, brown streaks on pods, mottled seeds.
Figure- 31		DUS Characteristics of BRG-3

79. Application No.

E1	VUS1	26	1615

 filed on 31/07/2026 by Director, ICAR-IIHR, Hessaraghatta Lake PO, Bengaluru-560089, Karnataka on behalf of **Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bengaluru-560089, Karnataka** for Extant (Notified) variety of crop **Yardlong bean** (*Vigna unguiculata* subsp. *Sesquipedalis*) having denomination **Arka Mangala** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Arka Mangala**
Applicant : Indian Institute of Horticultural Research
Address of the applicant : Hessaraghatta Lake PO, Bengaluru-560089, Karnataka
Nationality of applicant : Indian
Application details
a. Number :

E1	VUS1	26	1615

b. Date of receipt : 31/07/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Yardlong bean (*Vigna unguiculata* subsp. *Sesquipedalis*)
Denomination : Arka Mangala
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : Pureline selection from IC582850
Source of parental material : Own germplasm
Name of reference varieties : Vyjayanthi
Notification Details : S.O. 1480 (E) dt. 01.04.2021

Variety description:

A. Grouping characteristics		Remarks (measured values)
Days to 50% flowering (Characteristics 1)		Late (7)
Climbing tendency (Characteristics 2)		Pronounced (5)
Plant: type (Characteristics 3)		Indeterminate (5)
Pod: Colour (Characteristics 6)		Green (3)
Pod : Length (cm) (Characteristics 9)		Long (7)
Pod: Thickness (cm) (Characteristics 10)		Thick (7)
Pod: Stringiness (Characteristics 11)		Absent (1)
B. Distinct characteristics of candidate variety:		
Arka Mangala has distinguishing characters as Pod: Colour: Green and Pod : Length (cm): Long		
C. Distinct characteristics of reference varieties:		
Vyjayanthi has distinguishing characters as Pod: Colour: Purple and Pod : Length (cm): Extra-long		
D. Date of commercialization of the variety		2016
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium (40-50 days)
2.	Production condition: Suitability Area in the Country	Recommended for cultivation in states of Karnataka, Tamil Nadu, Kerala, Punjab, Uttar Pradesh, Bihar and Jharkhand
	: Time of Sowing	<i>Kharif & Rabi</i> seasons in Karnataka, Tamil Nadu, Kerala and only <i>Kharif</i> season in Punjab, Uttar Pradesh, Bihar and Jharkhand
	: Irrigated/Rainfed	Irrigated condition require
	: Low fertility/High fertility of Soil	Arka Mangala can be cultivated in all types of soil, red loamy, is best suited
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	General recommendation is N:P:K-62:50:70 kgs/hectare. Fertilizer requirement varies with soil fertility and agronomic conditions, soil testing and zonal requirement may vary
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	-
5.	Resistance/Tolerance to Pest/s	Protective protection measures are recommended for pest and diseases
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i> season
7.	Number of Pods per Plant (Average)	35-45 pods per plant
8.	Zone wise yield potential (Average per acre (q/acre)	177.1 q/hectare in Karnataka, Tamil Nadu, Kerala and 134.03 q/hectare other

		zones under optimum condition
9.	Seed yield q/acre (average)	NA
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Nil
Figure- 32		DUS Characteristics of Arka Mangala

80. Application No.

E1	PS2	26	1828

 filed on 12/08/2026 by **Director of Research , CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, District Kangra- 176062, Himachal Pradesh** on behalf of **CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, District Kangra- 176062, Himachal Pradesh** for Extant (Notified) variety of crop **Garden Pea (*Pisum sativum* L.)** having denomination **Him Palam Matar-1 (DPP-SP-22)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Him Palam Matar-1 (DPP-SP-22)**
 Applicant : CSK Himachal Pradesh Krishi Vishvavidyalaya
 Address of the applicant : Palampur, District Kangra- 176062, Himachal Pradesh
 Nationality of applicant : Indian

Application details

E1	PS2	26	1828

a. Number :
 b. Date of receipt : 12/08/2026
 c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Garden Pea (*Pisum sativum* L.)
 Denomination : Him Palam Matar-1 (DPP-SP-22)
 Type of variety : Extant (Notified)
 Classification of variety : Typical
 Previously proposed denomination : Not applicable

Name of parental material : Palam Sumool x Palam Priya
 Source of parental material : Own germplasm
 Name of reference varieties : Pb-89
 Notification Details : S.O. 1362 (E) dt. 12.03.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Stipule: Rabbit- eared stipules (Characteristics 6)	Present (9)

Flower: Opening (days) (Characteristics 8)	Medium(3)	
Pod: Shape of distal part (Characteristics 12)	Blunt (9)	
Plant: Height (Characteristics 14)	Medium (5)	
Seed: Shape (Characteristics 15)	Spherical (1)	
Seed: Cotyledon colour (Characteristics 17)	Green (5)	
B. Distinct characteristics of candidate variety: Him Palam Matar-1 (DPP-SP-22) has distinguishing characters as Pod: curvature: Weak and Pod: intensity of green: Dark green		
C. Distinct characteristics of reference varieties: Pb-89 has distinguishing characters as Pod: curvature: Absent and Pod: intensity of green: Green		
D. Date of commercialization of the variety	26/04/2021	
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	50-55 (High hills) 65-80 (Low –Mid hills)
2.	Production condition: Suitability Area in the Country	Zone _ I of India (J&K, Himachal Pradesh, Uttarakhand and Ladakh)
	: Time of Sowing	Optimum time of sowing for normal season crop is October-Mid November and off season in high hills during March-June
	: Irrigated/Rainfed	NA
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	25:60:50 kg N:P ₂ O ₅ :K ₂ O/ha (Recommended dose of application for HP state) Urea:55kg,SSP:375kg/ha, MOP:83kg/ha Full doses of urea, SSP and MOP are to be added at the time of sowing
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	Tolerate frost at vegetative growth stage
5.	Resistance/Tolerance to Pest/s	Susceptible to powdery mildew and incidence of leaf minor is also observed
6.	The best growing season to attain the potential yield (zone wise)	Winter season (October-November sowing)
7.	Number of Pods per Plant (Average)	15.60
8.	Zone wise yield potential (Average per acre (q/acre)	56-66 q/acre
9.	Seed yield q/acre (average)	9-12
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Medium
Figure- 33,34		DUS Characteristics of Him Palam Matar-1 (DPP-SP-22)

81. Application No.

E1	PSS1	26	1829

 filed on 12/08/2026 by **Director of Research , CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, District Kangra- 176062, Himachal Pradesh** on behalf of **CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, District Kangra- 176062, Himachal Pradesh** for **Extant (Notified)** variety of crop **Snow Pea/Edible podded pea (*Pisum sativum* var. *saccharatum* L.)** having denomination **Him Palam Meethi Phali-2 (DPEPP-10-1)** has been accepted and given registration number -----
NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----
NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Him Palam Meethi Phali-2 (DPEPP-10-1)**
Applicant : CSK Himachal Pradesh Krishi Vishvavidyalaya
Address of the applicant : Palampur, District Kangra- 176062, Himachal Pradesh
Nationality of applicant : Indian

Application details

E1	PSS1	26	1829

a. Number :
b. Date of receipt : 12/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Snow Pea/Edible podded pea (*Pisum sativum* var. *saccharatum* L.)
Denomination : Him Palam Meethi Phali-2 (DPEPP-10-1)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : Pb-89 x DPEPP-2
Source of parental material : Own germplasm
Name of reference varieties : Arka Apoorva
Notification Details : S.O. 3254 (E) dt. 20.07.2022

Variety description:

A. Grouping characteristics	Remarks (measured values)
Stipule: Rabbit- eared stipules (Characteristics 6)	Present (9)
Flower: Opening (days) (Characteristics 8)	Late (4)
Pod: Shape of distal part (Characteristics 12)	Pointed (1)

Plant: Height (Characteristics 14)		Medium (5)
Seed: Shape (Characteristics 15)		Spherical (1)
Seed: Cotyledon colour (Characteristics 17)		Green (5)
B. Distinct characteristics of candidate variety: Him Palam Meethi Phali-2 (DPEPP-10-1) has distinguishing characters as Pod: shape of distal part: Pointed and Plant: Height: Medium		
C. Distinct characteristics of reference varieties: Arka Apoorva has distinguishing characters as Pod: shape of distal part: Blunt and Plant: Height: long		
D. Date of commercialization of the variety		26/04/2021
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	70-75 days during off-season in high hills and 110-125 days as main season crops in low and mid hills
2.	Production condition: Suitability Area in the Country	High, mid & Low hills of Himachal Pradesh
	: Time of Sowing	Optimum time of sowing for normal season crop is October-Mid November
	: Irrigated/Rainfed	NA
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	50:60:50 kg N:P ₂ O ₅ :K ₂ O/ha Urea:110kg,SSP:375kg/ha, MOP:83kg/ha Full doses of urea, SSP and MOP are to be added at the time of sowing
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	It can grow nicely under normal growing conditions
5.	Resistance/Tolerance to Pest/s	The proposed variety showed moderately resistant reaction to powdery mildew and low incidence of leaf minor
6.	The best growing season to attain the potential yield (zone wise)	Winter season (October-November sowing)
7.	Number of Pods per Plant (Average)	18-25
8.	Zone wise yield potential (Average per acre (q/acre)	Fresh pod yield: 32.37-40.46 Seed yield: 8.90-10.12
9.	Seed yield q/acre (average)	9-12
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Medium
Figure- 35		DUS Characteristics of Him Palam Meethi Phali-2 (DPEPP-10-1)

82. Application No.

E4	PV39	26	1875

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for **Extant (Notified)** variety of crop **Kidney bean/French bean (*Phaseolus vulgaris* L.)** having denomination **Kashi Agrim (VRFBB-91)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Agrim (VRFBB-91)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhavan, New Delhi-110012
Nationality of applicant : Indian
Application details

E4	PV39	26	1875

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Kidney bean/French bean (*Phaseolus vulgaris* L.)
Denomination : Kashi Agrim (VRFBB-91)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : Pure line selection from breeding population
Source of parental material : Own germplasm
Name of reference varieties : Arka Suvidha
Notification Details : S.O. 3254 (E) dt. 20.07.2022

Variety description:

A. Grouping characteristics	Remarks (measured values)
Time of flowering (Characteristics 1)	Early (3)
Plant: Habit (Characteristics 6)	Determinate (1)
Pod: Colour (Characteristics 15)	Pale Green (1)
Seed: Testa colour (Characteristics 21)	Black (5)
B. Distinct characteristics of candidate variety: Kashi Agrim (VRFBB-91) has distinguishing characters as Leaf: Intensity of green colour: Light and Seed: Testa colour: Black	
C. Distinct characteristics of reference varieties: Arka Suvidha has distinguishing characters as Leaf: Intensity of green colour: Dark and Seed: Testa colour: Brown	

D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	September-October
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	36:22:22 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	NA
5.	Resistance/Tolerance to Pests	Field tolerance to sclerotinia rot (<i>Scerotinia sclerotiorum</i>) disease
6.	The best growing season to attain the potential yield (zone wise)	NA
7.	Number of Pods per Plant (Average)	20-25
8.	Zone wise yield potential (Average per acre (q/acre)	50-60 q/acre
9.	Seed yield q/acre (average)	10-15 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	-
Figure- 36		DUS Characteristics of Kashi Agrim (VRFBB-91)

83. Application No.

E7	PV42	26	1878

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for **Extant (Notified)** variety of crop **Kidney bean/French bean (*Phaseolus vulgaris* L.)** having denomination **Kashi Rajhans (VRFBB-2/NR/BKS-2)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Rajhans (VRFBB-2/NR/BKS-2)**
Applicant : **Indian Council of Agricultural Research**

Address of the applicant : Krishi Bhavan, New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Kidney bean/French bean (*Phaseolus vulgaris* L.)
Denomination : Kashi Rajhans (VRFBB-2/NR/BKS-2)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : Pure line selection from breeding population
Source of parental material : Own germplasm
Name of reference varieties : Arka Komal
Notification Details : S.O. 692 (E) dt. 05.02.2019

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (Characteristics 1)		Early (3)
Plant: Habit (Characteristics 6)		Determinate (1)
Pod: Colour (Characteristics 15)		Green (2)
Seed: Testa colour (Characteristics 21)		White (1)
B. Distinct characteristics of candidate variety: Kashi Rajhans (VRFBB-2/NR/BKS-2) has distinguishing characters as Pod: Colour: Green and Pod: Stringiness: Absent		
C. Distinct characteristics of reference varieties: Arka Komal has distinguishing characters as Pod: Colour: Pale Green and Pod: Stringiness: Present		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Uttar Pradesh, Bihar and Jharkhand
	: Time of Sowing	Last week of October to first week of November
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	32-40:20-24:20-24 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat tolerant (28-32 °C)

5.	Resistance/Tolerance to Pests	Tolerant to French bean golden Yellow Mosaic virus in field conditions
6.	The best growing season to attain the potential yield (zone wise)	Suitable for growing during winter and spring seasons
7.	Number of Pods per Plant (Average)	60-65
8.	Zone wise yield potential (Average per acre (q/acre)	97-101 q/acre
9.	Seed yield q/acre (average)	10-15 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	-
Figure- 37		DUS Characteristics of Kashi Rajhans (VRFB-2/NR/BKS-2)

84. Application No.

E5	PV40	26	1876

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for **Extant (Notified)** variety of crop **Kidney bean/French bean (*Phaseolus vulgaris* L.)** having denomination **Kashi Baingani (VRFBP-14)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Baingani (VRFBP-14)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhavan, New Delhi-110012
Nationality of applicant : Indian

Application details

E5	PV40	26	1876

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Kidney bean/French bean (*Phaseolus vulgaris* L.)
Denomination : Kashi Baingani (VRFBP-14)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable

Name of parental material : Pure line selection from breeding population
Source of parental material : Own germplasm
Name of reference varieties : Kentucky Wonder
Notification Details : S.O. 1480 (E) dt. 01.04.2021

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (Characteristics 1)		Late (7)
Plant: Habit (Characteristics 6)		Indeterminate (3)
Pod: Colour (Characteristics 15)		Purple (3)
Seed: Testa colour (Characteristics 21)		Brown (2)
B. Distinct characteristics of candidate variety: Kashi Baingani (VRFBP-14) has distinguishing characters as Stem: Anthocyanin colouration: Present and Flower: Colour of standard petal: Violet		
C. Distinct characteristics of reference varieties: Kentucky Wonder has distinguishing characters as Stem: Anthocyanin colouration: Absent and Flower: Colour of standard petal: White		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Jammu & Kashmir, Himachal Pradesh and Uttarakhand; Madhya Pradesh, Maharashtra, and Goa, Karnataka, Tamil Nadu, Kerala and Pondicherry
	: Time of Sowing	November first week # 15 days
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	24:16:16 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	NA
5.	Resistance/Tolerance to Pests	NA
6.	The best growing season to attain the potential yield (zone wise)	Suitable for growing during winter and spring seasons
7.	Number of Pods per Plant (Average)	-
8.	Zone wise yield potential (Average per acre (q/acre)	65q/acre (49-73 q/acre in Zones I, VII & VIII)
9.	Seed yield q/acre (average)	10-15 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	-
Figure- 38,39		DUS Characteristics of Kashi Baingani (VRFBP-14)

85. Application No.

E6	PV41	26	1877

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for **Extant (Notified)** variety of crop **Kidney bean/French bean (*Phaseolus vulgaris* L.)** having denomination **Kashi Sampann (VRFBB-1/NR/BKS-1)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Sampann (VRFBB-1/NR/BKS-1)**

Applicant : Indian Council of Agricultural Research

Address of the applicant : Krishi Bhavan, New Delhi-110012

Nationality of applicant : Indian

Application details

a. Number

b. Date of receipt

c. Date of acceptance

E6	PV41	26	1877

: 17/08/2026

: 24/08/2026

Crop (taxonomical lineage) : Kidney bean/French bean (*Phaseolus vulgaris* L.)

Denomination : Kashi Sampann (VRFBB-1/NR/BKS-1)

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

Name of parental material : Contender x Arka Komal

Source of parental material : Own germplasm

Name of reference varieties : Arka Komal

Notification Details : S.O. 692 (E) dt. 05.02.2019

Variety description:

A. Grouping characteristics	Remarks (measured values)
Time of flowering (Characteristics 1)	Early (3)
Plant: Habit (Characteristics 6)	Determinate (1)
Pod: Colour (Characteristics 15)	Pale green (1)
Seed: Testa colour (Characteristics 21)	Brown (2)
B. Distinct characteristics of candidate variety: Kashi Sampann (VRFBB-1/NR/BKS-1) has distinguishing characters as Pod: Curvature: Absent and Pod: Shape of cross section (through seed): Circular	
C. Distinct characteristics of reference varieties: Arka Komal has distinguishing characters as Pod: Curvature: Medium and Pod: Shape of cross section (through seed): Cordate	

D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Late
2.	Production condition: Suitability Area in the Country	Uttar Pradesh, Bihar and Jharkhand
	: Time of Sowing	Last week of October to first week of November
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	36:22:22 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerant to temperature up to 32-38 °C
5.	Resistance/Tolerance to Pests	Tolerant to French bean golden yellow mosaic virus in field conditions
6.	The best growing season to attain the potential yield (zone wise)	Suitable for growing during winter and spring seasons
7.	Number of Pods per Plant (Average)	45-50
8.	Zone wise yield potential (Average per acre (q/acre)	90-120 q/acre
9.	Seed yield q/acre (average)	10-15 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	-
Figure- 40		DUS Characteristics of Kashi Sampann (VRFBB-1/NR/BKS-1)

86. Application No.

E1	VF3	26	1880

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for **Extant (Notified)** variety of crop **Faba bean (*Vicia faba* L.)** having denomination **Kashi Sampada** has been accepted and given registration number -----
--NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Sampada

Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhavan, New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E1	VF3	26	1880

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Faba bean (*Vicia faba* L.)
Denomination : Kashi Sampada
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : Pure line selection procedure from Exotic Collection: EC 628941
Source of parental material : Own germplasm
Name of reference varieties : ET 1107
Notification Details : S.O. 1362 (E) dt. 12.03.2024

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant: Growth habit (Characteristics 2)		Semi determinate (2)
Wing: Melanin spot (Characteristics 13)		Present (9)
Dry seed: Colour of testa (Characteristics 23)		Light Brown (5)
Dry seed: Black pigmentation of hilum (Characteristics 27)		Absent (1)
B. Distinct characteristics of candidate variety: Kashi Sampada has distinguishing characters as Pods: Number of pods per nod: Medium and Pod: Degree of curvature at green shell stage: Absent or Very weak		
C. Distinct characteristics of reference varieties: ET 1107 has distinguishing characters as Pods: Number of pods per nod: Few and Pod: Degree of curvature at green shell stage: Medium		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Jammu & Kashmir, Himachal Pradesh and Uttarakhand
	: Time of Sowing	September-October
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	36:22:22 kg/acre

4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerant to multiple environment stress including drought and waterlogging
5.	Resistance/Tolerance to Pests	Tolerant to powdery mildew and charcoal rot under field condition
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i>
7.	Number of Pods per Plant (Average)	60-65
8.	Zone wise yield potential (Average per acre (q/acre)	63-65 q/acre
9.	Seed yield q/acre (average)	25-30 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Seed pods and green leaves are rich in L-DOPA & C-DOPA
Figure- 41		DUS Characteristics of Kashi Sampada

87. Application No.

E3	VU10	26	1874

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi** on behalf of **Indian Council of Agricultural Research, Krishi Bhavan, New Delhi-110012** for Extant (Notified) variety of crop **Vegetable Cowpea (*Vigna unguiculate* (L.) Wala, SSP)** having denomination **Kashi Nidhi (VRCP-6)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Nidhi (VRCP-6)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhavan, New Delhi-110012
Nationality of applicant : Indian

Application details

E3	VU10	26	1874

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Vegetable Cowpea (*Vigna unguiculate* (L.) Wala, SSP)
Denomination : Kashi Nidhi (VRCP-6)
Type of variety : Extant (Notified)

Classification of variety : Typical
 Previously proposed denomination : Not applicable
 Name of parental material : Kashi Unnati x Cowpea -263
 Source of parental material : Own germplasm
 Name of reference varieties : Arka Garima
 Notification Details : S.O. 2363 (E) dt. 04.10.2015

Variety description:

A. Grouping characteristics		Remarks (measured values)
Days to 50% flowering (Characteristics 1)		Medium (5)
Climbing tendency (Characteristics 2)		None (1)
Plant type (Characteristics 3)		Determinate (3)
Pod: Colour (Characteristics 6)		Dark green (5)
Pod: Length (cm) (Characteristics 9)		Long (7)
Pod: Thickness (cm) (Characteristics 10)		Medium (7)
Pod: Stringiness(Characteristics 11)		Absent (1)
B. Distinct characteristics of candidate variety: Kashi Nidhi (VRCP-6) has distinguishing characters as Pod: Maturity: Early and Pod: Cross section (through seed) : Circular		
C. Distinct characteristics of reference varieties: Arka Garima has distinguishing characters as Pod: Maturity: Late and Pod: Cross section (through seed) : Oval		
D. Date of commercialization of the variety		20.02.2013
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Agro-ecological –Zone IV
	: Time of Sowing	Kharif & Zaid season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	NPK-30:80:60 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Can be grown at slightly high temperature of 30-35 °C
5.	Resistance/Tolerance to Pests	Tolerant to Jassid, Aphid, Pod borer. Resistant to GMV and <i>P. cruenta</i>
6.	The best growing season to attain the potential yield (zone wise)	February to August
7.	Number of Pods per Plant (Average)	40-45
8.	Zone wise yield potential (Average per acre)	140-160 q/ha

	(q/acre)	
9.	Seed yield q/acre (average)	10-12 q/ha
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	High
Figure- 42		DUS Characteristics of Kashi Nidhi (VRCP-6)

88. Application No.

F17	AHL18	25	1365

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. Krishna Naik K., S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KVN JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
--- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : KVN JACK
Applicant : Ms. Krishna Naik K
Address of the applicant : S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial Layout, Bangalore North-560065
Nationality of applicant : Indian
Application details :

F17	AHL18	25	1365

a. Number :
b. Date of receipt : 22/12/2025
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : KVN JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : SWARNA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-

Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KVN JACK has distinguishing characters as Tree Crown Shape is Elliptical & Seed colour (with seed coat) is Brown.	
C. Distinct characteristics of reference variety: SWARNA has distinguishing characters as Tree Crown Shape is Broadly pyramidal & Seed colour (with seed coat) is Cream.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KVN JACK

89. Application No.

F14	AHL15	25	1357

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. K. Santhamoorthy S/o Kaliyaperumal 110, South Street, Meliruppu, Kiliruppu, Panruti, Dist: Cuddalore-607103** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus Lam.*) having denomination **CHOCOLATE JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on -----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety	: CHOCOLATE JACK				
Applicant	: Mr. K. Santhamoorthy				
Address of the applicant	: S/o Kaliyaperumal 110, South Street, Meliruppu, Kiliruppu, Panruti, Dist: Cuddalore-607103				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F14</td><td>AHL15</td><td>25</td><td>1357</td></tr></table>	F14	AHL15	25	1357
F14	AHL15	25	1357		
b. Date of receipt	: 19/12/2025				
c. Date of acceptance	: 18/08/2026				
Crop (taxonomical lineage)	: Jackfruit (<i>Artocarpus heterophyllus Lam.</i>)				
Denomination	: CHOCOLATE JACK				
Type of variety	: Farmer				
Classification of variety	: Typical				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: NA				
Source of parental material	: NA				
Name of reference variety	: JANAGERE				
Variety description:					

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: CHOCOLATE JACK has distinguishing characters as Fruit Shape is Spheroid & Individual flake length is Long (>75 mm)	
C. Distinct characteristics of reference variety: JANAGERE has distinguishing characters as Fruit Shape is Clavate & Individual flake length is Medium (51-75 mm)	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of CHOCOLATE JACK

90. Application No.

F17	AHL18	26	53

 filed on 09/01/2026 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. S Ramaswamy, Mallangampattu (Post), Panruti (Tq), Cuddalore (D), Tamil Nadu** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **R-42 (RAMASAMY 42 BRIX)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety	: R-42 (RAMASAMY 42 BRIX)				
Applicant	: Mr. S Ramaswamy				
Address of the applicant	: Mallangampattu (Post), Panruti (Tq), Cuddalore (D), Tamil Nadu.				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table;"><tr><td>F17</td><td>AHL18</td><td>26</td><td>53</td></tr></table>	F17	AHL18	26	53
F17	AHL18	26	53		
b. Date of receipt	: 09/01/2026				
c. Date of acceptance	: 18/08/2026				
Crop (taxonomical lineage)	: Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)				
Denomination	: R-42 (RAMASAMY 42 BRIX)				
Type of variety	: Farmer				
Classification of variety	: Typical				

Previously proposed : Not applicable
Denomination
Name of parental material : NA
Source of parental material : NA
Name of reference variety : LALBAGH MADHURA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Big (>12-20 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: R-42 (RAMASAMY 42 BRIX) has distinguishing characters as Stalk attachment to fruit is Inflated & Latex exudation (cross section of fruit core) is High(>2ml).	
C. Distinct characteristics of reference variety: LALBAGH MADHURA has distinguishing characters as Stalk attachment to fruit is Depressed & Latex exudation (cross section of fruit core) is Low(<2ml).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of R-42 (RAMASAMY 42 BRIX)

91. Application No.

F18	AHL19	25	1366

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Ms. Krishna Naik K., S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **VIAR FL-YEL JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : VIAR FL-YEL JACK
Applicant : Ms. Krishna Naik K
Address of the applicant : S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial Layout, Bangalore North-560065
Nationality of applicant : Indian

Application details

a. Number	:	F18	AHL19	25	1366
b. Date of receipt	:	22/12/2025			
c. Date of acceptance	:	18/08/2026			
Crop (taxonomical lineage)	:	Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)			
Denomination	:	VIAR FL-YEL JACK			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	JANAGERE			

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety:	
VIAR FL-YEL JACK has distinguishing characters as Leaf posture is Flattened & Latex exudation (cross section of fruit core) is High (>2ml)	
C. Distinct characteristics of reference variety:	
JANAGERE has distinguishing characters as Leaf posture is Conduplicate & Latex exudation (cross section of fruit core) is Gumless.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of VIAR FL-YEL JACK

92. Application No.

F30	AHL30	24	1129

 filed on 11/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103** through **Mr. Laxmi Kanta Murmu, Bheduasole, Rani Bandh, Dist: Bankura, West Bengal-722135** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **LAXMI KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : LAXMI KATHAL
Applicant : Mr. Laxmi Kanta Murmu
Address of the applicant : Bheduasole, Rani Bandh, Dist: Bankura,
West Bengal-722135
Nationality of applicant : Indian

Application details
a. Number :

F30	AHL30	24	1129

b. Date of receipt : 11/12/2024
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : LAXMI KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : LODHA KATHAR

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: LAXMI KATHAL has distinguishing characters as Ripe fruit Peel colour is Greenish yellow & Flake Shape is Rectangular.	
C. Distinct characteristics of reference variety: LODHA KATHAR has distinguishing characters as Ripe fruit Peel colour is Brown & Flake Shape is Spheroid.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of LAXMI KATHAL

93. Application No.

F35	AHL35	24	1134

 filed on 11/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103** through **Mr. Goutam Mandal, Biradini, Simla Bandh, Hirbandh, Dist: Bankura, West Bengal-**

722101 for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **GOUTAM KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : GOUTAM KATHAL
Applicant : Mr. Goutam Mandal
Address of the applicant : Biradini, Simla Bandh, Hirbandh, Dist: Bankura, West Bengal-722101
Nationality of applicant : Indian

Application details

a. Number	:	F35	AHL35	24	1134
b. Date of receipt	:	11/12/2024			
c. Date of acceptance	:	19/08/2026			
Crop (taxonomical lineage)	:	Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)			
Denomination	:	GOUTAM KATHAL			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	MANTRI			

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: GOUTAM KATHAL has distinguishing characters as Fruit Shape is Oblong & Ripe fruit Peel colour is Green.	
C. Distinct characteristics of reference variety: MANTRI has distinguishing characters as Fruit Shape is Ellipsoid & Ripe fruit Peel colour is Greenish yellow.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of GOUTAM KATHAL

94. Application No.

F19	AHL19	24	1118

 filed on 11/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103** through **Mr. Ajit Saren, Village: Muchikata, PO: Muchikata, PS: Barikul, Dist: Bankura, West Bengal-722135** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **AJIT KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA -----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : AJIT KATHAL
Applicant : Mr. Ajit Saren
Address of the applicant : Village: Muchikata, PO: Muchikata, PS: Barikul, Dist:Bankura, West Bengal-722135
Nationality of applicant : Indian
Application details
a. Number :

F19	AHL19	24	1118

b. Date of receipt : 11/12/2024
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : AJIT KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JOGINYA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: AJIT KATHAL has distinguishing characters as Fruit Shape is & Ripe fruit Peel colour is Green	
C. Distinct characteristics of reference variety:	

JOGINYA has distinguishing characters as Fruit Shape is & Ripe fruit Peel colour is Brown.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of AJIT KATHAL

95. Application No.

F25	MI25	25	823

 filed on 29/7/2025 by **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmankhera, Post: Kakori, Lucknow-226101, Uttar Pradesh** on behalf of **Sh. Rajender Singh, Village: Pure Mana Singh, PO: Rehuwa Lalganj, Tehsil: Lalganj, Dist: Pratapgarh-230139, Bihar** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **Pratap Aam** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Pratap Aam
Applicant : Sh. Rajender Singh
Address of the applicant : Village: Pure Mana Singh, PO: Rehuwa Lalganj, Tehsil: Lalganj, Dist: Pratapgarh-230139, Bihar
Nationality of applicant : Indian

Application details

F25	MI25	25	823

a. Number :
b. Date of receipt : 29/7/2025
c. Date of acceptance : 19/8/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Pratap Aam
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : AMIN PRINCE

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded outward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic

B. Distinct characteristics of candidate variety:

Pratap Aam has distinguishing characters as Mature fruit: Presence of cavity at stalk absent and Mature fruit: Presence of neck present.

C. Distinct characteristics of reference variety:

AMIN PRINCE has distinguishing characters as Mature fruit: Presence of cavity at stalk present and Mature fruit: Presence of neck absent.

D. Date of commercialization of the variety

-

[DUS Characteristics of Pratap Aam](#)

96. Application No.

F22	MI22	25	820

 filed on 29/7/2025 by **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmankhara, Post: Kakori, Lucknow-226101, Uttar Pradesh** on behalf of **Sh. Pushpendra Singh Chauhan, 591/9, Shyam Nagar Colony, RBL Road, Utrathia-226025, Lucknow, Uttar Pradesh** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **Tapsee** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Tapsee

Applicant : Sh. Pushpendra Singh Chauhan

Address of the applicant : 591/9, Shyam Nagar Colony, RBL Road, Utrathia-226025, Lucknow, Uttar Pradesh

Nationality of applicant : Indian

Application details

a. Number

F22	MI22	25	820

b. Date of receipt

: 29/7/2025

c. Date of acceptance

: 19/8/2026

Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)

Denomination : Tapsee

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : Not applicable

Source of parental material : Own germplasm

Name of reference variety : August

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded upward
Mature fruit: Presence of sinus (Characteristic 26)	Absent
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: Tapsee has distinguishing characters as Mature fruit: Density of lenticel sparse and Mature fruit: Presence of cavity at stalk absent .	
C. Distinct characteristics of reference variety: August has distinguishing characters as Mature fruit: Density of lenticel dense and Mature fruit: Presence of cavity at stalk present .	
D. Date of commercialization of the variety	-
DUS Characteristics of Tapsee	

97. Application No.

F1	MI1	26	58

 filed on 15/1/2026 by **Sh. Sharad Narendra Shinde, At: Mandhal, PO: Bhagdi, Taluk: Lakhandur, District: Bhandara-441803, Maharashtra** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **Sharad Mango** has been accepted and given registration number -----NA -- -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Sharad Mango
Applicant : Sharad Narendra Shinde
Address of the applicant : At: Mandhal, PO: Bhagdi, Taluk: Lakhandur, District: Bhandara-441803, Maharashtra

Nationality of applicant : Indian

Application details

a. Number :

F1	MI1	26	58

b. Date of receipt : 15/1/2026
c. Date of acceptance : 19/8/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Sharad Mango
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination

Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : Dashehari

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Sloping downward
Mature fruit: Presence of sinus (Characteristic 26)	Absent
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: Sharad Mango has distinguishing characters as Mature fruit: Presence of neck present and Mature fruit: Presence of sinus absent .	
C. Distinct characteristics of reference variety: Dashehari has distinguishing characters as Mature fruit: Presence of neck absent and Mature fruit: Presence of sinus present .	
D. Date of commercialization of the variety	-
DUS Characteristics of Sharad Mango	

98. Application No.

F61	MI61	25	1020

 filed on 20/08/2025 by **Director, Central Institute for Subtropical Horticulture, Rehmanikhera, PO: Kakori, Lucknow-227107** on behalf of **Sh Upendra Kumar Singh, Village & PO: Nobipanah, Block: Mall, Tehsil: Malihabad, Dist: Lucknow-226104, Uttar Pradesh** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **NEHAL PASAND** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **NEHAL PASAND**
Applicant : **Sh Upendra Kumar Singh**
Address of the applicant : Village & PO: Nobipanah, Block: Mall, Tehsil: Malihabad, Dist: Lucknow-226104, Uttar Pradesh
Nationality of applicant : Indian
Application details
a. Number :

F61	MI61	25	1020

b. Date of receipt : 20/08/2025
c. Date of acceptance : 18/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)

Denomination : **NEHAL PASAND**
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : Not applicable
 Source of parental material : Own germplasm
 Name of reference variety : **DASHEHARI**

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded downward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: NEHAL PASAND has distinguishing characters as Mature fruit: Presence of cavity at stalk: Absent .	
C. Distinct characteristics of reference variety: DASHEHARI has distinguishing characters as Mature fruit: Presence of cavity at stalk: Present .	
D. Date of commercialization of the variety	-
DUS Characteristics of NEHAL PASAND	

99. Application No.

E3	BC3	25	561

 Filed on 15/05/2025 by **Mr. Onkar Singh, ACSEN Agriscience Pvt. Ltd., Village- Nunhera, Near Toll Plaza, Opp. Veda International School, Sohna-Ballabgarh Road, Sohna, Gurugram-122103 Haryana on behalf of ACSEN AGRISCIENCE PVT LTD, No-47, Co-operative colony, Uppilpalayam, Coimbatore-641015 Tamil Nadu** for Extant (VCK) Typical variety of crop **Cabbage** (*Brassica oleracea* L. var. capitata) having denomination **HVCB-094** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **HVCB-094**
Applicant : **ACSEN AGRISCIENCE PVT LTD.,**
Address of the applicant : No-47, Co-operative colony, Uppilpalayam, Coimbatore-641015 Tamil Nadu

Nationality of applicant : Indian

Application details

a. Number	:	E3	BC3	25	561
b. Date of receipt	:	15/05/2025			
c. Date of acceptance	:	14/08/2026			

Crop (taxonomical lineage) : Cabbage (*Brassica oleracea* L. var. capitata)

Denomination : HVCB-094

Type of variety : Extant (VCK)

Classification of variety : Typical

Previously proposed : NA

denomination

Name of parental material : HVCB-094 F X HVCB-094 M

Source of parental material : Own germplasm

Name of reference varieties : Pusa Mukta

Variety description:

A. Grouping characteristics		Remarks (measured values)
Head: Shape of longitudinal section (Characteristic 13)		Circular (3)
Head: Colour of cover leaves (Characteristic 20)		Light green (1)
Head: Compactness (Characteristic 22)		Compact (7)
Head: Maturity duration (from sowing) (Characteristic 24)		Medium (5)
B. Distinct characteristics of candidate variety:		
HVCB-094 has distinguishing character as		
Outer leaf: Undulation of margin: Medium		
Head: Anthocyanin colouration of cover leaf: Present		
C. Distinct characteristics of reference varieties:		
Pusa Mukta has distinguishing character as		
Outer leaf: Undulation of margin: Strong		
Head: Anthocyanin colouration of cover leaf: Absent		
D. Date of commercialization of the variety		30.04.2024 HVCB-094
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Maharashtra, North Karnataka
	: Time of Sowing	September to November, January
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High Fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	60:40:48
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Intermediate Tolerance

5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Slight Tolerance
7.	Staking & pruning Practices	Not applicable
8.	Winter – spring cropping seasons Type	Not applicable
9.	Fruit Yield (q/ ac)	270q/acre
10.	Fruit Yield/plant (kg/p) (average)	1300 to 1400 Grams per plant
11.	Fruit quality and Fruit firmness	Good quality and high firmness
12.	Fruit picking Schedule	60-65 Days after transplanting
13.	Transport Potential (Days)	NA
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	High compact densely packed head. 20-25 days field Holding Capacity
15	Any other relevant information specific to the variety/hybrid	-
<u>DUS Characteristics of HVCB-094</u>		

100. Application No.

E4	BC4	25	562

 Filed on 15/05/2025 by **Mr. Onkar Singh, ACSEN Agriscience Pvt. Ltd., Village- Nunhera, Near Toll Plaza, Opp. Vedas International School, Sohna-Ballabgarh Road, Sohna, Gurugram-122103 Haryana on behalf of ACSEN AGRISCIENCE PVT LTD, No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015 Tamil Nadu** for Extant (VCK) Typical variety of crop **Cabbage** (*Brassica oleracea* L. var. capitata) having denomination **HVCB-094F** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **HVCB-094F**
Applicant : **ACSEN AGRISCIENCE PVT LTD.,**
Address of the applicant : **No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015 Tamil Nadu**
Nationality of applicant : **Indian**

Application details

a. Number	:	E4	BC4	25	562
b. Date of receipt	:	15/05/2025			
c. Date of acceptance	:	14/08/2026			
Crop (taxonomical lineage)	:	Cabbage (<i>Brassica oleracea</i> L. var. capitata)			
Denomination	:	HVCB-094F			
Type of variety	:	Extant (VCK)			
Classification of variety	:	Typical			
Previously proposed denomination	:	NA			
Name of parental material	:	Selection Method			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	Pusa Mukta			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Head: Shape of longitudinal section (Characteristic 13)		Circular (3)
Head: Colour of cover leaves (Characteristic 20)		Light green (1)
Head: Compactness (Characteristic 22)		Compact (7)
Head: Maturity duration (from sowing) (Characteristic 24)		Medium (5)
B. Distinct characteristics of candidate variety: HVCB-094F has distinguishing character as Outer leaf: Crimping: Weak Head: Polar diameter (cm): Long Head: Anthocyanin colouration of cover leaf: Present		
C. Distinct characteristics of reference varieties: Pusa Mukta has distinguishing character as Outer leaf: Crimping: Strong Head: Polar diameter (cm): Medium Head: Anthocyanin colouration of cover leaf: Absent		
D. Date of commercialization of the variety		30.04.2024 (Sonet (94))
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium (100-120 days)
2.	Production condition: Suitability Area in the Country	Rajasthan, Gujarat, Bihar, West Bengal, Orissa, Chhattisgarh
	: Time of Sowing	August to October
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High Fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	60:40:48

4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Slight Tolerance
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Susceptible
7.	Staking & pruning Practices	Not applicable
8.	Winter – spring cropping seasons Type	Not applicable
9.	Fruit Yield (q/ ac)	240q/acre
10.	Fruit Yield/plant (kg/p) (average)	1100 to 1200 Grams per plant
11.	Fruit quality and Fruit firmness	Good quality and high firmness
12.	Fruit picking Schedule	55-60 Days after transplanting
13.	Transport Potential (Days)	NA
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Attractive plant with fresh green coloured head. 12-15 days Field Holding Capacity
15	Any other relevant information specific to the variety/hybrid	Candidate variety is parent line and it is being used to produce hybrid. Therefore, production protocols shall be followed as prescribed by the company by the engaged farmers in the production practice.
DUS Characteristics of HVCB-094F		

101. Application No.

F26	MI26	25	824

 filed on 29/07/2025 **Director ICAR-Central Institute of Subtropical Horticulture, Rehmankhera, Post: Kakori, Lucknow-226101 (Uttar Pradesh)** on behalf of **Pushpendra Singh Chauhan, 591/9, Shyam Nagar Colony, RBL Road, Utrathia-226025, (Uttar Pradesh)** for **Farmer** variety of **Mango (*Mangifera Indica* L.)** having denomination **MADHURI-RASEELI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **MADHURI-RASEELI**
Applicant : Pushpendra Singh Chauhan
Address of the applicant : 591/9, Shyam Nagar Colony, RBL Road,
Utrathia- 226025, (Uttar Pradesh)
Nationality of applicant : Indian
Application details
a. Number :

F26	MI26	25	824

b. Date of receipt : 29/07/2025
c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera Indica* L.)
Denomination : MADHURI-RASEELI
Type of variety : Farmer
Classification of variety :
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Latif–Us–Sumar

Variety description:

A. Group characteristics	Remarks (measured values)
Ch 23: Mature Fruit: Shape of ventral shoulder	Rounded outward
Ch 26: Mature Fruit: Presence of sinus	Absent
Ch 29: Maturity: Fruits ready to harvest	Medium
Ch 33: Seed: Embryony	Monoembryonic
B. Distinct characteristics of candidate variety: MADHURI-RASEELI has distinguishing characters as Ch 13: Inflorescence: Anthocyanin coloration of axis and branches- Absent or weak (1), Ch32: Seed: kernel in lateral view – Oblong (3).	
C. Distinct characteristics of reference variety: Latif–Us–Sumar has distinguishing characters as Ch 13: Inflorescence: Anthocyanin coloration of axis and branches- Medium (3), Ch32: Seed: kernel in lateral view – Reniform (7).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of MADHURI-RASEELI

102. Application No.

F16	MI16	25	733

 filed on 17/06/2025
Vidhyadhar Patel House No. 19/2, Village: Gautiya Para, Tehsil: Baramkela, Kamalapani, Raigarh-496551 (Chhattisgarh) for **Farmer** variety of **Mango (*Mangifera Indica* L.)** having denomination **KAMLA**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
 ----NA -----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ---
 --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KAMLA**
Applicant : Vidhyadhar Patel
Address of the applicant : House No. 19/2, Village: Gautiya Para, Tehsil:
 Baramkela, Kamalapani, Raigarh-496551,
 (Chhattisgarh)

Nationality of applicant : Indian

Application details

a. Number :

F16	MI16	25	733

 b. Date of receipt : 17/06/2025
 c. Date of acceptance : 19/08/2026

Crop (taxonomical lineage) : Mango (*Mangifera Indica* L.)

Denomination : KAMLA

Type of variety : Farmer

Classification of variety :

Previously proposed : Not applicable

Denomination :

Name of parental material : NA

Source of parental material : Own material

Name of reference variety : Amin Khurd

Variety description:

A. Group characteristics	Remarks (measured values)
Mature Fruit: Shape of ventral shoulder (Characteristic.23)	Rounded downward
Mature Fruit: Presence of sinus (Characteristic. 26)	Absent
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium
Seed: Embryony (Characteristic.33)	Monoembryonic
B. Distinct characteristics of candidate variety:	
KAMLAhas distinguishing characters as Ch 9: Petiole length- Short (< 1.5 cm) (3), Ch 18: Mature fruit pulp colour -Sparse (3)	

C. Distinct characteristics of reference variety:

Amin Khurd has distinguishing characters as Ch 9: Petiole length- Medium (1.5-3.0cm) (5), Ch 18: Mature fruit pulp colour -Dense (7)

D. Date of commercialization of the variety

NA

Figure: NA
[DUS Characteristics of KAMLA](#)

103. Application No.

F21	MI21	25	819

 filed on 29/07/2025
Pushpendra Singh Chauhan, 591/9, Shyam Nagar Colony, RBL Road, Utrathia-226025
 through **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmanpura,**
Post: Kakori, Lucknow-226101 for **Farmer** variety of **Mango (*Mangifera indica* L.)**
 having denomination **Divya** the specification including its drawing and or photograph(s) of
 which are given below, has been accepted and given registration number -----NA -----
 --on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been
 filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection
 of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR
 Authority, New Delhi – 110 012.

Passport data of the variety : **Divya**
Applicant : **Pushpendra Singh Chauhan**
Address of the applicant : 591/9, Shyam Nagar Colony, RBL Road,
 Utrathia-226025
Nationality of applicant : Indian
Application details
 a. Number :

F21	MI21	25	819

 b. Date of receipt : 29/07/2025
 c. Date of acceptance : 19/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Divya
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Nayab

Variety description:

A. Group characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded outward (3)

Mature fruit: Presence of sinus (Characteristic. 26)	Absent (1)
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of Fruit maturity season) (5)
Seed: Embryony (Characteristic. 33)	Mono-embryonic (1)
B. Distinct characteristics of candidate variety: Divya has distinguishing characters as Leaf: Shape of apex (Characteristic 8)- Attenuate, Inflorescence: Length (Primary branch) (Characteristic 11)- Medium	
C. Distinct characteristics of reference variety: Nayab has distinguishing characters as Leaf: Shape of apex (Characteristic 8)- Acuminate, Inflorescence: Length (Primary branch) (Characteristic 11)- Short	
D. Date of commercialization of the variety	NA
Figure: 158	DUS Characteristics of Divya

104. Application No.

E31	CA(C) 52	26	1867

 filed on 17/08/2026 by **Dr, Rajesh Kumar, Director, ICAR- Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305** applied on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Chilli (*Capsicum annuum* L.)** having denomination **KASHI ABHA (VR-339)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI ABHA (VR-339)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001
Nationality of applicant : Indian
Application details
a. Number :

E31	CA(C) 52	26	1867

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Chilli (*Capsicum annuum* L.)
Denomination : KASHI ABHA (VR-339)

Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed	
Denomination	: Not applicable
Name of parental material	: local breeding population of BULLET B2
Source of parental material	: Own germplasm
Name of reference varieties	: Pusa Jwala
Notification details	: 692(E) Dt.05/02/2019

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Plant: Habit (characteristic 2)		Semi- Upright
Flower/Fruit: Orientation (characteristic 24)		Semi- Drooping
Fruit: Fruit bearing habit (characteristic 25)		Solitary(1)
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Moderately Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinguishable Characteristics of Candidate Variety		
KASHI ABHA (VR-339) It has distinguishing characters as Fruit Curvature: Absent and Fruit Pedicel attachment:Weak.		
C. Distinguishable Characteristics of Reference varieties:		
Pusa Jwala : It has distinguishing characters as Fruit Curvature: Present and Fruit Pedicel attachment:Strong.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early to medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Kharif (July- August)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:35:35
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	The plant keeps flowering and set fruits even during severe cold or hot condition(from 10-40)
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	NA

6.	Resistance/Tolerance to Pests	Tolerant to thrips and Mites disease
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	NA
9.	Fruit Yield (q/ ac)	60-65q/ha
10.	Fruit Yield/plant (kg/p) (average)	0.57 kg
11.	Fruit quality and Fruit firmness	Short, stout, blunt fruit apex and highly pungent and thus suitable for packing and long distance transportation
12.	Fruit picking Schedule	3-4 picking, start from 40-45 DAT
13.	Transport Potential (Days)	7
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Highly Pungent fruit with self-life of 10days .
15	Any other relevant information specific to the variety/hybrid	
Figure- 43		DUS Characteristics of Kashi Abha (VR-339)

105. Application No.

E30	CA(C) 51	26	1866

 filed on 17/08/2026 by **Dr, Rajesh Kumar, Director, ICAR- Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305** applied on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Chilli (*Capsicum annuum* L.)** having denomination **KASHI GARIMA (CCH-11)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI GARIMA (CCH-11)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001
Nationality of applicant : Indian
Application details
a. Number :

E30	CA(C) 51	26	1866

b. Date of receipt	: 17/08/2026
c. Date of acceptance	: 24/08/2026
Crop (Taxonomical lineage)	: Chilli (<i>Capsicum annuum</i> L.)
Denomination	: KASHI GARIMA (CCH-11)
Type of variety	: Extant (Notified)
Classification of variety	: Hybrid
Previously proposed	
Denomination	: Not applicable
Name of parental material	: CMS Line-A2 (IC395318) X Kashi Abha
Source of parental material	: Own germplasm
Name of reference varieties	: KA-2 (Kashi Anmol)
Notification details	: 1363 (E) Dt.12/03/2024

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Plant: Habit (characteristic 2)		Spreading
Flower/Fruit: Orientation (characteristic 24)		Semi- Drooping
Fruit: Fruit bearing habit (characteristic 25)		Solitary(1)
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Narrowly Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinguishable Characteristics of Candidate Variety		
KASHI GARIMA (CCH-11) It has distinguishing characters as Plant:Habit: Upright and Fruit: nech at basl end:Present		
C. Distinguishable Characteristics of Reference varieties:		
KA-2 (Kashi Anmol) : It has distinguishing characters as Plant:Habit: Spreading and Fruit: nech at basl end:Absent.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early to Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Kharif (July- August)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:35:35
4.	Tolerance to adverse Temperature/Frost/	NA

	&Heat- Sensitive/Tolerance	
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Field tolerance to ChiLCV
6.	Resistance/Tolerance to Pests	NA
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	NA
9.	Fruit Yield (q/ ac)	80-90q/ha
10.	Fruit Yield/plant (kg/p) (average)	0.54 kg
11.	Fruit quality and Fruit firmness	Pungent Fruits With Slightly Wrinkled Surface , Export Potential
12.	Fruit picking Schedule	3-4 picking, start from 60-65 DAT
13.	Transport Potential (Days)	7-8
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Pungent fruits with self-life of 10days
15	Any other relevant information specific to the variety/hybrid	
Figure- 44		DUS Characteristics of Kashi Garima (CCH-11)

106. Application No.

E33	CA (C) 54	26	1869

 filed on 17/08/2026 by **Dr, Rajesh Kumar, Director, ICAR- Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305** applied on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for Extant (Notified) variety of crop **Chilli (*Capsicum annuum* L.)** having denomination **KASHI RATNA (CCH-12)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI RATNA (CCH-12)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001

Nationality of applicant : Indian

Application details

a. Number :

E33	CA (C) 54	26	1869

b. Date of receipt : 17/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Chilli (*Capsicum annuum* L.)

Denomination : KASHI RATNA (CCH-12)

Type of variety : Extant (Notified)

Classification of variety : Hybrid

Previously proposed

Denomination : Not applicable

Name of parental material : CMS Line-A2(CCA-4757) and Kashi anmol

Source of parental material : Own germplasm

Name of reference varieties : KA-2 (Kashi Anmol)

Notification details : 692(E) Dt.05/02/2019

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Plant: Habit (characteristic 2)		Semi- Upright
Flower/Fruit: Orientation (characteristic 24)		Drooping
Fruit: Fruit bearing habit (characteristic 25)		Solitary(1)
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Narrowly Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinguishable Characteristics of Candidate Variety		
KASHI RATNA (CCH-12) It has distinguishing characters as Fruit Length(cm): Long (8.5-10 cm) and Fruit: Texture of Surface :Rough.		
C. Distinguishable Characteristics of Reference varieties:		
KSHI Anmol (KA-2) : It has distinguishing characters as Fruit Length(cm): Medium (5.0-5.5 cm) and Fruit: Texture of Surface :Smooth.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Kharif(July- August)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate

3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	60:35:35
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	NA
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	NA
6.	Resistance/Tolerance to Pests	Tolerant to thrips and anthracnose disease
7.	Staking & pruning Practices	May be
8.	Winter – spring cropping seasons Type	NA
9.	Fruit Yield (q/ ac)	60-65q/ha
10.	Fruit Yield/plant (kg/p) (average)	0.75-0.8kg
11.	Fruit quality and Fruit firmness	Pungent fruits with slightly wrinkled surface , export potential
12.	Fruit picking Schedule	3-4 picking, start from 40-45 DAT
13.	Transport Potential (Days)	7
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Medium glossy with slightly rough fruit texture , excellent for table purpose
15	Any other relevant information specific to the variety/hybrid	
Figure- 45		DUS Characteristics of Kashi Ratna (CCH-12)

107. Application No.

E32	CA(C) 53	26	1868

 filed on 17/08/2026 by **Dr, Rajesh Kumar, Director, ICAR- Indian Institute of Vegetable Research, Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305** applied on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Chilli (*Capsicum annuum* L.)** having denomination **KASHI TEJ (CCH-4)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety	: KASHI TEJ (CCH-4)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1"><tr><td>E32</td><td>CA(C) 53</td><td>26</td><td>1868</td></tr></table>	E32	CA(C) 53	26	1868
E32	CA(C) 53	26	1868		
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Chilli (<i>Capsicum annuum</i> L.)				
Denomination	: KASHI TEJ (CCH-4)				
Type of variety	: Extant (Notified)				
Classification of variety	: Hybrid				
Previously proposed					
Denomination	: Not applicable				
Name of parental material	: CMS Line-A2 (CCA-4757) X Inbred from Pusa Jwala				
Source of parental material	: Own germplasm				
Name of reference varieties	: KA-2 (Kashi Anmol)				
Notification details	: 692(E) Dt.05/02/2019				

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Plant: Habit (characteristic 2)		Spreading
Flower/Fruit: Orientation (characteristic 24)		Semi- Drooping
Fruit: Fruit bearing habit (characteristic 25)		Solitary(1)
Fruit: Colour (at mature green fruit stage on plants) (characteristic 26)		Green
Fruit: Shape in longitudinal section (characteristic 30)		Narrowly Triangular
Fruit: Colour (at ripe fruit stage on plants) (characteristic 37)		Red
Fruit: Shape at base (characteristic 41)		Acute
Fruit: Shape at apex (characteristic 42)		Acute
B. Distinguishable Characteristics of Candidate Variety		
KASHI TEJ (CCH-4) It has distinguishing characters as Fruit : Sinuation of Pericarp: Medium and Fruit: Calyx Margin: Dented.		
C. Distinguishable Characteristics of Reference varieties:		
KA-2 (Kashi Anmol) : It has distinguishing characters as Fruit : Sinuation of Pericarp: Weak and Fruit: Calyx Margin: Smooth.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Uttar Pradesh

	: Time of Sowing	Kharif (July- August)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Moderate
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:35:35
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	NA
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	NA
6.	Resistance/Tolerance to Pests	Tolerant to thrips and Resistance To Anthracnose
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	NA
9.	Fruit Yield (q/ ac)	65-70q/ha
10.	Fruit Yield/plant (kg/p) (average)	0.66 kg
11.	Fruit quality and Fruit firmness	Pungent, Parrot Green, Long Fruit
12.	Fruit picking Schedule	3-4 picking, start from 35-40 DAT
13.	Transport Potential (Days)	7
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Suitable for both table and red purpose
15	Any other relevant information specific to the variety/hybrid	
Figure- 46		DUS Characteristics of Kashi Tej (CCH-4)

108. Application No.

E23	LL28	26	1857

 filed on 17/08/2026 by **Director, ICAR-Indian Institute of Vegetable Research, PB: 01, PO: Jakhni (Shahnshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research (ICAR), Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi-110012** for Extant **Notified** variety of crop **Tomato [*Lycopersicon lycopersicum* (L.) Karsten ex. Farw.]** having denomination **Kashi Tamatar-8 (Kashi Chayan)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	:	Kashi Tamatar-8 (Kashi Chayan)
Applicant	:	Indian Council of Agricultural Research (ICAR)
Address of the applicant	:	Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi-110012, India
Nationality of applicant	:	Indian
Application details		
a. Number	:	E23 LL28 26 1857
b. Date of receipt	:	17/08/2026
c. Date of acceptance	:	24/08/2026
Crop (taxonomical lineage)	:	Tomato [<i>Lycopersicon lycopersicum</i> (L.) Karsten ex. Farw.]
Denomination	:	Kashi Tamatar-8 (Kashi Chayan)
Type of variety	:	Extant Notified
Classification of variety	:	Typical
Previously proposed	:	Not applicable
Denomination	:	
Name of parental material	:	Meghalaya Local × H-88-78-2
Source of parental material	:	Own germplasm
Name of reference varieties	:	VRT 19

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant: Growth type (Characteristic 3)		Determinate (1)
Leaflet: Serration (Characteristic 12)		Highly serrated (7)
Fruit: Green shoulder (before maturity) (Characteristic 29)		Present (9)
Fruit: Shape in longitudinal section (Characteristic 33)		Flattened (1)
Fruit: Colour at maturity (Characteristic 43)		Red (4)
B. Distinct characteristics of candidate variety: Kashi Tamatar-8 (Kashi Chayan) has distinguishing characters as Leaf: Intensity of green colour: Medium; Fruit: Size (average weight of 10 fruits) (g): Very large (>1000); Fruit: Size of blossom scar: Medium; Fruit: Firmness (kg/cm ²): Soft (<3).		
C. Distinct characteristics of reference variety: VRT 19 has distinguishing character as Leaf: Intensity of green colour: Dark; Fruit: Size (average weight of 10 fruits) (g): Large (701-1000); Fruit: Size of blossom scar: Small; Fruit: Firmness (kg/cm ²): Firm (>6).		
D. Date of commercialization of the variety		
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium (Indeterminate growth habit)
2.	Production condition: Suitability Area in the	Recommended by AICRP

	Country	(VC) for Zone IV (Bihar, Jharkhand, Punjab, Uttar Pradesh) and Zone VII (Goa, Madhya Pradesh and Maharashtra)
	: Time of Sowing	August-September
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	150:80:100 kg/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat-Sensitive/Tolerance	Highly tolerant to ToLCV disease (Ty3 gene)
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerance
7.	Staking & pruning Practices	Staking improves fruit quality and yield
8.	Winter – spring cropping seasons Type	Suitable for rabi/winter season (Sowing: Aug-September and Transplanting: Early October)
9.	Fruit Yield (q/ha)	550-600
10.	Fruit Yield/plant (kg/p) (average)	1.8- 2.0 Kg/plant
11.	Fruit quality and Fruit firmness	Red and oblong shape fruits, medium firmness, average fruit weight 45-60 g and TSS (°Brix): 5)
12.	Fruit picking Schedule	Red ripe maturity picking starts at 90 days after transplanting (Dec-Jan) up to 140 days (Feb-March)
13.	Transport Potential (Days)	3-4 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Fresh market fruit and shelf life up to 3-4 days
15.	Any other relevant information specific to the variety/hybrid	Suitable for rabi/winter season
DUS Characteristics of Kashi Tamatar-8 (Kashi Chayan)		Figure- 47

109. Application No.

E24	LL29	26	1858

 filed on 17/08/2026 by **Project Coordinator (Vegetable), ICAR-Indian Institute of Vegetable Research, PB: 01, PO: Jakhni (Shahnshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research (ICAR), Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi-110012, India** for Extant Notified variety of crop **Tomato** [*Lycopersicon lycopersicum* (L.)

Karsten ex. Farw.] having denomination **KASHI ABHIMAN (VRTH-101)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI ABHIMAN (VRTH-101)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi-110012, India
Nationality of applicant : Indian

Application details

a. Number	:	E24	LL29	26	1858
b. Date of receipt	:	17/08/2026			
c. Date of acceptance	:	24/08/2026			

Crop (taxonomical lineage) : Tomato [*Lycopersicon lycopersicum* (L.) Karsten ex. Farw.]
Denomination : KASHI ABHIMAN (VRTH-101)
Type of variety : Extant Notified
Classification of variety : Hybrid
Previously proposed : Not applicable
Denomination :
Name of parental material : P1 (VRT-04/04/010) × P2 (VRT-04/011)
Source of parental material : Own germplasm
Name of reference varieties : Arka Alok & Dhanshree

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: Growth type (Characteristic 3)	Determinate (1)
Leaflet: Serration (Characteristic 12)	Highly serrated (7)
Fruit: Green shoulder (before maturity) (Characteristic 29)	Absent (1)
Fruit: Shape in longitudinal section (Characteristic 33)	Rectangular (4)
Fruit: Colour at maturity (Characteristic 43)	Red (4)
B. Distinct characteristics of candidate variety: KASHI ABHIMAN (VRTH-101) has distinguishing characters as Leaf: Intensity of green colour: Light; Stem: Anthocyanin colouration of upper third portion: Weak; Fruit: Size (average weight of 10 fruits) (g): Medium (201-700); Fruit: Firmness (kg/cm ²): Medium.	
C. Distinct characteristics of reference variety: Arka Alok has distinguishing character as Leaf: Intensity of green colour: Medium; Stem:	

Anthocyanin colouration of upper third portion: Medium; Fruit: Size (average weight of 10 fruits) (g): Very large (>1000); Fruit: Firmness (kg/cm ²): Soft.		
Dhanshree has distinguishing character as Leaf: Intensity of green colour: Dark; Stem: Anthocyanin colouration of upper third portion: Strong; Fruit: Size (average weight of 10 fruits) (g): Large (701-1000); Fruit: Firmness (kg/cm ²): Soft.		
D. Date of commercialization of the variety		-
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	J & K, Himachal Pradesh, Uttaranchal, Punjab, Uttar Pradesh, Bihar, Jharkhand
	: Time of Sowing	Kharif and Rabi
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	100:60:60
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Sensitive
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	ToLCV resistant
7.	Staking & pruning Practices	Staking improves fruit quality and yield
8.	Winter – spring cropping seasons Type	Suitable for Kharif and Rabi seasons
9.	Fruit Yield (q/ha)	286
10.	Fruit Yield/plant (kg/p) (average)	2-2.5 Kg/plant
11.	Fruit quality and Fruit firmness	Square round shaped fruits with medium firmness. average fruit weight 90 g and TSS (°Brix): 4.0-4.5
12.	Fruit picking Schedule	Red ripe maturity after 65-75 days after transplanting and every 4-6 days after first picking
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	8-12 days
15.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of KASHI ABHIMAN (VRTH-101)		Figure- 48

110. Application No.

E2	CM6	26	1873

 filed on 17/08/2026 by **Director, ICAR-Indian Institute of Vegetable Research (ICAR-IIVR)** is located at **Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh, India** on behalf of **Indian Council of Agricultural Research (ICAR), Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi- 110012, India** for **Extant Notified** variety of crop **Pumpkin (*Cucurbita moschata* Duch. ex Poir.)** having denomination **Kashi Basant (VRPK-230)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Basant (VRPK-230)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr Rajendra Prasad Marg, New Delhi- 110012, India
Nationality of applicant : Indian
Application details

E2	CM6	26	1873

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Pumpkin (*Cucurbita moschata* Duch. ex Poir.)
Denomination : **Kashi Basant (VRPK-230)**
Type of variety : Extant Notified
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : NDPK-24 × PKB-6
Source of parental material : Own germplasm
Name of reference varieties : Kashi Harit

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: main colour of skin (at immature fruit stage) (Characteristic 14)	Medium green (3)
Fruit: surface grooves (Characteristic 18)	Present (9)
Fruit: length (mature stage) (Characteristic 20)	Medium (5)
Fruit: diameter (mature stage) (Characteristic 21)	Medium (5)
Fruit: shape (Characteristic 22)	Round flat (2)
B. Distinct characteristics of candidate variety: Kashi Basant (VRPK-230) has distinguishing characters as Fruit: thickness of flesh: Thin.	

C. Distinct characteristics of reference variety: Kashi Harit has distinguishing character as Fruit: thickness of flesh: Medium.		
D. Date of commercialization of the variety		-
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early maturity
2.	Production condition: Suitability Area in the Country	Zone V (Chhattisgarh, Orissa and Andhra Pradesh)
	: Time of Sowing	Under field conditions it can be grown successfully in the summer and rainy season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	N:P:K ratio 100:80:60 and 2 foliar sprays of WSF (water soluble fertiliser) 19:19:19 (NPK) @ 4.0 g/litre of water at 25 and 35 days after sowing
4.	Tolerance to adverse Temperature/Frost/ &Heat-Sensitive/Tolerance	Sensitive (Performs better at 25-32°C temperature with medium humidity)
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerance to yellow mosaic virus
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	Suitable for Summer (15 th February to 15 th March Sowing) and Rainy season (15 th May to 15 th June sowing)
9.	Fruit Yield (q/ha)	300-350 q/ha
10.	Fruit Yield/plant (kg/p) (average)	5.00-7.50 Kg/plant
11.	Fruit quality and Fruit firmness	It has 6.48% dry matter, 1.63% total sugar, 2.60 mg of carotenoids, and 15.70 mg of vitamin C per 100 grams. The fruit is mottled green, flat, and round with young fruit being less firm and more moist
12.	Fruit picking Schedule	First picking starts from 50 to 53 days after sowing. Pickings are done twice in a week during the peak fruiting season

		while they are still tender and the seeds are soft
13.	Transport Potential (Days)	5 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	An immature harvested pumpkin can only be kept in good condition for 3 to 5 days at room temperature
15	Any other relevant information specific to the variety/hybrid	It takes 80–90 days for physiological maturity (Seed to seed)
DUS Characteristics of Kashi Basant (VRPK-230)		Figure- 49

111. Application No.

E2	LA9	26	1888

 filled on 17/08/2026 by Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), located at Post Bag Ne. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh for **Extant (Notified)** variety of crop **Ridge gourd [*Luffa acutangula* (L.) Roxb.]** having denomination **Kashi Shivani (VRPG-27)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----. E1 HV1

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Shivani (VRPG-27)**
Applicant : Dr. Rajesh Kumar
Address of the applicant : Director (ICAR-IIVR), ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), located at Post Bag Ne. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh
Nationality of applicant : Indian
Application details
a. Number :

E2	LA9	26	1888

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Ridge gourd [*Luffa acutangula* (L.) Roxb.]
Denomination : Kashi Shivani (VRPG-27)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed

Denomination : Not applicable
Name of parental material : Selection from a germplasm
Source of parental material : Own germplasm
Name of reference varieties : Kashi Nanda & Arka Sujat

Variety description:

A. Grouping characteristics		Remark (Measured values)
Leaf: Leaf blade: number of lobes (characteristic 10)		5 Lobes
Fruit: length (characteristic 17)		Medium
Fruit: girth (characteristic 18)		Small
Fruit: shape (characteristic 19)		Elongate
Fruit: skin color (characteristic 20)		Light green
Fruit: ridge (rib) shape (characteristic 23)		-
B. Distinct characteristics of candidate variety:		
Kashi Shivani (VRPG-27): It has distinguishing characters as Ovary: length (on the day of anthesis): Long; Fruit: skin color: Light green; Seediness (No. of Seeds/fruit at the time of seed extraction): High.		
C. Distinct characteristics of reference varieties:		
Kashi Nanda & Arka Sujat: It has distinguishing characters as Ovary: length (on the day of anthesis): Medium; Fruit: skin color: Green; Seediness (No. of Seeds/fruit at the time of seed extraction): Medium.		
D. Date of commercialization of the variety		
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Recommended for growing in Punjab, Uttar Pradesh, Bihar and Jharkhand
	: Time of Sowing	Last week of February to mid-March for summer season and June to mid-July for rainy season
	: Irrigated/Rainfed	5–7 irrigation at 7–10 days interval during in summer and when required during rainy season
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	N.P.K. ratio 100:80:60 with organic compost and 2 foliar spray of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/litre of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature/Frost/	High temperature tolerant (>35°C)

	&Heat- Sensitive/Tolerance	
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Tolerant to leaf minor, fruit fly and Red pumpkin beetle
7.	Staking & pruning Practices	Suitable for trellies/bower system
8.	Winter – spring cropping seasons Type	Suitable for summer and Rainy season
9.	Fruit Yield (q/ ac)	65–85 quintals
10.	Fruit Yield/plant (kg/p) (average)	1.5–2.0 kg
11.	Fruit quality and Fruit firmness	Attractive, medium size, cylindrical fruit with high yield potential
12.	Fruit picking Schedule	Total number of fruit picking is 5 to 6 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Fresh fruit can have a shelf life of approximately 4 to 5 days at room temperature.
15	Any other relevant information specific to the variety/hybrid	This is a promising variety having medium size, attractive and cylindrical fruit with high yield potential, which is suitable for distant marketing.
DUS Characteristics of Kashi Shivani (VRPG-27)		Figure- 50

112. Application No.

E18	OS53	22	127

 filed on 01/07/2022 by **The Director, ICAR-Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **ICAR- Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1886**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA ----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety	: Pusa Basmati 1886				
Applicant	: ICAR-Indian Agricultural Research Institute				
Address of the applicant	: Pusa Campus, New Delhi- 110012				
Nationality of applicant	: India				
Application details					
a. Number	:	E18	OS53	22	127
b. Date of receipt	:	01/07/2022			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Rice (<i>Oryza sativa</i> L.)			
Denomination	:	Pusa Basmati 1886			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	Pusa 1884/Pusa Basmati 1728			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	Pusa Basmati 6			
Notification Details	:	S.O. 8 (E) Dated-24.12.2021			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Medium (5)
Stem: Length excluding panicles (Characteristics 29)		Very Short (1)
Decorticated grain: Length (Characteristics 54)		Extra Long (9)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Extra-long slender (6)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Present (9)
B. Distinct characteristics of candidate variety:		
Pusa Basmati 1886: It has distinguishing characters as Leaf: Pubescence of blade surface is Weak and Panicle: Exertion is Mostly exerted.		
C. Distinct characteristics of reference varieties:		
Pusa Basmati 6: It has distinguishing characters as Leaf: Pubescence of blade surface is Absent and Panicle: Exertion is Well exerted.		
D. Date of commercialization of the variety		09.03.2022
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	109 days
2.	Days to maturity: Early/Medium/Late	Medium
3.	Production condition: Suitability Area in the Country	Zone II which includes states of Punjab, Haryana and Delhi
4.	Time of Sowing	3 rd week of May to 2 nd week June

	Seed rate (kg/acre)	6-8 kg/ acre
	Transplanting spacing	15 x 20 cm
	Irrigated/Rainfed conditions	Irrigated
	Low fertility/High fertility of Soil	High fertility
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	➤ Green manuring with Daincha, which can be incorporated in to soil at about 45 to 55 days after sowing and reduce the nitrogen dose by 20-25 kg/acre. ➤ 50:12:12 NPK, kg/acre and apply N in 3 splits. ➤ Zinc sulphate heptahydrate@10kg/acre or zinc sulphate monohydrate@ 6 kg/acre. ➤ Dose can be varied based on soil test results.
5.	Tolerance to Disease & Pests	Resistant to Bacterial leaf blight and blast
	IPM Details Schedule	Insect Management ➤ Termite: Chlorpyrifos 20 EC @ 1.5 lit/acre or Chlorpyrifos 50% EC @ 500 ml/acre ➤ Stem borer: CartapHydrochloride 4G @ 4.5 kg/acre. ➤ Leaf folder: Monocrotophos 36 EC @ 400ml/acre. ➤ Brown Plant Hopper: Monocrotophos 36 EC @ 500 ml/acre or Carbofuran 3G @ 7kg/acre or imidacloprid 18.5 @ 40 ml/acre or Dichlovos 76 WSC @ 140 ml/acre. Disease Management 1. Sheath blight: Hexaconazole 5 EC @ 300 ml/acre or Propiconazole 25 EC @ 200 ml/acre
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	-
	b) L/B Ratio	-
	c) Kernel Length	0.777
8.	Grain yield (Quintal/Acre)	17.96 q/acre

9.	Seed: Weight (1000 seed weight in g)	23 gm
10.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa Basmati 1886		Figure- 51

113. Application No.

E16	OS10	21	45

 filed on 04/02/2021 by **The Director, ICAR-Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **ICAR- Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1979**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA ----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa Basmati 1979
Applicant : ICAR-Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi- 110012
Nationality of applicant : India
Application details
a. **Number** :

E16	OS10	21	45

b. **Date of receipt** : 04/02/2021
c. **Date of acceptance** : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : Pusa Basmati 1979
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : Pusa Basmati 1121*4/Robin
Source of parental material : Own germplasm
Name of reference varieties : Pusa Basmati 1121
Notification Details : S.O. 8 (E) Dated-24.12.2021
Variety description:

A. Grouping characteristics	Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)	Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)	Medium (5)
Stem: Length excluding panicles (Characteristics 29)	Short (3)

Decorticated grain: Length (Characteristics 54)		Extra Long (9)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Extra-long slender (6)
Decorticated grain: Colour (Characteristics 57)		Light brown (2)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Present (9)
B. Distinct characteristics of candidate variety:		
Pusa Basmati 1979: It has distinguishing characters as Stem: Length (excluding panicle; excluding floating rice) is Short		
C. Distinct characteristics of reference varieties:		
Pusa Basmati 1121: It has distinguishing characters as Stem: Length (excluding panicle; excluding floating rice) is Very short		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	-
2.	Days to maturity: Early/Medium/Late	Medium
3.	Production condition: Suitability Area in the Country	Zone II which includes states of Punjab, Haryana, Delhi, Western UP, Uttarakhand, Jammu and Kashmir
4.	Time of Sowing	3 rd week of May to 2 nd week June
	Seed rate (kg/acre)	6-8 kg/ acre
	Transplanting spacing	15 x 20 cm
	Irrigated/Rainfed conditions	Irrigated
	Low fertility/High fertility of Soil	High fertility
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	-
5.	Tolerance to Disease & Pests	Tolerance to Herbicide Imazethapyr
	IPM Details Schedule	-
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	-
	b) L/B Ratio	-
	c) Kernel Length	0.80
8.	Grain yield (Quintal/Acre)	16.08 q/acre
9.	Seed: Weight (1000 seed weight in g)	27.9 gm
10.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa Basmati 1979		Figure- 52

114. Application No.

E34	ZM103	26	1901

 filed on **18/08/2026** by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **VL Biofortified Maize Hybrid 201 (VL Suposhita)(FMH 24)**

Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001

Nationality of applicant : Indian

Application details

E34	ZM103	26	1901

a. Number :
b. Date of receipt : 18/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Maize (*Zea mays* L.)
Denomination : VL Biofortified Maize Hybrid 201 (VL Suposhita)(FMH 24)
Type of variety : Extant
Classification of variety : Hybrid
Previously proposed denomination : Not applicable
Name of parental material : VBL 204 x VBL 205
Source of parental material : Own germplasm
Name of reference varieties : VL Vita
Notification details : Notification no. S.O. No. 6123(E) Dt. 31/12/2025

Variety description:

A. Grouping characteristics	Remarks
Tassel: Time of anthesis (Characteristic 4)	Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)	Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)	Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)	Very long
Ear: Type of grain (Characteristic 22)	Flint
B. Distinct characteristics of candidate hybrid: VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24): It has distinguishing characters as Leaf: attitude of blade is Drooping and Kernel: Shape is Indented.	
C. Distinct characteristics of reference variety:	

VL Vita: It has distinguishing characters as Leaf: attitude of blade is Straight and Kernel: Shape is Round.		
D. Date of commercialization of the variety		24/12/2025
E. Agronomic and commercial attributes of candidate hybrid		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Early
2.	The best growing season to attain the potential yield (Zone wise)	Kharif Season
3.	Production condition: suitability area in the country	Northern Hill Zone
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	-
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Jammu & Kashmir, Himachal Pradesh, Uttarakhand, Assam, Arunachal Pradesh, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim & Tripura.
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to Turcicum and maydis leaf blight.
7.	Zone wise yield potential (q/acre)	27.3
8.	Seed yield /ac (average)	-
9.	Seed: weight (1000 seeds weight in g)	250 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	-
DUS Characteristics of VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24)		Figure- 53,54

115. Application No.

E32	ZM101	26	1899

 filed on **18/08/2026** by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **VLQPM Hybrid 45 (FQH 165)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **VLQPM Hybrid 45 (FQH 165)**

Applicant : Indian Council of Agricultural Research

Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110001

Nationality of applicant : Indian

Application details

a. Number :

E32	ZM101	26	1899

b. Date of receipt : 18/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Maize (*Zea mays* L.)

Denomination : VLQPM Hybrid 45 (FQH 165)

Type of variety : Extant

Classification of variety : Hybrid

Previously proposed denomination : Not applicable

Name of parental material : VQL 373 x VQL 390

Source of parental material : Own germplasm

Name of reference varieties : Central Maize VL 55.

Notification details : Notification no. S.O. 4065(E) Dt. 31/08/2022

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Early
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Long
Ear: Type of grain (Characteristic 22)		Semi-Flint
B. Distinct characteristics of candidate hybrid:		
VLQPM Hybrid 45 (FQH 165): It has distinguishing characters as Ear: Colour of top of grain is Yellow with cap and Kernel: Shape is Indented.		
C. Distinct characteristics of reference variety:		
Central Maize VL 55: It has distinguishing characters as Ear: Colour of top of grain is Yellow and Kernel: Shape is Round.		
D. Date of commercialization of the variety		31/03/2023
E. Agronomic and commercial attributes of candidate hybrid		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Early
2.	The best growing season to attain the potential yield (Zone wise)	Kharif Season (May-June)

3.	Production condition: suitability area in the country	Northern Hill Zone
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	-
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	J&K, Ladakh, HP, Assam, UK, Arunachal Pradesh, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim & Tripura
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to Turcicum leaf blight.
7.	Zone wise yield potential (q/acre)	26.7 q/acre.
8.	Seed yield /ac (average)	-
9.	Seed: weight (1000 seeds weight in g)	320 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	The candidate variety VLQPM Hybrid 45 (FQH 165) has Higher Tryptophan (0.66%) and Lysine (2.90%) contents than Vivek Maize Hybrid 45 (0.44% and 2.09%, respectively)
DUS Characteristics of VLQPM Hybrid 45 (FQH 165)		Figure- 55,56

116. Application No.

E31	ZM100	26	1898

 filed on **18/08/2026** by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)**

Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110001

Nationality of applicant : Indian

Application details

a. Number	:	E31	ZM100	26	1898
b. Date of receipt	:	18/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Maize (<i>Zea mays</i> L.)			
Denomination	:	VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)			
Type of variety	:	Extant			
Classification of variety	:	Hybrid			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	VSL 38 x VSL 27			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	VL Madhurima			
Notification details	:	Notification no. S.O. No. 6123(E) Dt. 31/12/2025			

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)		Absent
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Long
Ear: Type of grain (Characteristic 22)		Shrunken
B. Distinct characteristics of candidate hybrid:		
VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131): It has distinguishing characters as Leaf: attitude of blade is Drooping and Tassel: Attitude of lateral branches is Straight.		
C. Distinct characteristics of reference variety:		
VL Madhurima: It has distinguishing characters as Leaf: attitude of blade is Straight and Tassel: Attitude of lateral branches is Curved.		
D. Date of commercialization of the variety		Not Commercialised
E. Agronomic and commercial attributes of candidate hybrid		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	Early
2.	The best growing season to attain the potential yield (Zone wise)	Kharif Season (May-June)
3.	Production condition: suitability area in the country	Zone I & Zone II
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	-
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	J&K, UK Plain & Hills, HP, Assam, Arunachal Pradesh, Manipur, Delhi, Meghalaya, Nagaland, Sikkim, Tripura,

		Western UP, Haryana & Punjab.
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to Turcicum leaf blight.
7.	Zone wise yield potential (q/acre)	45.8
8.	Seed yield /ac (average)	-
9.	Seed: weight (1000 seeds weight in g)	160 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	-
DUS Characteristics of VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)		Figure- 57,58

117. Application No.

E19	OS55	22	129

 filed on 01/07/2022 by **Director, ICAR-Indian Agricultural Research Institute, Pusa Campus-110012** on behalf of **ICAR-Indian Agricultural Research Institute, Pusa Campus-110012** for **Extant (Notified)** variety of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1847** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: Pusa Basmati 1847				
Applicant	: ICAR-Indian Agricultural Research Institute				
Address of the applicant	: Pusa Campus-110012				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E19</td><td>OS55</td><td>22</td><td>129</td></tr></table>	E19	OS55	22	129
E19	OS55	22	129		
b. Date of receipt	: 01/07/2022				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Rice (<i>Oryza sativa</i> L.)				
Denomination	: Pusa Basmati 1847				
Type of variety	: Extant (notified)				
Classification of variety	: Typical				
Previously proposed Denomination	: NA				

Name of parental material : Pusa Basmati 1509 X Pusa Basmati 1790
Source of parental material : Own germplasm
Name of reference varieties : Pusa Basmati 1509
Notification details : Notification no. S.O. 8 (E) date. 24/12/2021

Variety description:

A. Grouping characteristics		(Measured values)
Basal leaf: Sheath colour (2)		Green
Time of heading (50% of plants with panicles (20)		Early
Stem: Length (excluding panicle; excluding floating rice) (29)		Very Short
Decorticated grain: Length (54)		Extra Long
Decorticated grain: Shape (in lateral view) (56)		Extra Long Slender
Decorticated grain: Colour (57)		White
Endosperm: Content of amylose (59)		Medium
Decorticated grain: Aroma (62)		Present
B. Distinct characteristics of candidate variety:		
Pusa Basmati 1847: It has distinguishing characters as Leaf: Pubescence of blade surface is Weak and Panicle: Length of main axis is Very Long.		
C. Distinct characteristics of reference variety:		
Pusa Basmati 1509: It has distinguishing characters as Leaf: Pubescence of blade surface is Absent and Panicle: Length of main axis is Long.		
D. Date of commercialization of the variety		09/03/2022
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Punjab, Haryana & Delhi
3	Time of Sowing	2 nd to 3 rd week of June
4	Seed rate (kg/acre)	6-8 kg/acre
	Transplanting spacing	Plant-Plant: 15 cm Row-Row: 20 cm
	Irrigated/Rainfed conditions	Irrigated areas
	Low fertility/High fertility of Soil	High fertility soils
5	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	○ Green manuring with dhaincha, which can be incorporated into soil at about 45 to 55 days after sowing and reduced the nitrogen dose by 20-25 kg/acre. ○ 50:12:12 kg N, P₂O₅ & K₂O/acre and apply nitrogen in 3 splits. ○ Zinc Sulphate Heptahydrate@10 kg/acre or Zinc Sulphate Monohydrate 6 kg/acre. Dose can be varied based on soil test results.

6	IPM Details	Insect Management Termite: Chlorpyrifos 20 EC @ 1.5 lit/acre of Chlorpyrifos 50% EC @ 500 ml/acre Stem borer: CartapHydrochloride 4G (@ 4.5kg/acre Leaf Folder: Monocrotophos 36 EC 400ml/acre Brown Plant Hopper: Monocrotophos 36 EC @ 500 ml/acre or Carbofuran 3G @7kg/acre or Imidacloprid 18.5@40ml/acre or Dichlorvos 76 WSC @140ml/acre Disease Management 1. Sheath Blight: Hexaconazole 5 EC @ 300 ml/acre or Propiconazole 25 EC @ 200 ml/acre
7	Tolerance to Disease & Pests	Resistant to BLB & Blast
8	Tolerance to adverse temperature/Frost/Heat & Salinity	-
9	Grain Characters Physical:	Details
	a) Grain Size (cm)	0.851
	b) L/B Ratio	-
	c) Kernel colour	Straw
10	Zone Wise Yield Potential (Average) per acre (q/Acre)	-
11	Grain yield (Quintal/Acre)	22.82 q/Acre
12	Seed: Weight (1000 seed weight in g)	2.93
13	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa Basmati 1847		Figure- 59

118. Application No.

E1	AT1	26	1883

 filled on 17/08/2026 by Dr. Rajesh Kumar Director, ICAR-IIVR, Post Box No. -01, PO.: Jakhni (Shahanshahpur), Varanasi-221305, Uttar Pradesh 221305 on behalf of Indian Council of Agricultural Research (ICAR), Krishi Bhavan, Dr. Rajendra Prasad Marg, New Delhi- 11012 for **Extant (Notified) Typical** variety of crop **Vegetable Amaranth (*Amaranthus tricolor* L.)** having denomination **KASHI SUHAAVANI (VRAM-42)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI SUHA AVANI (VRAM-42)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012

Nationality of applicant : Indian

Application details

E1	AT1	26	1883

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Vegetable Amaranth (*Amaranthus tricolor* L.)
Denomination : **KASHI SUHA AVANI (VRAM-42)**
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : pure-line selection
Source of parental material : Own Germplasm
Name of reference varieties : Pusa Kirti and Pusa Kiran
Notification Details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics	Remark (Measured values)
Leaf blade: main color (characteristic 11)	Light green (1)
Leaf blade: presence of blotch (characteristic 12)	Absent (1)
Petiole: anthocyanin coloration (characteristic 16)	Absent (1)
Stem: color (characteristic 17)	Green (1)
Stem: shape in cross section (characteristic 20)	Circular (1)
Plant: days to 50% flowering (characteristic 22)	Late (>50) (7)
B. Distinct characteristics of candidate variety: KASHI SUHA AVANI (VRAM-42) It has distinguishing characters as young leaf: width Narrow, Young leaf: main color on upper side Light green, Leaf blade: main color Light green and Stem: shape in cross section Circular.	
C. Distinct characteristics of reference varieties: Pusa Kirti it has distinguishing characters as young leaf: width Broad, Young leaf: main color on upper side Medium green, Leaf blade: main color Medium green and Stem: shape in	

cross section Undulated.		
Pusa Kiran it has distinguishing characters as young leaf: width Medium, Young leaf: main color on upper side Medium green, Leaf blade: main color Medium green and Stem: shape in cross section Undulated.		
D. Date of commercialization of the variety		–
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Late
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Mid Feb and June – July
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Low and High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	NPK@ 100:50:30 kg/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Sensitive
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Susceptible to leaf blight
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	Susceptible for summer and rainy season
9.	Fruit Yield (q/ ac)	34-26 t/ha
10.	Fruit Yield/plant (kg/p) (average)	NA
11.	Fruit quality and Fruit firmness	NA
12.	Fruit picking Schedule	Monthly
13.	Transport Potential (Days)	2 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	High yield and delayed bolting
15.	Any other relevant information specific to the variety/hybrid	–
DUS Characteristics of KASHI SUHAAVANI (VRAM-42)		Figure- 60

119. Application No.

E1	CS5	26	1870

 filled on 17/08/2026 by Dr. Rajesh Kumar Director, ICAR-IIVR, Post Box No. -01, PO.: Jakhni (Shahanshahpur), Varanasi- 221305, Uttar Pradesh 221305 on behalf of Indian Council of Agricultural Research (ICAR)., Krishi Bhavan, Dr. Rajendra Prasad Marg, New Delhi- 11012 for **Extant (Notified) Hybrid** variety of crop **Cucumber (*Cucumis sativa* L.)** having denomination **Kashi Nutan**

(VRCUH -1) the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
---- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Nutan (VRCUH -1)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012
Nationality of applicant : Indian
Application details
a. Number :

E1	CS5	26	1870

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Cucumber (*Cucumis sativa* L.)
Denomination : Kashi Nutan (VRCUH -1)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed
Denomination : Not applicable
Name of parental material : VRCU 1 (Female) and VRCU2 (Male)
Source of parental material : ICAR-IIVR
Name of reference varieties : Malini and Chitra
Notification Details : Notification no. S.O. 1362 (E), dt. 12.03.2024

Variety description:

A. Grouping characteristics	Remark (Measured values)
Plant growth habit (Characteristic 1)	Indeterminate (3)
Plant Sex expression (Characteristic 14)	Monoecious (1)
Fruit Parthenocarpy (Characteristic 17)	Absent (1)
Fruit Length (Characteristic 18)	Medium (15-25cm) (5)
Fruit: colour of skin at market stage (Characteristic 23)	Light green (GG- 142C) (3)
B. Distinct characteristics of candidate variety:	
Kashi Nutan (VRCUH -1) It has distinguishing characters as Leaf blade: length Medium, Fruit: shape Cylindrical, Fruit: shape at blossom end Obtuse and Fruit: colour of skin at ripening stage Brown.	

C. Distinct characteristics of reference varieties:

Malini and Chitra It has distinguishing characters as Leaf blade: length Short, Fruit: shape Elongate, Fruit: shape at blossom end Acute and Fruit: colour of skin at ripening stage Yellow.

D. Date of commercialization of the variety

—

E. Agronomic and commercial attributes

S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Maharashtra, Madhya Pradesh and Goa.
	: Time of Sowing	Transplanting/sowing in 1 st fortnight of
	: Irrigated/Rainfed	
	: Low fertility/High fertility of Soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	N.P.K ratio 100:80:60 and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19(NPK) @4.0g/l of water at 20 and 35 days after sowing
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Sensitive
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerant to fruit fly
7.	Staking & pruning Practices	Optional, stacking improves fruit quality
8.	Winter – spring cropping seasons Type	Suitable for summer and rainy season
9.	Fruit Yield (q/ ac)	175-180 q/ac
10.	Fruit Yield/plant (kg/p) (average)	1.5-1.8 kg/plant in open condition
11.	Fruit quality and Fruit firmness	NA
12.	Fruit picking Schedule	Weekly
13.	Transport Potential (Days)	4-5 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	High yield and medium shelf life
15.	Any other relevant information specific to the variety/hybrid	
DUS Characteristics of Kashi Nutan (VRCUH -1)		Figure- 61

120. Application No.

E1	TRD1	26	1893

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, Director, ICAR-IIVR, Post Box No. -01, PO.: Jakhni (Shahanshahpur), Varanasi-221305, Uttar Pradesh 221305** on behalf of **Indian Council of Agricultural Research (ICAR),, Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012** for Extant (Notified) Typical variety of crop **Pointed Gourd (*Trichosanthes dioica Roxb.*)** having denomination **Kashi Suphal (VRPG-2)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Suphal (VRPG-2)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012, India
Nationality of applicant : Indian
Application details
a. Number :

E1	TRD1	26	1893

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Pointed Gourd (*Trichosanthes dioica Roxb.*)
Denomination : Kashi Suphal (VRPG-2)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : Not applicable
Name of parental material : Clonal Selection
Source of parental material : Own germplasm
Name of reference varieties : Kashi Alankar and Swarna Rekha
Notification Details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics	Remark (Measured values)
Leaf: Shape (Characteristic 2)	Auriculate (3)
Fruit: Shape (Characteristic 15)	Spindle tapering (8)

Fruit: Skin primary colour (Characteristic 16)	Green (2)	
Fruit: Surface colour pattern (Characteristic 17)	Striped (3)	
Fruit: Length (Characteristic 19)	Medium (5)	
B. Distinct characteristics of candidate variety: Kashi Suphal (VRPG-2) It has distinguishing characters as Leaf: Shape Auriculate, Leaf blade size: Length/width ratio Large, Fruit: Glossiness Non-Glossy and Number of seeds/fruit Medium.		
C. Distinct characteristics of reference varieties: Kashi Alankar and Swarna Rekha it has distinguishing characters as Leaf: Shape Cordate, Leaf blade size: Length/width ratio Medium, Fruit: Glossiness Glossy and Number of seeds/fruits Many.		
D. Date of commercialization of the variety	—	
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Recommended for growing in Uttar Pradesh state
	: Time of Sowing	Ideal Planting time is mid-August to October in upland and November in river bed
	: Irrigated/Rainfed	Irrigated in summer and Rainfed in kharif
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	40 kg Nitrogen: 25 kg Phosphate: 20 kg Potassium
4.	Tolerance to adverse Temperature/Frost/ & Heat- Sensitive/Tolerance	Can tolerate high temperature but sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerant to whitefly
7.	Staking & pruning Practices	Staking required for quality yield
8.	Winter – spring cropping seasons Type	It is winter dormant, perennial crop
9.	Fruit Yield (q/ ac)	70-80 quintals
10.	Fruit Yield/plant (kg/p) (average)	6-7 Kg
11.	Fruit quality and Fruit firmness	Fruit are light green in colour with mild stripe. Fruits are slightly taper at the stem end and blossom end and soft seeded and more fleshy
12.	Fruit picking Schedule	Every 7-8 days after starting of

		1 st harvest
13.	Transport Potential (Days)	Perishable produce, can be transported with a storage temperature of 4-5 degree centigrade
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Fresh pointed gourd stored 4-5°C can have a shelf life of approximately 7 to 10 days, or even up two weeks, under ideal conditions of 85-90% relative humidity.
15	Any other relevant information specific to the variety/hybrid	Responsive to training system, drip irrigation and mulching.
DUS Characteristics of Kashi Suphal (VRPG-2)		Figure- 62

121. Application No.

E1	LA8	26	1887

 filled on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR- Indian Institute of Vegetable research, PB: 01 PO: Jakhni (Shahnshahpur), Varanasi, Uttar Pradesh 221305** on behalf of **Indian Council of Agricultural Research (ICAR),, Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi-11012** for Extant (Notified) Typical variety of crop **Ridge gourd (*Luffa acutangula* (L.) Roxb.)** having denomination **KASHI NANDA (VRRG-6A)** the specification including its drawing and or photograph(s) of which are given below,has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KASHI NANDA (VRRG-6A)**
Applicant : Indian Council of Agricultural Research (ICAR),
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi-11012
Nationality of applicant : Indian
Application details
a. Number :

E1	LA8	26	1887

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Ridge gourd (*Luffa acutangula* (L.) Roxb)
Denomination : KASHI NANDA (VRRG-6A)
Type of variety : Extant (Notified)

Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination
 Name of parental material : Developed By Selection Method
 Source of parental material : Own germplasm
 Name of reference varieties : Kashi Shivani and Arka Sujata
 Notification Details : Notification no. S.O. 1362 (E), dt. 12.03.2024

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf	: Leaf blade: number of lobes (characteristic 10)	5 Lobes (2)
Fruit	: length (characteristic 17)	Medium (5)
Fruit	: girth (characteristic 18)	Small (3)
Fruit	: shape (characteristic 19)	Elongate (2)
Fruit	: skin color (characteristic 20)	Green (2)
Fruit	: ridge (rib) shape (characteristic 23)	—
B. Distinct characteristics of candidate variety: KASHI NANDA (VRRG-6A) has distinguishing characters as Leaf: Length Large.		
C. Distinct characteristics of reference variety: Kashi Shivani and Arka Sujata have distinguishing characters as Leaf: Length Medium.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Recommended for growing in Chhattisgarh, Orissa and AP
	: Time of Sowing	Last week of June to mid-July for rainy season and last week of February to mid-March For summer season.
	: Irrigated/Rainfed	5-7 irrigation at 7- days interval during in summer and when required during rainy season
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	N.P.K ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (Water Soluble Fertilizer) 19:19:19 (NPK) @ 5g/litre of water at 35 and 45 days after sowing
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	High Temperature tolerant (>35°C)

5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Tolerant to leaf minor, fruit fly and red pumpkin beetle
7.	Staking & pruning Practices	Suitable for treillies/bower system
8.	Winter – spring cropping seasons Type	Suitable for summer and rainy season
9.	Fruit Yield (q/ ac)	55-75 quintals
10.	Fruit Yield/plant (kg/p) (average)	1.5-2.0 kg
11.	Fruit quality and Fruit firmness	Attractive, medium size, cylindrical fruit with high yield potential
12.	Fruit picking Schedule	Total number of fruit picking is 5 to 6 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Fresh fruit can have a shelf life of approximately 4 to 5 days at room temperature.
15	Any other relevant information specific to the variety/hybrid	Promising variety having medium size, attractive and cylindrical fruit with high yield potential which suitable for distant marketing.
DUS Characteristics of KASHI NANDA (VRRG-6A)		Figure- 63

122. Application No.

E21	LL26	26	1855

 filled on 17/08/2026 by Dr. Rajesh Kumar Director, ICAR-IIVR, Post Box No. -01, PO.: Jakhni (Shahanshahpur), Varanasi- 221305, Uttar Pradesh 221305 on behalf of Indian Council of Agricultural Research (ICAR)., Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012 for **Extant (Notified) Hybrid** variety of crop **Tomato (*Lycopersicon lycopersicum* (L.) Karsten ex. Farw)** having denomination **Kashi Tapas (VRNTH-19095)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Kashi Tapas (VRNTH-19095)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg,

New Delhi- 11012

Nationality of applicant : Indian

Application details

a. Number	E21	LL26	26	1855

b. Date of receipt : 17/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Tomato (*Lycopersicon lycopersicum* (L.) Karsten ex. Farw)

Denomination : Kashi Tapas (VRNTH-19095)

Type of variety : Extant (Notified)

Classification of variety : Hybrid

Previously proposed

Denomination : Not applicable

Name of parental material : Hybrid development from cross of EC—620402 x Superbug

Source of parental material : ICAR-IIVR

Name of reference varieties : EC-620447 and VRT 2-2-1

Notification Details : Notification no. S.O. 1362 (E), dt. 12.03.2024

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Growth type (Characteristic 3)		Indeterminate (2)
Leaf: Serration (Characteristic 12)		Less serrated (3)
Fruit: Green shoulder (before maturity) (Characteristic 29)		Absent (1)
Fruit: Shape in longitudinal section (Characteristic 33)		Obovoid (7)
Fruit: Colour at maturity (Characteristic 43)		Red (4)
B. Distinct characteristics of candidate variety:		
Kashi Tapas (VRNTH-19095) It has distinguishing characters as Flower: Stigma Unilobe, Time of flowering Early, Fruit: Size Medium, Fruit: Depression at peduncle end Shallow and Fruit: Total soluble solids High.		
C. Distinct characteristics of reference varieties:		
EC-620447 and VRT 2-2-1 it has distinguishing characters as Flower: Stigma Multilobe, Time of flowering Medium, Fruit: Size Large, Fruit: Depression at peduncle end Medium and Fruit: Total soluble solids Very high.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium (Semi-Determinate growth habit)
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Summer season (1 week of Feb

		transplanting)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of Soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	150:80:100
4.	Tolerance to adverse Temperature/Frost/ & Heat- Sensitive/Tolerance	High temperature tolerant in heat summer season (dry heat)
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerance
7.	Staking & pruning Practices	Staking improves fruit quality and yield
8.	Winter – spring cropping seasons Type	Suitable for summer season (1 st week of February transplanting)
9.	Fruit Yield (q/ ac)	370-400 (in summer season)
10.	Fruit Yield/plant (kg/p) (average)	1.3- 1.5 Kg/plant
11.	Fruit quality and Fruit firmness	Red and Oblong shape fruits, medium firmness, average fruit weight 40-45g and TSS: 5.4 °Brix
12.	Fruit picking Schedule	Red ripe maturity picking starts at 70 days after transplanting in mid-April to mid-June.
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	8-12 days
15	Any other relevant information specific to the variety/hybrid	Suitable for summer season cultivation in UP and adjoining states
DUS Characteristics of Kashi Tapas (VRNTH-19095)		Figure- 64

123. Application No.

E2	BJ11	26	1512

 filed on 22/07/2026 by **Director, ICAR - Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012.**, for **Extant (Notified)** variety of crop **Indian mustard (Sarso) (*Brassica juncea* L.)** having denomination **Pusa Mustard 37 (NPJ-253)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety	: Pusa Mustard 37 (NPJ-253)				
Applicant	: Director, ICAR - IARI,				
Address of the applicant	: Pusa Campus, New Delhi-110012,				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1"><tr><td>E2</td><td>BJ11</td><td>26</td><td>1512</td></tr></table>	E2	BJ11	26	1512
E2	BJ11	26	1512		
b. Date of receipt	: 22/07/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Indian mustard (Sarso)(<i>Brassica juncea</i> L.)				
Denomination	: Pusa Mustard 37 (NPJ-253)				
Type of variety	: Extant (Notified)				
Classification of variety	: Typical				
Previously proposed denomination	: NA				
Name of parental material	: KMR 12-1 x NPJ 156				
Source of parental material	: Own germplasm				
Name of reference varieties	: Kranti				
Gazette Notification Details	: S. O. 2128 (E); Date - 13-05-2025				

Variety description:

A. Grouping characteristics		Pusa Mustard 37 (NPJ-253)
Leaf: Number of lobes (Characteristic. 4)		Medium
Flower: Time of flowering (Characteristic. 8)		Medium
Plant: Main shoot length (Characteristic. 12)		Very Long
Siliqua : Number of seeds per siliqua (Characteristic. 20)		Few
B. Distinguishable Characteristics of Candidate Variety		
Pusa Mustard 37 (NPJ-253): It has distinguishing characters Seed: Size (Weight of 1000 seeds): Bold.		
C. Distinguishable Characteristics of Reference variety		
Kranti: It has distinguishing characters Seed: Size (Weight of 1000 seeds): Small		
D. Date of commercialization of the variety		17/06/2025
E. Agronomic and commercial attributes of candidate variety		
S. No.	Agronomic attributes	Details
1.	Days to Maturity: Early/ Medium/ Late	Late: 145 Days (Zone II) and 134 days (Zone - III).
2.	Production Condition: Suitability Area in the country	Mustard growing areas of Zone – II [Jammu, Punjab, Haryana, Delhi, Western Uttar Pradesh and Northern Rajasthan] and Zone-III [Uttarakhand, Uttar Pradesh, Madhya Pradesh, Eastern Rajasthan and Bihar.]
	: Time of Sowing	Timely sown

	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	Medium to high fertility.
3.	Fertilizer requirement (N:P:K) to attain potential yield	60 Kg nitrogen + 40 kg Phosphorus + 40 Kg Sulphur. Application of nutrient id subjected to soil type and growing conditions.
4.	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	
5.	Tolerance to water stagnation: Sensitive/Tolerant	--
6.	Resistance/ Tolerance to pest/s	1. c. v. observed less severity to foliar diseases like Alternaria blight, White rust, Sclerotinia rot and Powdery mildew diseases than respective susceptible checks. 2. c. v. has low aphid infestation as compared to the check varieties.
7.	Zone-wise Seed Yield q/acre (Average)	26.41 q/ha in Zone-II & 26.83 q/ha Zone-III under timely – sown irrigated conditions.
8.	Seed: Weight (1000 seeds weight in g)	Zone-II – Mean: 6.69g & Range over locations: 4.72 – 8.20g. Zone-III – Mean: 6.15g & Range over locations: 4.40 – 8.00g.
9.	Seed: Hull content (%)	--
10.	Seed: Oil Content (%)	Zone II – 35.30 41.60 % Zone III – 37.30 44.80 %
11.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	The proposed variety have extra bold seeds and wider adaptability.
DUS Characteristics of Pusa Mustard 37 (NPJ-253)		Figure- 65

124. Application No.

F53	MI53	17	1880

 filed on 22/9/2017 by **Sh. Kaushal Kumar Mishra, Village: Vishouni, Post: Lagar, Block: Parbatta, District: Khagaria, Bihar** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **LALBABU** has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : LALBABU

Applicant : Sh. Kaushal Kumar Mishra

Address of the applicant : Village: Vishouni, Post: Lagar, Block: Parbatta,
District: Khagaria, Bihar

Nationality of applicant : Indian

Application details

a. Number	:	F53	MI53	17	1880
b. Date of receipt	:	22/9/2017			
c. Date of acceptance	:	19/8/2026			

Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)

Denomination : LALBABU

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination : Not applicable

Name of parental material : Not applicable

Source of parental material : Own germplasm

Name of reference variety : LANGRA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded Upward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Early
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: LALBABU has distinguishing characters as Mature fruit: Shape of ventral shoulder Rounded upward and Mature fruit: Presence of sinus present.	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Shape of ventral shoulder Sloping downward and Mature fruit: Presence of sinus absent.	
D. Date of commercialization of the variety	-
DUS Characteristics of LALBABU	

125. Application No.

E2	CIN2	26	1955

 filed on 19/8/2026 by **Dr. Safeena S.A, Senior Scientist (Floriculture and Landscaping), ICAR-Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bangalore-560089** on behalf of **ICAR-Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bangalore-560089, Karnataka** for Extant (Notified) variety of **Crossandra (*Crossandra infundibuliformis* (L.) Nees.)** having denomination **Arka Kanaka** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Arka Kanaka**
Applicant : Indian Institute of Horticultural Research,
Address of the applicant : Hessaraghatta Lake PO, Bangalore-560089, Karnataka
Nationality of applicant : Indian
Application details
a. Number :

E2	CIN2	26	1955

b. Date of receipt : 19/8/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Crossandra (*Crossandra infundibuliformis* (L.) Nees.)
Denomination : Arka Kanaka
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Local Yellow and Delhi Crossandra
Source of parental material : Own germplasm
Name of reference variety : Local Yellow
Notification details S.O. 1362(E) 12/3/2024

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant growth habit (characteristic 1)		Compact (Semi-erect)
Rachis length (characteristic 9)		Long
Peduncle length (characteristic 10)		Long
Flower diameter (characteristic 12)		Large
Flower colour (RHS colour chart) (characteristic 17)		Golden Yellow (24A, orange group)
B. Distinct characteristics of candidate variety: Arka Kanaka: It has distinguishing characters as Inflorescence peduncle length long and Flower diameter large.		
C. Distinct characteristics of reference variety: Local Yellow: It has distinguishing characters as Inflorescence peduncle length short and Flower diameter small.		
D. Date of commercialization of the variety		Not commercialized
S.no.	Important Agronomic and Commercial attributes	Remarks
1	Production Condition: Suitable area in the country	Maharashtra, Telangana , Karnataka
	: Season of transplanting	June to September
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	-
2	Fertilizer requirement (N:P:K) to attain potential yield	40:25:25
3	Tolerance to adverse temperature/Frost and Heat -	-

	Sensitive/Tolerant	
4	Tolerance to water stagnation: Sensitive/Tolerant	-
5	Resistance/ Tolerance to pest/s	
6	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Propagation through vegetative means
DUS Characteristics of Arka Kanaka		Figure- 66

126. Application No.

E3	CIN3	26	1956

 filed on 19/8/2026 by **Dr. Safeena S.A, Senior Scientist (Floriculture and Landscaping), ICAR-Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bangalore-560089** on behalf of **ICAR-Indian Institute of Horticultural Research, Hessaraghatta Lake PO, Bangalore-560089, Karnataka** for **Extant (Notified)** variety of **Crossandra (*Crossandra infundibuliformis* (L.) Nees.)** having denomination **Arka Chenna** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: Arka Chenna				
Applicant	: Indian Institute of Horticultural Research,				
Address of the applicant	: Hessaraghatta Lake PO, Bangalore-560089, Karnataka				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E3</td><td>CIN3</td><td>26</td><td>1956</td></tr></table>	E3	CIN3	26	1956
E3	CIN3	26	1956		
b. Date of receipt	: 19/8/2026				
c. Date of acceptance	: 24/08/2026				
Crop (taxonomical lineage)	: Crossandra (<i>Crossandra infundibuliformis</i> (L.) Nees.)				
Denomination	: Arka Chenna				
Type of variety	: Extant (Notified)				
Classification of variety	: Other (Mutant of variety Arka Ambara)				
Previously proposed	: Not applicable				
Denomination					
Name of parental material	: Mutant of variety Arka Ambara (developed through Gamma irradiation)				
Source of parental material	: Own germplasm				
Name of reference variety	: Arka Ambara				
Notification details	S.O. 1362(E) 12/3/2024				

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant growth habit (characteristic 1)		Compact (Semi-erect)
Rachis length (characteristic 9)		Long
Peduncle length (characteristic 10)		Long
Flower diameter (characteristic 12)		Large
Flower colour (RHS colour chart) (characteristic 17)		Orange red 33B
B. Distinct characteristics of candidate variety:		
Arka Chenna: It has distinguishing characters as Leaf Venation prominent and inflorescence rachis length long.		
C. Distinct characteristics of reference variety:		
Arka Ambara: It has distinguishing characters as Leaf Venation not prominent and inflorescence rachis length short.		
D. Date of commercialization of the variety		Not commercialized
S.no.	Important Agronomic and Commercial attributes	Remarks
1	Production Condition: Suitable area in the country	Andhra Pradesh, Tamil Nadu , Karnataka
	: Season of transplanting	June to September
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	-
2	Fertilizer requirement (N:P:K) to attain potential yield	40:25:25
3	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	-
4	Tolerance to water stagnation: Sensitive/Tolerant	-
5	Resistance/ Tolerance to pest/s	
6	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	Propagation through vegetative means
DUS Characteristics of Arka Chenna		Figure- 67

127. Application No.

E1	GA1	26	1903

 filed on 18/08/2026 by **Dr. V. N. Waghmare, Director, ICAR- Central Institute for Cotton Research, Wardha Road, Nagpur-440010** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for Extant (Notified) variety of crop **Diploid Cotton (*Gossypium arboreum* L.)** having denomination **CICR-A NC Cotton 67 (CNA 1092)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi- 110 012.

Passport data of the variety : CICR-A NC Cotton 67 (CNA 1092)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001

Nationality of applicant : Indian

Application details

E1	GA1	26	1903

a. Number :
b. Date of receipt : 18/08/2026
c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Diploid Cotton (*Gossypium arboreum* L.)
Denomination : CICR-A NC Cotton 67 (CNA 1092)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : NA
Name of parental material : KWAN-3/Jaydhar
Source of parental material : Own germplasm
Name of reference varieties : CNA 1091 & CNA 1094
Notification details : Notification no. S.O. 4388 (E), dt. 08.10.2024

Variety description:

A. Grouping characteristics		Remark (Measured values)
Leaf: Shape Characteristics (6)		Digitate
Flower: Petal colour Characteristics (10)		Yellow
Flower: Pollen colour Characteristics (14)		Yellow
Boll: Shape Characteristics (17)		Ovate
Fibre: Length Characteristics (27)		Medium
B. Distinct characteristics of candidate variety: CICR-A NC Cotton 67 (CNA 1092) has distinguishing character Fibre Length is Medium & Fibre Strength is Strong.		
C. Distinct characteristics of reference varieties: CNA 1091 has distinguishing character as Fibre Length is Medium long & Fibre Strength is Medium and CNA 1094 has distinguishing character as Fibre Length is Medium long & Fibre Strength is Very strong.		
D. Date of commercialization of the hybrid		Not commercialized
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Seed rate (kg/acre)	2.5 kg /acre
	Spacing: Plant-Plant (cm) Row-Row(cm)	Plant-Plant 15-20 cm), Row-Row 60 cm)
	Time of sowing (Zone wise, if applicable)	June-July (Central Zone)
2.	Growth habit (Determinate/Indeterminate)	Determinate
3.	Days to Flowering/Anthesis (Average)	50-55 days
4.	Days to Maturity (Early /Medium/Late)	150-160 days
5.	Recommendation production ecology Rainfed/Irrigated ecology: High/Medium/Low Fertility conditions:	Rainfed (Medium to Low Fertility Soils conditions)
	Suitable production zones/states	Maharashtra, Gujarat and Madhya Pradesh
6.	Fertilizer requirement: NPK (kg/acre) Schedule	N:P: K: 32: 16: 16 kg/acre

7.	Reaction to major Diseases /Pests	Variety is tolerant to sucking pest jassids aphids white fly and thrips and resistant to resistant to BLB, ALS, CLS, and grey mildew
	IPM details Schedule	-
8.	Quality of produce	Details
9.	Fibre length	Medium (24.-3-24.8 mm)
	Fibre: Fineness (Micronaire value)	5.35 mic
	Fibre: Uniformity	82 %
	Fibre: Colour	-
10.	Yield of Lint/Acre (Average)	1.36 q/acre
11.	Yield of Kapas/Acre (Average)	4.15 q/acre
12.	Any other relevant information specific to the variety/Hybrid	-
Figure: 68		DUS Characteristics of CICR-A NC Cotton 67 (CNA 1092)

128. Application No.

E35	ZM104	26	1902

 filed on 19/08/2026 by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for Extant (Notified) variety of crop **Maize (*Zea mays* L.)** having denomination **VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)

Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001

Nationality of applicant : India

Application details

a. Number :

E35	ZM104	26	1902

b. Date of receipt : 19/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Maize (*Zea mays* L.)

Denomination : VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)

Type of variety : Extant (notified)

Classification of variety : Hybrid
 Previously proposed denomination : Not applicable
 Name of parental material : VBL 107 X VBL 109
 Source of parental material : Own germplasm
 Name of reference varieties : VL VitA
 Notification details : S.O. 6123(E) Dt. 31/12/2025

Variety description:

A. Grouping characteristics	Remarks
Tassel: Time of anthesis (Characteristic 4)	Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)	Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)	Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)	Very long
Ear: Type of grain (Characteristic 22)	Semi flint
B. Distinct characteristics of candidate variety: VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY): It has distinguishing characters as Tassel: Anthocyanin colouration at base of glume is present, Tassel: Anthocyanin colouration of glumes excluding base is present and Kernel: Shape is indented.	
C. Distinct characteristics of reference variety: VL VitA: It has distinguishing characters as Tassel: Anthocyanin colouration at base of glume is absent, Tassel: Anthocyanin colouration of glumes excluding base is absent and Kernel: Shape is round.	
D. Date of commercialization of the variety	-

E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	-
2.	The best growing season to attain the potential yield	Kharif season: May-June (in mid-hills)
3.	Production condition: suitability area in the country	VL Biofortified Maize Hybrid 101 is a high yielding low phytate hybrid for Northern Hill zone.
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	90:60:40 kg N: P ₂ O ₅ :K ₂ O/ha Basal: ¼ N, P & K ½ N: at knee height, ¼: at tasselling
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	J & K, Himachal Pradesh, Uttarakhand, Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim,

		Tripura
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to turicum leaf blight.
7.	Zone wise yield potential (q/acre)	24.2 q/acre
8.	Seed yield /acre (average)	-
9.	Seed: weight (1000 seeds weight in g)	300 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
DUS Characteristics of VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)		Figure- 69,70

129. Application No.

E33	ZM102	26	1900

 filed on 19/08/2026 by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for Extant (Notified) variety of crop **Maize (*Zea mays* L.)** having denomination **VL Poshika (FQH-160)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety	: VL Poshika (FQH-160)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001				
Nationality of applicant	: India				
Application details					
a. Number	: <table border="1" style="display: inline-table;"><tr><td>E33</td><td>ZM102</td><td>26</td><td>1900</td></tr></table>	E33	ZM102	26	1900
E33	ZM102	26	1900		
b. Date of receipt	: 19 /08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Maize (<i>Zea mays</i> L.)				
Denomination	: VL Poshika (FQH-160)				
Type of variety	: Extant (notified)				
Classification of variety	: Hybrid				
Previously proposed denomination	: Not applicable				
Name of parental material	: VQL 400 x VQL 398				
Source of parental material	: Own germplasm				
Name of reference varieties	: VL VitA				

Notification details

: S.O. 4388(E) Dt. 08/10/2024

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Long
Ear: Type of grain (Characteristic 22)		Semi flint
B. Distinct characteristics of candidate variety:		
VL Poshika (FQH-160): It has distinguishing characters as Ear: Anthocyanin colouration of silks is absent and Ear: diameter is large.		
C. Distinct characteristics of reference variety:		
VL VitA: It has distinguishing characters as Ear: Anthocyanin colouration of silks is present and Ear: diameter is medium.		
D. Date of commercialization of the variety		24/12/2025
E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	-
2.	The best growing season to attain the potential yield	Kharif season: May-June (in mid-hills)
3.	Production condition: suitability area in the country	VL Poshika is a high yielding QPM hybrid for Central Western Zone and Uttarakhand Plains.
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	FYM@40 tons/ha *90:60:40 kg N: P ₂ O ₅ :K ₂ O/ha Basal: ¼ N, P & K ½ N: at knee height, ¼: at tasselling
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Uttarakhand
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to maydis leaf blight, turicum stalk rot and cercospora leaf spot.
7.	Zone wise yield potential (q/acre)	28.8 q/acre
8.	Seed yield /acre (average)	-
9.	Seed: weight (1000 seeds weight in g)	296 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
DUS Characteristics of VL Poshika (FQH-160)		Figure- 71,72

130. Application No.

E20	OS54	22	128

 filed on 01/07/2022 by **Director, ICAR-Indian Agricultural Research Institute, Pusa Campus-110012** on behalf of **ICAR-Indian Agricultural Research Institute, Pusa Campus-110012** for **Extant (Notified)** variety of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1885** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Pusa Basmati 1885
Applicant : ICAR-Indian Agricultural Research Institute
Address of the applicant : Pusa Campus-110012
Nationality of applicant : Indian
Application details
a. Number :

E20	OS54	22	128

b. Date of receipt : 01/07/2022
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : Pusa Basmati 1885
Type of variety : Extant (notified)
Classification of variety : Typical
Previously proposed Denomination : NA
Name of parental material : Pusa Basmati 1718 X Pusa 1883
Source of parental material : Own germplasm
Name of reference varieties : Pusa Basmati 1121
Notification details : S.O. 8(E) Dt. 24/12/2021

Variety description:

A. Grouping characteristics	(Measured values)
Basal leaf: Sheath colour (2)	Green
Time of heading (50% of plants with panicles (20)	Medium
Stem: Length (excluding panicle; excluding floating rice) (29)	Very Short
Decorticated grain: Length (54)	Extra Long
Decorticated grain: Shape (in lateral view) (56)	Extra Long Slender
Decorticated grain: Colour (57)	White
Endosperm: Content of amylose (59)	Medium
Decorticated grain: Aroma (62)	Present
B. Distinct characteristics of candidate variety:	
Pusa Basmati 1885: It has distinguishing characters as Leaf: Pubescence of blade surface is Weak.	

C. Distinct characteristics of reference variety:		
Pusa Basmati 1121: It has distinguishing characters as Leaf: Pubescence of blade surface is Absent		
D. Date of commercialization of the variety		09/03/2022
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Zone II which include states of Punjab, Haryana & Delhi
3	Time of Sowing	3 rd week of May to 2 nd week of June
4	Seed rate (kg/acre)	6-8 kg/acre
	Transplanting spacing	Plant-Plant: 15 cm Row-Row: 20 cm
	Irrigated/Rainfed conditions	Irrigated areas
	Low fertility/High fertility of Soil	High fertility soils
5	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	- Green manuring with dhaincha, which can be incorporated into soil at about 45 to 55 days after sowing and reduced the nitrogen dose by 20-25 kg/acre. 50:12:12 kg N, P₂O₅ & K₂O/acre and apply nitrogen in 3 splits. - Zinc Sulphate Heptahydrate@10 kg/acre or Zinc Sulphate Monohydrate 6 kg/acre. Dose can be varied based on soil test results.
6	IPM Details Schedule	Insect Management Termite: Chlorpyrifos 20 EC @ 1.5 lit/acre o Chlorpyrifos 50% EC @ 500 ml/acre Stem borer: CartapHydrochloride 4G (@ 4.5kg/acre Leaf Folder: Monocrotophos 36 EC 400ml/acre Brown Plant Hopper: Monocrotophos 36 EC @ 500 ml/acre or Carbofuran 3G @7kg/acre or Imidacloprid 18.5@40ml/acre or Dichlorvos 76 WSC @140ml/acre Disease Management 1. Sheath Blight: Hexaconazole 5 EC @ 300 ml/acre or Propiconazole 25 EC @ 200 ml/acre
7	Tolerance to Disease & Pests	Resistant to BLB & Blast

8	Tolerance to adverse temperature/Frost/Heat & Salinity	-
9	Grain Characters Physical:	Details
	a) Grain Size (cm)	0.795
	b) L/B Ratio	-
	c) Kernel colour	Straw
10	Zone Wise Yield Potential (Average) per acre (q/Acre)	-
11	Grain yield (Quintal/Acre)	18.73 q/Acre
12	Seed: Weight (1000 seed weight in g)	2.94
13	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa Basmati 1885		Figure- 74

131. Application No.

E39	ZM108	26	1954

 filed on 19/08/2026 by **Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for Extant (Notified) variety of crop **Maize (*Zea mays* L.)** having denomination **VL Triposhi (FQPLH-20)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number - -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : VL Triposhi (FQPLH-20)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110001

Nationality of applicant : India

Application details

E39	ZM108	26	1954

a. Number :
b. Date of receipt : 19/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Maize (*Zea mays* L.)
Denomination : VL Triposhi (FQPLH-20)
Type of variety : Extant (notified)
Classification of variety : Hybrid
Previously proposed denomination : Not applicable
Name of parental material : VBL 301 x VBL 302

Source of parental material : Own germplasm
Name of reference varieties : Vivek QPM 9 & Vivek Maize Hybrid 45
Notification details : S.O. 4388(E) Dt. 08/10/2024
Variety description:

A. Grouping characteristics	Remarks
Tassel: Time of anthesis (Characteristic 4)	Early
Ear: Time of silk emergence (50% plants) (Characteristic 11)	Early
Ear: Anthocyanin colouration of silks (Characteristic 12)	Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)	Long
Ear: Type of grain (Characteristic 22)	Semi flint
B. Distinct characteristics of candidate variety: VL Triposhi (FQPLH-20): It has distinguishing characters as Ear: Anthocyanin colouration of silks is absent.	
C. Distinct characteristics of reference variety: Vivek QPM 9 & Vivek Maize Hybrid 45: It has distinguishing characters as Ear: Anthocyanin colouration of silks is present.	
D. Date of commercialization of the variety	31/07/2026

E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	-
2.	The best growing season to attain the potential yield	Kharif season: May-June (in mid-hills)
3.	Production condition: suitability area in the country	VL Triposhi is triple-biofortified (QPM + High Vitamin A + low phytate) hybrid for Northern Hill Zone.
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	FYM@40 tons/ha 90:60:40 kg N: P ₂ O ₅ :K ₂ O/ha Basal: ¼ N, P & K ½ N: at knee height, ¼: at tasselling
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Uttarakhand
6.	Resistance/Tolerance to pests/diseases	Moderately resistant to turicum and maydis leaf blight.
7.	Zone wise yield potential (q/acre)	20.9 q/acre
8.	Seed yield /acre (average)	-
9.	Seed: weight (1000 seeds weight in g)	285 g

10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
DUS Characteristics of VL Triposhi (FQPLH-20)		Figure- 73

132. Application No.

F26	MI26	26	300

 filed on 02/03/2026 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** on behalf of **Charu Barik, Village & PO: Amriti, PS: English Bazar, Dist: Malda-732208, West Bengal** for **Farmers** variety of **Mango (*Mangifera indica* L.)** having denomination **KALKI BHOG** has been accepted and given registration number -----NA -----on -----
---- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KALKI BHOG**

Applicant : Charu Barik

Address of the applicant : Village & PO: Amriti, PS: English Bazar,
Dist: Malda-732208, West Bengal.

Nationality of applicant : Indian

Application details

a. Number

F26	MI26	26	300

b. Date of receipt

: 02/03/2026

c. Date of acceptance

: 20/08/2026

Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)

Denomination : **KALKI BHOG**

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : Not applicable

Source of parental material : Own germplasm

Name of reference variety : LANGRA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded upward
Mature fruit: Presence of sinus (Characteristic 26)	Absent

Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: KALKI BHOG has distinguishing characters as Mature fruit: Shape of ventral shoulder: Rounded upward	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Roughness of surface: Sloping downward.	
D. Date of commercialization of the variety	-
DUS Characteristics of KALKI BHOG	

133. Application No

E22	LL27	26	1856

 filed on 17/8/2026 by **Director, ICAR- Indian Institute of Vegetable Research, PB: 01, PO: Jakhni (Shahnshahpur), Varanasi, Uttar Pradesh-221305** on behalf of **ICAR- Indian Institute of Vegetable Research, PB: 01, PO: Jakhni (Shahnshahpur), Varanasi, Uttar Pradesh-221305** for **Extant (Notified)** variety of crop **Tomato** [*Solanum lycopersicum* L] having denomination **KASHI ADBHUT (VRNTH-18283)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----The convention application no.---- NA-----
---- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : KASHI ADBHUT (VRNTH-18283)
Applicant : ICAR- Indian Institute of Vegetable Research
Address of the applicant : PB: 01, PO: Jakhni (Shahnshahpur), Varanasi, Uttar Pradesh-221305

Nationality of applicant : Indian

Application details

a. Number :

E22	LL27	26	1856

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Tomato [*Solanum lycopersicum* (L.)]
Denomination : KASHI ADBHUT (VRNTH-18283)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed

Denomination : Not applicable
Name of parental material : VRT-6 x Superbug
Source of parental material : Own germplasm
Name of reference varieties : VRT 2-2-1, EC-620447
Notification details : S.O No. 1362 (E) dt. 12.03. 2024

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Growth type (Characteristic 3)		Determinate (1)
Leaflet: Serration (Characteristic 12)		Highly serrated (7)
Fruit: Green shoulder (before maturity) (Characteristic 29)		Absent (1)
Fruit: Shape in longitudinal section (Characteristic 33)		Obovoid (7)
Fruit: Colour at maturity (Characteristic 43)		Red (4)
B. Distinct characteristics of candidate variety: KASHI ADBHUT (VRNTH-18283): It has distinguishing characters as Peduncle: Abscission layer: Absent; Time of Flowering: Early		
C. Distinct characteristics of reference varieties: VRT 2-2-1, EC-620447: It has distinguishing characters as Peduncle: Abscission layer: Present; Time of Flowering: Early		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Important Agronomic and Commercial Attributes	Remarks
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttarpradesh
	: Time of Sowing/planting	Summer season (1 week of Feb transplanting)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/ha	150:80:100 kg N: P:K/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	High temperature tolerant in summer season (dry heat)
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pest/s	Tolerance
7.	Staking & pruning Practices	Staking improves fruit quality and yeild
8.	Winter – spring cropping seasons Type	Suitable for summer season (1 week of Feb transplanting)
9.	Fruit Yield q/ha	400 -445 q/ha (in summer season)
10.	Fruit Yield/plant (kg/p)(average)	1.5 1.6 kg/plant
11.	Fruit quality and Fruit firmness	Red and oblong shape fruits, medium firmness, average fruit weight 45-60 g

		and TSS (Brix): 5)
12.	Fruit Picking Schedule	Red ripe maturity picking starts at 70 days after transplanting in mid-April to mid-June
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	8-12 days
15.	Any other relevant information specific to the variety	Suitable for summer season cultivation in UP and adjoining states
DUS Characteristics of KASHI ADBHUT (VRNTH-18283)		Figure- 76

134. Application No.

E6	SM17	26	1859

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for Extant (Notified) variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Utsav (IVBHL-22)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----- The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety	: Kashi Utsav (IVBHL-22)				
Applicant	: ICAR-IIVR,				
Address of the applicant	: PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E6</td><td>SM17</td><td>26</td><td>1859</td></tr></table>	E6	SM17	26	1859
E6	SM17	26	1859		
a. Number	:				
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (taxonomical lineage)	: Brinjal (<i>Solanum melongena</i> L.)				
Denomination	: Kashi Utsav (IVBHL-22)				
Type of variety	: Extant (Notified)				
Classification of variety	: Hybrid				
Previously proposed denomination	:				
Name of parental material	: Uttara × ADM-190				
Source of parental material	: Own germplasm				
Name of reference varieties	: Punjab Barasati				
Notification Details	: S.O. 1362(E) dt. 12.03.2024				

Variety description:

A. Grouping characteristics		Remarks (measured values)
Fruit: Length (Characteristic 20)		Medium
Fruit: Diameter (Characteristic 21)		Small
Fruit: General shape (Characteristic 23)		Cylindrical
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Purple
Fruit: Stripes (Characteristic 30)		Absent
Fruit: Colour of calyx (Characteristic 35)		Green
B. Distinct characteristics of candidate variety: Kashi Utsav (IVBHL-22) has distinguishing character as Flowering time: Late; Fruit: Length of peduncle (cm): Long		
C. Distinct characteristics of reference varieties: Punjab Barasati has distinguishing character as Flowering time: Early; Fruit: Length of peduncle (cm): Medium		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Agro-ecological Zone (Madhya Pradesh, Maharashtra, Goa)
	: Time of Sowing	Kharif season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Moderately resistant to little leaf of Brinjal; tolerant to fruit and shoot borer and Phomopsis blight
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	610
10.	Fruit Yield/plant (kg/p)(average)	89.8
11.	Fruit quality and Fruit firmness	Dark purple fruit and long shape, medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting

13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of KASHI UTSAV (IVBHL-22)		Figure- 77

135. Application No.

E7	SM18	26	1860

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for **Extant (Notified)** variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Uttam** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Uttam
Applicant : ICAR-IIVR,
Address of the applicant : PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant : Indian
Application details
a. Number :

E7	SM18	26	1860

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Brinjal (*Solanum melongena* L.)
Denomination : Kashi Uttam
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination :
Name of parental material : Farmer Field
Source of parental material : Own germplasm
Name of reference varieties : Pant Rituraj
Notification Details : S.O. 1362(E) dt. 12.03.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: Length (Characteristic 20)	Short

Fruit: Diameter (Characteristic 21)		Small
Fruit: General shape (Characteristic 23)		Globular
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Purple
Fruit: Stripes (Characteristic 30)		Absent
Fruit: Colour of calyx (Characteristic 35)		Green
B. Distinct characteristics of candidate variety: Kashi Uttam (BR-14) has distinguishing character as Flower: Size: Large; Fruit: Intensity of purple colour of skin: Light; Plant: Growth habit: Semi spreading		
C. Distinct characteristics of reference varieties: Pant Rituraj has distinguishing character as Flower: Size: Medium; Fruit: Intensity of purple colour of skin: Dark; Plant: Growth habit: spreading		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Kharif season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Resistant to fruit and shoot borer
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	525
10.	Fruit Yield/plant (kg/p)(average)	23.8
11.	Fruit quality and Fruit firmness	Light purple fruit, medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15.	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of KASHI UTTAM (BR-14)		Figure- 78

136. Application No.

E7	SM18	26	1861

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for **Extant (Notified)** variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Modak (IVBSR-1)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
--- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Modak (IVBSR-1)
Applicant : ICAR-IIVR,
Address of the applicant : PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant : Indian
Application details
a. Number :

E7	SM18	26	1861

b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Brinjal (*Solanum melongena* L.)
Denomination : Kashi Modak (IVBSR-1)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination :
Name of parental material : PLR-1 x BR-14
Source of parental material : Own germplasm
Name of reference varieties : Pusa Ankur
Notification Details : S.O. 1362(E) dt. 12.03.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: Length (Characteristic 20)	Short
Fruit: Diameter (Characteristic 21)	Medium
Fruit: General shape (Characteristic 23)	Globular
Fruit: Colour of skin at commercial harvesting (Characteristic 27)	Purple
Fruit: Stripes (Characteristic 30)	Absent
Fruit: Colour of calyx (Characteristic 35)	Green

B. Distinct characteristics of candidate variety:		
Kashi Modak (IVBSR-1) has distinguishing character as Leaf: Intensity of colour of blade: Medium; Flower: Size: Large; Fruit: Glossiness at harvest maturity: Strong		
C. Distinct characteristics of reference varieties:		
Pusa Ankur has distinguishing character as Leaf: Intensity of colour of blade: Dark; Flower: Size: Medium; Fruit: Glossiness at harvest maturity: Medium		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Agro- Ecological Zone V (Chhattigarh, Odisha and Andhra Pradesh)
	: Time of Sowing	<i>Kharif</i> season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Tolerance to <i>Phomopsis blight</i>
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	561.4
10.	Fruit Yield/plant (kg/p)(average)	68.8
11.	Fruit quality and Fruit firmness	Dark purple fruit and small-round shape, Medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15.	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of KASHI MODAK (IVBSR-1)		Figure- 79

137. Application No.

E9	SM20	26	1862

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for **Extant (Notified)**

variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Brinjal Green Round (IVBR-17)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Brinjal Green Round (IVBR-17)
Applicant : ICAR-IIVR,
Address of the applicant : PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant : Indian
Application details
a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Brinjal (*Solanum melongena* L.)
Denomination : Kashi Brinjal Green Round (IVBR-17)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination :
Name of parental material : KS-356 x Pant Rituraj
Source of parental material : Own germplasm
Name of reference varieties : Ram Nagar Giant
Notification Details : S.O. 3254(E) dt. 20.07.2022

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: Length (Characteristic 20)	Short
Fruit: Diameter (Characteristic 21)	Medium
Fruit: General shape (Characteristic 23)	Globular
Fruit: Colour of skin at commercial harvesting (Characteristic 27)	Green
Fruit: Stripes (Characteristic 30)	Absent
Fruit: Colour of calyx (Characteristic 35)	Green
B. Distinct characteristics of candidate variety: Kashi Brinjal Green Round (IVBR-17) has distinguishing character as Fruit length (cm): Small; Fruit Shape of apex: Indented	

C. Distinct characteristics of reference varieties:		
Ram Nagar Giant has distinguishing character as Fruit length (cm): Long; Fruit Shape of apex: Rounded		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Agro-ecological Zone VII (Madhya Pradesh, Maharashtra, Goa)
	: Time of Sowing	<i>Kharif</i> season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerant to high temperature
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Moderate susceptible to Brinjal fruit and shoot borer. Tolerant to Phomopsis blight and fusarium wilt.
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	550- 600
10.	Fruit Yield/plant (kg/p)(average)	26.8
11.	Fruit quality and Fruit firmness	Light purple and long shape, Medium firmness
12.	Fruit picking Schedule	First picking 55–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15.	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of Kashi Brinjal Green Round (IVBR-17)		Figure- 80

138. Application No.

E10	SM21	26	1863

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for **Extant (Notified)**

variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Vijay (IVBL-23)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Vijay (IVBL-23)
Applicant : ICAR-IIVR,
Address of the applicant : PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant : Indian
Application details
a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Brinjal (*Solanum melongena* L.)
Denomination : Kashi Vijay (IVBL-23)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination :
Name of parental material : Punjab Barasati x Uttara
Source of parental material : Own germplasm
Name of reference varieties : Punjab Sadabahar
Notification Details : S.O. 1480(E) dt. 01.04.2021

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: Length (Characteristic 20)	Medium
Fruit: Diameter (Characteristic 21)	Medium
Fruit: General shape (Characteristic 23)	Cylindrical
Fruit: Colour of skin at commercial harvesting (Characteristic 27)	Purple
Fruit: Stripes (Characteristic 30)	Absent
Fruit: Colour of calyx (Characteristic 35)	Green
B. Distinct characteristics of candidate variety: Kashi Vijay (IVBL-23) has distinguishing character as Seedling: Anthocyanin colouration of hypocotyl; Present; Stem: Pubescence: Weak	

C. Distinct characteristics of reference varieties: Punjab Sadabahar has distinguishing character as Seedling: Anthocyanin colouration of hypocotyl; Absent; Stem: Pubescence: Medium		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Agro-ecological Zone IV
	: Time of Sowing	Kharif season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerance to Phomopsis blight
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	450 - 530
10.	Fruit Yield/plant (kg/p)(average)	48
11.	Fruit quality and Fruit firmness	Light purple and long shape, Medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15.	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of Kashi Vijay (IVBL-23)		Figure- 81

139. Application No.

E11	SM22	26	1864

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for **Extant (Notified)** variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Himani (IVBL-26)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
--- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Himani (IVBL-26)
Applicant : ICAR-IIVR,
Address of the applicant : PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant : Indian
Application details
a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Brinjal (*Solanum melongena* L.)
Denomination : Kashi Himani (IVBL-26)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination :
Name of parental material : Local Farmer Field
Source of parental material : Own germplasm
Name of reference varieties : Mattigulla
Notification Details : S.O. 692(E) dt. 05.02.2019

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit: Length (Characteristic 20)	Medium
Fruit: Diameter (Characteristic 21)	Medium
Fruit: General shape (Characteristic 23)	Club shaped
Fruit: Colour of skin at commercial harvesting (Characteristic 27)	White
Fruit: Stripes (Characteristic 30)	Absent
Fruit: Colour of calyx (Characteristic 35)	Green
B. Distinct characteristics of candidate variety: Kashi Himani (IVBL-26) has distinguishing character as Leaf: Spininess: Absent; Flowering :Time(days after seed sowing): Medium	
C. Distinct characteristics of reference varieties: Mattigulla has distinguishing character as Leaf: Spininess: Present; Flowering :Time(days after seed sowing): Late	
D. Date of commercialization of the variety	Not Commercialized
E. Agronomic and commercial attributes	

S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	<i>Kharif</i> season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Tolerance to Brinjal fruit and shoot borer
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	419.7
10.	Fruit Yield/plant (kg/p)(average)	32.95
11.	Fruit quality and Fruit firmness	White colour fruit, Medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15.	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of Kashi Himani (IVBL-26)		Figure- 82

140. Application No.

E12	SM23	26	1865

 filed on 17/08/2026 by **Director , ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** on behalf **ICAR-IIVR, PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305** for Extant (Notified) variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **Kashi Manohar (IVBHL-20)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- - NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety	:	Kashi Manohar (IVBHL-20)
Applicant	:	ICAR-IIVR,
Address of the applicant	:	PB-01, PO.Jakhni (Shahnshahpur), Varanasi, UP-221305
Nationality of applicant	:	Indian
Application details		
a. Number	:	E12 SM23 26 1865
b. Date of receipt	:	17/08/2026
c. Date of acceptance	:	24/08/2026
Crop (taxonomical lineage)	:	Brinjal (<i>Solanum melongena</i> L.)
Denomination	:	Kashi Manohar (IVBHL-20)
Type of variety	:	Extant (Notified)
Classification of variety	:	Typical
Previously proposed denomination	:	
Name of parental material	:	Uttara x ADM-190
Source of parental material	:	Own germplasm
Name of reference varieties	:	Kashi Vijay
Notification Details	:	S.O. 3254(E) dt. 20.07.2022

Variety description:

A. Grouping characteristics		Remarks (measured values)
Fruit: Length (Characteristic 20)		Medium
Fruit: Diameter (Characteristic 21)		Small
Fruit: General shape (Characteristic 23)		Club shaped
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Purple
Fruit: Stripes (Characteristic 30)		Absent
Fruit: Colour of calyx (Characteristic 35)		Green
B. Distinct characteristics of candidate variety: Kashi Manohar (IVBHL-20) has distinguishing character as Fruit general shape: Club shaped; Fruit: Curvature (only for cylindrical types): Absent		
C. Distinct characteristics of reference varieties: Kashi Vijay has distinguishing character as Fruit general shape: Cylindrical; Fruit: Curvature (only for cylindrical types): Slight		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Agro- Ecological Zone VI (Madhya Pradesh, Maharashtra)
	: Time of Sowing	Kharif season
	: Irrigated/Rainfed	Irrigated

	: Low fertility/High fertility of Soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	120 kg N, 80 kg P ₂ O ₅ , 80 kg K ₂ O per hectare; FYM: 20–25 tons/ha
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Heat-tolerant
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant
6.	Resistance/Tolerance to Pests	Tolerance to <i>Phomopsis blight</i>
7.	Staking & pruning Practices	Pruning of brinjal improves fruit size and reduces pest infestations
8.	Winter – spring cropping seasons Type	Suitable for kharif season
9.	Fruit Yield (q/ ac)	650-700
10.	Fruit Yield/plant (kg/p)(average)	83.3
11.	Fruit quality and Fruit firmness	Dark purple fruit and small-round shape, Medium firmness
12.	Fruit picking Schedule	First picking 50–60 days after transplanting
13.	Transport Potential (Days)	One week
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	12–15 days
15	Any other relevant information specific to the variety/hybrid	—
DUS Characteristics of Kashi Manohar (IVBHL-20)		Figure- 83

141. Application No.

E21	AE40	26	1879

 filed on 17/08/2026 by **Director, ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Varanasi** on behalf of **ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** for Extant (Notified), variety of crop **Okra (*Abelmoschus esculentus* L. Moench)** having denomination **Kashi Shristi (VROH-12; IC628085)** the specification including its drawing and or photograph(s) of which are given below,has been accepted and given registration number -----NA -----
-----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Shristi (VROH-12; IC628085)
Applicant : ICAR-Indian Institute of Vegetable Research (ICAR-IIVR)

Address of the applicant	:	Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh
Nationality of applicant	:	Indian
Application details		
a. Number	:	E21 AE40 26 1879
b. Date of receipt	:	17/08/2026
c. Date of acceptance	:	24/08/2026
Crop (taxonomical lineage)	:	Okra (<i>Abelmoschus esculentus</i> L. Moench)
Denomination	:	Kashi Shristi (VROH-12; IC628085)
Type of variety	:	Extant (Notified)
Classification of variety	:	Hybrid
Previously proposed	:	NA
Denomination	:	
Name of parental material	:	Kashi Kranti × VRO-102
Source of parental material	:	Own germplasm
Name of reference varieties	:	Kashi Kranti; Parbhani Kranti
Notification details	:	S.O. 692(E), dated 05 February 2019

Variety description:

A. Grouping characteristics		Remarks (measured values)
Stem: Colour (Characteristic 1)		Green (142) A (1)
Stem: Node number at which first flower opens (Characteristic 2)		Medium (5)
Leaf blade: Sinus depth of terminal lobe (Characteristic 4)		Medium (5)
Flower: Colour of petal base (red purple) (Characteristic 14)		Both side (5)
Fruit: Colour (Characteristic 18)		Green (137)A (3)
Fruit: Number of locules (Characteristic 26)		5 (1)
Plant: Number of productive branches (Characteristic 29)		Few (1-2) (3)
B. Distinct characteristics of candidate variety:		
Kashi Shristi (VROH-12; IC628085) has distinguishing character as Stem: Diameter at 10 cm above ground level (cm): Thin, Fruit: Colour: Green (137)A, Plant: Number of productive branches: Few.		
C. Distinct characteristics of reference varieties:		
Kashi Kranti; Parbhani Kranti has distinguishing character as Stem: Diameter at 10 cm above ground level (cm): Medium, Fruit: Colour: Dark green (139)A, Plant: Number of productive branches: Medium.		
D. Date of commercialization of the variety		14.07.2020
E. Agronomic and commercial attributes		
S.No.	Attributes	Details

1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	January–February for spring-summer; May–July for Kharif
	: Irrigated/Rainfed	Irrigated in summer; rainfed in Kharif
	: Low fertility/High fertility of Soil	High fertility soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	50 kg N; 25 kg phosphate; 25 kg potassium
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerates high temperature; sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant up to 1–2 days
6.	Resistance/Tolerance to Pests	Resistant to YVMV & OELCV diseases; tolerant to shoot and fruit borer
7.	Staking & pruning Practices	Not required
8.	Winter – spring cropping seasons Type	Spring-summer and Kharif
9.	Fruit Yield (q/ ac)	50–70 quintals/acre
10.	Fruit Yield/plant (kg/p)(average)	0.210 kg average
11.	Fruit quality and Fruit firmness	Uniform dark-green fruits, free from seed bulging
12.	Fruit picking Schedule	Every 2–3 days after start of first harvest
13.	Transport Potential (Days)	Perishable; transport at 7–10°C
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	About 7–10 days, potentially up to two weeks under ideal 90–95% RH
15	Any other relevant information specific to the variety/hybrid	32–37 harvests during fruiting period of 50–120 days
DUS Characteristics of Kashi Shristi (VROH-12; IC628085)		Figure- 84

142. Application No.

E22	AE41	26	1881

 filed on 17/08/2026 by **Director, ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Varanasi** on behalf of **ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Post Bag No. 01, P.O.**

Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh for Extant (Notified), variety of crop **Okra (*Abelmoschus esculentus* L. Moench)** having denomination **Kashi Chaman (VRO-109; IC0610502)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Chaman (VRO-109; IC0610502)
Applicant : ICAR-Indian Institute of Vegetable Research (ICAR-IIVR)
Address of the applicant : Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh
Nationality of applicant : Indian

Application details

a. Number	E22	AE41	26	1881

b. Date of receipt : 17.08.2026
c. Date of acceptance : 24.08.2026
Crop (taxonomical lineage) : Okra (*Abelmoschus esculentus* L. Moench)
Denomination : Kashi Chaman (VRO-109; IC0610502)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : NA
Denomination
Name of parental material : Kashi Kranti × Punjab Padmini
Source of parental material : Own germplasm
Name of reference varieties : Kashi Kranti; Kashi Pragati

Variety description:

A. Grouping characteristics	Remarks (measured values)
Stem: Colour (Characteristic 1)	Green (142) A (1)
Stem: Node number at which first flower opens (Characteristic 2)	Medium (5)
Leaf blade: Sinus depth of terminal lobe (Characteristic 4)	Medium (5)
Flower: Colour of petal base (red purple) (Characteristic 14)	Inside only (3)
Fruit: Colour (Characteristic 18)	Dark green (139)A (5)

Fruit: Number of locules (Characteristic 26)		5 (1)
Plant: Number of productive branches (Characteristic 29)		Few (1-2)
B. Distinct characteristics of candidate variety:		
Kashi Chaman (VRO-109; IC0610502) has distinguishing character as Flower: colour of petal base inside only; Fruit: length at marketable stage: medium; Fruit: pubescence (trichome): weak		
C. Distinct characteristics of reference varieties:		
Kashi Kranti has distinguishing character as Flower: colour of petal base both side; Fruit: length at marketable stage: short.		
Kashi Pragati has distinguishing character as Flower: colour of petal base both side; Fruit: pubescence (trichome): medium		
D. Date of commercialization of the variety		19.01.2019
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	January–February for spring-summer; May–July for Kharif
	: Irrigated/Rainfed	Irrigated in summer; rainfed in Kharif
	: Low fertility/High fertility of Soil	High fertility soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	50 kg N; 25 kg phosphate; 25 kg potassium
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Can tolerate high temperature but sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant up to 1–2 days
6.	Resistance/Tolerance to Pests	Resistant to YVMV & OELCV diseases; tolerant to shoot and fruit borer
7.	Staking & pruning Practices	Not required
8.	Winter – spring cropping seasons Type	Spring-summer and Kharif
9.	Fruit Yield (q/ ac)	55–60 quintals/acre
10.	Fruit Yield/plant (kg/p)(average)	0.195 kg
11.	Fruit quality and Fruit firmness	Uniform dark green fruit colour; free from seed bulging
12.	Fruit picking Schedule	Every 2–3 days after start of first harvest
13.	Transport Potential (Days)	Perishable; transport at 7–10°C

14.	Unique Selling Propositions and Optimal shelf-Life (Days)	Approximately 7–10 days, potentially up to two weeks under ideal conditions
15	Any other relevant information specific to the variety/hybrid	32–37 harvests during fruiting period of 50–120 days
DUS Characteristics of Kashi Chaman (VRO-109; IC0610502)		Figure- 85

143. Application No.

E23	AE42	26	1882

 filed on 17/08/2026 by **Director, ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Varanasi** on behalf of **ICAR-Indian Institute of Vegetable Research (ICAR-IIVR), Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** for Extant (Notified), variety of crop **Okra (*Abelmoschus esculentus* L. Moench)** having denomination **Kashi Lalima (VROR-157; IC628076)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Kashi Lalima (VROR-157; IC628076)
Applicant : ICAR-Indian Institute of Vegetable Research (ICAR-IIVR)
Address of the applicant : Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh
Nationality of applicant : Indian
Application details
 a. Number :

E23	AE42	26	1882

 b. Date of receipt : 17/08/2026
 c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Okra (*Abelmoschus esculentus* L. Moench)
Denomination : Kashi Lalima (VROR-157; IC628076)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : NA
Denomination
Name of parental material : IC-93892 × VROR-150
Source of parental material : Own germplasm
Name of reference varieties : Aruna

Notification details : S.O. 692(E), dated 05 February 2019

Variety description:

A. Grouping characteristics		Remarks (measured values)
Stem: Colour (Characteristic 1)		Light red purple (67A/B) (6)
Stem: Node number at which first flower opens (Characteristic 2)		Medium (5)
Leaf blade: Sinus depth of terminal lobe (Characteristic 4)		Medium (5)
Flower: Colour of petal base (red purple) (Characteristic 14)		Both side (5)
Fruit: Colour (Characteristic 18)		Light red purple (62) (7)
Fruit: Number of locules (Characteristic 26)		5 (1)
Plant: Number of productive branches (Characteristic 29)		Few (1-2) (3)
B. Distinct characteristics of candidate variety:		
Kashi Lalima (VROR-157; IC628076) has distinguishing character as Leaf blade: Width: Broad, Fruit: Diameter at physiological maturity: medium; Plant: Height: Medium		
C. Distinct characteristics of reference varieties:		
Aruna has distinguishing character as Leaf blade: Width: Medium, Fruit: Diameter at physiological maturity: small; Plant: Height: Tall		
D. Date of commercialization of the variety		13.03.2020
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	January–February for spring-summer; May–July for Kharif
	: Irrigated/Rainfed	Irrigated in summer; rainfed in Kharif
	: Low fertility/High fertility of Soil	High fertility soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	50 kg N; 25 kg phosphate; 25 kg potassium
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerates high temperature; sensitive to frost
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Tolerant up to 1–2 days
6.	Resistance/Tolerance to Pests	Resistant to YVMV & OELCV diseases; tolerant to shoot and fruit borer
7.	Staking & pruning Practices	Not required
8.	Winter – spring cropping seasons Type	Spring-summer and Kharif

9.	Fruit Yield (q/ ac)	45–50 quintals/acre
10.	Fruit Yield/plant (kg/p)(average)	0.175 kg average
11.	Fruit quality and Fruit firmness	Uniform dark reddish-purple fruits; anthocyanin rich
12.	Fruit picking Schedule	Every 2–3 days after start of first harvest
13.	Transport Potential (Days)	Perishable; transport at 7–10°C
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	About 7–10 days, potentially up to two weeks under ideal 90–95% RH
15	Any other relevant information specific to the variety/hybrid	32–37 harvests during fruiting period of 50–120 days
DUS Characteristics of Kashi Lalima (VROR-157; IC628076)		Figure- 86

144. Application No.

E65	OS374	26	1958

 filed on 20/08/2026 by **The Director, ICAR-Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **ICAR- Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa 1824 (IET-28442)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
---on ----- NA ---

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa 1824 (IET-28442)
Applicant : ICAR-Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi- 110012
Nationality of applicant : India
Application details
a. **Number** :

E65	OS374	26	1958

b. **Date of receipt** : 20/08/2026

c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)
Denomination : Pusa 1824 (IET-28442)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : Pusa44/PAU 201
Source of parental material : Pusa44 own germplasm & PAU 201 from Ludhiana
Name of reference varieties : Pusa44
Notification Details : S.O.4388 (E) Dated-08.10.2024

Variety description:

A. Grouping characteristics		Remark (Measured values)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Medium (5)
Stem: Length excluding panicles (Characteristics 29)		Very Short (1)
Decorticated grain: Length (Characteristics 54)		Long (5)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Long bold (4)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety:		
Pusa 1824 (IET-28442): It has distinguishing characters as Decorticated grain: Shape (in lateral view) is Long bold.		
C. Distinct characteristics of reference varieties:		
Pusa44: It has distinguishing characters as Decorticated grain: Shape (in lateral view) is Long slender		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	90-95
2.	Days to maturity: Early/Medium/Late	120-125
3.	Production condition: Suitability Area in the Country	Delhi NCR
4.	Time of Sowing	1 st week of June to 2 nd week June
	Seed rate (kg/acre)	6-8 kg/ acre
	Transplanting spacing	15 x 20 cm
	Irrigated/Rainfed conditions	Irrigated transplanted
	Low fertility/High fertility of Soil	Suitable for both
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:12:12 NPK Kg/acre and N in 3 splits. Soil test is recommended

5.	Tolerance to Disease & Pests	Exhibited moderate resistance to blast, neck blast, sheath rot and brown spot diseases in national trials. exhibited comparatively lower incidence of stem borer incidence.
	IPM Details Schedule	-
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	Kernel length (mm)-5.8
	b) L/B Ratio	2.8
	c) Kernel color	White
8.	Grain yield (Quintal/Acre)	38 q/acre
9.	Seed: Weight (1000 seed weight in g)	24.75 gm
10.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa 1824 (IET-28442)		Figure- 87

145. Application No.

F11	AV11	24	942

 filed on 14/11/2024 by **Shri. Bishan Das, Village: Badnoo, PO: Daantanu, Block: Kalsi, Dist.: Dehradun-248196, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis.*)** having denomination **LAL CHUA** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : LAL CHUA
Applicant : Shri. Bishan Das
Address of the applicant : Village: Badnoo, PO: Daantanu, Block: Kalsi,
Dist.: Dehradun-248196, Uttarakhand
Nationality of applicant : Indian

Application details

Number :

F11	AV11	24	942

Date of receipt : 14/11/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth

Denomination : LAL CHUA
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of reference varieties : Suvarna

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Present
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Pink
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: LAL CHUA has distinguishing characters as Leaf blade: width (cm): Narrow, Inflorescence colour: Pink, Inflorescence: compactness: Intermediate & Lateral spikelet length (cm): Long	
C. Distinct characteristics of reference varieties: Suvarna has distinguishing characters as Leaf blade: width (cm): Medium, Inflorescence colour: yellowish green, Inflorescence: compactness: Lax and Lateral spikelet length (cm): Medium	
D. Date of commercialization of the variety	NA
DUS Characteristics of LAL CHUA	

146. Application No.

E67	OS376	26	1960

 filed on 20/08/2026 by **Director, ICAR-Indian Agricultural Research Institute, New Delhi-110012** on behalf of **ICAR-Indian Agricultural Research Institute, New Delhi-110012** for **Extant (Notified)** variety of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1882 (IET 28788)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----

 The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Pusa Basmati 1882 (IET 28788)
Applicant : ICAR-Indian Agricultural Research Institute
Address of the applicant : ICAR-IARI, New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number	:	E67	OS376	26	1960
b. Date of receipt	:	20/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Rice (<i>Oryza sativa</i> L.)			
Denomination	:	Pusa Basmati 1882 (IET 28788)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	NA			
Name of parental material	:	Pusa Basmati 1/Nagina 22// Pusa basmati 1*3			
Source of parental material	:	Pusa Basmati 1 is Own & Nagina 22 is public domain			
Name of reference varieties	:	Pusa Basmati 1			
Notification details	:	Notification no. S.O. 4065(E), dt. 31.08.2022			

Variety description:

A. Grouping characteristics		(Measured values)
Basal leaf: Sheath colour (Characteristics 2)		Green
Time of heading (50% of plants with panicles) (Characteristics 20)		Medium
Stem: Length excluding panicles (Characteristics 29)		Very short
Decorticated grain: Length (Characteristics 54)		-
Decorticated grain: Shape (in lateral view) (Characteristics 56)		-
Decorticated grain: Colour (Characteristics 57)		White
Endosperm: Content of amylose (Characteristics 59)		Medium
Decorticated grain: Aroma (Characteristics 62)		Present
B. Distinct characteristics of candidate variety:		
Pusa Basmati 1882 (IET 28788) has distinguishing character as Spikelet density of pubescence of lemma is Medium & Panicle Exertion is Well exerted.		
C. Distinct characteristics of reference varieties:		
Pusa Basmati 1 have distinguishing character as as Spikelet density of pubescence of lemma is Weak & Panicle Exertion is Mostly exerted.		
D. Date of commercialization of the variety		
S.No.	Agro & Com Attributes	Remarks
1.	Days to flowering/Anthesis (Average)	105 days
2.	Days to Maturity (Early/Medium/Late)	134 days
3.	Production condition: suitable area in the country	Western Uttar Pradesh, NCR of Delhi, Uttarakhand, Haryana, Punjab and Jammu & Kashmir.
4.	Time of Sowing	Sowing: 1 st week of June - 2 nd week of June. Transplanting: 4 th week of June-1 st Week of July.
	Seed rate (kg/acre)	05 kg /acre (for transplantation)
	Spacing: Plant-Plant(cm), Row-Row(cm)	Plant-Plant (15 cm), Row-Row (20cm)
	Irrigated /Rainfed conditions	Irrigated

	Low fertility /High fertility of soil	Low and High fertility
	Fertiliser requirement: NPK (kg/acre) Schedule	N.P.K: 50:12:12 kg/acre
5.	Tolerance to Disease and Pests	The reaction of major diseases and pests were comparable to recurrent parent, Pusa basmati 1. It showed comparatively lesser incidence of stem borer.
	IPM Details Schedule	-
6.	Tolerance to adverse Temperature/ Frost/Heat/Salinity	This variety is tolerant to reproductive stage drought stress governed by <i>Qdty1.1</i>
7.	Grain characters physical	Details
	a) Grain size	Kernel length 7.1 mm
	b) L/B Ratio	4.7 mm
	c) Kernel colour	White
8.	Grain yield (Quintal/Acre)	19 q/acre
9.	Seed: weight (1000 seed weight in g)	22.4 gm
10.	Any other relevant information specific to the variety/Hybrid to attain potential yield	-
Figure: 88		DUS Characteristics of Pusa Basmati 1882 (IET 28788)

147. Application No.

E55	GH55	13	173

 filed on 20/03/2013 by **Dr. Malathi Lakshmikumaran, Lakshmikumaran & Sridharan, B-6/10, Safdarjung Enclave, New Delhi-110029** on behalf of **DCM Sriram Limited, 2nd Floor, (West Wing), Worldmark 1 Aerocity, New Delhi-110037** for Extant (VCK) variety of crop **Tetraploid Cotton** (*Gossypium hirsutum* L.) having denomination **6317-2 BGII** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : 6317-2 BGII
Applicant : DCM Shriram Limited
Address of the applicant : 2nd Floor, (West Wing), Worldmark 1
Aerocity, New Delhi-110037.
Nationality of applicant : Indian
Application details
a. Number :

E55	GH55	13	173

b. Date of receipt : 20/03/2013
c. Date of acceptance : 13/08/2026
Crop (Taxonomical lineage) : Tetraploid Cotton (*Gossypium hirsutum* L.)

Denomination : 6317-2 BGII
Type of variety : Extant (VCK)
Classification of variety : Transgenic & (Hybrid)
Previously proposed
Denomination : BIO 6317-2
Name of parental material : CH00045 (BIO 60075 I0)
x CH00102 BGII (BIO 60102 I2)
Source of parental material : Own germplasm
Name of reference varieties : Abhadita

Variety description:

A. Grouping characteristics		Remark (Measured values)
Leaf: Shape Characteristics (8)		Palmate (Normal)
Flower: Petal colour Characteristics (15)		Cream
Flower: Pollen colour Characteristics (19)		Cream
Boll: Shape Characteristics (23)		Ovate
Fibre: Length Characteristics (33)		-
B. Distinct characteristics of candidate variety:		
6317-2 BGII have distinguishing character as green leaf colour & open boll opening.		
C. Distinct characteristics of reference varieties:		
Abhadita have distinguishing character as light green leaf colour & semi-open boll opening.		
D. Date of commercialization/exploitation of the variety		The Female Parental line BIO 60075I0 (Reg/2009/286) of candidate hybrid 6317-2 BGII was applied on 10.06.2009
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Seed rate (kg/acre)	1.0-1.25 kg/acre
	Spacing: Plant-Plant (cm)	Plant-Plant: 60 cm,
	Row-Row(cm)	Row-Row: 90 cm
	Time of sowing (Zone wise, if applicable)	June-July
2.	Growth habit (Determinate/Indeterminate)	Indeterminate
3.	Days to Flowering/Anthesis (Average)	55 days
4.	Days to Maturity (Early /Medium/Late)	160 days
5.	Recommendation production ecology	Black cotton soils.
	Rainfed/Irrigated ecology:	
	High/Medium/Low Fertility conditions:	
	Suitable production zones/states	Central& south zones
6.	Fertilizer requirement: NPK (kg/acre)	Organic:08 tones/acre,
	Schedule	N.P.K.: 60:30:30 Kg/acre.
7.	Reaction to major Diseases /Pests	-
	IPM details Schedule	-
8.	Quality of produce	Details
9.	Fibre length	-
	Fibre: Fineness (Micronaire value)	3.1 (mv)
	Fibre: Uniformity	54%

	Fibre: Colour	White
10.	Yield of Lint/Acre (Average)	-
11.	Yield of Kapas/Acre (Average)	5.5-6.5 q/acre.
12.	Any other relevant information specific to the variety/Hybrid	-
Figure: NA		DUS Characteristics of 6317-2 BGII

148. Application No.

E8	SB 17	26	829

 filled on 19/05/2026 by **Dr. B. Bhakiyathu Saliha, Professor & Head, Agricultural Research Station, Kovilpatti-628501 Tamil Nadu** on behalf of **Tamil Nadu Agricultural University, Director of Research, Agricultural University, Coimbatore-641003 Tamil Nadu** for Extant (Notified) Typical variety of crop **Sorghum (*Sorghum bicolor* (L.) Moench.)** having denomination **Sorghum K 13** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety	: Sorghum K 13				
Applicant	: Tamil Nadu Agricultural University				
Address of the applicant	: Director of Research, Tamil Nadu Agricultural University, Coimbatore-641003 Tamil Nadu				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E8</td><td>SB 17</td><td>26</td><td>829</td></tr></table>	E8	SB 17	26	829
E8	SB 17	26	829		
b. Date of receipt	: 19/05/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Sorghum (<i>Sorghum bicolor</i> (L.) Moench.)				
Denomination	: Sorghum K 13				
Type of variety	: Extant (Notified)				
Classification of variety	: Typical				
Previously proposed					
Denomination	: Not applicable				

Name of parental material : ICSB 518 (Female) x SPV 1489 (Male)
Source of parental material : Own Germplasm
Name of reference varieties : K 12 and CSV 17
Notification Details : Notification no. S.O. 4222 (E), dt. 25.09.2023

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Time to 50% flowering (50% of the plants with 50% anthesis) (Characteristic 3)		Early (3)
Plant: Total height at maturity (Characteristic 14)		Tall (7)
Panicle: Shape (Characteristic 21)		Symmetric (3)
Grain: Colour after threshing (Characteristic 26)		Yellow white (3)
B. Distinct characteristics of candidate variety: Sorghum K 13 has distinguishing character as Glume: Colour Greyed orange and Stem: Diameter (at lower one third height of plant) (cm) Large.		
C. Distinct characteristics of reference varieties: K 12 has distinguishing character as Glume: Colour Yellow white and Stem: Diameter (at lower one third height of plant) (cm) Medium. CSV 17 has distinguishing character as Glume: Colour Yellow white and Stem: Diameter (at lower one third height of plant) (cm) Small.		
D. Date of commercialization of the variety		23/06/2023
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Suitable for Southern districts of Tamil Nadu viz., Thoothukudi, Tirunelveli, Viruthunagar, Ramanathapuram, Sivagangai, Madurai, Theni, Dindugul and Pudukottai
	: Time of Sowing	Rabi season
	: Irrigated/Rainfed	Rainfed vertisol tracts of southern district of Tamil Nadu.
	: Low fertility/High fertility of Soil	Moderate to high
3.	Tolerance to Disease & Pests	The Sorghum culture TKS 1036 was screened for their reaction to major diseases of sorghum in kharif season along with two check varieties. The culture TKS 1036 showed highly resistant to ergot (0.0% incidence), resistance to downy mildew (4.60 % incidence), grain mould (9.90% incidence) and rust, and for leaf blight, anthracnose it shows moderately resistance.

		In artificial screening the entry TKS _V 1036 showed resistance to grain mould (4.70 % severity grade) and ergot (6.5 % severity grade) and moderately resistant to downy mildew. In rabi season the entry TKS _V 1036 showed moderately resistant to downy mildew (18.50 % Panicle infected), grain mould (10.20 % severity grade) and ergot (13.50 % Panicle infected) and resistant to other foliar diseases (rust, anthracnose, leaf blight).
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	The culture TKS _V 1036 recorded moderately tolerant to drought
5.	Grain Characters Physical: a) Seed Shape b) Seed Lustre (Present/Absent) c) Seed Colour d) Grain Size	— — — Creamy white Medium Spherical
6.	Zone Wise Yield Potential (Average) per acre (q/ac)	—
7.	Seed Yield q/ha (Average)	25.75 Q/ha
8.	Seed: Weight (100 seed weight in g)	28.0g (Medium)
9.	Fertilizer requirement to attain potential yield (N:P: K:) kg/ha	40:20:0 kg NPK / ha
10.	Any other relevant information specific to the variety/hybrid	K 13 was evaluated in agronomy trial wherein it had better agronomic efficiency by registering a more number of grains per panicle and grain yield under rainfed condition with the spacing of 45 × 15 cm and under 100% NPK (40:20:0 kg/ha) fertilizer application.
DUS Characteristics of Sorghum K 13		Figure- 89

149. Application No.

E6	TS8	26	2058

filed on 21/8/2026 by **Director,**

ICAR, Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012 on behalf of **ICAR, Indian Agricultural Research Institute, Pusa Campus New Delhi-110012** for **Extant (Notified)** variety of **Marigold (*Tagetes spp.*)** having denomination **Pusa Bahar** has been accepted and given registration number -----NA -----on -----
----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Bahar**
Applicant : ICAR, Indian Agricultural Research Institute
Address of the applicant : Pusa Campus New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E6	TS8	26	2025

b. Date of receipt : 21/8/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Marigold (*Tagetes spp.*)
Denomination : Pusa Bahar
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Developed from heterozygous material through individual plant
Source of parental material : Own germplasm
Name of reference variety : Pusa Basanti Gainda
Notification details : S.O. 4917(E) 13/11/2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: height - characteristic : 5	Medium
Plant: growth habit - characteristic : 6	Semi Upright
Flower head: floret type - characteristic : 17	Tubuligate and ligulate
Flower head: diameter - characteristic : 18	Large
Only varieties with tubulate and ligulate floret type: flower head: number of ligulate floret whorls - characteristic : 19	Many
Flower head: number of colours - characteristic : 25	One
Only varieties with one flower head colour: Flower head: colour with the following groups:- characteristic : 26 Whitish Light yellow Yellow Light orange Orange Red Other	Yellow

Tubulate and/or tubuligulate floret: main colour with the following groups: - characteristic : 28 Whitish Light yellow Yellow Light orange Orange Red Other		Yellow
Only varieties with two flower head colours: ligulate floret: main colour with the following groups: - characteristic : 31 Whitish Light yellow Yellow Light orange Orange Red Other		--
B. Distinct characteristics of candidate variety: Pusa Bahar: It has distinguishing characters as Flower head diameter very large, Outer ligulate floret width broad.		
C. Distinct characteristics of reference variety: Pusa Basanti Gaiinda: It has distinguishing characters as Flower head diameter medium, Outer ligulate floret width medium.		
D. Date of commercialization of the variety		NA
S. no.	Important Agronomic and Commercial attributes	Remarks
1.	Plant growth habit	Semi Upright
2.	Days to Maturity: Early/ Medium/ Late	Early
3.	Production Condition: Suitable Area in the country	Punjab, Jharkhand, Bihar, Chhattisgarh, Odisha, New Delhi and Maharashtra
	: Time of sowing	October
	: Irrigated/ Rainfed	Irrigated
4.	: Low fertility/ High fertility	Low fertility
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	48:32:32
6.	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	Sensitive to extreme low and high temperature
7.	Tolerance to water stagnation: Sensitive/Tolerant	Sensitive
8.	Resistance/ Tolerance to pest/s	Not resistant /tolerant to pests
9.	Days taken for flowering	90- 100 days from seed sowing

10	Flower head: floret type	Tubulate and ligulate
11	Flower: Colour	Yellow (Yellow group 9A)
12	Flower: Fragrance	Present
13	Flower yield kg/acre (Average)	1000-11,500 kg/acre
14	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	-
DUS Characteristics of Pusa Bahar		Figure- 97

150. Application No.

E17	OS13	21	72

 filed on 18/03/2021 by **The Director ICAR-Indian Agricultural Research Institute, Pusa Campus-110012** on behalf of **Indian Agricultural Research Institute, Institute, Pusa Campus-110012** for **Extant (Notified)** variety of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa Basmati 1985**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----. P

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety	: Pusa Basmati 1985				
Applicant	: Indian Agricultural Research Institute				
Address of the applicant	: The Director, ICAR-Indian Agricultural Research Institute, Pusa Campus-110012				
Nationality of applicant	: India				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E17</td><td>OS 13</td><td>21</td><td>72</td></tr></table>	E17	OS 13	21	72
E17	OS 13	21	72		
b. Date of receipt	: 18.03.2021				
c. Date of acceptance	: 24.08.2026				
Crop (Taxonomical lineage)	: Rice (<i>Oryza sativa</i> L.)				
Denomination	: Pusa Basmati 1985				
Type of variety	: Extant (Notified)				
Classification of variety	: Hybrid				
Previously proposed denomination	: Pusa Basmati 1985				
Name of parental material	: PB1509 X Robin				

Source of parental material : Indian Agricultural Research Institute and its regional Station, Karnal Haryana

Name of reference varieties : CO-51

Notification Details : S.O.8 (E) Date 24-12-2021

Variety description:

A. Grouping characteristics		Pusa Basmati 1985
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Early (3)
Stem: Length excluding panicles (Characteristics 29)		Very Short (1)
Decorticated grain: Length (Characteristics 54)		Extra-long (9)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Extra Long slender (5)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Present (9)
B. Distinct characteristics of candidate variety:		
Pusa Basmati 1985: It has distinguishing characteristics as, Grain: Weight of 1000 fully developed grains is High and Decorticated grain: Shape (in lateral view) is extra long slender		
C. Distinct characteristics of reference varieties:		
CO-51: It has distinguishing characteristics, Grain: Weight of 1000 fully developed grains is Low and Decorticated grain: Shape (in lateral view) is medium slender		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic & Commercial Attributes		
1.	Days to flowering/ anthesis: early/medium/late	-
2.	Days to maturity: early/medium/late	Early
3.	Production condition: suitability area in the country	Punjab, Haryana, Delhi, Uttarakhand, Jammu and Kashmir
4.	Time of sowing	3 rd week of May to 2 nd week of June
	Seed rate	
	Spacing	
	Plant - plant	15
	Row-Row	20
	Irrigated /Rainfed condition	Irrigated
	Low fertility / high fertility	-
5.	Fertilizer requirement to attain potential yield (N-P-K) Kg/ha	-
	Tolerance to pests/diseases	-

	IPM Details Schedule	-
6.	Tolerance to adverse temperature. Frost Heat/salinity	-
7.	Grain Characters Physical	
	g) Grain Size	Extra Long
	h) L/B ratio	
	i) Kernal color	Straw
8.	Grain yield (q/acre)	22.50
9.	Seed: weight (1000 seeds weight in g)	30.6
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	-
DUS Characteristics of Pusa Basmati 1985		Figure- 98

151. Application No.

E58	OS358	26	1849

 filed on 17/08/2026 by **Dr. Krishan Chandra Upadhyay, Head Research and Development, C/o CS-VSPL, VNR Seed Private Limited, Corporate Centre, Canal road crossing, Ring Road no.1, Raipur-492006, Chhattisgarh**, on behalf of **VNR Seed Private Limited, Corporate center, Canal Road crossing, Ring Road no1, Raipur-492006, Chhattisgarh** of crop **Rice (*Oryza sativa* L.)** having denomination **VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----. P

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)**

Applicant : VNR Seed Private Limited

Address of the applicant : Corporate center, Canal Road crossing, Ring Road no1, Raipur-492006, Chhattisgarh

Nationality of applicant : Indian

Application details

a. Number :

E58	OS358	26	1849

b. Date of receipt : 17.08.2026

c. Date of acceptance : 24.08.2026

Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)

Denomination : VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)

Type of variety	: Extant (Notified)
Classification of variety	: Hybrid
Previously proposed denomination	: Not applicable
Name of parental material	: A line- VNRF-48, R line- VNRRB-412, B line- VNRM-48
Source of parental material	: Own Germplasm
Name of reference varieties	: Swarna & PA 6444
Notification Details	: S.O.6123 (E) Date 26-12-2018

Variety description:

A. Grouping characteristics		VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)
Basal leaf: Sheath colour (Characteristics 2)		Light Purple (2)
Time of heading (50% of plants with panicles) (Characteristics 20)		Late (7)
Stem: Length excluding panicles (Characteristics 29)		Medium (5)
Decorticated grain: Length (Characteristics 54)		Medium (3)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Short Bold (2)
Decorticated grain: Colour (Characteristics 57)		Light Brown (2)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety:		
VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216): It has distinguishing characteristics as, Spikelet: Colour of stigma is purple & Spikelet: Colour of tip of lemma is Purple		
C. Distinct characteristics of reference varieties:		
Swarna & PA 6444: It has distinguishing characteristics, Spikelet: Colour of stigma & Spikelet: Colour of tip of lemma is white		
D. Date of commercialization of the variety		31.05.2014
E. Agronomic & Commercial Attributes		
1.	Days to flowering/ anthesis: early/medium/late	Late
2.	Days to maturity: early/medium/late	Late
3.	Production condition: suitability area in the country	Irrigated ecology of Chhattisgarh, Gujrat and Maharashtra
4.	Time of sowing	Kharif
	Seed rate	6 kg/acre
	Spacing	
	Plant - plant	15
	Row-Row	20
	Irrigated /Rainfed condition	Irrigated
	Low fertility / high fertility	-

	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	50:24:24 NPK kg/acre
5.	Tolerance to pests/diseases	Moderate resistance to BPH and BLB
	IPM Details Schedule	Need base standard rice crop protection recommendation
6.	Tolerance to adverse temperature. Frost Heat/salinity	-
7.	Grain Characters Physical	
	j) Grain Size	Length 5.8mm & Breadth: 2.5mm
	k) L/B ratio	2.3 mm
	l) Kernal color	Light brown
8.	Grain yield (q/acre)	23.88
9.	Seed: weight (1000 seeds weight in g)	≈ 25g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	High spikelet fertility and HRR percent
DUS Characteristics of VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)		Figure- 99

152. Application No.

E64	OS373	26	1957

 filed on 20/08/2026 by **Dr. Ch. Shrinivasa Rao, The Director, ICAR-Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **ICAR- Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** of crop **Rice (*Oryza sativa* L.)** having denomination **Pusa 2090 (IET-29217)**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA ----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa 2090 (IET-29217)
Applicant : ICAR-Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi- 110012
Nationality of applicant : India
Application details
a. **Number** :

E64	OS373	26	1957

b. **Date of receipt** : 20/08/2026
c. **Date of acceptance** : 24/08/2026
Crop (Taxonomical lineage) : Rice (*Oryza sativa* L.)

Denomination	: Pusa 2090 (IET-29217)
Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed	:
Denomination	: Not applicable
Name of parental material	: Pusa 44 /CB501
Source of parental material	: Pusa44 own germplasm & CB 501 from IRRI
Name of reference varieties	: Pusa44
Notification Details	: S.O.4388 (E) Dated-08.10.2024

Variety description:

A. Grouping characteristics		Pusa 2090 (IET-29217)
Basal leaf: Sheath colour (Characteristics 2)		Green (1)
Time of heading (50% of plants with panicles) (Characteristics 20)		Medium (5)
Stem: Length excluding panicles (Characteristics 29)		Very short (1)
Decorticated grain: Length (Characteristics 54)		Long (5)
Decorticated grain: Shape (in lateral view) (Characteristics 56)		Long slender (5)
Decorticated grain: Colour (Characteristics 57)		White (1)
Endosperm: Content of amylose (Characteristics 59)		Medium (5)
Decorticated grain: Aroma (Characteristics 62)		Absent (1)
B. Distinct characteristics of candidate variety:		
Pusa 2090 (IET-29217) : It has distinguishing characters as Flag leaf: Attitude of blade (late observation) is Semi erect and grain width is Medium		
C. Distinct characteristics of reference varieties:		
Pusa44: It has distinguishing characters as Flag leaf: Attitude of blade (late observation) is Erect and Grain width is Narrow		
D. Date of commercialization of the variety		Marchs 2025
E. Agronomic & commercial attributes:		
S. N	Attributes	Details
1.	Days to flowering/Anthesis (Average)	100
2.	Days to maturity: Early/Medium/Late	125-130
3.	Production condition: Suitability Area in the Country	Delhi NCR
4.	Time of Sowing	1 st week of June to 2 nd week June
	Seed rate (kg/acre)	6-8 kg/ acre
	Transplanting spacing	15 x 20 cm
	Irrigated/Rainfed conditions	Irrigated transplanted
	Low fertility/High fertility of Soil	Suitable for both
	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	50:12:12 NPK Kg/acre and N in 3 splits. Soil test is recommended
5.	Tolerance to Disease & Pests	Exhibited moderate resistance to blast, neck blast, and brown spot

		diseases in national trials. exhibited comparatively lower incidence of BPH and Leaf folder incidence
	IPM Details Schedule	-
6.	Tolerance to adverse temperature/Frost/Heat & Salinity	-
7.	Grain Characters: Physical:	Details
	a) Grain size (mm)	Kernel length (mm)-6.3
	b) L/B Ratio	2.7
	c) Kernel color	White
8.	Grain yield (Quintal/Acre)	35 q/acre
9.	Seed: Weight (1000 seed weight in g)	28.10 gm
10.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Pusa 2090 (IET-29217)		Figure- 100

153. Application No.

F58	MI58	25	937

 filed on 07/08/2025 **Atma Ram Rawat, Village: Jindana, PO: Aunt garhi Saura, Dist: Lucknow-227115** through **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmankhara, Post: Kakori, Lucknow-226101** for **Farmer** variety of **Mango (*Mangifera indica* L.)** having denomination **Atma Pasand**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Atma Pasand**
Applicant : Atma Ram Rawat
Address of the applicant : Village: Jindana, PO: Aunt garhi Saura,
Dist: Lucknow-227115
Nationality of applicant : Indian
Application details
a. Number :

F58	MI58	25	937

b. Date of receipt : 07/08/2025
c. Date of acceptance : 20/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Atma Pasand

Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Surriaya

Variety description:

A. Group characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded outward (3)
Mature fruit: Presence of sinus (Characteristic. 26)	Present (9)
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of Fruit maturity season) (5)
Seed: Embryony (Characteristic. 33)	Mono-embryonic (1)
B. Distinct characteristics of candidate variety: Atma Pasand has distinguishing characters as Inflorescence: Anthocyanin coloration of axis and branches (Characteristic 13)- Absent or weak	
C. Distinct characteristics of reference variety: Surriaya has distinguishing characters as Inflorescence: Anthocyanin coloration of axis and branches (Characteristic 13)- Medium	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Atma Pasand

154. Application No.

E2	GM13	26	1115

 filed on 30/06/2026 by **Dr. P. K. Singh, Director Research, Directorate of Research, Birsa Agricultural University, Kanke, Ranchi-834006, Jharkhand** on behalf of **Birsa Agricultural University, Kanke, Ranchi-834006, Jharkhand** for Extant (Notified) variety of crop **Soybean (*Glycine max* (L.) Merrill)** having denomination **BIRSA SOYBEAN-4 (BAUS-96)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **BIRSA SOYBEAN-4 (BAUS-96)**
Applicant : Birsa Agricultural University,
Address of the applicant : Director Research, Birsa Agricultural University,
 Kanke, Ranchi-834006.
Nationality of applicant : Indian
Application details

a. Number	:	E2	GM13	26	1115
b. Date of receipt	:	30/06/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Soybean (<i>Glycine max</i> (L.) Merrill)			
Denomination	:	BIRSA SOYBEAN-4 (BAUS-96)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	NA			
Name of parental material	:	Monetta x EC 345000			
Source of parental material	:				
Name of reference varieties	:	RKS-18			

Variety description:

A. Grouping characteristics		BIRSA SOYBEAN-4 (BAUS-96)
Plant: Growth type (characteristic 2)		Semi- determinate
Flower: Colour (characteristic 7)		White
Pod: Pubescence (characteristic 9)		Present
Pod: Pubescence colour (characteristic 10)		Grey
Pod: Colour (characteristic 11)		Brown
Plant: Days to maturity (characteristic 13)		Late
Seed: Colour (characteristic 16)		Yellow
B. Distinct characteristics of candidate variety:		
BIRSA SOYBEAN-4 (BAUS-96) : It has distinguishing characters Seed : Hilum colour : Brown.		
C. Distinct characteristics of reference variety:		
RKS-18: It has distinguishing characters Seed : Hilum colour : Black.		
D. Date of commercialization of the variety		--
E. Agronomic and commercial attributes of candidate		
S. No.	Agronomic attributes	Details
1.	Days to Maturity: Early/ Medium/ Late	105 – 110 days
2.	Production Condition: Suitability Area in the country	Jharkhand
	: Time of Sowing	--
	: Irrigated/ Rainfed	Rainfed
	: Low fertility/ High fertility	--
3.	Fertilizer requirement (N:P:K) to attain potential yield	25:60:40
4.	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	
5.	Tolerance to water stagnation: Sensitive/Tolerant	
6.	Resistance/ Tolerance to pest/s	Tolerance to Powdery mildew,

		Rhizoctonia aerial light, Myrothecium leaf spot and pod blight. Moderate Resistant to defoliators, stem fly, girdle beetle, defoliators.
7.	Seed Yield/ha (Average)	28q/ha
8.	Seed: Weight (1000 seeds weight in g)	
9.	Seed: Hull content (%)	--
10.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	It can be grown in well drained sandy loam to clay soil with medium water holding capacity, reasonable depth, comparatively rich in organic carbon and levelled fields with near neutral pI.
DUS Characteristics of BIRSA SOYBEAN-4 (BAUS-96)		Figure- 101

155. Application No.

E1	GM12	26	1114

 filed on 30/06/2026 by **Dr. P. K. Singh, Director Research, Directorate of Research, Birsa Agricultural University, Kanke, Ranchi-834006, Jharkhand** on behalf of **Birsa Agricultural University, Kanke, Ranchi-834006, Jharkhand** for Extant (Notified) variety of crop Soybean (*Glycine max* (L.) Merrill) having denomination **BIRSA SOYBEAN-3 (BAUS-40)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number-----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **BIRSA SOYBEAN-3 (BAUS-40)**
Applicant : **Birsa Agricultural University,**
Address of the applicant : **Director Research, Birsa Agricultural University,**
Kanke, Ranchi-834006.
Nationality of applicant : Indian
Application details
a. Number :

E1	GM12	26	1114

b. Date of receipt : 30/06/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Soybean (*Glycine max* (L.) Merrill)
Denomination : BIRSA SOYBEAN-3 (BAUS-40)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : NA
Name of parental material : Bragg x JS 71 - 05
Source of parental material :

Name of reference varieties : RKS-18

Variety description:

A. Grouping characteristics		BIRSA SOYBEAN-3 (BAUS-40)
Plant: Growth type (characteristic 2)		Semi- determinate
Flower: Colour (characteristic 7)		White
Pod: Pubescence (characteristic 9)		Present
Pod: Pubescence colour (characteristic 10)		Tawny
Pod: Colour (characteristic 11)		Brown
Plant: Days to maturity (characteristic 13)		Late
Seed: Colour (characteristic 16)		Yellow
B. Distinct characteristics of candidate variety: BIRSA SOYBEAN-3 (BAUS-40): It has distinguishing characters Flower: Colour - White.		
C. Distinct characteristics of reference variety: RKS-18: It has distinguishing characters Flower: Colour - Purple		
D. Date of commercialization of the variety		--
E. Agronomic and commercial attributes of candidate		
S. No.	Agronomic attributes	Details
1.	Days to Maturity: Early/ Medium/ Late	115– 120 days
2.	Production Condition: Suitability Area in the country	Jharkhand
	: Time of Sowing	--
	: Irrigated/ Rainfed	Rainfed
	: Low fertility/ High fertility	--
3.	Fertilizer requirement (N:P:K) to attain potential yield	25:60:40
4.	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	
5.	Tolerance to water stagnation: Sensitive/Tolerant	
6.	Resistance/ Tolerance to pest/s	Tolerance to pod blight and bacterial blight, target leaf spot and aerial web blight, FLS & CLS.
7.	Seed Yield/ha (Average)	28q/ha
8.	Seed: Weight (1000 seeds weight in g)	
9.	Seed: Hull content (%)	--

10.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	It can be grown in well drained sandy loam to clay soil with medium water holding capacity, reasonable depth, comparatively rich in organic carbon and levelled fields with near neutral pH.
DUS Characteristics of BIRSA SOYBEAN-3 (BAUS-40)		Figure- 104

156. Application No.

F27	MI27	25	259

 filed on 29/07/2025
Pushpendra Singh Chauhan, 591/9, Shyam Nagar Colony, RBL Road, Utrathia-226025
 through **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmanpura, Post: Kakori, Lucknow-226101** for **Farmer** variety of **Mango (*Mangifera indica* L.)**
 having denomination **Gulab Pasand** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
 -----NA -----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Gulab Pasand**
Applicant : Pushpendra Singh Chauhan
Address of the applicant : 591/9, Shyam Nagar Colony, RBL Road,
 Utrathia-226025
Nationality of applicant : Indian
Application details
 a. Number :

F27	MI27	25	259

 b. Date of receipt : 29/07/2025
 c. Date of acceptance : 21/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Gulab Pasand
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Heere Hayat

Variety description:

A. Group characteristics	Remarks (measured values)

Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded upward (1)
Mature fruit: Presence of sinus (Characteristic. 26)	Absent (1)
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of Fruit maturity season) (5)
Seed: Embryony (Characteristic. 33)	Mono-embryonic (1)
B. Distinct characteristics of candidate variety:	
Gulab Pasand has distinguishing characters as Petiole: Length (Characteristic 9)- Short	
C. Distinct characteristics of reference variety:	
Heere Hayat has distinguishing characters as Leaf: Shape of apex (Characteristic 9)- Long	
D. Date of commercialization of the variety	NA
Figure: 103	DUS Characteristics of Gulab Pasand

157. Application No.

F64	MI64	25	1023

 filed on 20/08/2025 **Pro. Padma Shri Kaleem Ullah Khan, Nai Sadak Chauraha, PO: Malihabad, Dist: Lucknow-226102** through **Director, ICAR-Central Institute of Subtropical Horticulture, Rehmankhara, Post: Kakori, Lucknow-226101** for **Farmer** variety of **Mango (*Mangifera indica* L.)** having denomination **Mulayam Aam** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Mulayam Aam**
Applicant : **Pro. Padma Shri Kaleem Ullah Khan**
Address of the applicant : Nai Sadak Chauraha, PO: Malihabad,
Dist: Lucknow-226102
Nationality of applicant : Indian
Application details :

F64	MI64	25	1023

a. Number :
b. Date of receipt : 20/08/2025
c. Date of acceptance : 21/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Mulayam Aam
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable

Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Malihabad Safeda

Variety description:

A. Group characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded upward (1)
Mature fruit: Presence of sinus (Characteristic. 26)	Absent (1)
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of Fruit maturity season) (5)
Seed: Embryony (Characteristic. 33)	Mono-embryonic (1)
B. Distinct characteristics of candidate variety: Mulayam Aam has distinguishing characters as Leaf: Shape of base (Characteristic 7)- Obtuse, Mature fruit: Length (Average) (Characteristic 14)- Long, Mature fruit: Width(Characteristic 15)- Broad	
C. Distinct characteristics of reference variety: Malihabad Safeda has distinguishing characters as Leaf: Shape of base (Characteristic 7)- Acute , Mature fruit: Length (Average) (Characteristic 14)- Medium, Mature fruit: Width(Characteristic 15)- Medium	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Mulayam Aam

158. Application No.

F16	SC17	26	1025

 filed on 10/06/2026, N. C. Patel, S/o Chikkakempaiah, Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064 by Dr. Kanupriya, Principal Scientist, Division of Fruit Crops, ICAR- Indian Institute of Horticultural Crops, Dist: Bengaluru-560089 for Farmer variety of Jamun (*Syzygium cumini* (L.) Skeels.) having denomination **Patel Samruddhi**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Patel Samruddhi**
Applicant : N. C. Patel
Address of the applicant : S/o Chikkakempaiah, Village: Nagadasanahalli, Gantiganahalli, Dist: Bengaluru-560064
Nationality of applicant : Indian
Application details

a. Number	:	F16	SC17	26	1025
b. Date of receipt	:	10/06/2026			
c. Date of acceptance	:	21/08/2026			
Crop (taxonomical lineage)	:	Jamun (<i>Syzygium cumini</i> (L.) Skeels.)			
Denomination	:	Patel Samruddhi			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	Goma Priyanka			

Variety description:

A. Group characteristics		Remarks (measured values)
Growth habit (Characteristic 1)		Spreading
Leaf apex (Characteristic 5)		Acuminate
Leaf base (Characteristic 6)		Acute
Mature fruit: Shape (Characteristic 15)		Oblong
Mature fruit: stalk end (Characteristic 17)		Flattened
Pulp: seed ratio (Characteristic 27)		Medium
B. Distinct characteristics of candidate variety: Patel Samruddhi has distinguishing characters as Ripe fruit length - Low (Characteristic 20), Seed weight - Low (Characteristic.23)		
C. Distinct characteristics of reference variety: Goma Priyanka has distinguishing characters as Ripe fruit length – Medium (Characteristic. 20), Seed weight – Medium (Characteristic.23)		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Commercial Attributes	Details
Figure: NA		DUS Characteristics of Patel Samruddhi

159. Application No.

E1	CN3	26	1984

 filed on 20/08/2026 by **The Dean, Horticultural College and Research Institute, Tamil Nadu Agricultural University** on behalf of **Tamil Nadu Agricultural University** for **Extant, Typical** variety of crop **Coconut (*Cocos nucifera* L.)** having denomination **ALR 4 (CRP 738) (IC 610371)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : ALR 4 (CRP 738) (IC 610371)
Applicant : Tamil Nadu Agricultural University
Address of the applicant : Coconut Research Station, Tamil Nadu Agricultural University, Aliyar Nagar, Coimbatore- 642101
Nationality of applicant : Indian

Application details

a. Number	E1	CN3	26	1984
b. Date of receipt	20/08/2026			
c. Date of acceptance	24/08/2026			

Crop (taxonomical lineage) : Coconut (*Cocos nucifera* L.)
Denomination : ALR 4 (CRP 738) (IC 610371)
Type of variety : Extant
Classification of variety : Typical
Previously proposed : Not applicable

Denomination

Name of parental material : IC610371
Source of parental material : Madhusudanapuram Village
Name of reference varieties : WCT

Notification Details : S.O. No. 3708€, Dt:08/07/2026

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: Petiole Colour (Characteristic 1)	Green (1)
Plant: Height (Characteristic 4)	Short (3)
Inflorescence: Intra spadix overlapping of male and female phases (Characteristic 15)	Absent (1)
Fruit: Colour (Characteristic 17)	Green (6)
Fruit: shape (Polar view) (Characteristic 18)	Oval (3)
Husked fruit: shape (Characteristic 23)	Round (5)
B. Distinct characteristics of candidate variety: ALR 4 (CRP 738) (IC 610371) has distinguishing character as Inflorescence: No. of female flowers (Characteristic 13)-Medium, Fruit: Quantity of tender nut water (ml) (Characteristic 16)- Very High.	
C. Distinct characteristics of reference varieties: WCT has distinguishing character as Inflorescence: No. of female flowers (Characteristic 13)- Few, Fruit: Quantity of tender nut water (ml) (Characteristic 16)- High.	
D. Date of commercialization of the variety	29.10.2025
E. Agronomic and commercial attributes	

S. No.	Attributes	Details
1	Tree growth habit	Tall
2	Area of cultivation	Tamil Nadu
3	Inflorescence: Emergence (Months)	56
4	Inflorescence: Time of flowering 50% of the tree (Main flowering season of the area)	56
5	Maturity: Fruits ready to harvest (days)	11 months after opening of inflorescence
6	Fertilizer requirement (N:P:K) to attain potential yield	From 5 th year onwards, 560g, 320g and 1200g of N, P and K per tree per year
7	Yield Potential (Average) per acre (q/Acre)	9618 nuts per acre per year
8	Yield of fruits per plant (Average)	137.4 nuts per tree per year
9	Fruit weight (g)	1616g
10	Dry Endosperm weight (g)	152.6g
11	Resistance/ Tolerance to pests / Disease	1. Per cent leaf damage for Rhinoceros beetle is 4.6 (upto 10, immediate plant protection measures are not required) 2. Rugose spiraling whitefly incidence grade index is rated as low and Eriophid mite intensity grade index is rated as mild. 3. Resistant to leaf spot and leaf blight
12	Any other relevant information specific to the variety	It is a dual-purpose variety. Suitable for tender nut water and copra
DUS Characteristics of ALR 4 (CRP 738) (IC 610371) and ALR 4		Figure- 105,106

160. Application No.

E4

GM19

26

1973

filed on 20/08/2026 by Dr.

Kunwar Harendra Singh, ICAR- National Soybean Research Institute, Khandwa Road, Indore-452001, Madhya Pradesh on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001**, for **Extant (Notified)** variety of crop **Soybean (*Glycine max* (L.) Merrill)** having denomination **NRC 130** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **NRC 130**

Applicant : Indian Council of Agricultural Research,

Address of the applicant : Krishi Bhawan, New Delhi-110001.

Nationality of applicant : Indian

Application details

a. Number :

E4	GM19	26	1973

b. Date of receipt : 20/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Soybean (*Glycine max* (L.) Merrill)

Denomination : NRC 130

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed

denomination : NA

Name of parental material : EC 538828 & EC 390977

Name of reference varieties : RSC 10 -52

Variety description:

A. Grouping characteristics		NRC 130
Plant: Growth type (characteristic 2)		Determinate
Flower: Colour (characteristic 7)		Purple
Pod: Pubescence (characteristic 9)		Absent
Pod: Pubescence colour (characteristic 10)		Glabrous
Pod: Colour (characteristic 11)		Brown
Plant: Days to maturity (characteristic 13)		Medium
Seed: Colour (characteristic 16)		Yellow
B. Distinct characteristics of candidate variety:		
NRC 130: It has distinguishing characters like Seed: Hilum Colour - Yellow		
C. Distinct characteristics of reference variety:		
RSC 10 - 52: It has distinguishing characters like Seed: Hilum Colour - Brown		
D. Date of commercialization of the variety		--
E. Agronomic and commercial attributes of candidate variety		
S. No.	Agronomic attributes	Details
1.	Days to Maturity: Early/ Medium/ Late	Medium (91 - 93 days)

2.	Production Condition: Suitability Area in the country	Madhya Pradesh, Bundelkhand region of Uttar Pradesh, Rajasthan, Gujrat, Marathawada and Vidarbha.
	: Time of Sowing	Karif Season up to 5 th July
	: Irrigated/ Rainfed	Rainfed with irrigation under delayed rains
	: Low fertility/ High fertility	Normal Fertility
3.	Fertilizer requirement (N: P: K) to attain potential yield	-
4.	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	-
5.	Tolerance to water stagnation: Sensitive/Tolerant	Resistant to Charcol rot, and MR to Target leaf spot
6.	Resistance/ Tolerance to pest/s	
7.	Seed Yield/ha (Average)	1265 kg/h
8.	Seed: Weight (100 seeds weight in g)	12.4 g
9.	Seed: Hull content (%)	--
10.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	--
	DUS Characteristics of NRC 130	Figure- 102

161. Application No.

E3	GM18	26	1972

 filed on 20/08/2026 by **Dr. Kunwar Harendra Singh, ICAR- National Soybean Research Institute, Khandwa Road, Indore-452001, Madhya Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001**, for **Extant (Notified)** variety of crop **Soybean (*Glycine max* (L.) Merrill)** having denomination **NRC 157** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number-----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **NRC 157**
Applicant : Indian Council of Agricultural Research,
Address of the applicant : Krishi Bhawan, New Delhi - 110001.
Nationality of applicant : Indian
Application details
a. Number :

E3	GM18	26	1972

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Soybean (*Glycine max* (L.) Merrill)

Denomination : NRC 157
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : NA
Name of parental material : JS 95-60 & AGS 25
Name of reference varieties : RKS - 18

Variety description:

A. Grouping characteristics		NRC 157
Plant: Growth type (characteristic 2)		Semi determinate
Flower: Colour (characteristic 7)		Purple
Pod: Pubescence (characteristic 9)		Absent
Pod: Pubescence colour (characteristic 10)		-
Pod: Colour (characteristic 11)		Black
Plant: Days to maturity (characteristic 13)		Medium
Seed: Colour (characteristic 16)		Yellow
B. Distinct characteristics of candidate variety: NRC 157: It has distinguishing characters like Pod: Colour - Black		
C. Distinct characteristics of reference variety: RKS 18: It has distinguishing characters like Pod: Colour - Brown		
D. Date of commercialization of the variety		--
E. Agronomic and commercial attributes of candidate hybrid		
S. No.	Agronomic attributes	Details
1.	Days to Maturity: Early/ Medium/ Late	Medium (90 - 92 days)
2.	Production Condition: Suitability Area in the country	Madhya Pradesh,
	: Time of Sowing	Karif Season up to 5 th July
	: Irrigated/ Rainfed	Rainfed with irrigation under delayed rains
	: Low fertility/ High fertility	Normal Fertility
3.	Fertilizer requirement (N: P: K) to attain potential yield	-
4.	Tolerance to adverse temperature/Frost and Heat -Sensitive/Tolerant	-
5.	Tolerance to water stagnation: Sensitive/Tolerant	Resistant to bacterial pustule and Alternaria leaf spot
6.	Resistance/ Tolerance to pest/s	
7.	Seed Yield/ha (Average)	1468 kg/h

8.	Seed: Weight (1000 seeds weight in g)	9.3 g
9.	Seed: Hull content (%)	--
10.	Any other relevant information specific to the variety/hybrid (Low/Medium/High Water Use Efficiency Type)	--
	DUS Characteristics of NRC 157	

162. Application No.

E41	ZM110	26	2064

 filed on 21/08/2026 by **Dr. K. N. Prajapati, Unit Head & Associate Research Scientist, Main maize Research Station, Anand Agricultural University, Godhra-389001, Panchmahal, Gujarat** on behalf of **Anand Agricultural University, University Bhavan, Anand-388110, Gujarat** for **Extant (Notified)** variety of crop **Maize (*Zea mays* L.)** having denomination **Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH-1911)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH-1911)

Applicant : Anand Agricultural University

Address of the applicant : University Bhavan, Anand-388110, Gujarat.

Nationality of applicant : India

Application details

a. Number :

E41	ZM110	26	2064

b. Date of receipt : 21/08/2026

c. Date of acceptance : 24/08/2026

Crop (Taxonomical lineage) : Maize (*Zea mays* L.)

Denomination : Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH-1911)

Type of variety : Extant (notified)

Classification of variety : Hybrid

Previously proposed denomination : Not applicable

Name of parental material : GYLF 219 x GYLM 220

Source of parental material : Own germplasm

Name of reference varieties : GAYMH-1 & Bio-605

Notification details : S.O. 2128(E) Dt. 13/05/2025

Variety description:

A. Grouping characteristics		Remarks
Tassel: Time of anthesis (Characteristic 4)		Medium
Ear: Time of silk emergence (50% plants) (Characteristic 11)		Medium
Ear: Anthocyanin colouration of silks (Characteristic 12)		Present
Plant: Length: Hybrid and Open pollinated only (Characteristic 15.2)		Medium
Ear: Type of grain (Characteristic 22)		Flint
B. Distinct characteristics of candidate variety:		
Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH-1911): It has distinguishing characters as Ear: Length without husk is long and Ear: Diameter without husk is large.		
C. Distinct characteristics of reference variety:		
GAYMH-1 & Bio-605: It has distinguishing characters as Ear: Length without husk is medium and Ear: Diameter without husk is medium.		
D. Date of commercialization of the variety		30/06/2026
E. Agronomic and commercial attributes of candidate variety:		
S. No.	Agronomic attributes	Details
1.	Days to flowering/ anthesis: early/medium/late	-
2.	The best growing season to attain the potential yield	Kharif, Rainfed
3.	Production condition: suitability area in the country	Middle & Noeth Gujarat
4.	Fertilizer requirement to attain potential yield (N-P-K) Kg/acre	160:20:00
	Other fertilizer Kg/acre	-
5.	Name of cropping/ climatic zone in which the variety recommended for cultivation	Gujarat
6.	Resistance/Tolerance to pests/diseases	Moderately resistant
7.	Zone wise yield potential (q/acre)	709.4 q/ha
8.	Seed yield /acre (average)	-
9.	Seed: weight (1000 seeds weight in g)	367 g
10.	Any other relevant value additional information specific to the variety/hybrid in terms of trade	NA
DUS Characteristics of Gujarat Maize Hybrid 5 (GMH 5: Panam Gold) (GYH- 1911)		Figure- 75

163. Application No.

E8

CC26

26

2060

filed on 21/08/2026 by

Director, ICAR-Indian Institute of Agricultural Research, Pusa campus, New Delhi on behalf of **ICAR-Indian Institute of Agricultural Research, Pusa campus, New Delhi** for

Extant (Notified) variety of crop **Pigeon pea (*Cajanus cajan* (L.) Millsp.)** having denomination **Pusa Jawahar Arhar Dwarf 22-01** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa Jawahar Arhar Dwarf 22-01

Applicant : ICAR-IARI

Address of the applicant : Pusa campus, New Delhi

Nationality of applicant : Indian

Application details

a. Number	:	E8	CC26	26	2060
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			

Crop (taxonomical lineage) : Pigeon pea (*Cajanus cajan* (L.) Millsp.)

Denomination : Pusa Jawahar Arhar Dwarf 22-01

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

Name of parental material : Pusa Dwarf x ICP 8863

Source of parental material : Own germplasm

Name of reference varieties : Upas 120 & Pusa 992

Details of Notification : S. O. 2128(E) Dt. 13/05/2025

Variety description:

A. Grouping characteristics	Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)	Early (3)
Plant: Growth habit (Characteristics 4)	Determinate (1)
Stem: Colour (Characteristics 5)	Green (1)
Pod: Waxiness (Characteristics 12)	Present (9)
Seed: Colour (Characteristics 18)	Brown (2)
B. Distinct characteristics of candidate variety: Pusa Jawahar Arhar Dwarf 22-01: It has distinguishing characters as Leaf: Pubescence on lower surface of the leaf is present and Pod waxiness is present.	
C. Distinct characteristics of reference varieties: Upas 120 & Pusa 992: It has distinguishing characters as Leaf: Pubescence on lower surface of the leaf is absent and Pod waxiness is absent.	
D. Date of commercialization of the variety	Not commercialized

E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Irrigated/rainfed, suitable for sole cropping. It should be timely sown in kharif season and delay in sowing should be avoided for better performance. Suitable for MP.
	: Time of Sowing	<i>Kharif</i>
	: Irrigated/Rainfed	Both
	: Low fertility/High fertility of Soil	At least medium fertile soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:40:20 kg/ha ZnSo4: 20 Kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	No disease incidence was observed in multi-location trial in 2022 & 2023.
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i> season with sowing in 1 st week of Jun. suitable for sole cropping.
7.	Number of Pods per Plant (Average)	-
8.	Zone wise yield potential (Average per acre (q/acre)	7.2-8.8 q/acre
9.	Seed yield q/acre (average)	18-22 q/ha
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	NA
DUS Characteristics of Pusa Jawahar Arhar Dwarf 22-01		Figure- 107

164. Application No.

E9	CC27	26	2061

 filed on 21/08/2026 by Director, **ICAR-Indian Institute of Agricultural Research, Pusa campus, New Delhi** on behalf of **ICAR-Indian Institute of Agricultural Research, Pusa campus, New Delhi** for **Extant (Notified)** variety of crop **Pigeon pea (*Cajanus cajan* (L.) Millsp.)** having denomination **Pusa Jawahar Arhar 22-02** has been accepted and given registration number - -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa Jawahar Arhar 22-02

Applicant : ICAR-IARI

Address of the applicant : Pusa campus, New Delhi

Nationality of applicant : Indian

Application details

a. Number	:	E9	CC27	26	2061
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			

Crop (taxonomical lineage) : Pigeon pea (*Cajanus cajan* (L.) Millsp.)

Denomination : Pusa Jawahar Arhar 22-02

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

denomination

Name of parental material : (H2001-4 x ICP7035) x (Pusa Dwarf x ICP7035)

Source of parental material : Own germplasm

Name of reference varieties : Hy3C & MAL13

Details of Notification : S. O. 2128(E) Dt. 13/05/2025

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Very Early (1)
Plant: Growth habit (Characteristics 4)		Determinate (1)
Stem: Colour (Characteristics 5)		Green (1)
Pod: Waxiness (Characteristics 12)		Present (9)
Seed: Colour (Characteristics 18)		Brown (2)
B. Distinct characteristics of candidate variety:		
Pusa Jawahar Arhar 22-02: It has distinguishing characters as Flower: Colour of base of petal is yellow and Pod constriction is slight.		
C. Distinct characteristics of reference varieties:		
Hy3C: It has distinguishing characters as Flower: Colour of base of petal is red.		
MAL13: It has distinguishing characters as Pod constriction is prominent.		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Irrigated/rainfed, suitable for sole cropping. It should be timely sown in kharif season and delay in sowing should be avoided for better performance. Suitable for MP.
	: Time of Sowing	Kharif. 1 st week of June – 2 nd week of

		July
	: Irrigated/Rainfed	Both
	: Low fertility/High fertility of Soil	At least medium fertile soil
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:40:20 kg/ha ZnSo4: 20 Kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	No disease incidence was observed in multi-location trial in 2022 & 2023.
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i> season with sowing in 1 st week of Jun. suitable for sole cropping.
7.	Number of Pods per Plant (Average)	-
8.	Zone wise yield potential (Average per acre (q/acre)	7.46 q/acre
9.	Seed yield q/acre (average)	18-65 q/ha
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	NA
DUS Characteristics of Pusa Jawahar Arhar 22-02		Figure- 108

165. Application No.

E25	AE44	26	2088

 filed on 23/08/2026 by **Director, ICAR-IARI, Pusa Campus, New Delhi** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001** for **Extant (Notified)** variety of crop **Okra [*Abelmoschus esculentus* (L.) Moench.]** having denomination **Pusa Bhendi-5 (DOV-66)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Pusa Bhendi-5 (DOV-66)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110001
Nationality of applicant : Indian

Application details

a. Number :

E25	AE44	26	2088

b. Date of receipt : 21/08/2026

c. Date of acceptance	: 24/08/2026
Crop (taxonomical lineage)	: Okra [<i>Abelmoschus esculentus</i> (L.) Moench.]
Denomination	: Pusa Bhendi-5 (DOV-66)
Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed	: Not applicable
Denomination	
Name of parental material	: C-316 x DOV-77
Source of parental material	: Own germplasm
Name of reference varieties	: Pusa Sawani
Details of Notification	: S.O.692(E). Dated 05/02/2019

Variety description:

A. Grouping characteristics		Remarks (measured values)
Stem: Colour (Characteristic 1)		Dark green (5)
Stem: Node number at which first flower opens (Characteristic 2)		Medium (5)
Leaf blade: Sinus depth of terminal lobe (Characteristic 4)		Medium (5)
Flower: Colour of petal base (red purple) (Characteristic 14)		-
Fruit: Colour (Characteristic 18)		-
Fruit: Number of locules (Characteristic 26)		5 (1)
Plant: Number of productive branches (Characteristic 29)		Medium (5)
B. Distinct characteristics of candidate variety: Pusa Bhendi-5 (DOV-66) has distinguishing characters as Stem colour is dark green and Leaf blade: colour between veins is green.		
C. Distinct characteristics of reference variety: Pusa Sawani has distinguishing characters as Stem colour is light green and Leaf blade: colour between veins is light green.		
D. Date of commercialization of the variety		-
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to Maturity: Early/Medium/Late	Medium
2.	Production condition; Suitability Area in the Country	Northern plain (Delhi and adjoining region)
3.	: Time of sowing	Kharif season (15 June to 15 July) and spring summer (15 Feb to 15 March)
4.	: Irrigated/Rainfed	Irrigated
5.	: Low fertility/High fertility	High fertility
6.	Fertilizer requirement (N; P: K) to attain potential yield	N; P: K@120:50:60 Kg/ha plus 20 t/ha FYM

7.	Tolerance to adverse Temperature/Frost/& Heat-Sensitive/Tolerance	Tolerant to heat
8.	Tolerance to water stagnation: Sensitive /Tolerant	Sensitive
9.	Resistance/tolerance to pest/s Disease	Resistant to YVMV disease
10.	Staking & pruning practices	Not required
11.	Winter-spring cropping seasons Type	Spring cropping season and rainy season
12.	Fruit yield /plant (q/ac)	70-80 q/acre
13.	Fruit yield / (kg/ha)(average)	450 g/plant
14.	Fruit quality and fruit fairness	Dark green attractive and tender at marketable stage (firm)
15.	Fruit picking schedule	Every 3-4 days interval after first harvest
16.	Transport Potential (Days)	4-5 days
17.	Unique selling Propositions and optimal shelf-life (Days)	8-10 days
18.	Any other relevant information specific to the variety/hybrid in terms of trade	Fruit is dark green, smooth, attractive, shining, tasty and excellent cooking quality.
DUS Characteristics of Pusa Bhendi-5 (DOV-66)		Figure- 109

166. Application No.

E2	PS3	26	1896

 filed on 18/08/2026 by **Dr. Lakshmi Kant, Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601, Uttarakhand** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110012** for Extant (Notified) variety of crop **Garden Pea (*Pisum sativum* L.)** having denomination **VL Madhuri (VP SP 906-1)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **VL Madhuri (VP SP 906-1)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number	:	E2	PS3	26	1896
b. Date of receipt	:	18/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Garden Pea (<i>Pisum sativum</i> L.)			
Denomination	:	VL Madhuri (VP SP 906-1)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	Mutant selected from population of VP-906			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	Arkel			
Notification Details	:	S.O.1362 (E) dt. 12.03.2024			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Stipule: Rabbit- eared stipules (Characteristics 6)		Present (9)
Flower: Opening (days) (Characteristics 8)		Medium(3)
Pod: Shape of distal part (Characteristics 12)		Pointed (1)
Plant: Height (Characteristics 14)		Medium (5)
Seed: Shape (Characteristics 15)		Dimpled (3)
Seed: Cotyledon colour (Characteristics 17)		Green (5)
B. Distinct characteristics of candidate variety: VL Madhuri (VP SP 906-1) has distinguishing characters as Seed: Cotyledon colour: Green and Seed: Weight of 1000 seeds: Medium		
C. Distinct characteristics of reference varieties: Arkel has distinguishing characters as Seed: Cotyledon colour: Creamy and Seed: Weight of 1000 seeds: Large		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	First picking of immature green pods at 120-124 days (Mid hills ,1250m amsl) Off-season (August planting) in hills (1800-2000m amsl altitude): First picking of green pods at 85-90 days
2.	Production condition: Suitability Area in the Country	Zone IV (Punjab, Uttar pradesh, Bihar and Jharkhand)
	: Time of Sowing	Second week of November (mid hills) Off-season in hills:15 th August –last week of August (1800-2000m amsl altitude)
	: Irrigated/Rainfed	Irrigated

	: Low fertility/High fertility of Soil	Fertility medium to high for best result
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	Irrigated:8:24:16 kg N:P ₂ O ₅ :K ₂ O and 4-6t FYM/acre (fresh weight)
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	NA
6.	The best growing season to attain the potential yield (zone wise)	Second week of November (sowing time should be done accordingly so that flowering should not coincide with frosting)
7.	Number of Pods per Plant (Average)	14-20
8.	Zone wise yield potential (Average per acre (q/acre)	130 q/ha (green pod)
9.	Seed yield q/acre (average)	50
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Edible pod variety, medium maturing variety, edible pods are long, attractive green and curved. Seeds are bold, wrinkled and greenish-yellow in colour
DUS Characteristics of VL Madhuri (VP SP 906-1)		Figure- 110

167. Application No.

E3	PS4	26	1897

 filed on 18/08/2026 by **Dr. Lakshmi Kant, Director, ICAR- Vivekananda Parvatiya Krishi Anusandhan Sansthan, Almora-263601, Uttarakhand** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110012** for Extant (Notified) variety of crop **Garden Pea (*Pisum sativum* L.)** having denomination **VL Uphaar (VP 1429)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **VL Uphaar (VP 1429)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number	:	E3	PS4	26	1897
b. Date of receipt	:	18/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Garden Pea (<i>Pisum sativum</i> L.)			
Denomination	:	VL Uphaar (VP 1429)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	VP 1126/PC 531			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	VL Sabji Matar 13 (VP 907)			
Notification Details	:	S.O.1362 (E) dt. 12.03.2024			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Stipule: Rabbit- eared stipules (Characteristics 6)		Present (9)
Flower: Opening (days) (Characteristics 8)		Medium(3)
Pod: Shape of distal part (Characteristics 12)		Pointed (1)
Plant: Height (Characteristics 14)		Short (3)
Seed: Shape (Characteristics 15)		Dimpled (3)
Seed: Cotyledon colour (Characteristics 17)		Green (5)
B. Distinct characteristics of candidate variety: VL Uphaar (VP 1429) has distinguishing characters as Flower: Opening (days): Medium and Pod: Curvature: Weak		
C. Distinct characteristics of reference varieties: VL Sabji Matar 13 (VP 907) has distinguishing characters as Flower: Opening (days): Early and Pod: Curvature: Medium		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early 125-127 days (First picking under mid hills)
2.	Production condition: Suitability Area in the Country	Zone I (Uttarakhand, Himachal Pradesh, J&K)
	: Time of Sowing	Last week of November (sowing time should be done accordingly so that flowering should not coincide with frosting). Off-season in hills:15 th August –last week of August (1800-2000m amsl altitude)
	: Irrigated/Rainfed	Irrigated

	: Low fertility/High fertility of Soil	Fertility medium to high for best result
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	Irrigated:8:24:16 kg N:P ₂ O ₅ :K ₂ O and 4-6t FYM/acre (fresh weight) Basal: N, P, K, FYM
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	NA
6.	The best growing season to attain the potential yield (zone wise)	Last week of November (sowing time should be done accordingly so that flowering should not coincide with frosting)
7.	Number of Pods per Plant (Average)	10-15
8.	Zone wise yield potential (Average per acre (q/acre)	40-48 qtls/acre (green pods)
9.	Seed yield q/acre (average)	4
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Early-maturing variety and escapes powdery mildew during the Rabi season. Pods are long, attractive green and curved. Seeds are bold, wrinkled and greenish –yellow in colour
DUS Characteristics of VL Uphaar (VP 1429)		Figure- 111

168. Application No.

E1	VA3	26	1933

 filed on 18/08/2026 by **Dr. Hans Raj Mahla, Principal Scientist, ICAR- Central Arid Zone Research Institute, CAZRI Road, Near ITI Circle, Light Industrial Area, Jodhpur-342003, Rajasthan** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Moth bean (*Vigna aconitifolia* (Jacq.) Marechal.)** having denomination **CAZRI MOTH-4 (CZMO-18-2)** has been accepted and given registration number -----NA --
-----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : CAZRI MOTH-4 (CZMO-18-2)

Applicant	:	Indian Council of Agricultural Research
Address of the applicant	:	Krishi Bhawan, New Delhi-110012
Nationality of applicant	:	Indian
Application details		
a. Number	:	
b. Date of receipt	:	18/08/2026
c. Date of acceptance	:	24/08/2026
Crop (taxonomical lineage)	:	Moth bean (<i>Vigna aconitifolia</i> (Jacq.) Marechal.)
Denomination	:	CAZRI MOTH-4 (CZMO-18-2)
Type of variety	:	Extant (Notified)
Classification of variety	:	Typical
Previously proposed denomination	:	Not applicable
Name of parental material	:	Mutation breeding using CAZRI Moth-2
Source of parental material	:	Own germplasm
Name of reference varieties	:	CAZRI Moth-2
Notification Details	:	S.O.1560 (E) dt. 26.03.2024

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant type (Characteristics 1)		Semi-erect (3)
Lobing of the terminal leaflet (5 th fullyopened leaf on main axis (Characteristics 4)		Shallow (3)
Peduncle length (cm) (Characteristics 8)		Medium (5)
Number of clusters per plant (Characteristics 10)		High (7)
Seed colour (Characteristics 13)		Medium brown (7)
B. Distinct characteristics of candidate variety: CAZRI MOTH-4 (CZMO-18-2) has distinguishing characters as Number of clusters per plant: High and Number of pods per plant: High		
C. Distinct characteristics of reference varieties: CAZRI Moth-2 has distinguishing characters as Number of clusters per plant: Medium and Number of pods per plant: Moderate		
D. Date of commercialization of the variety		30/05/2025
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Rajasthan , Gujarat, Maharashtra and Karnataka
	: Time of Sowing	First week of July to second fortnight of August
	: Irrigated/Rainfed	Rainfed
	: Low fertility/High fertility of Soil	Low fertility
3.	Fertilizer requirement to attain potential	10kg Nitrogen:20kg Phosphorus per acre

	yield (N:P:K:) kg/acre	
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	Heat tolerance
5.	Resistance/Tolerance to Pest/s	Tolerance to pests
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i>
7.	Number of Pods per Plant (Average)	45-50
8.	Zone wise yield potential (Average per acre (q/acre)	3-4 q/acre
9.	Seed yield q/acre (average)	3-4 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	NA
DUS Characteristics of CAZRI MOTH-4 (CZMO-18-2)		Figure- 112,113

169. Application No.

E1	CA9	26	1974

 filed on 20/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea** (*Cicer arietinum* L.) having denomination **Pusa Chickpea 20211 (Pusa Chickpea Manav)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Chickpea 20211 (Pusa Chickpea Manav)**
Applicant : Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi-110012
Nationality of applicant : Indian
Application details

E1	CA9	26	1974

a. Number :
b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)
Denomination : Pusa Chickpea 20211 (Pusa Chickpea Manav)

Type of variety	: Extant (Notified)
Classification of variety	: Typical
Previously proposed denomination	: Not applicable
Name of parental material	: [(3Pusa 391)/(Pusa 391/WR315)-3]
Source of parental material	: Own germplasm
Name of reference varieties	: Pusa 391
Notification Details	: S.O.500 (E) dt. 29.01.2021

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Late (7)
Flower: Colour (Characteristics 9)		Pink (2)
Seed: Colour (Characteristics 15)		Creamy beige (2)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)		Large (7)
B. Distinct characteristics of candidate variety: Pusa Chickpea 20211 (Pusa Chickpea Manav) has distinguishing characters as Plant: Growth habit: Spreading and Seed: Colour: Creamy beige		
C. Distinct characteristics of reference varieties: Pusa 391 has distinguishing characters as Plant: Growth habit: Semi-erect and Seed: Colour: Brown		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	108 days from the date of sowing
2.	Production condition: Suitability Area in the Country	CZ
	: Time of Sowing	Timely sown (20 th October-10 th November)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	20:40:20 kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	It is highly resistant to <i>Fusarium wilt</i> . It is moderately resistant to dry root rot, collar rot and stunt. It is moderately resistant to pod borer. It is a profusely branching variety with more number of pods per unit. Resistant to moderately resistant to Dry Root Rot

6.	Seed characters	It has an excellent grain colour, size and shape. Its average 100 seed weight is 19.5g. It's grain protein content is 18.92 percent
7.	Zone wise yield potential (Average per acre (q/acre)	39.15 q/ha
8.	Seed yield q/acre (average)	25.33 q/ha
9.	Seed: Weight (100 seed weight in g)	19.5g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	It has an excellent grain colour, size and shape. Its average 100 seed weight is 19.5g. It's grain protein content is 18.92 percent
DUS Characteristics of Pusa Chickpea 20211 (Pusa Chickpea Manav)		Figure- 114,115

170. Application No.

E2	CA10	26	1975

 filed on 20/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea (*Cicer arietinum* L.)** having denomination **Pusa Chickpea Vijay (BGM 10217)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Chickpea Vijay (BGM 10217)**

Applicant : Indian Agricultural Research Institute

Address of the applicant : Pusa Campus, New Delhi-110012

Nationality of applicant : Indian

Application details

a. Number :

E2	CA10	26	1975

b. Date of receipt : 20/08/2026

c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)

Denomination : Pusa Chickpea Vijay (BGM 10217)

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

Name of parental material : JG 11 x ICC 4958

Source of parental material : Own germplasm
Name of reference varieties : KWR 108
Notification Details : S.O.4222 (E) dt. 25.09.2023

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Late (7)
Flower: Colour (Characteristics 9)		Pink (2)
Seed: Colour (Characteristics 15)		Green (3)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)		Small (3)
B. Distinct characteristics of candidate variety: Pusa Chickpea Vijay (BGM 10217) has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Small and Seed: Shape: Smooth		
C. Distinct characteristics of reference varieties: KWR 108 has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Medium and Seed: Shape: Tuberculated		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	125-137 days with mean value 128 days
2.	Production condition: Suitability Area in the Country	Uttar Pradesh
	: Time of Sowing	Timely sown (20 th October-10 th November)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	20:40:20 kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	It is highly resistant to <i>Fusarium wilt</i> .
6.	Seed characters	It has an excellent grain colour, size and shape. Its average 100 seed weight is 18.5g.
7.	Zone wise yield potential (Average per acre (q/acre)	24.25 q/ha
8.	Seed yield q/acre (average)	21.53 q/ha
9.	Seed: Weight (100 seed weight in g)	18.5g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	Specific are of adaptation Western and Bundelkhand region of Uttar Pradesh
DUS Characteristics of Pusa Chickpea Vijay (BGM 10217)		Figure- 116

171. Application No.

E3	CA11	26	1976

 filed on 20/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea (*Cicer arietinum* L.)** having denomination **Pusa Chickpea 10216 (BGM 10216)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Chickpea 10216 (BGM 10216)**

Applicant : Indian Agricultural Research Institute

Address of the applicant : Pusa Campus, New Delhi-110012

Nationality of applicant : Indian

Application details

E3	CA11	26	1976

a. Number :

b. Date of receipt : 20/08/2026

c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)

Denomination : Pusa Chickpea 10216 (BGM 10216)

Type of variety : Extant (Notified)

Classification of variety : Typical

Previously proposed denomination : Not applicable

Name of parental material : Pusa 372/ICC 4958//Pusa 372*3

Source of parental material : Own germplasm

Name of reference varieties : BG 372

Notification Details : S.O.99 (E) dt. 06.01.2020

Variety description:

A. Grouping characteristics	Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)	Late (7)
Flower: Colour (Characteristics 9)	Pink (2)
Seed: Colour (Characteristics 15)	Green (3)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)	Small (3)
B. Distinct characteristics of candidate variety: Pusa Chickpea 10216 (BGM 10216) has distinguishing characters as Seed: Ribbing : Present	

C. Distinct characteristics of reference varieties: BG 372 has distinguishing characters as Seed: Ribbing : Absent		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	108-112 days with mean value 110 days
2.	Production condition: Suitability Area in the Country	Central zone
	: Time of Sowing	Timely sown (20 th October-10 th November)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	20:40:20 kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	It is highly resistant to <i>Fusarium wilt</i> . It is moderately resistant to dry root rot, collar rot and stunt. It is moderately resistant to pod borer. It is a profusely branching variety with more number of pods per unit. Resistant to moderately resistant to Dry Root Rot
6.	Seed characters	Medium bold attractive brown coloured seed with 100-seed weight-22.2g.
7.	Zone wise yield potential (Average per acre (q/acre)	25.75 q/ha
8.	Seed yield q/acre (average)	14.75 q/ha
9.	Seed: Weight (100 seed weight in g)	22.2 g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	BGM 10216 is a drought tolerant introgression line of Pusa 372, developed at ICAR-IARI, New Delhi possessing the “QTL hot spot” on LG 4 locus having drought tolerance, introgressed from ICC 4958 through MABC
DUS Characteristics of Pusa Chickpea 10216 (BGM 10216)		Figure- 117

172. Application No.

E4

CA12

26

1977

filed on 20/08/2026 by the

Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012 on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea** (*Cicer arietinum* L.) having denomination **Pusa**

Chickpea 3057 (BG 3057) has been accepted and given registration number -----NA -----
--on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on ----
NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Chickpea 3057 (BG 3057)**
Applicant : Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi-110012
Nationality of applicant : Indian

Application details

E4	CA12	26	1977

a. Number :
b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)
Denomination : Pusa Chickpea 3057 (BG 3057)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed denomination : Not applicable
Name of parental material : FLIP 94-509C x Pusa 1088
Source of parental material : Own germplasm
Name of reference varieties : Pusa 1088
Notification Details : S.O.1560 (E) dt. 26.03.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)	Early (3)
Flower: Colour (Characteristics 9)	Pink (2)
Seed: Colour (Characteristics 15)	Grey (8)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)	Very large (9)
B. Distinct characteristics of candidate variety: Pusa Chickpea 3057 (BG 3057) has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Very large	
C. Distinct characteristics of reference varieties: Pusa 1088 has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Large	
D. Date of commercialization of the variety	NA
E. Agronomic and commercial attributes	

S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	135-140 days with mean value 138 days
2.	Production condition: Suitability Area in the Country	NCR, Rajasthan, , Haryana, and Western UP
	: Time of Sowing	Timely sown (20 th October-10 th November)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	20:40:20 kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	It is highly resistant to <i>Fusarium wilt</i> and collar rot; moderately resistant to dry root rot, <i>Ascochyta blight</i> and <i>Botrytis</i> gray mold
6.	Seed characters	It is large seeded and has an excellent grain colour and shape. Its 100-seed weight is 30-35
7.	Zone wise yield potential (Average per acre (q/acre)	24.25 q/ha
8.	Seed yield q/acre (average)	20.1 q/ha
9.	Seed: Weight (100 seed weight in g)	35 g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	It is large seeded and has an excellent grain colour and shape. Its 100-seed weight is 30-35g. It is profusely branching with a greater number of pods per unit area
DUS Characteristics of Pusa Chickpea 3057 (BG 3057)		Figure- 118

173. Application No.

E5	CA13	26	1978

 filed on 20/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea** (*Cicer arietinum* L.) having denomination **Pusa Parvati (BG 3062)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Parvati (BG 3062)**
 Applicant : Indian Agricultural Research Institute
 Address of the applicant : Pusa Campus, New Delhi-110012
 Nationality of applicant : Indian

Application details

E5	CA13	26	1978

a. Number :
 b. Date of receipt : 20/08/2026
 c. Date of acceptance : 24/08/2026
 Crop (taxonomical lineage) : Chickpea (*Cicer arietinum* L.)
 Denomination : Pusa Parvati (BG 3062)
 Type of variety : Extant (Notified)
 Classification of variety : Typical
 Previously proposed denomination : Not applicable
 Name of parental material : ICCV 10 x ICCL 87332
 Source of parental material : Own germplasm
 Name of reference varieties : JG 16
 Notification Details : S.O.99 (E) dt. 06.01.2020

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		-
Flower: Colour (Characteristics 9)		Pink (2)
Seed: Colour (Characteristics 15)		Creamy beige (2)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)		Large (9)
B. Distinct characteristics of candidate variety: Pusa Parvati (BG 3062) has distinguishing characters as Seed: Colour: Brown		
C. Distinct characteristics of reference varieties: JG 16 has distinguishing characters as Seed: Colour: Dark Brown		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	120-128 days with mean value 124 days
2.	Production condition: Suitability Area in the Country	CZ
	: Time of Sowing	Timely sown (20 th October-10 th November)
	: Irrigated/Rainfed	Irrigated

	: Low fertility/High fertility of Soil	NA
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	20:40:20 kg/ha
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	NA
5.	Resistance/Tolerance to Pest/s	. Highly resistant to wilt (24R and 10MR) . Resistant to Dry Root Rot (4R and 5MR) Resistant to Stunt (2R and 2MR) Pod borer: Tolerant
6.	Seed characters	It has an excellent grain colour, size and shape. Its average 100-seed weight is 21 g. It's grain grain protein content is 24.8 percent
7.	Zone wise yield potential (Average per acre (q/acre)	24.25 q/ha
8.	Seed yield q/acre (average)	21.53 q/ha
9.	Seed: Weight (100 seed weight in g)	23.0 g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	This variety is suitable for mechanical harvesting. Erect plant type, profusely branching and light green foliage
DUS Characteristics of Pusa Parvati (BG 3062)		Figure- 119

174. Application No.

E9	CC28	26	2062

 filed on 21/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified)** variety of crop **Pigeon pea (*Cajanus cajan* (L.) Millsp.)** having denomination **Pusa Jawahar Arhar 21-29** has been accepted and given registration number -----NA -----
----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Jawahar Arhar 21-29**
Applicant : Indian Agricultural Research Institute
Address of the applicant : Pusa Campus, New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number	:	E9	CC28	26	2062
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Pigeon pea (<i>Cajanus cajan</i> (L.) Millsp.)			
Denomination	:	Pusa Jawahar Arhar 21-29			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	Pusa Dwarf x ICP 8863			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	Manak			
Notification Details	:	S.O.2128 (E) dt. 13.05.2025			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Early (3)
Plant: Growth habit (Characteristics 4)		Determinate (1)
Stem: Colour (Characteristics 5)		Green (1)
Pod: Waxiness (Characteristics 12)		Present (9)
Seed: Colour (Characteristics 18)		Brown (2)
B. Distinct characteristics of candidate variety: Pusa Jawahar Arhar 21-29 has distinguishing characters as Plant: Growth habit: Determinate and Leaf: Shape: Oblong		
C. Distinct characteristics of reference varieties: Manak has distinguishing characters as Plant: Growth habit: Indeterminate and Leaf: Shape: Narrowly		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Irrigated/Rainfed, suitable for sole cropping. It should be timely sown in <i>kharif</i> season and delay in sowing should be avoided for better performance. Suitable for Madhya Pradesh
	: Time of Sowing	1 st week of June. It should be timely sown in <i>kharif</i> season and delay in sowing should be avoided for better performance
	: Irrigated/Rainfed	Rainfed

	: Low fertility/High fertility of Soil	At least medium fertile soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	Fertilize with N:P:K::40:20:20 kg/ha per hectare as basal
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	-
5.	Resistance/Tolerance to Pest/s	No disease incidence was observed at all the locations in the multi-location trials in both the years' <i>kharif</i> 2022 & 2023. Disease incidence was not experienced at IARI, New Delhi
6.	The best growing season to attain the potential yield (zone wise)	<i>Kharif</i> season with sowing in 1 st week of June. suitable for sole cropping
7.	Grain characters (Physical)	
	(a) Grain size (cm)	Very large
	(b) Seed lusture (present/ absent)	Present
	(c) Seed colour	Brown
8.	Zone wise yield potential (q/ac)(average)	7.80 q/ac
8.	Seed yield q/acre (average)	Average yield of 1916.67 kg/ha Yield potential 1950.70 q/ha
9.	Seed: Weight (100 seed weight in g)	12.98g
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	NA
DUS Characteristics of Pusa Jawahar Arhar 21-29		Figure- 120

175. Application No.

E11	CA19	26	2063

 filed on 21/08/2026 by the **Dr. Prabhuraj A , Director of Research, University of Agricultural Sciences, Raichur** on behalf of **University of Agricultural Sciences, UAS-R, Zonal Agricultural Research Station, Kalaburagi-585101, Karnataka** for Extant (Notified) variety of crop **Chickpea (*Cicer arietinum* L.)** having denomination **KCD-11 (KCD-2019-05)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **KCD-11 (KCD-2019-05)**
Applicant : University of Agricultural Sciences
Address of the applicant : UAS-R, Zonal Agricultural Research Station, Kalaburagi-585101, Karnataka
Nationality of applicant : Indian

Application details

a. Number	:	E11	CA19	26	2063
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Chickpea (<i>Cicer arietinum</i> L.)			
Denomination	:	KCD-11 (KCD-2019-05)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed denomination	:	Not applicable			
Name of parental material	:	JG-11 x WR-315			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	WR-315			
Notification Details	:	S.O.4388 (E) dt. 08.10.2024			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Time of flowering (50% of the plants with at least one open flower) (Characteristics 3)		Early (3)
Flower: Colour (Characteristics 9)		Pink (2)
Seed: Colour (Characteristics 15)		Brown (6)
Seed: Size (weight of 100 seeds at 10% moisture content) (Characteristics 16)		Small (3)
B. Distinct characteristics of candidate variety: KCD-11 (KCD-2019-05) has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Small		
C. Distinct characteristics of reference varieties: WR-315 has distinguishing characters as Seed: Size (weight of 100 seeds at 10% moisture content): Very Small		
D. Date of commercialization of the variety		Not commercialized
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	15 th September to 15 th October
	: Time of Sowing	October
	: Irrigated/Rainfed	Rainfed
	: Low fertility/High fertility of Soil	All soils
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	9:23:0 kg/acre
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	Heat & drought tolerant variety

5.	Resistance/Tolerance to Pest/s	Moderately resistance to Fusarium wilt
6.	The best growing season to attain the potential yield (Zone wise)	October first week:across Karnataka
7.	Number of pods per plant (average)	27-40
8.	Zone wise yield potential (Average per acre (q/acre)	Zone1: 7.46 q/acre Zone 2: 5.44 q/acre Zone 3: 9.61 q/acre
9.	Seed yield q/acre (average)	6-8 q/acre
10.	Any other relevant information specific to the variety/hybrid (low/medium/high water use efficiency type)	High protein Iron & Zinc compared to JG-11
DUS Characteristics of KCD-11 (KCD-2019-05)		Figure-121

176. Application No.

F19	AHL20	25	1367

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. Krishna Naik K S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KVAK HONEY JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety

Applicant

Address of the applicant

Nationality of applicant

Application details

a. Number

b. Date of receipt

c. Date of acceptance

Crop (taxonomical lineage)

Denomination

Type of variety

Classification of variety

Previously proposed

Denomination

Name of parental material

Source of parental material

Name of reference variety

Variety description:

: KVAK HONEY JACK

: Mr. Krishna Naik K

: S/o Kasanu Naik #89, 22nd Cross, 16th Main,
Judicial layout, Bangalore North-560065

: Indian

F19	AHL20	25	1367

: 22/12/2025

: 19/08/2026

: Jackfruit (*Artocarpus heterophyllus* Lam.)

: KVAK HONEY JACK

: Farmer

: Typical

: Not applicable

: NA

: NA

: Swarna

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KVAK HONEY JACK has distinguishing characters as Leaf blade shape is Obovate & Seed Colour is Brown.	
C. Distinct characteristics of reference variety: Swarna has distinguishing characters as Leaf blade shape is Elliptical & Seed Colour is Cream.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KVAK HONEY JACK

177. Application No.

F20	AHL21	25	1368

 filed on 22/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. Krishna Naik K S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **KKVR ORED JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in -----NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : KKVR ORED JACK
Applicant : Mr. Krishna Naik K
Address of the applicant : S/o Kasanu Naik #89, 22nd Cross, 16th Main, Judicial layout, Bangalore North-560065
Nationality of applicant : Indian
Application details :

F20	AHL21	25	1368

a. Number :
b. Date of receipt : 22/12/2025
c. Date of acceptance : 21/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : KKVR ORED JACK
Type of variety : Farmer
Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : NA

Source of parental material : NA

Name of reference variety : RED-RTB

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	-
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Coppery red
B. Distinct characteristics of candidate variety: KKVR ORED JACK has distinguishing characters as Fruit Shape is Spheroid & Ripe fruit Peel colour is Greenish yellow.	
C. Distinct characteristics of reference variety: RED-RTB has distinguishing characters as Fruit Shape is Clavate & Ripe fruit Peel colour is Brown.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of KKVR ORED JACK

178. Application No.

F8	AHL10	26	1104

 filed on 23/06/2026 by **Dr. Nagarajappa Adivappar, Professor (Horticulture) and Principal Investigator, Arecanut Research Centre, Navile, KSNUAHS, Shivamogga, Karnataka-577204** through **Mr. Afroz Mohamed Khan S/o Late Yousuf Ali Khan, Village: Rasulpur, Post: Guddehosuru, Kushalanagra (Hobli), Tehsil: Somwarpete, Dist: Kodagu-571234** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **RRD-2** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
---- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : RRD-2

Applicant : Mr. Afroz Mohamed Khan

Address of the applicant : S/o Late Yousuf Ali Khan, Village: Rasulpur, Post: Guddehosuru, Kushalanagra (Hobli), Tehsil: Somwarpete, Dist: Kodagu-571234

Nationality of applicant : Indian

Application details

a. Number	:	F8	AHL10	26	1104
b. Date of receipt	:	23/06/2026			
c. Date of acceptance	:	21/08/2026			
Crop (taxonomical lineage)	:	Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)			
Denomination	:	RRD-2			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	LALBAGH MADHURA			

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: RRD-2 has distinguishing characters as Leaf Blade Shape is Oblong & Fruit Shape is Clavate	
C. Distinct characteristics of reference variety: LALBAGH MADHURA has distinguishing characters as Leaf Blade Shape is Obovate & Fruit Shape is Ellipsoid	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of RRD-2

179. Application No.

F99	AHL99	24	1230

 filed on 16/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Ms. Sahari Mandi, Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **SAHARI KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : SAHARI KATHAL
Applicant : Ms. Sahari Mandi
Address of the applicant : Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148
Nationality of applicant : Indian

Application details

a. Number : F99 AHL99 24 1230
b. Date of receipt : 16/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : SAHARI KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : LAMBRADAR

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Sparse <50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: SAHARI KATHAL has distinguishing characters as Leaf posture is Conduplicate & Seed Shape is Ellipsoid.	
C. Distinct characteristics of reference variety: LAMBRADAR has distinguishing characters as Leaf posture is Revolute & Seed Shape is Elongate.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of SAHARI KATHAL

180. Application No. F27 AHL27 24 1126 filed on 11/12/2024 by
Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103
through **Mr. Suprakash Besra, Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148**

for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **SUPRAKASH KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : SUPRAKASH KATHAL
Applicant : Mr. Suprakash Besra
Address of the applicant : Sutan, Mitham, PS: Rani Bandh,
Dist.: Bankura-722148
Nationality of applicant : Indian

Application details

a. Number	:	F27	AHL27	24	1126
b. Date of receipt	:	11/12/2024			
c. Date of acceptance	:	24/08/2026			
Crop (taxonomical lineage)	:	Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)			
Denomination	:	SUPRAKASH KATHAL			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of parental material	:	NA			
Source of parental material	:	NA			
Name of reference variety	:	KOUSHALIYA KATHAL			

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: SUPRAKASH KATHAL has distinguishing characters as Fruit Shape is Oblong & Flake Shape is Rectangular.	
C. Distinct characteristics of reference variety: KOUSHALIYA KATHAL has distinguishing characters as Fruit Shape is Spheroid & Flake Shape is Cordate.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of SUPRAKASH KATHAL

181. Application No.

F98	AHL98	24	1229

 filed on 16/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Ms. Koushallya Besra, Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus Lam.*) having denomination **KOUSHALIYA KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA -----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : KOUSHALIYA KATHAL
Applicant : Ms. Koushallya Besra
Address of the applicant : Sutan, Mitham, PS: Rani Bandh,
Dist.: Bankura-722148
Nationality of applicant : Indian

Application details

F98	AHL98	24	1229

a. Number :
b. Date of receipt : 16/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus Lam.*)
Denomination : KOUSHALIYA KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : SUPRAKASH KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: KOUSHALIYA KATHAL has distinguishing characters as Leaf Blade Shape is Obovate & Fruit Shape is Spheroid.	

C. Distinct characteristics of reference variety:

SUPRAKASH KATHAL has distinguishing characters as Leaf Blade Shape is Elliptical & Fruit Shape is Oblong.

D. Date of commercialization of the variety

Not commercialized

Figures: NA

[DUS Characteristics of KOUHALIYA KATHAL](#)

182. Application No.

F49	AHL49	24	1179

 filed on 12/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Bijoy Murmu, Village: Haramgara, PO: Muchikata, PS: Barikul, Dist.: Bankura, West Bengal-722135** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **BIJOY KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : BIJOY KATHAL

Applicant : Mr. Bijoy Murmu

Address of the applicant : Village: Haramgara, PO: Muchikata, PS: Barikul,
Dist.: Bankura, West Bengal-722135

Nationality of applicant : Indian

Application details

a. Number :

F49	AHL49	24	1179

b. Date of receipt : 12/12/2024

c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)

Denomination : BIJOY KATHAL

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : NA

Source of parental material : NA

Name of reference variety : SUKLAL KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)

Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: BIJOY KATHAL has distinguishing characters as Fruit Shape is Ellipsoid & Seed Shape is Ellipsoid.	
C. Distinct characteristics of reference variety: SUKLAL KATHAL has distinguishing characters as Fruit Shape is Oblong & Seed Shape is Reniform.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of BIJOY KATHAL

183. Application No.

F96	AHL96	24	1227

 filed on 16/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Suklal Besra, Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **SUKLAL KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : SUKLAL KATHAL
Applicant : Mr. Suklal Besra
Address of the applicant : Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148
Nationality of applicant : Indian
Application details
a. Number :

F96	AHL96	24	1227

b. Date of receipt : 16/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : SUKLAL KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : BIJOY KATHAL
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute

Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: SUKLAL KATHAL has distinguishing characters as Leaf posture is Flattened & Fruit Shape is Oblong.	
C. Distinct characteristics of reference variety: BIJOY KATHAL has distinguishing characters as Leaf posture is Revolute & Fruit Shape is Ellipsoid.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of SUKLAL KATHAL

184. Application No.

F93	AHL93	24	1224

 filed on 16/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Padmalochan Hansda, Village: Dungrikuli, PO: Komo, PS: Rani Bandh, Dist.: Bankura-722135** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **PADMALOCHAN KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : PADMALOCHAN KATHAL
Applicant : Mr. Padmalochan Hansda
Address of the applicant : Village: Dungrikuli, PO: Komo, PS: Rani Bandh,
Dist.: Bankura-722135

Nationality of applicant : Indian

Application details

F93	AHL93	24	1224

a. Number :
b. Date of receipt : 16/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : PADMALOCHAN KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination

Name of parental material : NA
Source of parental material : NA
Name of reference variety : SUKLAL KATHAL
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: PADMALOCHAN KATHAL has distinguishing characters as Latex exudation (cross section of fruit core) is Low(<2ml) & Flake texture is Firm.	
C. Distinct characteristics of reference variety: SUKLAL KATHAL has distinguishing characters as Latex exudation (cross section of fruit core) is Gumless & Flake texture is Soft.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of PADMALOCHAN KATHAL

185. Application No.

F83	AHL82	24	1212

 filed on 13/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Amar Mandal, Village: Biradihi, Simlabandh, Hirabandh, Dist.: Bankura-722101** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **AMAR KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : AMAR KATHAL
Applicant : Mr. Amar Mandal
Address of the applicant : Village: Biradihi, Simlabandh, Hirabandh,
Dist.: Bankura-722101
Nationality of applicant : Indian
Application details
a. Number :

F83	AHL82	24	1212

b. Date of receipt : 13/12/2024
 c. Date of acceptance : 24/08/2026
 Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
 Denomination : AMAR KATHAL
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : NA
 Source of parental material : NA
 Name of reference variety : PURNACHANDRA KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Small (>3-6kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: AMAR KATHAL has distinguishing characters as Ripe fruit Peel colour is Brown & Flake Shape is Irregular.	
C. Distinct characteristics of reference variety: PURNACHANDRA KATHAL has distinguishing characters as Ripe fruit Peel colour is Green & Flake Shape is Twisted.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of AMAR KATHAL

186. Application No.

F90	AHL90	24	1220

 filed on 13/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Purnachandra Mahato, Village: Hasadungri, PO: Rudhra, PS: Rani Bandh, Dist.: Bankura-722135** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **PURNACHANDRA KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : PURNACHANDRA KATHAL

Applicant : Mr. Purnachandra Mahato
Address of the applicant : Village: Hasadungri, PO: Rudhra, PS: Rani Bandh, Dist.: Bankura-722135
Nationality of applicant : Indian
Application details
a. Number :

F90	AHL90	24	1220

b. Date of receipt : 13/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : PURNACHANDRA KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : AMAR KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	White
B. Distinct characteristics of candidate variety: PURNACHANDRA KATHAL has distinguishing characters as Tree Crown Shape is Broadly pyramidal & Flake colour is White.	
C. Distinct characteristics of reference variety: AMAR KATHAL has distinguishing characters as Tree Crown Shape is Elliptical & Flake colour is Yellow.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of PURNACHANDRA KATHAL

187. Application No.

F34	AHL34	24	1133

 filed on 11/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Gangamuni Murmu, Sutan, Mitham, PS: Rani Bandh, Dist.: Bankura-722148** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **GANGAMUNI KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : GANGAMUNI KATHAL
Applicant : Mr. Gangamuni Murmu
Address of the applicant : Sutan, Mitham, PS: Rani Bandh, Dist.:
Bankura-722148

Nationality of applicant : Indian

Application details

a. Number :

F34	AHL34	24	1133

b. Date of receipt : 11/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : GANGAMUNI KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : AMAR KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: GANGAMUNI KATHAL has distinguishing characters as Stalk attachment to fruit is Flattened & Latex exudation (cross section of fruit core) is Gumless	
C. Distinct characteristics of reference variety: AMAR KATHAL has distinguishing characters as Stalk attachment to fruit is Depressed & Latex exudation (cross section of fruit core) is High(>2ml).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of GANGAMUNI KATHAL

188. Application No.

F73	AHL73	24	1203

 filed on 13/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Swapan Mandal, Village: Biradihi, Simlabandh, Hirabandh, Dist.: Bankura-722101** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **SWAPAN KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : SWAPAN KATHAL
Applicant : Mr. Swapan Mandal
Address of the applicant : Village: Biradihi, Simlabandh, Hirabandh, Dist.: Bankura-722101

Nationality of applicant : Indian

Application details

a. Number :

F73	AHL73	24	1203

b. Date of receipt : 13/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : SWAPAN KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : CHANDAN KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: SWAPAN KATHAL has distinguishing characters as Leaf posture is Conduplicate & Seed Shape is Irregular.	
C. Distinct characteristics of reference variety: CHANDAN KATHAL has distinguishing characters as Leaf posture is Flattened & Seed	

Shape is Spheroid.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of SWAPAN KATHAL

189. Application No.

F89	AHL89	24	1219

 filed on 13/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Chandan Murmu, Village: Haramgara, PO: Muchikata, PS: Barikul, Dist.: Bankura-72213** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **CHANDAN KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : CHANDAN KATHAL
Applicant : Mr. Chandan Murmu
Address of the applicant : Village: Haramgara, PO: Muchikata, PS: Barikul, Dist.:Bankura-72213

Nationality of applicant : Indian

Application details

a. Number :

F89	AHL89	24	1219

b. Date of receipt : 13/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : CHANDAN KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : SWAPAN KATHAL

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft

Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: CHANDAN KATHAL has distinguishing characters as Stalk attachment to fruit is Flattened & Flake Shape is Spheroid.	
C. Distinct characteristics of reference variety: SWAPAN KATHAL has distinguishing characters as Stalk attachment to fruit is Depressed & Flake Shape is Twisted.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of CHANDAN KATHAL

190. Application No.

F56	AHL56	24	1186

 filed on 12/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Paritosh Mandal, Village: Biradihi, Simlabandh, Hirabandh, Dist.: Bankura-722101** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **PARITOSH KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : PARITOSH KATHAL
Applicant : Mr. Paritosh Mandal
Address of the applicant : Village: Biradihi, Simlabandh, Hirabandh, Dist.: Bankura-722101
Nationality of applicant : Indian

Application details

F56	AHL56	24	1186

a. Number :
b. Date of receipt : 12/12/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : PARITOSH KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : KANYAN MOTI

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique

Ch.9: Upper Leaf surface	Blisters
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: PARITOSH KATHAL has distinguishing characters as Seed Shape is Ellipsoid & Seed colour (with seed coat) is Cream.	
C. Distinct characteristics of reference variety: KANYAN MOTI has distinguishing characters as Seed Shape is Spheroid & Seed colour (with seed coat) is Brown.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of PARITOSH KATHAL

191. Application No.

E2	ARC4	26	1082

 filed on 19-06-2026 by Dr. K. Balachandra Hebbar, ICAR- Central Plantation Crops Research Institute, PO: Kudlu, Dist: Kasaragod-671124, Kerala on behalf of ICAR - Central Plantation Crops Research Institute, ICAR- Central Plantation Crops Research Institute, PO: Kudlu, Dist: Kasaragod-671124, Kerala for Extant (Notified) variety of crop **Arecanut (*Areca catechu* L)** having denomination **NALBARI (VTL-75)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: NALBARI (VTL-75)				
Applicant	: ICAR- Central Plantation Crops Research Institute				
Address of the applicant	: PO: Kudlu, Dist: Kasaragod-671124, Kerala				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E2</td><td>ARC4</td><td>26</td><td>1082</td></tr></table>	E2	ARC4	26	1082
E2	ARC4	26	1082		
b. Date of receipt	: 19-06-2026				
c. Date of acceptance	: 24/08/2026				
Crop (taxonomical lineage)	: Arecanut (<i>Areca catechu</i> L)				
Denomination	: NALBARI (VTL-75)				
Type of variety	: Extant Notified				
Classification of variety	: Typical				
Previously propose	: Not applicable				
Denomination	: NALBARI (VTL-75)				

Name of parental material	: Derived from indigenous Arecanut accession VTL-75
Source of parental material	: Introduced as Germplasm underwent over years of evaluation and selection.
Name of reference varieties	: SUMANGALA
Notification details	: S.O. 244 (E) dt. 24-01-2014

Variety description:

A. Grouping characteristics		Remark (measured values)
Crown shape (characteristic 4)		Intermediate
Plant height (characteristic 5)		Tall
Leaf length (characteristic 8)		Medium
Leaf breadth (characteristic 9)		Broad
Color of ripe nuts (characteristic 17)		Yellow
Shape of nuts (characteristic 18)		Round
B. Distinct characteristics of candidate variety:		
NALBARI (VTL-75): It has distinguishing characters as Leaf sheath breadth (cm): Long (Ch. 11), Fruit breadth (cm): Broad (Ch. 21).		
C. Distinct characteristics of reference variety:		
SUMANGALA: It has distinguishing characters as Leaf sheath breadth (cm): Medium (Ch. 11), Fruit breadth (cm): Medium (Ch. 21).		
D. Date of commercialization of the variety		2014
E. Agronomic and commercial attributes		
S. No.	Attributes	NALBARI (VTL-75)
1.	Tree growth habit	Erect unbranched palm
2.	Inflorescence (Spadix): Emergence (Months)	48 months
3.	Inflorescence: Time of flowering (Main flowering season)	September - April
4.	Maturity: Fruits ready to harvest (days)	270-320 days
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	Soil test based nutrient application is recommended. General recommendation is 55:22:77 N:P:K in kg/acre.
6.	Yield Potential (Average) per acre (q/acre)	22.74 q/acre dry kernel (chali)
7.	Yield of fruits per plant (Average)	607 nuts/palm/year
8.	Fruit weight (g)	40.50 g (Fresh fruit)
9.	Arecoline content (mg/g dry nut weight)	4.82 mg/g
10.	Tannins (total polyphenols) (mg/g dry nut weight)	199.3 mg/g
11.	Resistance/ Tolerance to pests / Disease	Effective control measures against pests/ diseases are available
12.	Any other relevant information specific to the variety	Suitable for dry kernel or chali processing
Figure- 127,128		DUS Characteristics of NALBARI (VTL-75)

192. Application No.

E3	ARC5	26	1083

 filed on 19-06-2026 by Dr. K. Balachandra Hebbar, ICAR- Central Plantation Crops Research Institute, PO: Kudlu, Dist: Kasaragod-671124, Kerala on behalf of ICAR - Central Plantation Crops Research Institute, ICAR- Central Plantation Crops Research Institute, PO: Kudlu, Dist: Kasaragod-671124, Kerala for Extant (Notified) variety of crop **Arecanut (*Areca catechu* L)** having denomination **MADHURAMANGALA (VTL-62) (Shriwardhan 1)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **MADHURAMANGALA (VTL-62) (Shriwardhan 1)**

Applicant : ICAR- Central Plantation Crops Research Institute

Address of the applicant : PO: Kudlu, Dist: Kasaragod-671124, Kerala

Nationality of applicant : Indian

Application details

a. Number :

E3	ARC5	26	1083

b. Date of receipt : 19-06-2026

c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Arecanut (*Areca catechu* L)

Denomination : MADHURAMANGALA (VTL-62) (Shriwardhan 1)

Type of variety : Extant Notified

Classification of variety : Typical

Previously propose : Not applicable

Denomination : MADHURAMANGALA (VTL-62) (Shriwardhan 1)

Name of parental material : Derived from indigenous Arecanut accession VTL-62

Source of parental material : Introduced as Germplasm underwent over 45 years of evaluation and selection.

Name of reference varieties : MANGALA

Notification details : S.O. 244 (E) dt. 24-01-2014

Variety description:

A. Grouping characteristics	Remark (measured values)
Crown shape (characteristic 4)	Intermediate
Plant height (characteristic 5)	Tall
Leaf length (characteristic 8)	Medium
Leaf breadth (characteristic 9)	Broad
Color of ripe nuts (characteristic 17)	Pale orange
Shape of nuts (characteristic 18)	Oval

B. Distinct characteristics of candidate variety:		
MADHURAMANGALA (VTL-62) (Shriwardhan 1): It has distinguishing characters as Color of ripe nuts: Pale orange (Ch. 17), Shape of nuts: Oval (Ch. 18).		
C. Distinct characteristics of reference variety:		
MANGALA: It has distinguishing characters as Color of ripe nuts: Yellow (Ch. 17), Shape of nuts : Oblong (Ch. 18).		
D. Date of commercialization of the variety		2014
E. Agronomic and commercial attributes		
S. No.	Attributes	MADHURAMANGALA(VTL-62) (Shriwardhan 1)
1.	Tree growth habit	Erect unbranched palm
2.	Inflorescence (Spadix): Emergence (Months)	42 months
3.	Inflorescence: Time of flowering (Main flowering season)	September - May
4.	Maturity: Fruits ready to harvest (days)	270 – 320 days
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	Soil test based nutrient application is recommended. General recommendation is 55:22:77 N:P:K in kg/acre
6.	Yield Potential (Average) per acre (q/acre)	19.39 q/acre dry kernal (chali) Or 16.16 q/acre (Processed dry tendernut)
7.	Yield of fruits per plant (Average)	405.90 number of nuts/palm/year
8.	Fruit weight (g)	36.15 g (Fresh fruit)
9.	Arecoline content (mg/g dry nut weight)	4.22 mg/g
10.	Tannins (total polyphenols) (mg/g dry nut weight)	192.8 mg/g
11.	Resistance/ Tolerance to pests / Disease	No major pest and disease observed. Effective control measures against pests/diseases are available.
12.	Any other relevant information specific to the variety	Dual purpose variety (suitable for both chali and tender nut processing)
Figure- 129		DUS Characteristics of ADHURAMANGALA (VTL-62) (Shriwardhan 1)

193. Application No.

N1	NT1	26	1795

 filed on 10-08-2026 by Dr. C. Nanda, ICAR -National Institute for Research on Commercial Agriculture, Research Station, Hunsur-571101, Karnataka on behalf of ICAR-National Institute for Research on

Commercial Agriculture, Bhaskar Nagar, Rajahmundry-533105, East Godavari, Andhra Pradesh for Extant (Notified) variety of crop **Flue-Cured Virginia (FCV) (*Nicotiana tabacum*)** having denomination **CTRI Navya (FCH 2)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety

Applicant

Address of the applicant

Nationality of applicant

Application details

a. Number

b. Date of receipt

c. Date of acceptance

Crop (taxonomical lineage)

Denomination

Type of variety

Classification of variety

Previously propose

Denomination

Name of parental material

Source of parental material

Name of reference varieties

Notification details

: **CTRI Navya (FCH 2)**

: ICAR- Central Plantation Crops Research Institute

: PO: Kudlu, Dist: Kasaragod-671124, Kerala

: Indian

N1	NT1	26	1795

: 10-08-2026

: 24/08/2026

: Flue-Cured Virginia (FCV) (*Nicotiana tabacum*)

: CTRI Navya (FCH 2)

: Extant Notified

: Typical

: Not applicable

: CTRI Navya (FCH 2)

: cv. Rathna x cv. Cocker 371 Gold

: Own Germplasm

: KANCHAN

: S.O. 2128 (E) dt. 13-05-2025

Variety description:

A. Grouping characteristics	Remark (measured values)
Time of flowering (50% of plants with at least one corolla open) (Characteristic 1)	Medium
Height of main stem (excluding inflorescence) (Characteristic 4)	Medium
Number of economic leaves (Characteristic 6)	Moderate
Leaf blade shape (Characteristic 10)	Broad Elliptic
Leaf blade colour (Characteristic 11)	Medium Green
Flower: Presence of stamens (Characteristic 26)	Present
B. Distinct characteristics of candidate variety:	
CTRI Navya (FCH 2): It has distinguishing characters as Leaf: Undulations of margin: Weak (Ch. 16), Leaf: Width of blade (cm) : Broad (Ch. 20).	
C. Distinct characteristics of reference variety:	

KANCHAN: It has distinguishing characters as Leaf: Undulations of margin: Medium (Ch. 16), Leaf: Width of blade (cm) : Medium (Ch. 20).		
D. Date of commercialization of the variety		February 2025
E. Agronomic and commercial attributes		
S. No.	Attributes	CTRI Navya (FCH 2)
S. no.	Agronomic attributes	Details
1	Time of flowering (50% of plants with at least one corolla open) (days)	Medium (70-90) days
2	Days to maturity	Maturity starts from 70-80 days. Transplanting to flowering: 70-90 days. Seed to seed 170-180 days.
3	Production condition	Karnataka light soil FCV Tobacco growing areas of Karnataka under rainfed conditions.
	Time of sowing	Mid of February to mid of April
	Seed rate (Nursery)	Seed rate: 3 kg/ha
	Spacing	100 x 55 cm
	Irrigated/Rainfed	Rainfed
4	Preparatory cultivation	Deep ploughing in March and April
5	Organic manures (tonnes/ha)	FYM @ 8-10 tonnes/ha
6	Planting method	Flat planting followed by ridging
7	Method of fertilizations	Dollop
8	Fertilizer requirement	N:P: K @ 60:40:120
9	Irrigations	Grown in S-W monsoon conditions. However, one or two lifesaving irrigations can be given if rains fail
10	Intercultural operations	4 to 5 times before 40 days
11	Level of topping	Extended Bud topping
12	Sucker control	C-10 fatty alcohol, Decanol or Royalten 4% or pendimethalin @ 0.5-0.6% followed by hand desuckering
13	Harvesting	Priming mature leaves (7-9times)
14	Curing method	Flue-curing
15	Tolerance to abiotic stresses	Withstand rain damage to certain extent during crop growth
16	Resistance/tolerance to biotic stresses	Tolerant to black shank disease
17	Grading	Plant position grading
18	Cured leaf yield	2700 kg/ha
19	Any other relevant value addition	Higher nitrogen @ 10kg/ha than

	information specific to the variety/hybrid in terms of trade	recommended
Figure:- 130		DUS Characteristics of CTRI Navya (FCH 2)

194. Application No.

E1	CL24	26	2170

 filed on 24-08-2026 by Dr. R. Dinesh, Director, ICAR-Indian Institute of Spices Research, Marikunnu (P.O.), Kozhikode-673012, Kerala on behalf of ICAR-Indian Institute of Spices Research, Marikunnu (P.O.), Kozhikode-673012, Kerala for Extant (Notified) variety of crop **Turmeric (*Curcuma longa* L.)** having denomination **IISR SURYA** has been accepted and given registration number ----- NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **IISR SURYA**
Applicant : ICAR- Central Plantation Crops Research Institute
Address of the applicant : PO: Kudlu, Dist: Kasaragod-671124, Kerala
Nationality of applicant : Indian
Application details
a. Number :

E1	CL24	26	2170

b. Date of receipt : 24/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : **Turmeric (*Curcuma longa* L.)**
Denomination : IISR SURYA
Type of variety : Extant Notified
Classification of variety : Typical
Previously propose : Not applicable
Denomination : IISR SURYA
Name of parental material : Germplasm selection, Acc. 849 (IC654362)
Source of parental material : Own Germplasm selection, Acc. 849 (IC654362)
Name of reference varieties : IISR Pratibha
Notification details : S.O. 4000 (E) dt. 01-09-2025

Variety description:

A. Grouping characteristics	Remark (measured values)
Plant: Height (Characteristic 2)	Tall
Leaf: Lamina length (Characteristic 7)	Long
Leaf: Lamina width (Characteristic 8)	Broad
Coma bract: Colour (Characteristic 14)	Coloured
Rhizome: Habit (Characteristic 16)	Compact

Rhizome: Shape (Characteristic 17)		Curved
Rhizome: Number of mother rhizomes (Characteristic 19)		1-2
B. Distinct characteristics of candidate variety:		
IISR SURYA: It has distinguishing characters as Coma bract : Colour: Purple (Ch. 15), Rhizome: Inner core colour : Lemon yellow (Ch. 22).		
C. Distinct characteristics of reference variety:		
IISR Pratibha: It has distinguishing characters as Coma bract : Colour: White (Ch. 15), Rhizome: Inner core colour : Orange(Ch. 22).		
D. Date of commercialization of the variety		03/06/2025
E. Agronomic and commercial attributes		
S. No.	Attributes	IISR SURYA
S. no.	Agronomic & Commercial Attributes	Remarks
1.	Plant growth habit	Compact
2.	Days to Maturity	220-240
3.	Yield of rhizome per plant (Average)	702.28 g/plant
4.	Yield Potential (Average) (q/ac)	165.92 qtl/acre
5.	Fertilizer requirement (N:P:K) to attain potential yield kg/ac	If N:P:K is less than 150,10,110 Kg/ha in the soil for attaining maximum yield potential the N P K requirement is 170:90:325 Kg/ha
6.	Nutritive value (i) Curcumin (ii) Oleoresin	2-3% 7.34%
7.	Dry recovery (%)	21.16%
8.	Resistance/ Tolerance to pests / Disease	NA
9.	Any other relevant information specific to the variety	Best suitable for powdering industry.
Figure- 131		DUS Characteristics of IISR SURYA

195. Application No.

E1	EC2	25	1350

 filed on 19/12/2025 by Dr. R. Dinesh Director, ICAR- Indian Institute of Spices Research, PO: Marikunnu, Dist: Kozhikode-673012, Kerala on behalf of ICAR- Indian Institute of Spices Research, PO: Marikunnu, Dist: Kozhikode-673012, Kerala for Extant (Notified) variety of crop **Small Cardamom (*Elettaria cardamomum* Maton)** having denomination **IISR MANUSHREE** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: IISR MANUSHREE				
Applicant	: ICAR- Indian Institute of Spices Research				
Address of the applicant	: PO: Marikunnu, Dist: Kozhikode-673012, Kerala				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1"><tr><td>E1</td><td>EC2</td><td>25</td><td>1350</td></tr></table>	E1	EC2	25	1350
E1	EC2	25	1350		
b. Date of receipt	: 19/12/2025				
c. Date of acceptance	: 24/08/2026				
Crop (taxonomical lineage)	: Small Cardamom (<i>Elettaria cardamomum</i> Maton)				
Denomination	: IISR MANUSHREE				
Type of variety	: Extant Notified				
Classification of variety	: Typical				
Previously propose	: Not applicable				
Denomination					
Name of parental material	: Clonal selection from germplasm collection IC349537				
Source of parental material	: Clonal Selection				
Name of reference varieties	: Appangala 1				
Notification details	: Notified S.O. 4917(E) dt. 13.11.2024				

Variety description:

A. Grouping characteristics		Remark (measured values)
Plant: Panicle growth habit (Characteristic 1)		Prostrate
Plant: Leaf stem (pseudostem) pigmentation (Characteristic 4)		Pale Green
Leaf: Pubescence (Characteristic 8)		Glabrous
Panicle (Characteristic 13)		Simple
Panicle: Branching pattern (Characteristic 14)		-
Flower: Labellum variegation (Characteristic 16)		Present
Capsule: Shape (Characteristic 19)		Globose
Capsule: Matured capsule colour (Characteristic 22)		Pale Green
B. Distinct characteristics of candidate variety:		
IISR MANUSHREE: It has distinguishing characters as Panicle: Number of panicles per plant: Less and Capsules: Number of capsules per panicle: Very High.		
C. Distinct characteristics of reference varieties:		
Appangala 1: It has distinguishing characters as Panicle: Number of panicles per plant: High and Capsules: Number of capsules per panicle: Medium.		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S. No.	Attributes	IISR MANUSHREE `

1.	Days to Maturity: Early/Medium/Late	Medium
2.	Production Condition: Suitability Area in the country	Karnataka & Kerala
3.	Time of Planting	Onset of monsoon
4.	Planting material rate	2500 suckers/ha
5.	Spacing	2x2 m
6.	Irrigated/ Rainfed	Both
7.	Fertilizer requirement (N:P:K) to attain potential yield	125:125:250 kg/ha in three splits
8.	Resistance/Tolerance to biotic/abiotic stresses	Drought tolerant
9.	Yield /ha	550 kg dry capsules/ha under irrigated conditions and 360 kg dry capsules/ha under moisture stress conditions
10.	Capsule Size	50% of the capsules are > 8 mm
11.	Essential oil content	8.74% (irrigated conditions), 8.84% (moisture stress conditions)
Figure- 132		DUS Characteristics of IISR MANUSHREE

196. Application No.

E2	EC3	25	1351

 filed on 19/12/2025 by Dr. R. Dinesh Director, ICAR- Indian Institute of Spices Research, PO: Marikunnu, Dist: Kozhikode-673012, Kerala on behalf of ICAR- Indian Institute of Spices Research, PO: Marikunnu, Dist: Kozhikode-673012, Kerala for Extant (Notified) variety of crop **Small Cardamom (*Elettaria cardamomum* Maton)** having denomination **IISR KAVERI** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **IISR KAVERI**
Applicant : ICAR- Indian Institute of Spices Research
Address of the applicant : PO: Marikunnu, Dist: Kozhikode-673012, Kerala
Nationality of applicant : Indian

Application details

E2	EC3	25	1351

a. Number :
b. Date of receipt : 19/12/2025
c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage)	: Small Cardamom (<i>Elettaria cardamomum</i> Maton)
Denomination	: IISR KAVERI
Type of variety	: Extant Notified
Classification of variety	: Typical
Previously propose	: Not applicable
Denomination	
Name of parental material	: Clonal selection from germplasm collection IC 584058
Source of parental material	: Clonal Selection
Name of reference varieties	: Appangala 1
Notification details	: Notified S.O. 4917(E) dt. 13.11.2024

Variety description:

A. Grouping characteristics		Remark (measured values)
Plant: Panicle growth habit (Characteristic 1)		Prostrate
Plant: Leaf stem (pseudostem) pigmentation (Characteristic 4)		Thick
Leaf: Pubescence (Characteristic 8)		Glabrous
Panicle (Characteristic 13)		Simple
Panicle: Branching pattern (Characteristic 14)		-
Flower: Labellum variegation (Characteristic 16)		Present
Capsule: Shape (Characteristic 19)		Ovoid
Capsule: Matured capsule colour (Characteristic 22)		Pale Green
B. Distinct characteristics of candidate variety:		
IISR KAVERI: It has distinguishing characters as Number of flowers per panicle : very high (Characteristic 18), Essential oil (%) : High (Characteristic 26).		
C. Distinct characteristics of reference varieties:		
Appangala 1: It has distinguishing characters as Number of flowers per panicle : very high (Characteristic 18), Essential oil (%) : Medium (Characteristic 26).		
D. Date of commercialization of the variety		Not Commercialized
E. Agronomic and commercial attributes		
S. No.	Attributes	IISR KAVERI
1.	Days to Maturity: Early/Medium/Late	Medium
2.	Production Condition: Suitability Area in the country	Karnataka
3.	Time of Planting	Onset of monsoon (June-July)
4.	Planting material rate	2500 suckers/ha
5.	Spacing	2x2 m
6.	Irrigated/ Rainfed	Both
7.	Fertilizer requirement (N:P:K) to attain potential yield	125:125:250 kg/ha in three splits
8.	Resistance/Tolerance to biotic/abiotic stresses	Relatively tolerant to moisture stress
9.	Yield /ha	482 kg dry capsules/ha under

		irrigated conditions and 308 kg dry capsules/ha under moisture stress conditions
10.	Capsule Size	70% of the capsules are > 8 mm
11.	Essential oil content	9.08% (irrigated conditions), 9.51% (moisture stress conditions) content
Figure- 133		DUS Characteristics of IISR KAVERI

197. Application No.

E2	GL2	26	2076

 filed on 21.8.2026 by **Director, ICAR, Indian Agricultural Research Institute, New Delhi-110012** on behalf of **ICAR, Indian Agricultural Research Institute, New Delhi-110012** for Extant (Notified) variety of **Gladiolus (*Gladiolus hybridus* Hort.)** having denomination **Pusa Sinduri** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Sinduri**
Applicant : ICAR, Indian Agricultural Research Institute,
Address of the applicant : New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E2	GL2	26	2076

b. Date of receipt : 21.8.2026
c. Date of acceptance : 24.08.2026
Crop (taxonomical lineage) : *Gladiolus (*Gladiolus hybridus* Hort.)*
Denomination : Pusa Sinduri
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Little Fawn
Source of parental material : Own germplasm
Name of reference variety : Oscar
Notification details : S.O.1362 (E) 12.3.2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: Height up to the tip of leaves from ground level	Tall

(Characteristic 1)		
Corm: Colour of outer skin (Characteristic 7)		Dark Yellow
Flowers: Main colour (Characteristic 25)		Red (RHS 44C)
B. Distinct characteristics of candidate variety:		
Pusa Sinduri: It has distinguishing characters as Flower attitude upright and Flower length (excluding first flower) long.		
C. Distinct characteristics of reference variety:		
Oscar: It has distinguishing characters as Flower attitude semi-upright and Flower length (excluding first flower) medium.		
D. Date of commercialization of the variety		-
S.no.	Important Agronomic and Commercial attributes	Remarks
1	Days to Maturity: Early/ Medium/ Late	Mid -season variety, 105.22 days
2	Production Condition: Suitability Area in the country	Suitable for Zone II, IV and VI (Kalyani, Ludhiana, New Delhi, (NCR) and Udaipur)
	: Time of sowing	First week of October onwards
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	
3	Fertilizer requirement (N:P:K) to attain potential yield	-
4	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	-
5	Tolerance to water stagnation: Sensitive/Tolerant	-
6	Resistance/ Tolerance to pest/s	Two spray of any systemic insecticide are recommended
7	Days taken for flowering	99.88 days
8	Flower yield/ha (Average)	15.09 q/ha
9	No. of floret/spikes/ha	18.58 q/ha
10	Any other relevant value addition information specific to the variety/Hybrid in terms of trade	-
DUS Characteristics of Pusa Sinduri		Figure- 134

198. Application No.

E5	MS25	26	2075

 filed on 21/8/2026 by **The Dean (Horticulture), Horticultural College and Research Institute, Tamil Nadu Agricultural University, Coimbatore-641003, Tamil Nadu** on behalf of **Horticultural College and Research Institute, Tamil Nadu Agricultural University, Coimbatore-641003, Tamil Nadu** for **Extant (Notified)** variety of **Banana (*Musa* spp.)** having denomination **CO 3 (Banana)** has been accepted and given registration number -----NA -----on -----
----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **CO 3 (Banana)**
Applicant : Horticultural College and Research Institute
Address of the applicant : Tamil Nadu Agricultural University,
Coimbatore-641003, Tamil Nadu
Nationality of applicant : Indian
Application details
a. Number :

E5	MS25	26	2075

b. Date of receipt : 21/8/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Banana (*Musa* spp.)
Denomination : CO 3 (Banana)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Karpooravalli (ABB) and H201(AB)
Source of parental material : Own germplasm
Name of reference variety :
Notification details : S.O. 4917(E) 13/11/2024

Variety description:

A. Grouping characteristics	Remarks (measured values)
Pseudostem appearance (Characteristic 1 and 2)	Tall statured and Green yellow
Leaf orientation (Characteristic 5), Leaf blade - shape of base (Characteristic 8)	Spreading, both sides rounded
Peduncle length (Characteristic 9), Peduncle colour (Characteristic 10)	60-70 cm and Green
Bunch shape (Characteristic 12), Rachis (Characteristics 15, 16 and 17), Male bud (Characteristic 18,19, 20 and 21)	Cylindrical, Inclined at an angle, bare, very prominent
Fruit orientation (Characteristic 26), Fruit shape (Characteristic 28), Pedicel (Characteristic 32, 33 and 34) Peel (Characteristic 35,36 and 38), Pulp (Characteristic 39).	Slightly angular Slightly curved Medium, Glabrous, >2.1 cm Pale green, Peel easily, Bright yellow Creamy
B. Distinct characteristics of candidate variety: CO 3 (Banana) has distinguishing characters as Pseudostem colour green yellow and Bunch compactness compact.	
C. Distinct characteristics of reference variety: has distinguishing characters as Pseudostem colour green and Bunch compactness medium.	
D. Date of commercialization of the variety	2022
E. Agronomic and commercial attributes	

S. no.	Important Agronomic and Commercial attributes	Remarks
1	Days to Maturity: Early/ Medium/ Late/Very late	12-13 Months
2	Production Condition: Suitability Area in the country	India
	: Time of sowing	October - January
	: Irrigated/ Rainfed	Irrigated
	: Low fertility/ High fertility	High fertility
3	Fertilizer requirement (N:P:K) to attain potential yield kg/acre	110:35:330g /plant/year
4	Tolerance to adverse temperature/Frost and Heat - Sensitive/Tolerant	Not specifically evaluated for abiotic stresses. Similar to Karpooravalli it is moderately drought tolerant.
5	Tolerance to water stagnation: Sensitive/Tolerant	
6	Resistance/ Tolerance to pest/s	Tolerant to nematodes (Root lesion index 15.74 as against 42.85 in Karpooravalli)
7	Number of bunch per plant	one
8	Fruit yield (Average) q/ac	70-75 t/ha
9		Akin to Karpooravalli: Devoid of ashy coating: Lesser plant height.
DUS Characteristics of CO 3 (Banana)		Figure- 135

199. Application No.

E4	AVS5	26	1961

 filled on 20/08/2026 by Director, ICAR- Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284003, Uttar Pradesh on behalf of ICAR-Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284003, Uttar Pradesh for **Extant (Notified) Typical** variety of crop **Oat (*Avena sativa* L.)** having denomination **JHO-21-1 (Bundel Jai 2021-1)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **JHO-21-1 (Bundel Jai 2021-1)**
Applicant : ICAR-Indian Grassland and Fodder Research Institute
Address of the applicant : Gwalior Road, Near Pahuj Dam, Jhansi-284003,
 Uttar Pradesh
Nationality of applicant : Indian
Application details
 a. Number :

E4	AVS5	26	1961

 b. Date of receipt : 20/08/2026
 c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Oat (*Avena sativa* L.)
Denomination : JHO-21-1 (Bundel Jai 2021-1)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : Not applicable
Name of parental material : Exotic collection EC 425120
Source of parental material : Own Germplasm
Name of reference varieties : **Kent & JHO-822**

Variety description:

A. Grouping characteristics	Remark (Measured values)
Early plant growth habit (Characteristic 2)	Semi-prostrate; 2
Main culm: hairiness on upper most node (Characteristic 7)	Absent; 1
Hairiness on lemma surface (Characteristic 20)	Absent; 1
Days to maturity (Characteristic 24)	Medium; 5
Grain: colour of lemma (Characteristic 25)	Grey yellow; 3
B. Distinct characteristics of candidate variety: JHO-21-1 (Bundel Jai 2021-1): It has distinguishing characters as Panicle: awnness: Present; Flag leaf: blade width: Medium; Main culm: internode length (between 3-4 th internode from top): Medium; Primary grain: length of lemma: Short.	
C. Distinct characteristics of reference varieties: Kent & JHO-822: It has distinguishing characters as Panicle: awnness: Absent; Flag leaf: blade width: Narrow; Main culm: internode length (between 3-4 th internode from top): Short; Primary grain: length of lemma: Medium.	
D. Date of commercialization of the variety	
E. Agronomic and commercial attributes	

S. No.	Important Agronomic and Commercial Attributes	Remarks
1.	Days to maturity: Early / Medium / Late	Medium
2.	Production condition: Suitability Area in the Country	South zone of India (Telangana, Andhra Pradesh, Karnataka, Tamil Nadu and Kerala) for single cut system
	: Time of Sowing	Mid-October to end of November
	: Irrigated / Rainfed	Irrigated
	: Low fertility / High fertility of Soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K) kg/acre	Nitrogen (N): 48 kg/acre Phosphorus (P): 16 kg/acre Potassium (K): 16 kg/acre Farmyard manure (FYM): 6 tones/acre
4.	Tolerance to Disease & Pests	Tolerant to leaf blight and powdery mildew under field conditions.
5.	Tolerance to adverse Temperature / Frost / Heat & Salinity	Salinity tolerant
6.	Grain Characters Physical: a) Grain Size (cm) b) Seed Lustre (Present/Absent) c) Seed Colour	a) - b) - c) Grey Yellow
7.	Zone-wise Yield Potential (Average) per acre (q/acre)	Green fodder yield: 127.2 q/acre Dry matter yield: 24.72 q/acre
8.	Seed Yield q/ha (Average)	8.5 q/ha
9.	Seed: Weight (1000 seed weight in g)	33.81 g
10.	Any other relevant information specific to the variety/hybrid	High per day productivity and high leafiness
DUS Characteristics of JHO-21-1 (Bundel Jai 2021-1)		Figure- 136

200. Application No.

E1	CEP1	26	1962

 filled on 20/08/2026 by Director, ICAR- Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284003, Uttar Pradesh on behalf of ICAR-Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284003, Uttar Pradesh for Extant (Notified) Typical variety of crop Dinanath Grass [*Cenchrus pedicellatus* synonym *Pennisetum pedicellatum* Trin] having denomination Budel Dinanath-3 (JHD-

19-4) the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Budel Dinanath-3 (JHD-19-4)**
Applicant : ICAR-Indian Grassland and Fodder Research Institute
Address of the applicant : Gwalior Road, Near Pahuj Dam, Jhansi-284003, Uttar Pradesh
Nationality of applicant : Indian
Application details
a. Number :

E1	CEP1	26	1962

b. Date of receipt : 20/08/2026
c. Date of acceptance : 21/08/2026
Crop (Taxonomical lineage) : Dinanath Grass [*Cenchrus pedicellatus* synonym *Pennisetum pedicellatum* Trin]
Denomination : Budel Dinanath-3 (JHD-19-4)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : Not applicable
Name of parental material : IC 627467
Source of parental material : Own Germplasm
Name of reference varieties : Bundel Dinanath-2 & Bundel Dinanath-1

Variety description:

A. Grouping characteristics	Remark (Measured values)
Culm colour (near the base) (Characteristic 4)	Reddish
Leaf hairiness (Characteristic 6)	Dense
Days to 50% flowering (Characteristic 7)	Medium (115 days)
B. Distinct characteristics of candidate variety: Budel Dinanath-3 (JHD-19-4) has distinguishing characters as Plant growth habit: Decumbent; Branching: High; Leaf hairiness: Dense; Plant height (cm): Short.	
C. Distinct characteristics of reference varieties: Bundel Dinanath-2 & Bundel Dinanath-1 have distinguishing characters as Plant growth habit: Erect; Branching: Medium; Leaf hairiness: Glabrous & Intermediate, respectively; Plant height (cm): Medium.	
D. Date of commercialization of the variety	

E. Agronomic and commercial attributes		
S. No.	Important Agronomic and Commercial Attributes	Remarks
1.	Days to maturity: Early / Medium / Late	Medium
2.	Production condition: Suitability Area in the Country	South zone of India (Telangana, Andhra Pradesh, Karnataka, Tamil Nadu and Kerala) for single cut system
	: Time of Sowing	Mid-October to end of November
	: Irrigated / Rainfed	Irrigated
	: Low fertility / High fertility of Soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K) kg/acre	Nitrogen (N): 48 kg/acre Phosphorus (P): 16 kg/acre Potassium (K): 16 kg/acre Farmyard manure (FYM): 6 tones/acre
4.	Tolerance to Disease & Pests	Tolerant to leaf blight and powdery mildew under field conditions.
5.	Tolerance to adverse Temperature / Frost / Heat & Salinity	Salinity tolerant
6.	Grain Characters Physical: d) Grain Size (cm) e) Seed Lustre (Present/Absent) f) Seed Colour	a) - b) - c) Pale green
7.	Zone-wise Yield Potential (Average) per acre (q/acre)	Green fodder yield: 127.2 q/acre Dry matter yield: 24.72 q/acre
8.	Seed Yield q/ha (Average)	8.5 q/ha
9.	Seed: Weight (1000 seed weight in g)	33.81 g
10.	Any other relevant information specific to the variety/hybrid	High per-day productivity and high leafiness
DUS Characteristics of Budel Dinanath-3 (JHD-19-4)		Figure- 137

201. Application No.

E1	TD1	26	1971

 filled on 20/08/2026 by **Dr. K. J. Suthar, Associate Research Scientist and Unit Head, Agricultural Research Station, Anand Agricultural University, Dhandhuka, Dist: Ahmedabad-382460, Gujarat** on behalf of **Anand Agricultural University, The Director of Research and Dean P.G. Studies, Anand Agricultural University, Ta & Dist: Anand-388110, Gujarat** for Extant

(Notified) Typical variety of crop **Durum Wheat [*Triticum durum* Desf.]** having denomination **Gujarat Wheat 1346 (GW 1346)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Gujarat Wheat 1346 (GW 1346)**
Applicant : Anand Agricultural University
Address of the applicant : The Director of Research and Dean P.G. Studies,
Anand Agricultural University,
Ta & Dist: Anand-388110, Gujarat
Nationality of applicant : Indian

Application details

a. Number :

E1	TD1	26	1971

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Durum Wheat [*Triticum durum* Desf.]
Denomination : Gujarat Wheat 1346 (GW 1346)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : GW1236/ AR-06-3
Source of parental material : Own Germplasm
Name of reference varieties : AKDW2997-16 & UAS 446

Variety description:

A. Grouping characteristics	Remark (Measured values)
Coleoptile colouration (Characteristic 1)	Absent
Flag leaf: Anthocynin coloration of auricle (Characteristic 4)	Present
Time of ear emergence (Characteristic 7)	Early
Plant length (Characteristic 15)	Medium
Awn colour (Characteristic 21)	Dull White
Outer glume: Pubescence (Characteristic 23)	Absent
Ear: Colour (Characteristic 24)	Dull White
Grain colouration with phenol (Characteristic 32)	None

Season type (Characteristic 39)		Winter type
B. Distinct characteristics of candidate variety:		
Gujarat Wheat 1346 (GW 1346) has distinguishing characters as Flag leaf: Hairs on auricle: Present; Plant: Flag leaf attitude: Erect; Flag leaf: Waxiness of sheath: Medium; Flag leaf: Waxiness of blade: Medium.		
C. Distinct characteristics of reference varieties:		
AKDW2997-16 & UAS 446 have distinguishing characters as Flag leaf: Hairs on auricle: Absent; Plant: Flag leaf attitude: Semi-erect; Flag leaf: Waxiness of sheath: Strong and Weak, respectively; Flag leaf: Waxiness of blade: Weak.		
D. Date of commercialization of the variety		11/10/2022
E. Agronomic and commercial attributes		
S. No.	Important Agronomic and Commercial Attributes	Remarks
1.	Days to maturity: Early / Medium / Late	Early
2.	Production condition: Suitability Area in the Country	Restricted irrigation, Timely sown conditions of Peninsular Zone
	: Time of Sowing	15th October to 10th November
	: Irrigated / Rainfed	Two irrigations, 1st at 30DAS and 2nd at 60 DAS
	: Low fertility / High fertility of Soil	Light to Heavy soils having high fertility status and good drainage are suitable for this variety
3.	Fertilizer requirement to attain potential yield (N:P: K) kg/acre	36.4: 24.3:10.1
4.	Tolerance to Disease & Pests	This variety showed good levels of resistance to most of the diseases including stem and leaf rusts, and hence, there is no need of any chemical control measures. Similarly, no major pest incidence is reported in this variety and only need based control measures can be applied as with other wheat varieties in case of insect infestation in an individual field.
5.	Tolerance to adverse Temperature / Frost / Heat & Salinity	No
6.	Grain Characters Physical:	

	g) Grain Size (cm) h) Seed Lustre (Present/Absent) i) Seed Colour	a) Kernel length: 0.35 & kernel width: 0.82 b) Present c) Amber
7.	Zone-wise Yield Potential (Average) per acre (q/acre)	Peninsular Zone: 40.4 q/ha (16.35 q/Acre)
8.	Seed Yield q/ha (Average)	28.5 q/ha
9.	Seed: Weight (1000 seed weight in g)	40 g
10.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Gujarat Wheat 1346 (GW 1346)		Figure- 138

202. Application No.

E6	CA14	26	1979

 filed on 20/08/2026 by **Director, ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** applied on behalf of **ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea [*Cicer arietinum* L.]** having denomination (**PUSA CHICKPEA ASWINI**) **BG4037** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : (**PUSA CHICKPEA ASWINI**) **BG4037**
Applicant : ICAR-IARI
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E6	CA14	26	1979

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Chickpea [*Cicer arietinum* L.]
Denomination : (**PUSA CHICKPEA ASWINI**) **BG4037**
Type of variety : Extant (Notified)

Classification of variety : Typical
 Previously proposed
 Denomination : Not applicable
 Name of parental material : ICCV 07110 x JG 11
 Source of parental material : Own germplasm
 Name of reference varieties : JG 11
 Notification details : 2128(E)) dt.13/05/2025

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Time of flowering (Characteristic 3)		--
Flower : Colour (Characteristic 9)		Pink
Seed: Colour (Characteristic 15)		Brown
Seed : Size (Characteristic 16)		Medium
B. Distinguishable Characteristics of Candidate Variety (PUSA CHICKPEA ASWINI) BG4037 It has distinguishing characters as Seed : Size (Weight of 100 sseds at 10 % moisture content: Medium (26-35g) and Seed: Shape: Owl's head.		
C. Distinguishable Characteristics of Reference varieties: JG 11: It has distinguishing characters as Seed : Size (Weight of 100 seeds at 10 % moisture content: Small (20-25g) and Seed: Shape: Angular.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	NWPZ
	: Time of Sowing	20 th October-10 th November
	: Irrigated/Rainfed	Irrigated
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:40:20
4.	Tolerance to disease & Pest	It is resistance to fusarium wilt. It is moderately resistance to dry root rot. Tolerant to pod borer.
5.	Seed size and yield advantage over national checks	Mediumlarge sized attractive brown seeds.
6.	Seed characters	It has excellent grain color, size and shape.
7.	Yield potential per ha	26.73q/ha
8.	Seed yield q/ha	22.36q/ha
9.	Seed: Weight (100 seed weight in g)	21.1g
10	Any other relevant information specific to the variety/hybrid	The grain protein content is 24.8 percent.
Figure- 139		DUS Characteristics of (PUSA CHICKPEA ASWINI) BG4037

203. Application No.

E7	CA15	26	1980

 filed on 20/08/2026 by **Director, ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** applied on behalf of **ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea [*Cicer arietinum* L.]** having denomination **PUSA CHICKPEA 4005** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA -----on ----- NA -----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **PUSA CHICKPEA 4005**
Applicant : ICAR-IARI
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number :

E7	CA15	26	1980

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Chickpea [*Cicer arietinum* L.]
Denomination : PUSA CHICKPEA 4005
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : (Pusa 362/ICC 4958)-BC2F1
Source of parental material : Own germplasm
Name of reference varieties : PUSA 362
Notification details : 8(E) dt.24/12/2021

Variety description:

A. Grouping Characteristics	Remark (measured values.)
Time of flowering (Characteristic 3)	--
Flower : Colour (Characteristic 9)	Pink
Seed: Colour (Characteristic 15)	Brown
Seed : Size (Characteristic 16)	Medium
B. Distinguishable Characteristics of Candidate Variety	

PUSA CHICKPEA 4005 It has distinguishing characters as Plant: Height : Tall (>65 cm) and Seed :Colour: Creamy beige.

C. Distinguishable Characteristics of Reference varieties:

PUSA 362: It has distinguishing characters as Plant: Height : Medium (45-65 cm) and Seed :Colour: Green.

D. Date of commercialization of the variety

--

S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	NWPZ
	: Time of Sowing	20 th October-10 th November
	: Irrigated/Rainfed	Irrigated
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:40:20
4.	Tolerance to disease & Pest	It is resistance to wilt. It is moderately resistance to dry root rot. Tolerant to pod borer.
5.	Seed size and yield advantage over national checks	Medium bold sized attractive brown seeds.
6.	Seed characters	It has excellent grain color, size and shape.
7.	Yield potential per ha	25.5 q/ha
8.	Seed yield q/ha	18.2q/ha
9.	Seed: Weight (100 seed weight in g)	23.1g
10	Any other relevant information specific to the variety/hybrid	This variety is derived through drought QTL introgression and is suitable for drought resistance.
DUS Characteristics of PUSA CHICKPEA 4005		Figure- 140

204. Application No.

E8	CA16	26	1981

 filed on 20/08/2026 by **Director, ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** applied on behalf of **ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea [*Cicer arietinum* L.]** having denomination (**PUSA SUMANGALA**) **BGD 133** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : (PUSA SUMANGALA)BGD 133
Applicant : ICAR-IARI
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E8	CA16	26	1981

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Chickpea [*Cicer arietinum* L.]
Denomination : (PUSA SUMANGALA) BGD 133
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : Not applicable
Name of parental material : BGD 111-1 x ICC 42
Source of parental material : Own germplasm
Name of reference varieties : BGD 111-1
Notification details : 2128(E)) dt.13/05/2025

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Time of flowering (Characteristic 3)		Early
Flower : Colour (Characteristic 9)		Pink
Seed: Colour (Characteristic 15)		Dark Brown
Seed : Size (Characteristic 16)		Medium
B. Distinguishable Characteristics of Candidate Variety (PUSA SUMANGALA)BGD 133 It has distinguishing characters as Seed Colour : Dark Brown and Seed : Size (Weight of 100 seeds at 10% moisture content: Medium (26-35g).		
C. Distinguishable Characteristics of Reference varieties: BGD 111-1: It has distinguishing characters as Seed Colour : Brown and Seed : Size (Weight of 100 seeds at 10% moisture content: Small (20-25g).		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	95 days
2.	Production condition: Suitability Area in the	North eastern Transitional Agro

	Country	climatic zone8 and Northern dry zone 3 of Karnataka state.
	: Time of Sowing	20 th October-10 th November
	: Irrigated/Rainfed	Rainfed
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	10:25:0(Rainfed) 25:50:0 (Irrigated)
4.	Tolerance to disease & Pest	It is resistance to Fusarium wilt. It is moderately resistance to dry root rot. Tolerant to pod borer.
5.	Seed size and yield advantage over national checks	This variety has uniform seed with 100 seed weight of 25 g.
6.	Seed characters	It has excellent grain color, size and shape.
7.	Yield potential per ha	26.00 q/ha
8.	Seed yield q/ha	18.00q/ha
9.	Seed: Weight (100 seed weight in g)	28.0g
10	Any other relevant information specific to the variety/hybrid	High grain yield potential in rainfed conditions of short duration environment early maturing uniform attractive seeded and excellent grain filling traits . Resistant to wilt and tolerant to DRR.
DUS Characteristics of (PUSA SUMANGALA)BGD 133		Figure- 141

205. Application No.

E9	CA17	26	1982

 filed on 20/08/2026 by **Director, ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** applied on behalf of **ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea [*Cicer arietinum* L.]** having denomination **PUSA JG-16(BGM 10221)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : PUSA JG-16(BGM 10221)
Applicant : ICAR-IARI
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E9	CA17	26	1982

b. Date of receipt : 20/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Chickpea [*Cicer arietinum* L.]
Denomination : PUSA JG-16(BGM 10221)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed
Denomination : Not applicable
Name of parental material : JG16/JG16/JG16/(JG16/ICC 4958)-02
Source of parental material : Own germplasm
Name of reference varieties : JG 16
Notification details : 1056(E)) dt.06/03/2023

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Time of flowering (Characteristic 3)		Early
Flower : Colour (Characteristic 9)		Pink
Seed: Colour (Characteristic 15)		Brown
Seed : Size (Characteristic 16)		Medium
B. Distinguishable Characteristics of Candidate Variety PUSA JG-16(BGM 10221) It has distinguishing characters as Seed: Shape : Owl's head and Seed: Ribbing: Present.		
C. Distinguishable Characteristics of Reference varieties: JG 16: It has distinguishing characters as Seed: Shape : Angular and Seed: Ribbing: Absent.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	111 days
2.	Production condition: Suitability Area in the Country	Central Zone
	: Time of Sowing	20 th October-10 th November
	: Irrigated/Rainfed	Rainfed
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	20:40:20

4.	Tolerance to disease & Pest	It is resistance to Fusarium wilt. It is moderately resistance to dry root rot. Tolerant to pod borer.
5.	Seed size and yield advantage over national checks	Medium bold sized attractive brown seeds.
6.	Seed characters	It has excellent grain color, size and shape.
7.	Yield potential per ha	21.24 q/ha
8.	Seed yield q/ha	14.75q/ha
9.	Seed: Weight (100 seed weight in g)	24.5g
10	Any other relevant information specific to the variety/hybrid	The Proposed Drought Tolerant Introgression Line Pusa JG-16 gave an overall weighted mean yield of 1351 Kg/ha and has an yield potential of 2124 kg/ ha under drought stress condition over the recurrent parent JG 16 which yielded 1292 Kg/ha.
DUS Characteristics of PUSA JG-16(BGM 10221)		Figure- 142

206. Application No.

E10	CA18	26	1983

 filed on 20/08/2026 by **Director, ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** applied on behalf of **ICAR-IARI, Krishi Bhawan, Dr. Rajendra Prasad Road, New Delhi-110012** for **Extant (Notified)** variety of crop **Chickpea [*Cicer arietinum* L.]** having denomination **BGD 111-1** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **BGD 111-1**
Applicant : ICAR-IARI
Address of the applicant : Krishi Bhawan, Dr. Rajendra Prasad Road,
New Delhi-110012
Nationality of applicant : Indian

Application details

a. Number	:	E10	CA18	26	1983
b. Date of receipt	:	20/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Chickpea [<i>Cicer arietinum</i> L.]			
Denomination	:	BGD 111-1			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed					
Denomination	:	Not applicable			
Name of parental material	:	(JG 62 XICC 12237) X JG 62			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	JAKI 9218			
Notification details	:	6318(E) dt.26/12/2018			

Variety description:

A. Grouping Characteristics		Remark (measured values.)
Time of flowering (Characteristic 3)		Early
Flower : Colour (Characteristic 9)		Pink
Seed: Colour (Characteristic 15)		Brown
Seed : Size (Characteristic 16)		Medium
B. Distinguishable Characteristics of Candidate Variety		
BGD 111-1 It has distinguishing characters as Peduncle : Length : Long (>10mm) and Seed shape: Owl's head.		
C. Distinguishable Characteristics of Reference varieties:		
JAKI 9218: It has distinguishing characters as Peduncle : Length : Medium (5-10mm) and Seed shape: Angular.		
D. Date of commercialization of the variety		--
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	95 days
2.	Production condition: Suitability Area in the Country	North eastern Transitional Agro climatic zone8 and Northern dry zone 3 of Karnataka state.
	: Time of Sowing	20 th October-10 th November
	: Irrigated/Rainfed	Rainfed
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	10:25:0(Rainfed) 25:50:0 (Irrigated)
4.	Tolerance to disease & Pest	It is resistance to Fusarium wilt. It is moderately resistance to dry root rot. Tolerant to pod borer.

5.	Seed size and yield advantage over national checks	This variety has uniform seed with 100 seed weight of 25 g.
6.	Seed characters	It has excellent grain color, size and shape.
7.	Yield potential per ha	22.50 q/ha
8.	Seed yield q/ha	17.20q/ha
9.	Seed: Weight (100 seed weight in g)	25.0g
10	Any other relevant information specific to the variety/hybrid	High grain yield potential in rainfed conditions of short duration environment early maturing uniform attractive seeded and excellent grain filling traits . Resistant to wilt and tolerant to DRR.
DUS Characteristics of BGD 111-1		Figure- 143

207. Application No.

F49	MI49	24	333

 filed on 19/06/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** on behalf of **Sh Biman Mandal, Binodpur, Niamatpur, English Bazar, Malda-732208, West Bengal** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **Gobinda Bhog** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Gobinda Bhog**
Applicant : Sh Biman Mandal
Address of the applicant : Binodpur, Niamatpur, English Bazar,
Malda-732208, West Bengal
Nationality of applicant : Indian
Application details
a. Number :

F49	MI49	24	333

b. Date of receipt : 19/06/2024
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : Gobinda Bhog
Type of variety : Farmer
Classification of variety : Typical

Previously proposed : Not applicable
Denomination
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : LANGRA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded Upward
Mature fruit: Presence of sinus (Characteristic 26)	Absent
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: Gobinda Bhog has distinguishing characters as Mature fruit: Shape of ventral shoulder: Rounded upward	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Shape of ventral shoulder: Sloping downward	
D. Date of commercialization of the variety	-
DUS Characteristics of Gobinda Bhog	

208. Application No.

F4	MI4	26	278

 filed on 02/03/2026 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** on behalf of **Sh Sahajahan Ali, Village: Village: Dayanagar, Bhogobangola-I, Dist: Murshidabad-742135, West Bengal** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **ALAMJAM** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ALAMJAM**
Applicant : Sh Sahajahan Ali
Address of the applicant : Village: Dayanagar, Bhogobangola-I,
Dist: Murshidabad-742135
Nationality of applicant : Indian
Application details
a. Number :

F4	MI4	26	278

b. Date of receipt : 02/03/2026
 c. Date of acceptance : 24/08/2026
 Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
 Denomination : ALAMJAM
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : Not applicable
 Source of parental material : Own germplasm
 Name of reference variety : LANGRA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Sloping downward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Early
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: ALAMJAM has distinguishing characters as Mature fruit: Presence of sinus: Present .	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Presence of sinus: Absent .	
D. Date of commercialization of the variety	-
DUS Characteristics of ALAMJAM	

209. Application No.

F2	CO2	25	857

 filed on 31/7/2025 **Dr. S. K. Chaturvedi SMS Horticulture, KVK Lower Dibang Valley-792110 (Arunachal Pradesh)** on behalf of **Tilek Ayom Pertin, Mobang I, Parbuk, Dist: Lower Dibang Valley-792110, (Arunachal Pradesh)** for **Farmer** variety of **Coriander** (*Coriandrum sativum* L.) having denomination **ORI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----
 ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ORI**
Applicant : Tilek Ayom Pertin

Address of the applicant : Mobang I, Parbuk, Dist: Lower Dibang Valley-792110, (Arunachal Pradesh)

Nationality of applicant : Indian

Application details

a. Number	F2	CO2	25	857

b. Date of receipt : 31/7/2025

c. Date of acceptance : 22/08/2026

Crop (taxonomical lineage) : Coriander (*Coriandrum sativum* L.)

Denomination : ORI

Type of variety : Farmer

Classification of variety :

Previously proposed : Not applicable

Denomination :

Name of parental material : NA

Source of parental material : Own material

Name of reference variety : JD-1

Variety description:

A. Group characteristics	Remarks (measured values)
No of basal leaves	Low (1-3) (3)
Length of longest basal leaves	Short (3)
Growth habit	Semierect (5)
Seeds per umbellate	Good (>5) (5)
Weight of 1000 seeds at 7% moisture content	Low (<15g) (3)
Seed shape	Ova (7)
B. Distinct characteristics of candidate variety:	
ORI has distinguishing characters as Ch 3: Habitus of basal leaves- Low (1-3) (3), Ch16: Umbellates per umbel- Medium (4-5) (5).	
C. Distinct characteristics of reference variety:	
JD-1 has distinguishing characters as Ch 3: Habitus of basal leaves- Medium (4-6) (5), Ch16: Umbellates per umbel- High (>5) (7).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of ORI

210. Application No.

F3	CO4	25	1067

 filed on 4/9/2025 **Dr. Abhijit Debnath Senior Scientist and Head, Krishi Vigyan Kendra (KVK), Dhalai, PO/PS: Salema, Tripura-799278. (Tripura)** on behalf of **Sabita Das, Village: Dabbari, Salema, Dist: Dhalai-799278, (Tripura)** for **Farmer** variety of **Coriander (*Coriandrum sativum* L.)** having denomination **KUMHAI**, the specification including its drawing and or

photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been
filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection
of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR
Authority, New Delhi – 110 012.

Passport data of the variety : **KUMHAI**
Applicant : Sabita Das
Address of the applicant : Village: Dabbari, Salema, Dist: Dhalai-799278,
(Tripura)
Nationality of applicant : Indian

Application details

a. Number :

F3	CO4	25	1067

b. Date of receipt : 4/9/2025
c. Date of acceptance : 22/08/2026

Crop (taxonomical lineage) : Coriander (*Coriandrum sativum* L.)

Denomination : KUMHAI

Type of variety : Farmer

Classification of variety :
Previously proposed : Not applicable

Denomination :

Name of parental material : NA

Source of parental material : Own material

Name of reference variety : RCr-41

Variety description:

A. Group characteristics	Remarks (measured values)
No of basal leves	Low (1-3) (3)
Length of longest basal leaves	Short (3)
Growth habit	Semierect (5)
Seeds per umbellate	Good (>5) (5)
Weight of 1000 seeds at 7% moisture content	Low (<15g) (3)
Seed shape	Ova (7)
B. Distinct characteristics of candidate variety: KUMHAI has distinguishing characters as Ch11: Primary branches (nos): More (>6) (7), Ch16: Mature fruit: Colour (Average): Medium (4-5) (5).	
C. Distinct characteristics of reference variety: RCr-41 has distinguishing characters as Ch11: Mature fruit: Length (Average): Medium (4-6) (5), Ch16: Mature fruit: Colour (Average): High (>5) (7).	
D. Date of commercialization of the variety	NA

Figure: NA
[DUS Characteristics of KUMHAI](#)

211. Application No.

E12	AC12	26	2085

 filed on 21/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Onion (*Allium cepa* L.)** having denomination **Pusa Sona (SEL.153-1) (OSR1347)** has been accepted and given registration number -----NA ----- on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Sona (SEL.153-1) (OSR1347)**

Applicant : Indian Council of Agricultural Research

Address of the applicant : Krishi Bhawan, New Delhi-110001

Nationality of applicant : Indian

Application details

a. Number

:

E12	AC12	26	2085

b. Date of receipt

:

21/08/2026

c. Date of acceptance

:

24/08/2026

Crop (taxonomical lineage)

:

Onion (*Allium cepa* L.)

Denomination

:

Pusa Sona (SEL.153-1) (OSR1347)

Type of variety

:

Extant (Notified)

Classification of variety

:

Typical

Previously proposed

:

Not applicable

denomination

Name of parental material

:

Developed from local segregating material collected from HP

Source of parental material

:

Own germplasm

Name of reference varieties

:

Early Grano

Notification Details

:

S.O.692 (E) dt. 05.02.2019

Variety description:

A. Grouping characteristics	Remarks (measured values)
Bulb: Diameter (Characteristics 5)	Medium (5)
Bulb: General shape (in longitudinal section) (Characteristics 23)	Flat globe (4)
Bulb: Basic colour of dry skin (Characteristics 24)	Yellow (2)

Bulb: degree of splitting into bulblets (with dry skin around each bulblet) (Characteristics 32)		Absent (1)
B. Distinct characteristics of candidate variety: Pusa Sona (SEL.153-1) (OSR1347) has distinguishing characters as Bulb: Time of maturity (from date of sowing): Medium and Bulb: Height: Medium		
C. Distinct characteristics of reference varieties: Early Grano has distinguishing characters as Bulb: Time of maturity (from date of sowing): Late and Bulb: Height: Tall		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Zone II (Delhi, Rajasthan, Haryana, J&K Jammu and Punjab)
	: Time of Sowing	Rabi season
	: Irrigated/Rainfed	6-8 irrigations at 10-12 days interval
	: Low fertility/High fertility of Soil	Sandy loam
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	110:40:60
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	-
5.	Resistance/Tolerance to Pest/s	Moderately tolerant to major diseases
6.	Staking & pruning practices	-
7.	Winter –Spring cropping seasons type	Rabi season
8.	Fruit yield q/ac	25-30 t/ha
9.	Fruit yield/plant (kg/ha) (average)	-
10.	Fruit quality and Fruit firmness	-
11.	Fruit Picking Schedule	-
12.	Transport Potential (Days)	-
13.	Unique Selling Propositions and Optimal Shelf Life (Days)	-
DUS Characteristics of Pusa Sona (SEL.153-1) (OSR1347)		Figure- 122

212. Application No.

E11	AC11	26	2084

 filed on 21/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research , Krishi Bhawan, New Delhi-110012** for Extant (Notified) variety of crop **Onion (*Allium cepa* L.)** having denomination **Pusa Shobha (SEL.126)** has been accepted and given registration number -----NA -----on ----- NA ----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Shobha (SEL.126)**
 Applicant : Indian Council of Agricultural Research
 Address of the applicant : Krishi Bhawan, New Delhi-110012
 Nationality of applicant : Indian

Application details

E11	AC11	26	2084

a. Number :
 b. Date of receipt : 21/08/2026
 c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage) : Onion (*Allium cepa* L.)
 Denomination : Pusa Shobha (SEL.126)
 Type of variety : Extant (Notified)
 Classification of variety : Typical
 Previously proposed denomination : Not applicable

Name of parental material : Developed from local segregating material collected from HP
 Source of parental material : Own germplasm
 Name of reference varieties : Arka Pitamber

Variety description:

A. Grouping characteristics		Remarks (measured values)
Bulb: Diameter (Characteristics 5)		Medium (5)
Bulb: General shape (in longitudinal section) (Characteristics 23)		Globe (3)
Bulb: Basic colour of dry skin (Characteristics 24)		Brown (6)
Bulb: degree of splitting into bulblets (with dry skin around each bulblet) (Characteristics 32)		Absent (1)
B. Distinct characteristics of candidate variety: Pusa Shobha (SEL.126) has distinguishing characters as Bulb: General shape (in longitudinal section): Globe and Bulb: Basic colour of dry skin: Brown		
C. Distinct characteristics of reference varieties: Arka Pitamber has distinguishing characters as Bulb: General shape (in longitudinal section): Flat Globe and Bulb: Basic colour of dry skin: Yellow		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Zone III (Delhi, Uttar Pradesh, Haryana, Bihar, Punjab), IV (Rajasthan,

		Gujarat) and V (Madhya Pradesh, Chhattisgarh and Orissa)
	: Time of Sowing	<i>Kharif</i> season
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High and Normal fertility soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	110:40:60
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	-
5.	Resistance/Tolerance to Pest/s	. Resistant to purple blotch
6.	Staking & pruning practices	-
7.	Winter –Spring cropping seasons type	<i>Rabi</i> season
8.	Fruit yield q/ac	
9.	Fruit yield/plant (kg/ha) (average)	-
10.	Fruit quality and Fruit firmness	-
11.	Fruit Picking Schedule	-
12.	Transport Potential (Days)	-
13	Unique Selling Propositions and Optimal Shelf Life (Days)	-
DUS Characteristics of Pusa Shobha (SEL.126)		Figure- 123

213. Application No.

E7	MC10	26	2086

 filed on 21/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research , Krishi Bhawan, New Delhi-110012** for **Extant (Notified)** variety of crop **Bitter gourd (*Momordica charantia* L.)** having denomination **Pusa Hybrid 5 (DBGH 159)** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Hybrid 5 (DBGH 159)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110012
Nationality of applicant : Indian
Application details
a. Number :

E7	Mc10	26	2086

b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026

Crop (taxonomical lineage)	: Bitter gourd (<i>Momordica charantia</i> L.)
Denomination	: Pusa Hybrid 5 (DBGH 159)
Type of variety	: Extant (Notified)
Classification of variety	: Hybrid
Previously proposed denomination	: Not applicable
Name of parental material	: PVGy-201 x Sel-59
Source of parental material	: Own germplasm
Name of reference varieties	: Pusa Vishesh

Variety description:

A. Grouping characteristics		Remarks (measured values)
Fruit : length (Characteristics 15)		Long (7)
Fruit: diameter (Characteristics 16)		Thick (7)
Fruit: colour of skin (Characteristics 18)		Green (4)
Fruit: shape in longitudinal section (Characteristics 21)		Oblong (1)
Fruit: tubercles (Characteristics 22)		Medium (5)
Fruit: ridge (Characteristics 24)		Continuous (2)
B. Distinct characteristics of candidate variety: Pusa Hybrid 5 (DBGH 159) has distinguishing characters as Fruit : length: Long and Fruit: diameter: Thick		
C. Distinct characteristics of reference varieties: Pusa Vishesh has distinguishing characters as Fruit : length: Medium and Fruit: diameter: Medium		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	44-48 days
2.	Production condition: Suitability Area in the Country	National Capital Territory of Delhi
	: Time of Sowing	Spring-Summer season
	: Irrigated/Rainfed	
	: Low fertility/High fertility of Soil	Silt or Clay loam soils
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	70:40:30
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	-
5.	Resistance/Tolerance to Pest/s	-
6.	Staking & pruning practices	
7.	Winter –Spring cropping seasons type	
8.	Fruit yield q/ac	
9.	Fruit yield/plant (kg/ha) (average)	24.5 t/ha

10.	Fruit quality and Fruit firmness	-
11.	Fruit Picking Schedule	44-48 days after sowing
12.	Transport Potential (Days)	-
13	Unique Selling Propositions and Optimal Shelf Life (Days)	-
DUS Characteristics of Pusa Hybrid 5 (DBGH 159)		Figure- 124

214. Application No.

E8	MC11	26	2087

 filed on 21/08/2026 by the **Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research , Krishi Bhawan, New Delhi-110012** for **Extant (Notified)** variety of crop **Bitter gourd (*Momordica charantia* L.)** having denomination **Pusa Hybrid 6 (DBGH -542)** has been accepted and given registration number ----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Hybrid 6 (DBGH -542)**
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110012
Nationality of applicant : Indian

Application details

E8	MC11	26	2087

a. Number :
b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Bitter gourd (*Momordica charantia* L.)
Denomination : Pusa Hybrid 6 (DBGH -542)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed denomination : Not applicable
Name of parental material : Pusa Rasdar (DBGS-54) x Sel-2
Source of parental material : Own germplasm
Name of reference varieties : Pusa Do Mausami

Variety description:

A. Grouping characteristics	Remarks (measured values)
Fruit : length (Characteristics 15)	Long (7)
Fruit: diameter (Characteristics 16)	Thick (7)

Fruit: colour of skin (Characteristics 18)		Green (4)
Fruit: shape in longitudinal section (Characteristics 21)		Spindle shaped (3)
Fruit: tubercles (Characteristics 22)		Medium (5)
Fruit: ridge (Characteristics 24)		Continuous (2)
B. Distinct characteristics of candidate variety: Pusa Hybrid 6 (DBGH -542) has distinguishing characters as Fruit: shape of base at peduncle end: Flattened and Fruit: shape in longitudinal section: Spindle shaped		
C. Distinct characteristics of reference varieties: Pusa Do Mausami has distinguishing characters as Fruit: shape of base at peduncle end: Acute and Fruit: shape in longitudinal section: Oblong		
D. Date of commercialization of the variety		NA
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	42-44 days
2.	Production condition: Suitability Area in the Country	Zone I (Himachal Pradesh, Uttarakhand and J&K) and Zone VI (Delhi centre)
	: Time of Sowing	Spring-Summer season
	: Irrigated/Rainfed	
	: Low fertility/High fertility of Soil	well-drained sandy loam
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:50:40
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	-
5.	Resistance/Tolerance to Pest/s	.-
6.	Staking & pruning practices	-
7.	Winter –Spring cropping seasons type	-
8.	Fruit yield q/ac	-
9.	Fruit yield/plant (kg/ha) (average)	35.04 t/ha in Zone I, 29.09 t/ha in Zone VI
10.	Fruit quality and Fruit firmness	-
11.	Fruit Picking Schedule	42-44 days after sowing
12.	Transport Potential (Days)	-
13	Unique Selling Propositions and Optimal Shelf Life (Days)	-
DUS Characteristics of Pusa Hybrid 6 (DBGH -542)		Figure- 125

215. Application No.

F1	PDL1	26	316

 filed on 03-03-2026 by **Mr. Devshi A. Baidiyavadra, Associate Research Scientist and Unit Head & Dr. Kapil Mohan Sharma, Assistant Research Scientist, Date Palm Research Station, SDAU, Mundra, Old port road, Kachchh-370421, Gujarat through Manga Sumar Gadhvi & Shamla Manga Gadhvi, Marva Vadi Vistar, Zarpara, PO: Zarpara, Taluka: Mundra,**

Dist: Kachchh-370405, Gujarat for **Farmer** variety of **Date Palm (*Phoenix dactylifera* L.)** having denomination **Resham**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Resham**
Applicant : Manga Sumar Gadhvi & Shamla Manga Gadhavi
Address of the applicant : Marva Vadi Vistar, Zarpara, PO: Zarpara,
Taluka: Mundra, Dist: Kachchh-370405, Gujarat
Nationality of applicant : Indian
Application details
a. Number :

F1	PDL1	26	316

b. Date of receipt : 03-03-2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Date Palm (*Phoenix dactylifera* L.)
Denomination : Resham
Type of variety : Farmer
Classification of variety : NA
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Not applicable
Name of reference variety : Khunezi

Variety description:

A. Group characteristics	Resham (measured values)
Thorn length (Characteristic 6)	Medium
Inter thorn distance (Characteristic 7)	Wide
Fruit Colour at Doka stage (Characteristic 13)	Dark Red
Fruit length at Doka Stage (Characteristic 14)	Long
B. Distinct characteristics of candidate variety: Resham has distinguishing characters as Thorn length is Medium (Ch.6), Thickness of pulp (mm) at Doka stage is thin (Ch.16).	
C. Distinct characteristics of reference variety: Khunezi has distinguishing characters as Thorn length is Very long (Ch.6), Thickness of pulp (mm) at Doka stage is Thick (Ch.16).	

D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Resham

216. Application No.

F23	MI23	26	297

 filed on 02-03-2026 by **Charu Barik, Village & PO: Amriti, PS: English Bazar, Dist: Malda-732208, West Bengal** through **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** for **Farmer** variety of **Mango (*Mangifera indica* L.)** having denomination **CHEPTI GUTI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : CHEPTI GUTI
Applicant : Charu Barik
Address of the applicant : Village & PO: Amriti, PS: English Bazar,
Dist: Malda-732208, West Bengal
Nationality of applicant : Indian
Application details

F23	MI23	26	297

a. Number :
b. Date of receipt : 02-03-2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : CHEPTI GUTI
Type of variety : Farmer
Classification of variety : NA
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Not applicable
Name of reference variety : LANGRA

Variety description:

A. Group characteristics	CHEPTI GUTI (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Sloping downward
Mature fruit: Presence of sinus (Characteristic. 26)	Present

Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of fruit maturity season)
Seed: Embryony (Characteristic. 33)	Monoembryonic
B. Distinct characteristics of candidate variety: TOTA SINA has distinguishing characters as Leaf: Blade Shape is Oblong (Ch.4), Mature fruit: Presence of neck is present (Ch.22).	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Leaf: Blade Shape is Ovate (Ch.4), Mature fruit: Presence of neck is Absent (Ch.22).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of CHEPTI GUTI

217. Application No.

E3	LA10	26	2077

 filled on 21/08/2026 by **Director, ICAR- Indian Agricultural Research Institute, Pusa Campus, New Delhi** on behalf of **Indian Council of Agricultural Research (ICAR), Krishi Bhavan, Dr, Rajendra Prasad road, New Delhi- 110001** for **Extant (Notified) Typical** variety of crop **Ridge gourd (*Luffa acutangula* (L.) Roxb.)** having denomination **Pusa Nutan** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----
The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Nutan**
Applicant : Indian Council of Agricultural Research (ICAR),
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Road,
New Delhi- 110001
Nationality of applicant : Indian

Application details

a. Number :

E3	LA10	26	2077

b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Ridge gourd (*Luffa acutangula* (L.) Roxb)
Denomination : Pusa Nutan
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : Selection from germplasm or genetic stock

Source of parental material : Own germplasm
Name of reference varieties : Pusa Nasdar
Notification details : S.O.3666(E). Dated 06/12/2016

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf: Leaf blade: number of lobes (characteristic 10)		5 lobes (2)
Fruit: Length (characteristic 17)		Medium (5)
Fruit: Girth (characteristic 18)		Medium (5)
Fruit: Shape (characteristic 19)		Elongate (2)
Fruit: Skin colour (characteristic 20)		Dark green (3)
Fruit: Ridge (rib) shape (characteristic 23)		-
B. Distinct characteristics of candidate variety: Pusa Nutan: It has distinguishing characters as Cotyledon: intensity of green colour is dark and Peduncle length is short.		
C. Distinct characteristics of reference variety: Pusa Nasdar It has distinguishing characters as Cotyledon: intensity of green colour is medium and Peduncle length is medium.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early: 45–50 days
2.	Production condition: Suitability Area in the Country	North Indian plains / NCR Delhi
	: Time of Sowing	Spring–summer and Kharif
	: Irrigated/Rainfed	Both Irrigated and Rainfed
	: Low fertility/High fertility of Soil	Suitable to both conditions
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	N:P: K = 100:50:50 kg/ha, equivalent to approximately 40.5:20.2:20.2 kg/acre.
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	No specific abiotic stress tolerance
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	Sensitive
6.	Resistance/Tolerance to Pests	Field tolerance to Tomato leaf curl New Delhi virus.
7.	Staking & pruning Practices	Trellis/pandal support recommended
8.	Winter – spring cropping seasons Type	Spring–summer and Kharif; suitable for spring–summer cultivation
9.	Fruit Yield (q/ ac)	~75 q/ac (spring–summer); ~72 q/ac (Kharif)
10.	Fruit Yield/plant (kg/p) (average)	2.09kg/plant

11.	Fruit quality and Fruit firmness	Long, straight, attractive green fruits; average fruit weighs 105 g; flesh tender. Skin soft; flesh soft/spongy and cream coloured.
12.	Fruit picking Schedule	First/marketable maturity at about 45–50 days
13.	Transport Potential (Days)	3 to 4 days at ambient temperature, with cold temperature transport (10–12°C) with a high relative humidity of 90–95% can successfully extend its optimal shelf life to 2–3 weeks
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Early maturing; long (25–30 cm), straight, attractive green fruits with tender flesh; field tolerance to Tomato leaf curl New Delhi virus.
15	Any other relevant information specific to the variety/hybrid	Open-pollinated variety developed by selection
DUS Characteristics of Pusa Nutan		Figure- 126

218. Application No.

E14	SM27	26	2090

 filled on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute., Pusa Campus, New Delhi-110012** for **Extant (Notified) Typical** variety of crop **Brinjal/ eggplant (*Solanum melongena* L.)** having denomination **Pusa Krishna (DBR-03)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Krishna (DBR-03)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012
Nationality of applicant : Indian

Application details

a. Number	:	E14	SM27	26	2090
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Brinjal/ eggplant (<i>Solanum melongena</i> L.)			
Denomination	:	Pusa Krishna (DBR-03)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	Developed by selection			
Source of parental material	:	Own Germplasm			
Name of reference varieties	:	Pusa Bindu			
Notification Details	:	Notification no. S.O. 3254 (E), dt. 20.07.2022			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Fruit: Length (Characteristic 20)		—
Fruit: Diameter (Characteristic 21)		—
Fruit: General shape (Characteristic 23)		Ovoid (2)
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Purple (3)
Fruit: Stripes (Characteristic 30)		Absent (1)
Fruit: Colour of calyx (Characteristic 35)		—
B. Distinct characteristics of candidate variety:		
Pusa Krishna (DBR-03) It has distinguishing characters as Stem: Intensity of anthocyanin colouration Weak, Leaf: Intensity of colour of blade Light and Flower: Colour Purple.		
C. Distinct characteristics of reference varieties:		
Pusa Bindu It has distinguishing characters as Stem: Intensity of anthocyanin colouration Strong, Leaf: Intensity of colour of blade Dark and Flower: Colour Dark purple		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early (Its maturity in 55-60 days after transplanting. Fruits come in solitary)
2.	Production condition: Suitability Area in the Country	Madhya Pradesh and Maharashtra
	: Time of Sowing	Kharif Season
	: Irrigated/Rainfed	—

	: Low fertility/High fertility of Soil	–
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	–
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	–
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	–
6.	Resistance/Tolerance to Pests	Resistance to <i>Fusarium</i> wilt, virus complex and little leaf under filed condition in delhi. It has similar reaction to major pest i.e. brinjal shoot and fruit borer as in other varieties under field condition
7.	Staking & pruning Practices	–
8.	Winter – spring cropping seasons Type	–
9.	Fruit Yield (q/ ac)	–
10.	Fruit Yield/plant (kg/p) (average)	395 q/ha with potential yield of 600 q/ha
11.	Fruit quality and Fruit firmness	Recommended for vegetable purpose. It has good culinary attributes i.e. suitable for <i>Bharta</i> making
12.	Fruit picking Schedule	Take 55-60 days from transplanting to 1 st picking
13.	Transport Potential (Days)	–
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	–
15.	Any other relevant information specific to the variety/hybrid	Nil
DUS Characteristics of Pusa Krishna (DBR-03)		Figure- 90

219. Application No.

E13	SM26	26	2080

 filled on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute., Pusa Campus, New Delhi-110012** for **Extant (Notified) Typical** variety of crop **Brinjal/ eggplant (*Solanum melongena* L.)** having denomination **PUSA OISHIKI (DBL-175)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **PUSA OISHIKI (DBL-175)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012
Nationality of applicant : Indian
Application details
a. Number :

E13	SM26	26	2080

b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Brinjal/ eggplant (*Solanum melongena* L.)
Denomination : PUSA OISHIKI (DBL-175)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : Developed by selection
Source of parental material : Own Germplasm
Name of reference varieties : Pusa Purple Cluster
Notification Details : Notification no. S.O. 4272 (E), dt. 26.11.2019

Variety description:

A. Grouping characteristics	Remark (Measured values)
Fruit: Length (Characteristic 20)	Medium (5)
Fruit: Diameter (Characteristic 21)	Small (3)
Fruit: General shape (Characteristic 23)	—
Fruit: Colour of skin at commercial harvesting (Characteristic 27)	Purple (3)
Fruit: Stripes (Characteristic 30)	Absent (1)
Fruit: Colour of calyx (Characteristic 35)	Green (1)
B. Distinct characteristics of candidate variety: PUSA OISHIKI (DBL-175) It has distinguishing characters as Seedling: Intensity of anthocyanin colouration of hypocotyl Weak, Leaf: Blade colour Green and Fruit: Shape of apex Pointed.	
C. Distinct characteristics of reference varieties:	

Pusa Purple Cluster It has distinguishing characters as Seedling: Intensity of anthocyanin colouration of hypocotyl Very strong, Leaf: Blade colour Purple and Fruit: Shape of apex Flattened.

D. Date of commercialization of the variety

—

E. Agronomic and commercial attributes

S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early (Marketable maturity of heads at 75-85 days after transplanting)
2.	Production condition: Suitability Area in the Country	Rajasthan, Gujarat, Haryana, Delhi, Madhya Pradesh and Maharashtra
	: Time of Sowing	<i>Kharif</i> Season
	: Irrigated/Rainfed	—
	: Low fertility/High fertility of Soil	—
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	—
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	—
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	—
6.	Resistance/Tolerance to Pests	Filed resistance to Fusarium wilt. It has similar reaction to major pest i.e. brinjal shoot and fruit borer as in other varieties under field condition
7.	Staking & pruning Practices	—
8.	Winter – spring cropping seasons Type	—
9.	Fruit Yield (q/ ac)	—
10.	Fruit Yield/plant (kg/p) (average)	—
11.	Fruit quality and Fruit firmness	Recommended for vegetable purpose. It has good culinary attributes.
12.	Fruit picking Schedule	Take 50-55 days from transplanting to 1 st picking
13.	Transport Potential (Days)	—
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	—
15.	Any other relevant information specific to the variety/hybrid	Nil
DUS Characteristics of PUSA OISHIKI (DBL-175)		Figure- 91

220. Application No.

E1	BOI1	26	2083

 filed on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute., Pusa Campus, New Delhi-110012** for **Extant (Notified) Typical** variety of crop **Broccoli (*Brassica oleracea* (L.) var. *italica* Plenck)** having denomination **Pusa Purple Broccoli-1 (DPB-1)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Pusa Purple Broccoli-1 (DPB-1)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg,
New Delhi- 11012

Nationality of applicant : Indian

Application details

E1	BOI1	26	2083

a. Number :
b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Broccoli (*Brassica oleracea* (L.) var. *italica* Plenck)
Denomination : Pusa Purple Broccoli-1 (DPB-1)
Type of variety : Extant (Notified)
Classification of variety : Typical
Previously proposed :
Denomination : Not applicable
Name of parental material : Segregating exotic parental material of Palam Vichitrea
Source of parental material : Own Germplasm
Name of reference varieties : Palam Vichitra
Notification Details : Notification no. S.O. 1362 (E), dt. 12.03.2024

Variety description:

A. Grouping characteristics	Remark (Measured values)
Seedling: Anthocyanin coloration of hypocotyls (Characteristic 1)	Present (9)
Stem: branches or spears on main stem at head maturity (Characteristic 2)	Absent (1)

Leaf attitude (at the beginning of head formation) (Characteristic 3)	Semi-erect (5)	
Head colour (Characteristic 15)	Green (5)	
Head: texture (Characteristic 18)	Medium (5)	
Time of harvest: maturity 50% of plants (Characteristic 24)	Early (3)	
Male sterility (Characteristic 27)	Absent (1)	
B. Distinct characteristics of candidate variety: Pusa Purple Broccoli-1 (DPB-1) It has distinguishing characters as Leaf attitude Semi-erect, Leaf: Blade Colour Purplish Green, Head shape in longitudinal section Transverse narrow elliptic and Head: diameter Medium.		
C. Distinct characteristics of reference varieties: Palam Vichitra It has distinguishing characters as Leaf attitude Erect, Leaf: Blade Colour Green, Head shape in longitudinal section Circular and Head: diameter Large.		
D. Date of commercialization of the variety	—	
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	105-115 days after sowing (75-85 days after transplanting)
2.	Production condition: Suitability Area in the Country	Delhi and similar climatic condition
	: Time of Sowing	Mid-August to Mid-October
	: Irrigated/Rainfed	Irrigated (drip irrigation)
	: Low fertility/High fertility of Soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	120:100:60 kg/ha, respectively Basal: 60:100:60 kg/ha, respectively 1st top dressing: 30kg/ha N on 30th day of transplanting 2nd top dressing: 30kg/ha N on 45th day of transplanting
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Plants have medium-tall stem, which prevent leaf contact to the ground in early season hence prevent from occurrence of soil borne diseases. It performs well only in a proper irrigation regime and upto January end harvesting (before onset of the harvesting season of Palam Vichitra in Delhi condition.
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	—

6.	Resistance/Tolerance to Pests	Tobacco caterpillar and cabbage fly are common pest in early group of Broccoli Field tolerant to downy mildew, black rot and <i>Alternaria</i> leaf spot under natural field condition in Delhi region
7.	Staking & pruning Practices	—
8.	Winter – spring cropping seasons Type	—
9.	Fruit Yield (q/ ac)	21.4 t/ha
10.	Fruit Yield/plant (kg/p) (average)	—
11.	Fruit quality and Fruit firmness	—
12.	Fruit picking Schedule	—
13.	Transport Potential (Days)	—
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	—
15.	Any other relevant information specific to the variety/hybrid	New anthocyanin rich broccoli is highly accepted by the consumers.
DUS Characteristics of Pusa Purple Broccoli-1 (DPB-1)		Figure- 92

221. Application No.

E2	CS6	26	2078

 filled on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute., Pusa Campus, New Delhi-110012** for **Extant (Notified) Typical** variety of crop **Cucumber (*Cucumis sativa* L.)** having denomination **DC-82 (Pusa Barkha)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **DC-82 (Pusa Barkha)**
Applicant : Indian Council of Agricultural Research (ICAR)
Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012
Nationality of applicant : Indian

Application details

a. Number	:	E2	CS6	26	2078
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Cucumber (<i>Cucumis sativa</i> L.)			
Denomination	:	DC-82 (Pusa Barkha)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	Developed by selection			
Source of parental material	:	Uluberia, Hoogly, West Bengal			
Name of reference varieties	:	Himangi			
Notification Details	:	Notification no. S.O. 3666 (E), dt. 06.12.2016			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant growth habit (Characteristic 1)		Indeterminate (3)
Plant Sex expression (Characteristic 14)		Monoecious (1)
Fruit Parthenocarpy (Characteristic 17)		Absent (1)
Fruit Length (Characteristic 18)		Short (3)
Fruit: colour of skin at market stage (Characteristic 23)		Light green (3)
B. Distinct characteristics of candidate variety: DC-82 (Pusa Barkha) It has distinguishing characters as Fruit: length Short, Fruit: shape at peduncle end Flat, Fruit: shape at blossom end Obtuse and Fruit: colour of skin at ripening stage Brown.		
C. Distinct characteristics of reference varieties: Himangi It has distinguishing characters as Fruit: length Medium, Fruit: shape at peduncle end Obtuse, Fruit: shape at blossom end Rounded and Fruit: colour of skin at ripening stage Yellow.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Ready for first harvesting in 40-45 days after sowing
2.	Production condition: Suitability Area in the Country	National Capital Territory Delhi
	: Time of Sowing	Kharif Season
	: Irrigated/Rainfed	—
	: Low fertility/High fertility of Soil	—
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	—
4.	Tolerance to adverse Temperature/Frost/	Tolerant to high humidity and

	&Heat- Sensitive/Tolerance	high temperature
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	–
6.	Resistance/Tolerance to Pests	No major disease & insect-pest incidence was observed
7.	Staking & pruning Practices	
8.	Winter – spring cropping seasons Type	
9.	Fruit Yield (q/ ac)	18.8 t/ha during Kharif season
10.	Fruit Yield/plant (kg/p) (average)	–
11.	Fruit quality and Fruit firmness	Recommended for vegetable purpose. It has good culinary attributes.
12.	Fruit picking Schedule	–
13.	Transport Potential (Days)	–
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	–
15.	Any other relevant information specific to the variety/hybrid	Nil
DUS Characteristics of DC-82 (Pusa Barkha)		Figure- 93

222. Application No.

E3	CS7	26	2079

 filled on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute., Pusa Campus, New Delhi-110012** for **Extant(Notified) Typical** variety of crop **Cucumber (*Cucumis sativa* L.)** having denomination **PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)**

Applicant : Indian Council of Agricultural Research (ICAR)

Address of the applicant : Krishi Bhavan, Dr, Rajendra Prasad Marg, New Delhi- 11012

Nationality of applicant : Indian

Application details

a. Number	:	E3	CS7	26	2079
b. Date of receipt	:	21/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Cucumber (<i>Cucumis sativa</i> L.)			
Denomination	:	PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	F1 hybrid, DPaCH-23			
Source of parental material	:	Own Germplasm			
Name of reference varieties	:	Japanese Long Green			
Notification Details	:	Notification no. S.O. 692 (E), dt. 05.02.2019			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant growth habit (Characteristic 1)		Indeterminate (3)
Plant Sex expression (Characteristic 14)		Gynoecious (2)
Fruit Parthenocarpy (Characteristic 17)		Present (9)
Fruit Length (Characteristic 18)		Medium (15-25cm) (5)
Fruit: colour of skin at market stage (Characteristic 23)		Dark green (4)
B. Distinct characteristics of candidate variety: PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6) It has distinguishing characters as Leaf blade: length Long, Leaf blade: dentation of margin Weak, Plant: sex expression Gynoecious and Parthenocarpy Present.		
C. Distinct characteristics of reference varieties: Japanese Long Green It has distinguishing characters as Leaf blade: length Medium, Leaf blade: dentation of margin Medium, Plant: sex expression Monoecious and Parthenocarpy Absent.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Ready for first harvesting in 40-45 days after sowing
2.	Production condition: Suitability Area in the Country	National Capital Territory Delhi
	: Time of Sowing	—
	: Irrigated/Rainfed	—
	: Low fertility/High fertility of Soil	—
3.	Fertilizer requirement to attain potential yield (N:P: K:) kg/acre	—
4.	Tolerance to adverse Temperature/Frost/	—

	&Heat- Sensitive/Tolerance	
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	–
6.	Resistance/Tolerance to Pests	No major disease & insect-pest incidence was observed
7.	Staking & pruning Practices	–
8.	Winter – spring cropping seasons Type	–
9.	Fruit Yield (q/ ac)	126.0 t/ha during winter season
10.	Fruit Yield/plant (kg/p) (average)	–
11.	Fruit quality and Fruit firmness	–
12.	Fruit picking Schedule	–
13.	Transport Potential (Days)	–
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	–
15.	Any other relevant information specific to the variety/hybrid	Nil
DUS Characteristics of PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)		Figure- 94

223. Application No.

E6	PG23	26	1963

 filled on 20/08/2026 by **Director, ICAR- Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284006, Uttar Pradesh** on behalf of **ICAR- Indian Grassland and Fodder Research Institute, Gwalior Road, Near Pahuj Dam, Jhansi-284006 Uttar Pradesh** for **Extant (Notified) Typical** variety of crop **Pearl Millet (*Pennisetum glaucum* (L.) R.Br.)** having denomination **Bundel Bajra 1 (JHPM-22-2)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **Bundel Bajra 1 (JHPM-22-2)**
Applicant : ICAR- Indian Grassland and Fodder Research Institute
Address of the applicant : Gwalior Road, Near Pahuj Dam, Jhansi-284006, India
Nationality of applicant : Indian

Application details

a. Number	:	E6	PG23	26	1963
b. Date of receipt	:	20/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Pearl Millet (<i>Pennisetum glaucum</i> (L.) R.Br.)			
Denomination	:	Bundel Bajra 1 (JHPM-22-2)			
Type of variety	:	Extant (Notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	Not applicable			
Name of parental material	:	Mass Selection from pearl Millet germplasm IP11336			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	BAIF Bajra 1 and Giant Bajra			
Notification Details	:	Notification no. S.O. 6123 (E), dt. 31.12.2025			

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Time of spike emergence (Characteristic 3)		Very late (9)
Anther: Colour (Characteristic 9)		Brown (5)
Plant Height (Characteristic 22)		Tall (7)
Spike: Shape (Characteristic 23)		Lanceolate (1)
Seed: Colour (Characteristic 26)		Grey brown (6)
Seed: Shape (Characteristic 27)		Hexagonal (7)
B. Distinct characteristics of candidate variety: Bundel Bajra 1 (JHPM-22-2) It has distinguishing characters as Plant: Anthocyanin coloration of first leaf sheath Present, Plant: Node pubescence Present, Spike: Length Long and Seed: Colour Grey brown.		
C. Distinct characteristics of reference varieties: BAIF Bajra 1 it has distinguishing characters as Plant: Anthocyanin coloration of first leaf sheath Absent, Plant: Node pubescence Absent, Spike: Length Very long and Seed: Colour Grey. Giant Bajra it has distinguishing characters as Plant: Anthocyanin coloration of first leaf sheath Absent, Plant: Node pubescence Absent, Spike: Length Medium and Seed: Colour Grey.		
D. Date of commercialization of the variety		—
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	North West Zone

	: Time of Sowing	June to July
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility
3.	Tolerance to Disease & Pests	Moderately resistant to leaf blast and Resistant to major pests
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	Heat tolerant
5.	Grain Characters Physical: a) Grain Size (cm) b) Seed Lustre (Present/Absent) c) Seed Colour	a) 0.4 cm b) Absent c) Grey brown
6.	Zone Wise Yield Potential (Average) per acre (q/ac)	214.93 q/acre
7.	Seed Yield q/ha (Average)	10-14.5 q/ha
8.	Seed: Weight (100 seed weight in g)	9.18-10g
9.	Fertilizer requirement to attain potential yield (N:P: K:) kg/ha	40:30:20 kg/per acre
10.	Any other relevant information specific to the variety/hybrid	
DUS Characteristics of Bundel Bajra 1 (JHPM-22-2)		Figure- 95

224. Application No.

E7	PG24	26	2059

 filled on 21/08/2026 by **The Director, Indian Agricultural Research Institute (IARI), Pusa Campus, New Delhi-110012** on behalf of **Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** for **Extant (Notified) Hybrid** variety of crop **Pearl Millet (*Pennisetum glaucum* (L.) R.Br.)** having denomination **MH 2417 (PUSA- 1801)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV&FR Authority, New Delhi – 110 012.

Passport data of the variety : **MH 2417 (PUSA- 1801)**
Applicant : **Indian Agricultural Research Institute**

Address of the applicant : Pusa Campus, New Delhi-110012, India
Nationality of applicant : Indian
Application details
a. Number :

E7	PG24	26	2059

b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Pearl Millet (*Pennisetum glaucum* (L.) R.Br.)
Denomination : MH 2417 (PUSA- 1801)
Type of variety : Extant (Notified)
Classification of variety : Hybrid
Previously proposed
Denomination : Not applicable
Name of parental material : ICMA 13222 x PPMI 1239
Source of parental material : ICRISAT
Name of reference varieties : Pusa 1201 (MH 1849) and MPMH 17
Notification Details : Notification no. S.O. 4388 (E), dt. 08.10.2024

Variety description:

A. Grouping characteristics		Remark (Measured values)
Plant: Time of spike emergence (Characteristic 3)		late (7)
Anther: Colour (Characteristic 9)		Brown (5)
Plant Height (Characteristic 22)		Tall (7)
Spike: Shape (Characteristic 23)		Candle (4)
Seed: Colour (Characteristic 26)		Grey (4)
Seed: Shape (Characteristic 27)		Globular (9)
B. Distinct characteristics of candidate variety: MH 2417 (PUSA- 1801) It has distinguishing characters as Spike exertion Partial and Spike shape Candle.		
C. Distinct characteristics of reference varieties: Pusa 1201 (MH 1849) It has distinguishing characters as Spike exertion Complete and Spike shape Cylindrical. MPMH 17 It has distinguishing characters as Spike exertion Complete and Spike shape Lanceolate.		
D. Date of commercialization of the variety		-
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Late
2.	Production condition: Suitability Area in the Country	NCT of Delhi
	: Time of Sowing	June-July
	: Irrigated/Rainfed	Both Irrigated and Rainfed

	: Low fertility/High fertility of Soil	Medium and High fertility of Soil
3.	Tolerance to Disease & Pests	Resistance to downy mildew, Blast, Rust, Ergot and Smut and tolerant to grey weevil, <i>Helicoverpa</i>
4.	Tolerance to adverse Temperature/Frost/Heat & Salinity	Heat and drought tolerant, Medium in stature, non-lodging, suitable for rainfed during <i>Kharif</i> season
5.	Grain Characters Physical: a) Seed Shape b) Seed Lustre (Present/Absent) c) Seed Colour	- Present Grey
6.	Zone Wise Yield Potential (Average) per acre (q/ac)	14 q/ac
7.	Seed Yield q/ha (Average)	14 q/ac
8.	Seed: Weight (1000 seed weight in g)	10.1 g
9.	Fertilizer requirement to attain potential yield (N:P: K:) kg/ha	N 25-30: P 12-16: K 12-16 kg/ac Nitrogen in two splits, half dose as Basel and second half at 3-4 weeks, later synchronizing with rains.
10.	Any other relevant information specific to the variety/hybrid	MH 2417 (PUSA- 1801) has been commercialized since 2025. Released and notified for cultivation by farmers of NCT of Delhi
DUS Characteristics of MH 2417 (PUSA- 1801)		Figure- 96

225. Application No.

F11	AHL12	25	1354

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. S. John Peter Raj, No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **MARIA JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : MARIA JACK
Applicant : Mr. S. John Peter Raj
Address of the applicant : No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001
Nationality of applicant : Indian
Application details
a. Number : F11 AHL12 25 1354
b. Date of receipt : 19/12/2025
c. Date of acceptance : 25/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : MARIA JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : SWARNA

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: MARIA JACK has distinguishing characters as Fruit Shape is Clavate & Seed colour (with seed coat) is Brown	
C. Distinct characteristics of reference variety: SWARNA has distinguishing characters as Fruit Shape is Spheroid & Seed colour (with seed coat) is Cream.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of MARIA JACK

226. Application No.

E1	LS18	26	1871

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for Extant (Notified) variety of crop **Bottle Gourd (*Lagenaria siceraria* (Mol.) Standl.)** having denomination **Kashi Kirti (VRBOG-63-02)** the specification including its drawing and or photograph(s) of

which are given below, has been accepted and given registration number -----NA -----
--on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed
on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection
of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR
Authority, New Delhi-110012.

Passport data of the variety : Kashi Kirti (VRBOG-63-02)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001.
Nationality of applicant : Indian

Application details

E1	LS18	26	1871

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Bottle Gourd (*Lagenaria siceraria* (Mol.) Standl.)
Denomination : Kashi Kirti (VRBOG-63-02)
Type of variety : Extant (notified)
Classification of variety : Typical
Previously proposed :
Denomination : NA
Name of parental material : Inbreeding and selection from IIVR germplasm pool
Source of parental material : Own germplasm
Name of reference varieties : Pusa Naveen
Notification details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics		(Measured values)
Leaf blade: number of lobes (Characteristic 11)		3 lobes
Fruit: length (Characteristic 16)		Medium
Fruit: diameter (Characteristic 17)		Medium
Fruit: shape in longitudinal section (Characteristic 18)		Cylindrical
Fruit skin colour (Characteristic 20)		Green
B. Distinct characteristics of candidate variety: Kashi Kirti (VRBOG-63-02) It has distinguishing characters as Plant: growth habit: Long viny, Stem: number of primary branches: Many, Leaf: length: Large, Fruit: shape of apex at peduncle end: Depressed		
C. Distinct characteristics of reference variety: Pusa Naveen , it has distinguishing characters as Plant: growth habit: Medium viny, Stem: number of primary branches: Medium, Leaf: length: Small, Fruit: shape of apex at peduncle end: Flat		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Early Maturity
2.	Production condition: Suitability area in	Uttar Pradesh

	country	
	: Time of sowing	Winter Season: Oct-November
	: Irrigated / Rainfed	Irrigated
	: Low fertility/ High fertility of soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	100:80:60 kg/ha
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Low temperature tolerance
5.	Tolerance to water stagnation: Sensitive /Tolerant	Sensitive
6.	Resistance/tolerance to pest/s	Tolerant to downy mildew, fruit fly and powdery mildew
7.	Staking& pruning Practices	Required for higher yield
8.	Winter-spring cropping season type	Winter
9.	Fruit yield q/ha	375-425 q/ha
10.	Fruit yield /plant(kg/ha) (average)	11-13 kg/plant
11.	Fruit quality and fruit firmness	With smooth surface, more fleshy, good shelf life
12.	Fruit Picking Schedule	After 62-65 days on a 2–3-day interval
13.	Transport Potential (Days)	5-7 days
14.	Unique selling propositions and Optimal Shelf-Life (Days)	5-7 days
15.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Kashi Kirti (VRBOG-63-02)		Figure- 144

227. Application No.

E2	LS1	26	1872

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Bottle Gourd (*Lagenaria siceraria* (Mol.) Standl.)** having denomination **Kashi Kundal (VRBOG-16)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Kashi Kundal (VRBOG-16)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001.
Nationality of applicant : Indian

Application details

a. Number	:	E2	LS1	26	1872
b. Date of receipt	:	17/08/2026			
c. Date of acceptance	:	24/08/2026			
Crop (Taxonomical lineage)	:	Bottle Gourd (<i>Lagenaria siceraria</i> (Mol.) Standl.)			
Denomination	:	Kashi Kundal (VRBOG-16)			
Type of variety	:	Extant (notified)			
Classification of variety	:	Typical			
Previously proposed	:				
Denomination	:	NA			
Name of parental material	:	Inbreeding and selection from IIVR germplasm pool			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	Punjab Komal			
Notification details	:	Notification no. S.O. 692 (E), dt. 05.02.2019			

Variety description:

A. Grouping characteristics		(Measured values)
Leaf blade: number of lobes (Characteristic 11)		3 lobes
Fruit: length (Characteristic 16)		Short
Fruit: diameter (Characteristic 17)		Large
Fruit: shape in longitudinal section (Characteristic 18)		Round
Fruit skin colour (Characteristic 20)		Light Green
B. Distinct characteristics of candidate variety:		
Kashi Kundal (VRBOG-16) It has distinguishing characters as		
Plant: growth habit: Long viny, Leaf: shape: Oblong, Leaf: width: Broad, Fruit: diameter: Large		
C. Distinct characteristics of reference variety:		
Punjab Komal It has distinguishing characters as		
Plant: growth habit: Short viny, Leaf: shape: Cordate, Leaf: width: Narrow, Fruit: diameter: medium		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium Maturity
2.	Production condition: Suitability area in country	Uttar Pradesh
	: Time of sowing	Suitable for July to 1 st week of September sowing
	: Irrigated / Rainfed	Irrigated
	: Low fertility/ High fertility of soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	100:80:60 kg/ha
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Low temperature tolerance
5.	Tolerance to water stagnation: Sensitive /Tolerant	Sensitive
6.	Resistance/tolerance to pest/s	Tolerant to downy mildew, fruit fly

		and powdery mildew
7.	Staking& pruning Practices	Required for higher yield
8.	Winter-spring cropping season type	NA
9.	Fruit yield q/ha	375-410 q/ha
10.	Fruit yield /plant(kg/ha) (average)	11-13 kg/plant
11.	Fruit quality and fruit firmness	Pear shape fruit with smooth surface, more fleshy, good shelf life
12.	Fruit Picking Schedule	After 90-95 days on a 2–3-day interval
13	Transport Potential (Days)	5-7 days
14	Unique selling propositions and Optimal Shelf-Life (Days)	5-7 days
15.	Any other relevant information specific to the variety/hybrid	-
DUS Characteristics of Kashi Kundal (VRBOG-16)		Figure- 145

228. Application No.

E1	LUC2	26	1885

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI KALYANI (VRSG-195)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: KASHI KALYANI (VRSG-195)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001.				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E1</td><td>LUC2</td><td>26</td><td>1885</td></tr></table>	E1	LUC2	26	1885
E1	LUC2	26	1885		
a. Number	:				
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Sponge gourd [<i>Luffa cylindrica</i> (L.) Roem]				
Denomination	: KASHI KALYANI (VRSG-195)				
Type of variety	: Extant (notified)				
Classification of variety	: Typical				
Previously proposed					
Denomination	: NA				
Name of parental material	: Population of Landrace germplasm				
Source of parental material	: Own germplasm				

Name of reference varieties

: Kashi Divya & Pusa Supriya

Notification details

: Notification no. 3254 (E), dt. 20/07/2022

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elongate
Fruit: skin colour (characteristic 18)		Green
Seed: colour of Testa (characteristic 28)		Black
B. Distinct characteristics of candidate variety:		
KASHI KALYANI (VRSG-195) It has distinguishing characters as		
Stem: Length of internodes: Short		
Stem: Number of primary branches: Less		
C. Distinct characteristics of reference variety:		
Kashi Divya & Pusa Supriya it has distinguishing characters as		
Stem: Length of internodes: Long		
Stem: Number of primary branches: More		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing Punjab, Uttar Pradesh, Bihar and Jharkhand, Tamil Nadu, Kerala and Pondicherry State
	: Time of sowing	Last week of June to mid-July for rainy season and Last week of February to mid-March for summer season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	High temperature tolerant (>35 °C)
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellies/bower system

8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	60-80 quintals
10.	Fruit yield /plant(kg/ha) (average)	2.0-2.20 Kg
11.	Fruit quality and fruit firmness	Attractive dark green, cylindrical fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 7 to 8 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Green, cylindrical shape, medium size fruit. Seeding to fruit maturity (seed to seed) 105-115 days
DUS Characteristics of KASHI KALYANI (VRSG-195)		Figure- 146

229. Application No.

E2	LUC3	26	1886

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI RAKSHITA (VRSGH-1)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: KASHI RAKSHITA (VRSGH-1)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001.				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E2</td><td>LUC3</td><td>26</td><td>1886</td></tr></table>	E2	LUC3	26	1886
E2	LUC3	26	1886		
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Sponge gourd [<i>Luffa cylindrica</i> (L.) Roem]				
Denomination	: KASHI RAKSHITA (VRSGH-1)				
Type of variety	: Extant (notified)				
Classification of variety	: Hybrid				
Previously proposed					
Denomination	: NA				
Name of parental material	: VRSG-136 x VRSG-195				

Source of parental material : Own germplasm
Name of reference varieties : Kalyanpur Hari Chikani & Kashi Saumya (VRSGH-3)
Notification details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elliptical
Fruit: skin colour (characteristic 18)		Dark green
Seed: colour of Testa (characteristic 28)		Black
B. Distinct characteristics of candidate variety:		
KASHI RAKSHITA (VRSGH-1) It has distinguishing characters as		
Fruit: Shape: Elliptical		
100 seed weight (g): Medium		
C. Distinct characteristics of reference variety:		
Kalyanpur Hari Chikani & Kashi Saumya (VRSGH-3) it has distinguishing characters as		
Fruit: Shape: Elongate		
100 seed weight (g): Low		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing Punjab, Uttar Pradesh, Bihar and Jharkhand State
	: Time of sowing	Last week of June to mid-July for rainy season and Last week of February to mid-March for summer season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Can tolerate high temperature
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellies/bower system

8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	75-95 quintals
10.	Fruit yield /plant(kg/ha) (average)	2.65-2.75 Kg
11.	Fruit quality and fruit firmness	Cylindrical shape, Dark green, medium fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 5 to 6 times
13	Transport Potential (Days)	Suitable for distant marketing (export)
14	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Attractive green fruit with good cooking quality. Field tolerant to sponge gourd mosaic virus and downy mildew
DUS Characteristics of KASHI RAKSHITA (VRSGH-1)		Figure- 147,148

230. Application No.

E3	LUC4	26	1889

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI SAUMYA (VRSGH-3)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: KASHI SAUMYA (VRSGH-3)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001.				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E3</td><td>LUC4</td><td>26</td><td>1889</td></tr></table>	E3	LUC4	26	1889
E3	LUC4	26	1889		
a. Number	:				
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Sponge gourd [<i>Luffa cylindrica</i> (L.) Roem]				
Denomination	: KASHI SAUMYA (VRSGH-3)				
Type of variety	: Extant (notified)				
Classification of variety	: Hybrid				
Previously proposed					
Denomination	: NA				
Name of parental material	: VRSG-9 x VRSG-195				
Source of parental material	: Own germplasm				

Name of reference varieties

: Kalyanpur Hari Chikani

Notification details

: Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elongate
Fruit: skin colour (characteristic 18)		Green
Seed: colour of Testa (characteristic 28)		Black
B. Distinct characteristics of candidate variety:		
KASHI SAUMYA (VRS GH-3) It has distinguishing characters as		
Fruit: Shape of blossom end: Pointed		
Seed: Length: Long		
C. Distinct characteristics of reference variety:		
Kalyanpur Hari Chikani it has distinguishing characters as		
Fruit: Shape of blossom end: Rounded		
Seed: Length: Small		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing Uttar Pradesh State
	: Time of sowing	Last week of June to mid-July for rainy season and Last week of February to mid-March for summer season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Can tolerate high temperature
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellies/bower system
8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	70-90 quintals

10.	Fruit yield /plant(kg/ha) (average)	2.65-2.75 Kg
11.	Fruit quality and fruit firmness	Cylindrical shape, Dark green, medium fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 5 to 6 times
13	Transport Potential (Days)	Suitable for distant marketing (export)
14	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Attractive green fruit with good cooking quality. Field tolerant to sponge gourd mosaic virus and downy mildew. Capable of fruiting in hot summer month even when temperature goes beyond 40 ⁰ C.
DUS Characteristics of KASHI SAUMYA (VRSGH-3)		Figure- 149,150

231. Application No.

E4	LUC5	26	1890

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI SHREYA (VRSG-194)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: KASHI SHREYA (VRSG-194)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001.				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table;"><tr><td>E4</td><td>LUC5</td><td>26</td><td>1890</td></tr></table>	E4	LUC5	26	1890
E4	LUC5	26	1890		
a. Number	:				
b. Date of receipt	: 17/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Sponge gourd [<i>Luffa cylindrica</i> (L.) Roem]				
Denomination	: KASHI SHREYA (VRSG-194)				
Type of variety	: Extant (notified)				
Classification of variety	: Typical				

Previously proposed

Denomination : NA

Name of parental material : germplasm collected from home garden Chhoti

Haraiya & Sardar

Source of parental material : Own germplasm

Name of reference varieties : Phule Prajka & Pusa Chikini

Notification details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elongate
Fruit: skin colour (characteristic 18)		Dark green
Seed: colour of Testa (characteristic 28)		White
B. Distinct characteristics of candidate variety:		
KASHI SAUMYA (VRS GH-3) It has distinguishing characters as		
Fruit: Girth: Thick		
Fruit: Shape: Elongate		
C. Distinct characteristics of reference variety:		
Phule Prajka & Pusa Chikini it has distinguishing characters as		
Fruit: Girth: Thin, Fruit: Shape: Elliptical		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing in Punjab, Uttar Pradesh, Bihar and Jharkhand.
	: Time of sowing	Last week of February to mid-March for summer season and Last week of June to mid-July for rainy season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	High temperature tolerant
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red

		pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellies/bower system
8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	60-80 quintals
10.	Fruit yield /plant(kg/ha) (average)	2.0-2.20 Kg
11.	Fruit quality and fruit firmness	Attractive dark green, cylindrical fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 5 to 6 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Cylindrical shape, medium fruit, seeding to fruit maturity (seed to seed) 0105-115 days
DUS Characteristics of KASHI SHREYA (VRSG-194)		Figure- 151

232. Application No.

E5	LUC6	26	1891

 filed on 17/08/2026 by **Dr. Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI VANDANA (VRSG-17-2)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- - NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : KASHI VANDANA (VRSG-17-2)
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001.
Nationality of applicant : Indian

Application details

E5	LUC6	26	1891

a. Number :
b. Date of receipt : 17/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Sponge gourd [*Luffa cylindrica* (L.) Roem]
Denomination : KASHI VANDANA (VRSG-17-2)
Type of variety : Extant (notified)
Classification of variety : Hybrid

Previously proposed

Denomination : NA
Name of parental material : VRSG-91 x VRSG-171
Source of parental material : Own germplasm
Name of reference varieties : Kashi Divya & Pusa Supriya
Notification details : Notification no. 1362 (E), dt. 12/03/2024

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elongate
Fruit: skin colour (characteristic 18)		Green
Seed: colour of Testa (characteristic 28)		Black
B. Distinct characteristics of candidate variety: KASHI VANDANA (VRSG-17-2) It has distinguishing characters as Stem: Length of internodes: Short Fruit: Shape of blossom end: Pointed		
C. Distinct characteristics of reference variety: Kashi Divya & Pusa Supriya it has distinguishing characters as Stem: Length of internodes: Long, Fruit: Shape of blossom end: Rounded		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing Punjab, Uttar Pradesh, Bihar and Jharkhand, Tamil Nadu, Kerala and Pondicherry State
	: Time of sowing	Last week of June to mid-July for rainy season and Last week of February to mid-March for summer season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	High temperature tolerant (>35 °C)
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red

		pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellies/bower system
8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	60-80 quintals
10.	Fruit yield /plant(kg/ha) (average)	2.0-2.20 Kg
11.	Fruit quality and fruit firmness	Attractive dark green, cylindrical fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 7 to 8 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Green, cylindrical shape, medium size fruit. Seeding to fruit maturity (seed to seed) 105-115 days
DUS Characteristics of KASHI VANDANA (VRSG-17-2)		Figure- 152

233. Application No.

E6	LUC7	26	1892

filed on 17/08/2026 by Dr.

Rajesh Kumar, Director, ICAR-Indian Institute of Vegetable Research Post Bag No. 01, P.O. Jakhini (Shahanshahpur), Varanasi-221305, Uttar Pradesh on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Sponge gourd [*Luffa cylindrica* (L.) Roem]** having denomination **KASHI JYOTI (VRSG-1-17)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety

: KASHI JYOTI (VRSG-1-17)

Applicant

: Indian Council of Agricultural Research

Address of the applicant

: Krishi Bhawan, New Delhi-110001.

Nationality of applicant

: Indian

Application details

a. Number

:

E6	LUC7	26	1892

b. Date of receipt

: 17/08/2026

c. Date of acceptance

: 24/08/2026

Crop (Taxonomical lineage)

: Sponge gourd [*Luffa cylindrica* (L.) Roem]

Denomination

: KASHI JYOTI (VRSG-1-17)

Type of variety

: Extant (notified)

Classification of variety

: Typical

Previously proposed
Denomination

: NA

Name of parental material : VRSG-214 x VRSG-171
Source of parental material : Own germplasm
Name of reference varieties : Phule Prajka & Punjab Nikhar
Notification details : Notification no. S.O. 692 (E), dt. 05.02.2019

Variety description:

A. Grouping characteristics		(Measured values)
Leaf: number of lobes (characteristic 8)		Less
Fruit: length (characteristic 15)		Long
Fruit: girth (characteristic 16)		Thin
Fruit: shape (characteristic 17)		Elliptical
Fruit: skin colour (characteristic 18)		Light green
Seed: colour of Testa (characteristic 28)		Black
B. Distinct characteristics of candidate variety: KASHI JYOTI (VRSG-1-17) It has distinguishing characters as Fruit Shape: Elliptical, Fruit: Shape of stem end: Pointed		
C. Distinct characteristics of reference variety: Phule Prajka & Punjab Nikhar it has distinguishing characters as Fruit Shape: Elongate, Fruit: Shape of stem end: Rounded		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	Medium
2.	Production condition: Suitability area in country	Recommended for growing Uttar Pradesh State
	: Time of sowing	Last week of February to mid-March for summer season and Last week of June to mid-July for rainy season
	: Irrigated / Rainfed	5-7 irrigation at 7-10 days interval during in summer and when required during rainy season
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	N.P.K. ratio 100:80:60 with organic compost and 2 foliar sprays of WSF (water soluble fertilizer) 19:19:19 (NPK) @ 5 g/liter of water at 35 and 45 days after sowing.
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Can tolerate high temperature
5.	Tolerance to water stagnation: Sensitive /Tolerant	Tolerant
6.	Resistance/tolerance to pest/s	Tolerant to leaf minor, fruit fly and red pumpkin beetle
7.	Staking& pruning Practices	Suitable for trellis and Rainy season
8.	Winter-spring cropping season type	Suitable for summer and rainy season
9.	Fruit yield q/ha	60-80 quintals

10.	Fruit yield /plant(kg/ha) (average)	2.0-2.20 Kg
11.	Fruit quality and fruit firmness	Attractive light green fruit with good cooking quality
12.	Fruit Picking Schedule	Total number of fruit picking is 5 to 6 times
13.	Transport Potential (Days)	Suitable for distant marketing (export)
14.	Unique selling propositions and Optimal Shelf-Life (Days)	Fresh sponge can have a shelf life of approximately 4 to 5 days at room temperature
15.	Any other relevant information specific to the variety/hybrid	Fruit in cylindrical shape, medium fruit (100-125 gm fruit weight at edible maturity). Seeding to fruit maturity (seed to seed) 105-115 days
DUS Characteristics of KASHI JYOTI (VRS-1-17)		Figure- 153

234. Application No.

E1	BB1	26	2081

 filed on 21/08/2026 by **Director, Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Cauliflower [Brassica oleracea L. var. botrytis]** having denomination **PUSA KARTIKI (D C 23000)** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety	: PUSA KARTIKI (D C 23000)				
Applicant	: Indian Council of Agricultural Research				
Address of the applicant	: Krishi Bhawan, New Delhi-110001.				
Nationality of applicant	: Indian				
Application details	<table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>E1</td><td>BB1</td><td>26</td><td>2081</td></tr></table>	E1	BB1	26	2081
E1	BB1	26	2081		
a. Number	:				
b. Date of receipt	: 21/08/2026				
c. Date of acceptance	: 24/08/2026				
Crop (Taxonomical lineage)	: Cauliflower [Brassica oleracea L. var. botrytis]				
Denomination	: PUSA KARTIKI (D C 23000)				
Type of variety	: Extant (notified)				
Classification of variety	: Typical				
Previously proposed					
Denomination	: NA				
Name of parental material	: A line DC 23000				

Source of parental material : Own germplasm
Name of reference varieties : Pusa Meghna
Notification details : Notification no. S.O. 3666(E), dt. 07/12/2016

Variety description:

A. Grouping characteristics		(Measured values)
Seedling: Anthocyanin colouration of hypocotyl (Characteristic 1)		Absent
Curd: Covering by inner leaves (Characteristic 16)		Partly covered
Curd: Shape in longitudinal section (Characteristics 19)		Narrow elliptic
Curd: Maturity group (Characteristic 26)		Early
B. Distinct characteristics of candidate variety: PUSA KARTIKI (D C 23000) It has distinguishing characters as Curd: Covering by inner leaves: Partly covered Curd: Doming: Medium		
C. Distinct characteristics of reference variety: Pusa Meghna , it has distinguishing characters as Curd: Covering by inner leaves: Not covered Curd: Doming: Weak		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	75-85 days from transplanting or 110-125 days after sowing
2.	Production condition: Suitability area in country	North India (June – October period)
	: Time of sowing	1st fortnight of June
	: Irrigated / Rainfed	Irrigated
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	60, 36, 36 kg/ac, respectively Half of N and whole of P and K applied as basal dose Rest of N in 2-3 split doses, 30 days after transplanting
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Specific test related to abiotic stress was not performed.
5.	Tolerance to water stagnation: Sensitive /Tolerant	
6.	Resistance/tolerance to pest/s	Tolerant to black rot disease.
7.	Staking& pruning Practices	
8.	Winter-spring cropping season type	
9.	Fruit yield q/ha	90-100 q/ac
10.	Fruit yield /plant(kg/ha) (average)	Curd weight: 650-700 g
11.	Fruit quality and fruit firmness	Attractive white, compact curd
12.	Fruit Picking Schedule	
13.	Transport Potential (Days)	

14	Unique selling propositions and Optimal Shelf-Life (Days)	
15.	Any other relevant information specific to the variety/hybrid	The variety will be acceptable to consumers and farmers based on its quality w.r.t. white compact curd and high yield potential in early season.
DUS Characteristics of PUSA KARTIKI (D C 23000)		Figure- 154

235. Application No.

E1	BB2	26	2082

 filed on 21/08/2026 by **Director, Indian Agricultural Research Institute, Pusa Campus, New Delhi-110012** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, New Delhi-110001** for **Extant (Notified)** variety of crop **Cauliflower [Brassica oleracea L. var. botrytis]** having denomination **Pusa Ashwini {DC 31(Sel. 67)}** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
-----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi-110012.

Passport data of the variety : Pusa Ashwini {DC 31(Sel. 67)}
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, New Delhi-110001.
Nationality of applicant : Indian
Application details
a. Number :

E1	BB2	26	2082

b. Date of receipt : 21/08/2026
c. Date of acceptance : 24/08/2026
Crop (Taxonomical lineage) : Cauliflower [Brassica oleracea L. var. botrytis]
Denomination : Pusa Ashwini {DC 31(Sel. 67)}
Type of variety : Extant (notified)
Classification of variety : Typical
Previously proposed
Denomination : NA
Name of parental material : A line DC 31(Sel. 67).
Source of parental material : Own germplasm
Name of reference varieties : Pusa Meghna
Notification details : Notification no. S.O. 3666(E), dt. 07/12/2016

Variety description:

A. Grouping characteristics	(Measured values)
Seedling: Anthocyanin colouration of hypocotyl (Characteristic 1)	Absent
Curd: Covering by inner leaves (Characteristic 16)	Partly covered
Curd: Shape in longitudinal section (Characteristics 19)	Narrow elliptic
Curd: Maturity group (Characteristic 26)	Early

B. Distinct characteristics of candidate variety: Pusa Ashwini {DC 31(Sel. 67)} It has distinguishing characters as Leaf: Colour: Dark green, Leaf: Profile of upper side of blade: Flat, Curd: Doming: Medium		
C. Distinct characteristics of reference variety: Pusa Meghna , it has distinguishing characters as Leaf: Colour: Light green, Leaf: Profile of upper side of blade: Concave, Curd: Doming: Weak		
D. Date of commercialization of the variety		-
E. Agronomic & commercial attributes		
S. No	Attributes	Details
1.	Days to maturity: Early/ Medium/ Late	70-75 days from transplanting or 110-115 days after sowing
2.	Production condition: Suitability area in country	Zone-IV: Sub-humid Sutlej-Ganga Alluvial Plains (Punjab, Uttar Pradesh, Bihar, and Jharkhand)
	: Time of sowing	June - July
	: Irrigated / Rainfed	Irrigated
	: Low fertility/ High fertility of soil	High fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P: K kg/acre)	60, 36, 36 kg/ac, respectively Half of N and whole of P and K applied as basal dose Rest of N in 2-3 split doses, 30 days after transplanting
4.	Tolerance to adverse Temperature /frost & heat –sensitive/Tolerance	Tolerant to high temperature, humidity
5.	Tolerance to water stagnation: Sensitive /Tolerant	
6.	Resistance/tolerance to pest/s	Tolerant to black rot disease.
7.	Staking& pruning Practices	
8.	Winter-spring cropping season type	
9.	Fruit yield q/ha	80.0 q/ac
10.	Fruit yield /plant(kg/ha) (average)	Curd weight: 450-500 g
11.	Fruit quality and fruit firmness	Attractive white, compact curd
12.	Fruit Picking Schedule	
13.	Transport Potential (Days)	
14.	Unique selling propositions and Optimal Shelf-Life (Days)	
15.	Any other relevant information specific to the variety/hybrid	The variety will be acceptable to consumers and farmers based on its quality w.r.t. white compact curd and high yield potential in early season due to curd formation capacity at 25-27 °C.
DUS Characteristics of Pusa Ashwini {DC 31(Sel. 67)}		Figure- 155,156

236. Application No.

F2	TRA2	25	1231

 filed on 22/10/2025 **Om Prakash Chourasiya, Village: Lemuabad, Block: Pandarak, Barh, Dist:Patna-803221** through **Senior Scientist & Head, ICAR-KVK Agwanpur, Barh, Dist: Patna-803214** for **Farmer** variety of **Ajwain (*Trachyspermum ammi* L.)** having denomination **Desi Ajwain** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA ---.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Desi Ajwain**
Applicant : Om Prakash Chourasiya
Address of the applicant :Village: Lemuabad, Block: Pandarak, Barh,
Dist:Patna-803221
Nationality of applicant : Indian
Application details

F2	TRA2	25	1231

a. Number :
b. Date of receipt : 22/01/2025
c. Date of acceptance : 25/08/2026
Crop (taxonomical lineage) : Ajwain (*Trachyspermum ammi* L.)
Denomination : Vamu
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Ajmer Ajwain-2

Variety description:

A. Group characteristics	Remarks (measured values)
Cotyledon: Anthocyanin pigmentation (Characteristic. 1)	Absent (1)
Stem: White lining (Characteristic. 6)	Present (9)
Foliage density (Characteristic. 7)	Sparse (3)
Plant growth habit (Characteristic. 8)	Erect (3)
Peduncle length (main umbel) (Characteristic. 11)	Long (5)
Umbel compactness (Characteristic. 16)	Loose (3)
B. Distinct characteristics of candidate variety:	
Desi Ajwain has distinguishing characters as Leaf: Density of feathering (Characteristic 5)- Sparse	

C. Distinct characteristics of reference variety: Ajmer Ajwain-2 has distinguishing characters as Leaf: Density of feathering (Characteristic 5)-Dense	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Desi Ajwain

237. Application No.

F9	AHL10	25	1352

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. S. John Peter Raj, No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **SAVARI JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA-----on ----- NA-----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : SAVARI JACK
Applicant : Mr. S. John Peter Raj
Address of the applicant : No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001
Nationality of applicant : Indian
Application details
a. Number :

F9	AHL10	25	1352

b. Date of receipt : 19/12/2025
c. Date of acceptance : 25/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : SAVARI JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : LALBAGH MADHURA

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Very big (>20 kg)
Ch.19: Spine density	Dense (>50)

Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: SAVARI JACK has distinguishing characters as Tree Crown Shape is Broadly pyramidal & Leaf Orientation is Erect.	
C. Distinct characteristics of reference variety: LALBAGH MADHURA has distinguishing characters as Tree Crown Shape is Elliptical & Leaf Orientation is Horizontal.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of SAVARI JACK

238. Application No.

F10	AHL11	25	1353

 filed on 19/12/2025 by **Dr. Shyamamma, S., Prof. and Principal Investigator, (DUS Project), Department of Plant Biotechnology, UAS, GKVK, Bangalore-560065** through **Mr. S. John Peter Raj, No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **RUBY JACK** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : RUBY JACK
Applicant : Mr. S. John Peter Raj
Address of the applicant : No. 9/2 LGB Compound, 3rd Street, Dist: Dindigul-624001
Nationality of applicant : Indian
Application details :

F10	AHL11	25	1353

a. Number :
b. Date of receipt : 19/12/2025
c. Date of acceptance : 25/08/2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : RUBY JACK
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : JANAGERE
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acute

Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Big (>12-20 kg)
Ch.19: Spine density	Dense (>50)
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: RUBY JACK has distinguishing characters as Leaf Blade Shape is Elliptical & Leaf posture is Flattened	
C. Distinct characteristics of reference variety: JANAGERE has distinguishing characters as Leaf Blade Shape is Oblong & Leaf posture is Conduplicate.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of RUBY JACK

239. Application No.

F1	TRA1	25	355

 filed on 01/04/2025
Community Seed Bank, Deccan Development Society, Pastapur Village, Zaheerabad-502318, Dist: Sangareddy through Dr. C. Vara Prasad, Senior Scientist & Head, DDS-Krishi Vigyan Kendra (DDS-KVK), Didgi Village, Zaheerabad, Dist: Sangareddy-502228 for Farmer variety of Ajwain (*Trachyspermum ammi* L.) having denomination Vamu the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Vamu
Applicant : Community Seed Bank
Address of the applicant : Deccan Development Society, Pastapur Village, Zaheerabad-502318, Dist: Sangareddy
Nationality of applicant : Indian
Application details
a. Number :

F1	TRA1	25	355

b. Date of receipt : 01/04/2025
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Ajwain (*Trachyspermum ammi* L.)
Denomination : Vamu

Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : AA-73

Variety description:

A. Group characteristics	Remarks (measured values)
Cotyledon: Anthocyanin pigmentation (Characteristic. 1)	Absent (1)
Stem: White lining (Characteristic. 6)	Present (9)
Foliage density (Characteristic. 7)	Dense (5)
Plant growth habit (Characteristic. 8)	Spreading (5)
Peduncle length (main umbel) (Characteristic. 11)	Long (5)
Umbel compactness (Characteristic. 16)	Compact (5)
B. Distinct characteristics of candidate variety: Vamu has distinguishing characters as Test Weight (Characteristic 18)- Low	
C. Distinct characteristics of reference variety: AA-73 has distinguishing characters as Test Weight (Characteristic 18)- High	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Vamu

240. Application No.

F1	CO1	25	0356

 filed on 1/4/2025 **Dr. C. Vara Prasad Senior Scientist & Head, DDS- Krishi Vigyan Kendra (DDS-KVK), Didgi Village, Zaheerabad, Dist: Sangareddy-502228 (Telangana)** on behalf of **Community Seed Bank, Deccan Development Society, Pastapur Village, Zaheerabad-502318, Dist: Sangareddy, (Telangana)** for **Farmer** variety of **Coriander (*Coriandrum sativum* L)** having denomination **Daniyalu**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **Daniyalu**
Applicant : Community Seed Bank
Address of the applicant : Deccan Development Society, Pastapur Village,
 Zaheerabad-502318, Dist: Sangareddy, (Telangana)

Nationality of applicant : Indian
Application details
a. Number :

F1	CO1	25	0356

b. Date of receipt : 01/04/2025
c. Date of acceptance : 22/08/2026
Crop (taxonomical lineage) : Coriander (*Coriandrum sativum* L.)
Denomination : Daniyalu
Type of variety : Farmer
Classification of variety :
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : Own material
Name of reference variety : Sudha
Variety description:

A. Group characteristics	Remarks (measured values)
No of basal leaves	Low (3)
Length of longest basal leaves	Short (3)
Growth habit	Erect (3)
Seeds per umbellate	Good (5)
Weight of 1000 seeds at 7% moisture content	High (7)
Seed shape	Oblong (5)
B. Distinct characteristics of candidate variety: Daniyaluhas distinguishing characters as Ch12: Angle of primary branches: Medium (5), Ch19: Seed colour: Brown (5)	
C. Distinct characteristics of reference variety: Sudha has distinguishing characters as Ch12: Angle of primary branches: Narrow (3), Ch19: Seed colour: Light brown (3)	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of Daniyalu

241. Application No.

F36	MI36	17	1751

 filed on 24/7/2017 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** on behalf of **Sk. Serajul Islam & Sk. Sukid, Rukundipur, Ratua-I-732205, West Bengal** for **Farmers** variety of **Mango** (*Mangifera indica* L.) having denomination **RARHI** has been accepted and given registration number -----NA -----on ----- NA -----,

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : RARHI
Applicant : Sk. Serajul Islam & Sk. Sukid
Address of the applicant : Rukundipur, Ratua-I-732205, West Bengal
Nationality of applicant : Indian
Application details
a. Number :

F36	MI36	17	1751

b. Date of receipt : 24/07/2017
c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : RARHI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material : Not applicable
Source of parental material : Own germplasm
Name of reference variety : LANGRA

Variety description:

A. Grouping characteristics	Remarks (measured values)
Mature fruit: Shape of ventral shoulder (Characteristic 23)	Rounded Upward
Mature fruit: Presence of sinus (Characteristic 26)	Present
Maturity : Fruits ready to harvest (Characteristic 29)	Medium
Seed: Embryony (Characteristic 33)	Monoembryonic
B. Distinct characteristics of candidate variety: RARHI has distinguishing characters as Mature fruit: Presence of sinus present and Mature fruit: Bulging proximal of stylar scar present.	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Presence of sinus absent and Mature fruit: Bulging proximal of stylar scar absent.	
D. Date of commercialization of the variety	-
DUS Characteristics of RARHI	

242. Application No.

F2	AHL2	26	0266

 filed on 02/03/2026 by
Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103

through **Mr. Dilip Kumar Patra, Village & PO: Bheduasole, PS: Ind Pur, Dist: Bankura, West Bengal-722121** for **FARMER** variety of crop **Jackfruit** (*Artocarpus heterophyllus* Lam.) having denomination **DILKHUS KATHAL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : DILKHUS KATHAL
Applicant : Mr. Dilip Kumar Patra
Address of the applicant : Village & PO: Bheduasole, PS: Ind Pur, Dist: Bankura, West Bengal-722121
Nationality of applicant : Indian
Application details
a. Number :

F2	AHL2	26	0266

b. Date of receipt : 02/03/2026
c. Date of acceptance : 27.08.2026
Crop (taxonomical lineage) : Jackfruit (*Artocarpus heterophyllus* Lam.)
Denomination : DILKHUS KATHAL
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : MALAYSIA JACK

Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Oblique
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Medium (>6-12 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Firm
Ch.29: Flake colour	Yellow
B. Distinct characteristics of candidate variety: DILKHUS KATHAL has distinguishing characters as Leaf posture is Revolute and Seed Shape is Ellipsoid.	
C. Distinct characteristics of reference variety: MALAYSIA JACK have distinguishing characters as Leaf posture is Conduplicate and	

Seed Shape is Reniform.	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of DILKHUS KATHAL

243. Application No.

F10	SC10	24	1089

 filed on 09/12/2024 by **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda, West Bengal-732103** through **Mr. Rasbihari Mahato, Village: Chandai, PO: Darpa, PS: Jhalda, Dist: Purulia, West Bengal-723212** for **FARMER** variety of crop **Jamun** (*Syzygium cuminii* Skeels.) having denomination **RASBIHARI JAM** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA -----on ----- NA -----

The convention application no. ----NA-----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety : RASBIHARI JAM
Applicant : Mr. Rasbihari Mahato
Address of the applicant : Village: Chandai, PO: Darpa, PS: Jhalda,
Dist: Purulia, West Bengal-723212
Nationality of applicant : Indian
Application details
a. Number :

F10	SC10	24	1089

b. Date of receipt : 09/12/2024
c. Date of acceptance : 27.08.2026
Crop (taxonomical lineage) : Jamun (*Syzygium cuminii* Skeels.)
Denomination : RASBIHARI JAM
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : NA
Source of parental material : NA
Name of reference variety : CISH J-37
Variety description:

A. Group characteristics	Remarks (measured values)
Tree growth habit (Ch.1)	-
Leaf Apex (Ch.5)	Acuminate
Leaf Base (Ch.6)	Round
Mature fruit shape (Ch.14)	Round

Mature fruit: stalk end (Ch.16)	Flattened
Pulp: Seed Ratio (Ch.26)	Low (<10.0)
B. Distinct characteristics of candidate variety: RASBIHARI JAM has distinguishing characters as Ripe fruit length is Short (<3.0 cm) and Ripe fruit breadth is Medium (2.0 to 2.5 cm).	
C. Distinct characteristics of reference variety: CISH J-37 have distinguishing characters as Ripe fruit length is Long is (>4.0 cm) and Ripe fruit breadth is Wide (>2.5 cm).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of RASBIHARI JAM

244. Application No.

F24	MI24	26	298

 filed on 02-03-2026 by **Charu Barik, Village & PO: Amriti, PS: English Bazar, Dist: Malda-732208** through **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** for Farmer variety of **Mango (*Mangifera indica* L.)** having denomination **SINDURIA GUTI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety	: SINDURIA GUTI				
Applicant	: Charu Barik				
Address of the applicant	: Village & PO: Amriti, PS: English Bazar, Dist: Malda-732208				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F24</td><td>MI24</td><td>26</td><td>298</td></tr></table>	F24	MI24	26	298
F24	MI24	26	298		
b. Date of receipt	: 02-03-2026				
c. Date of acceptance	: 27-07-2026				
Crop (taxonomical lineage)	: Mango (<i>Mangifera indica</i> L.)				
Denomination	: SINDURIA GUTI				
Type of variety	: Farmer				
Classification of variety	: NA				
Previously proposed	: Not applicable				
Denomination	:				
Name of parental material	: Not applicable				

Source of parental material : Not applicable

Name of reference variety : LANGRA

Variety description:

A. Group characteristics	SINDURIA GUTI
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded outward
Mature fruit: Presence of sinus (Characteristic. 26)	Absent
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium (Second fortnight of fruit maturity season)
Seed: Embryony (Characteristic. 33)	Monoembryonic
B. Distinct characteristics of candidate variety: SINDURIA GUTI has distinguishing characters as Leaf: Colour is Dark green (Ch.5), Mature fruit: Density of lenticels is Dense (Ch.18).	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Leaf: Colour is Light green (Ch.5), Mature fruit: Density of lenticels is Sparse (Ch.18).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of SINDURIA GUTI

245. Application No.

F25	MI25	26	299

 filed on 02-03-2026 by **Charu Barik, Village & PO: Amriti, PS: English Bazar, Dist: Malda-732208** through **Dr. Dipak Nayak, Sr. Scientist In-Charge, ICAR- Central Institute For Subtropical Horticulture, Regional Research Station, Madhav Nagar, Malda-732103, West Bengal** for Farmer variety of **Mango (*Mangifera indica* L.)** having denomination **KALTHI GUTI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KALTHI GUTI**

Applicant : Charu Barik

Address of the applicant : Village & PO: Amriti, PS: English Bazar,
Dist: Malda-732208

Nationality of applicant : Indian

Application details

a. Number :

F25	MI25	26	299

b. Date of receipt : 02-03-2026

c. Date of acceptance : 27-07-2026
Crop (taxonomical lineage) : Mango (*Mangifera indica* L.)
Denomination : KALTHI GUTI
Type of variety : Farmer
Classification of variety : NA
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Not applicable
Name of reference variety : LANGRA

Variety description:

A. Group characteristics	KALTHI GUTI
Mature fruit: Shape of ventral shoulder (Characteristic. 23)	Rounded upward
Mature fruit: Presence of sinus (Characteristic. 26)	Absent
Maturity: Fruits ready to harvest (Characteristic. 29)	Medium
Seed: Embryony (Characteristic. 33)	Monoembryonic
B. Distinct characteristics of candidate variety: KALTHI GUTI has distinguishing characters as Mature fruit: Roughness of surface is Present (Ch.19), Mature fruit: Presence of neck is Present (Ch.22).	
C. Distinct characteristics of reference variety: LANGRA has distinguishing characters as Mature fruit: Roughness of surface is Absent (Ch.19), Mature fruit: Presence of neck is Absent (Ch.22).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of KALTHI GUTI

246. Application No.

F4	CO5	25	1114

 filed on 15-09-2025 by **Shushil Oraon, Village: Nawadih, Block: Ghaghra, Dist: Gumla-835208, Jharkhand** for Farmer variety of **Coriander (*Coriandrum sativum* L.)** having denomination **DEHATI DHANIA NAWADIH** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
 ---- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **DEHATI DHANIA NAWADIH**

Applicant : **Shushil Oraon**
Address of the applicant : Village: Nawadih, Block: Ghaghra,
Dist: Gumla-835208, Jharkhand
Nationality of applicant : Indian
Application details
a. Number :

F4	CO5	25	1114

b. Date of receipt : 15-09-2025
c. Date of acceptance : 27/08/2026
Crop (taxonomical lineage) : Coriander (*Coriandrum sativum* L.)
Denomination : DEHATI DHANIA NAWADIH
Type of variety : Farmer
Classification of variety : NA
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Not applicable
Name of reference variety : ACr-1

Variety description:

A. Group characteristics	DEHATI DHANIA NAWADIH
Number of basal leaves	Medium
Length of longest basal leaf	Medium
Growth habit	Semierect
Involucer	Present
Seed per umbel	Good
Umbellate per umbel	Medium
1000 -seed weight	Low
Seed shape	Slightly Round
B. Distinct characteristics of candidate variety: DEHATI DHANIA NAWADIH has distinguishing characters as Stem Colour (Pigmentation) is absent (Ch.7), Involucer is Present (Ch.9).	
C. Distinct characteristics of reference variety: ACr-1 has distinguishing characters as has distinguishing characters as Stem Colour (Pigmentation) is Present (Ch.7), Involucer is absent (Ch.9).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of DEHATI DHANIA NAWADIH

247. Application No.

F1	PA1	26	206

 filed on 24/2/2026 by **President,**
Krishi Harsh Chetna Farmers Group, Village: Sunkiya, Post: Bhateliya, The/Block:

Dhari, District: Nainital-263132, Uttarakhand for **Farmers** variety of **Apricot** (*Prunus armeniaca* L.) having denomination **KHURMANI MISHRI** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : KHURMANI MISHRI
Applicant : President, Krishi Harsh Chetna Farmers Group
Address of the applicant : Village: Sunkiya, Post: Bhateliya, The/Block: Dhari,
District: Nainital-263132, Uttarakhand

Nationality of applicant : Indian

Application details

a. Number :

F1	PA1	26	206

b. Date of receipt : 24/2/2026
c. Date of acceptance : 27/8/2026

Crop (taxonomical lineage) : Apricot (*Prunus armeniaca* L.)

Denomination : KHURMANI MISHRI

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : Not applicable

Source of parental material : Own germplasm

Name of reference variety : CITH-Apricor-1 and Erani

Variety description:

A. Grouping characteristics	Remarks (measured values)
Tree growth habit (Characteristics 1)	Upright
Leaf shape (Characteristics 7)	Obtuse
Days to full bloom (Characteristics 13)	Mid season
Fruit: harvest maturity (days) (Characteristics 15)	Early
Fruit shape (Characteristics 19)	Round
Stone shape (Characteristics 29)	Round
B. Distinct characteristics of candidate variety:	
KHURMANI MISHRI has distinguishing characters as Fruit: harvest maturity (days) early and Kernel: weight (g) medium.	

C. Distinct characteristics of reference variety:

CITH-Apricor-1 has distinguishing characters as Fruit: harvest maturity (days) late and Kernel: weight (g) large.

Erani has distinguishing characters as Fruit: harvest maturity (days) mid and Kernel: weight (g) large.

D. Date of commercialization of the variety

-

[DUS Characteristics of KHURMANI MISHRI](#)

248. Application No.

F2	PA2	26	207

 filed on 24/2/2026 by **President, Krishi Harsh Chetna Farmers Group, Village: Sunkiya, Post: Bhateliya, The/Block: Dhari, District: Nainital-263132, Uttarakhand** for **Farmers** variety of **Apricot** (*Prunus armeniaca* L.) having denomination **CHUARU** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : CHUARU

Applicant : President, Krishi Harsh Chetna Farmers Group

Address of the applicant : Village: Sunkiya, Post: Bhateliya, The/Block: Dhari, District: Nainital-263132, Uttarakhand

Nationality of applicant : Indian

Application details

a. Number

F2	PA2	26	207

b. Date of receipt

: 24/2/2026

c. Date of acceptance

: 27/8/2026

Crop (taxonomical lineage) : Apricot (*Prunus armeniaca* L.)

Denomination : CHUARU

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material : Not applicable

Source of parental material : Own germplasm

Name of reference variety : CITH-Apricor-1 and Erani

Variety description:

A. Grouping characteristics	Remarks (measured values)
Tree growth habit (Characteristics 1)	Upright
Leaf shape (Characteristics 7)	Obtuse

Days to full bloom (Characteristics 13)	Mid season
Fruit: harvest maturity (days) (Characteristics 15)	Mid
Fruit shape (Characteristics 19)	Round
Stone shape (Characteristics 29)	Round
B. Distinct characteristics of candidate variety: CHUARU has distinguishing characters as Fruit:ratio weight of pulp / weight of stone medium and Fruit: shape of apex flat.	
C. Distinct characteristics of reference variety: CITH-Apricor-1 has distinguishing characters as Fruit:ratio weight of pulp / weight of stone small and Fruit: shape of apex pointed. Erani has distinguishing characters as Fruit:ratio weight of pulp / weight of stone small and Fruit: shape of apex round.	
D. Date of commercialization of the variety	-
DUS Characteristics of CHUARU	

249. Application No.

F7	AHL8	25	1049

 filed on 25/08/2025 by Professor and Head, Department of Fruit Science, College of Horticulture, UHS campus, GKVK, Bengaluru-560065 through Mr. B. S. Sharath Kumar S/o Sidda Mariyappa, Village: Bendekere, Tq: Arasikere, Shivamogga, Karnataka -573103 for FARMER variety of crop Jackfruit (*Artocarpus heterophyllus* Lam.) having denomination JENE KALLU CHANDRA the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA ----- --on ----- NA -----

The convention application no. -----NA-----, in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi-110 012.

Passport data of the variety	: JENE KALLU CHANDRA				
Applicant	: Mr. B. S. Sharath Kumar				
Address of the applicant	: Kumar S/o Sidda Mariyappa, Village: Bendekere, Tq: Arasikere, Shivamogga, Karnataka-573103				
Nationality of applicant	: Indian				
Application details					
a. Number	: <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td>F7</td><td>AHL8</td><td>25</td><td>1049</td></tr></table>	F7	AHL8	25	1049
F7	AHL8	25	1049		
b. Date of receipt	: 25/08/2025				
c. Date of acceptance	: 27/08/2026				
Crop (taxonomical lineage)	: Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)				
Denomination	: JENE KALLU CHANDRA				
Type of variety	: Farmer				
Classification of variety	: Typical				
Previously proposed	: Not applicable				
Denomination					

Name of parental material : NA
Source of parental material : NA
Name of reference variety : BYRACHANDRA
Variety description:

A. Group characteristics	Remarks (measured values)
Ch.5: Leaf apex shape	Acuminate
Ch.6: Leaf base shape	Rounded
Ch.9: Upper Leaf surface	Smooth
Ch.15: Ripe fruit Size	Big (>12-20 kg)
Ch.19: Spine density	Dense >50
Ch.21: Fruit rind thickness	Thick (>5 mm)
Ch.28: Flake texture	Soft
Ch.29: Flake colour	Orange
B. Distinct characteristics of candidate variety: JENE KALLU CHANDRA has distinguishing characters as Tree Crown Shape is Spherical & Leaf Blade: Length is Medium (101-150 mm).	
C. Distinct characteristics of reference variety: BYRACHANDRA have distinguishing characters as Tree Crown Shape is Broadly pyramidal & Leaf Blade: Length is Long (>150 mm).	
D. Date of commercialization of the variety	Not commercialized
Figures: NA	DUS Characteristics of JENE KALLU CHANDRA

250. Application No.

E1	LA3	25	1113

 filed on 15/09/2025 by **Mr. Guillaume LAIGLE, HM Clause India Pvt. Ltd., #6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal Mandal, District Medchal-501401, Telangana** on behalf of **HM. CLAUSE, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France** for Extant (VCK), Hybrid variety of crop **Ridge gourd** (*Luffa acutangula* (L.) Roxb.) having denomination **VINAYAK F1** has been accepted and given registration number ----- NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **VINAYAK F1**
Applicant : HM. CLAUSE
Address of the applicant : Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France
Nationality of applicant : French

Application details

a. Number	:	E1	LA3	25	1113
b. Date of receipt	:	15/09/2025			
c. Date of acceptance	:	31/08/2026			
Crop (taxonomical lineage)	:	Ridge gourd (<i>Luffa acutangula</i> (L.) Roxb.)			
Denomination	:	VINAYAK F1			
Type of variety	:	Extant (VCK)			
Classification of variety	:	Hybrid			
Previously proposed denomination	:	NA			
Name of parental material	:	Fixed inbred (P1) x Fixed inbred (P2)			
Source of parental material	:	Own germplasm			
Name of reference variety	:	Pusa Nasdar and GARG-1			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf blade: number of lobes (characteristic 10)		5 lobes
Fruit : length (characteristic 17)		-
Fruit: girth (characteristic 18)		Medium
Fruit: shape (characteristic 19)		Elongate
Fruit : skin color (characteristic 20)		Dark green
Fruit : ridge (rib) shape (characteristic 23)		Medium
B. Distinct characteristics of candidate variety: VINAYAK F1 has distinguishing character as Leaf : Width (Between 15- 20 nodes): Medium and Time of marketable maturity: Early		
C. Distinct characteristics of reference variety: GARG-1 has distinguishing character as Leaf : Width (Between 15- 20 nodes): Large Pusa Nasdar has distinguishing character as ime of marketable maturity: Medium		
D. Date of commercialization of the variety		27/09/2016
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early-Medium
2.	Production condition: Suitability Area in the Country	Karnataka, Maharashtra, Tamil Nadu, Andhra Pradesh
	: Time of Sowing	Summer (February-September), Rainy (June-September)
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertile soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:40:40 kg/acre
4.	Tolerance to adverse Temperature/Frost/	Intermediate tolerance for temperature

	&Heat Sensitive/Tolerance	
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	NA
6.	Resistance/Tolerance to Pest/s	Intermediate
7.	Staking & pruning Practices	Required
8.	Winter-spring cropping seasons Type	South India in some market
9.	Fruit Yield q/acre	120-140 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	3.5-4 kg/plant
11.	Fruit quality and Fruit firmness	Dark green long slender fruits with good uniformity and firmness
12.	Fruit Picking Schedule	3 days once
13.	Transport Potential (Days)	3-4 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Attractive fruits with good bearing, vigorous plant, intermediate heat tolerance & 2-3 days of optimal shelf life
15.	Any other relevant information specific to the variety/hybrid	Good fruit length, bearing, rejuvenation and crop vigor
<u>DUS Characteristics of VINAYAK F1</u>		

251. Application No.

E2	LA4	25	1380

 filed on 24/12/2025 by **Dr. Vasudha Jadon, Manager IPR and Regulatory Affairs, Plot No. A11 & A12/1, Road No. 1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana** on behalf of **Eldorado Agritech Limited, Plot No. A11 & A12/1, Road No. 1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana** for Extant (VCK), Hybrid variety of crop **Ridge gourd** (*Luffa acutangula* (L.) Roxb.) having denomination **SRIKAR ANITHA SV-657** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **SRIKAR ANITHA SV-657**
Applicant : Eldorado Agritech Limited
Address of the applicant : Plot No.A11 & A12/1, Road No.1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana

Nationality of applicant : Indian

Application details

a. Number	:	E2	LA4	25	1380
b. Date of receipt	:	24/12/2025			
c. Date of acceptance	:	31/08/2026			

Crop (taxonomical lineage) : Ridge gourd (*Luffa acutangula* (L.) Roxb.)

Denomination : SRIKAR ANITHA SV-657

Type of variety : Extant (VCK)

Classification of variety : Hybrid

Previously proposed : NA

denomination

Name of parental material : SVRG220121 x SVRG220103

Source of parental material : Own germplasm

Name of reference variety : Arka Sujat and Pusa Nasdar

Variety description:

A. Grouping characteristics		Remarks (measured values)
Leaf blade: number of lobes (characteristic 10)		5 lobes (2)
Fruit : length (characteristic 17)		Long (7)
Fruit: girth (characteristic 18)		Medium (5)
Fruit: shape (characteristic 19)		Elongate (2)
Fruit : skin color (characteristic 20)		Light green (1)
Fruit : ridge (rib) shape (characteristic 23)		Medium (2)
B. Distinct characteristics of candidate variety:		
SRIKAR ANITHA SV-657 has distinguishing character as Petiole length (Between 15- 20 nodes): Short and 100 seed weight: High		
C. Distinct characteristics of reference variety:		
Arka Sujat has distinguishing character as Petiole length (Between 15- 20 nodes): Medium		
Pusa Nasdar and has distinguishing character as Leaf : Width (Between 15- 20 nodes):Long and 100 seed weight: Medium		
D. Date of commercialization of the variety		7/11/2024
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	South India, eastern parts of India
	: Time of Sowing	January-February , June-July, September-October
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Good fertility of soil
3.	Fertilizer requirement to attain potential	80:80:100

	yield (N:P:K:S) kg/acre	
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Medium tolerance to adverse temperature
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	Medium tolerance to water stagnation
6.	Resistance/Tolerance to Pest/s	Tolerant to DM & PM
7.	Staking & pruning Practices	Staking
8.	Winter-spring cropping seasons Type	Spring, Rainy and Post rainy seasons
9.	Fruit Yield q/acre	80-85 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	2-2.2 kg/p
11.	Fruit quality and Fruit firmness	Very good
12.	Fruit Picking Schedule	very good once in 3-5 days
13.	Transport Potential (Days)	3-5 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Good shelf life 7-10 days
15.	Any other relevant information specific to the variety/hybrid	Fruits looks attractive with high yield
DUS Characteristics of SRIKAR ANITHA SV-657		

252. Application No.

E2	CS6	25	1111

 filed on 15/09/2025 by **Mr. Guillaume LAIGLE, HM Clause India Pvt. Ltd., #6-98/4, Survey No. 563/Part, Gowdavelli Village, Medchal Mandal, District Medchal-501401, Telangana** on behalf of **HM. CLAUSE, Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France** for Extant (VCK), Hybrid variety of crop **Cucumber** (*Cucumis sativus* L.) having denomination **AARNA F1** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **AARNA F1**
Applicant : **HM. CLAUSE**
Address of the applicant : **Rue Louis Saillant, Z.I. La Motte, 26800 PORTES-LES-VALENCE, France**
Nationality of applicant : **French**

Application details

a. Number	:	E2	CS6	25	1111
b. Date of receipt	:	15/09/2025			
c. Date of acceptance	:	31/08/2026			
Crop (taxonomical lineage)	:	Cucumber (<i>Cucumis sativus</i> L.)			
Denomination	:	AARNA F1			
Type of variety	:	Extant (VCK)			
Classification of variety	:	Hybrid			
Previously proposed denomination	:	NA			
Name of parental material	:	CUC2632PL x CUC5741PL			
Source of parental material	:	Own germplasm			
Name of reference variety	:	Chitra			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant: growth habit (characteristic 1)		Indeterminate
Plant: sex expression (characteristic 14)		Monoecious
Parthenocarp (characteristic 17)		Absent
Fruit: length (characteristic 18)		Medium
Fruit: colour of skin at market stage (characteristic 23)		Light green
B. Distinct characteristics of candidate variety: AARNA F1 has distinguishing character as Leaf blade: length: Short and Leaf blade: blistering: Absent		
C. Distinct characteristics of reference variety: Chitra has distinguishing character as Leaf blade: length: Medium and Leaf blade: blistering: Present		
D. Date of commercialization of the variety		27/03/2024
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	-
	: Time of Sowing	August-October and January-March
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	-
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	FYM-20000, N-40, P-120, K-80
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Moderate tolerance
5.	Tolerance to water Stagnation: Sensitive/	Sensitive

	Tolerant	
6.	Resistance/Tolerance to Pest/s	Resistance to ZYMV and PRSV, Tolerance to ToLCNDV
7.	Staking & pruning Practices	Staking and Non-staking with no pruning requirement
8.	Winter-spring cropping seasons Type	Spring
9.	Fruit Yield q/acre	10000kg
10.	Fruit Yield/Plant (kg/p) (average)	3 kg/plant
11.	Fruit quality and Fruit firmness	Medium firmness
12.	Fruit Picking Schedule	Every other day
13.	Transport Potential (Days)	2-3 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	3-5 day
15.	Any other relevant information specific to the variety/hybrid	Straight fruit and uniform
DUS Characteristics of AARNA F1		

253. Application No.

E4	CS10	25	1379

 filed on 24/12/2025 by **Dr. Vasudha Jadon, Manager IPR and Regulatory Affairs, Plot No. A11 & A12/1, Road No. 1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana** on behalf of **Eldorado Agritech Limited, Plot No. A11 & A12/1, Road No. 1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana** for Extant (VCK), Hybrid variety of crop **Cucumber** (*Cucumis sativus* L.) having denomination **SRIKAR BALARAM-999** has been accepted and given registration number -----NA -----on --
----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **SRIKAR BALARAM-999**
Applicant : Eldorado Agritech Limited
Address of the applicant : Plot No. A11 & A12/1, Road No. 1 & 12, IP Nacharam, Medchal-Malkajgiri, Hyderabad-500076, Telangana
Nationality of applicant : Indian
Application details
a. Number :

E4	CS10	25	1379

b. Date of receipt : 24/12/2025
c. Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Cucumber (*Cucumis sativus* L.)

Denomination : SRIKAR BALARAM-999
 Type of variety : Extant (VCK)
 Classification of variety : Hybrid
 Previously proposed denomination : NA
 Name of parental material : SVCUGP190005x SVCUGP190006
 Source of parental material : Own germplasm
 Name of reference variety : Phule Shubhangi and Swarna Ageti

Variety description:

A. Grouping characteristics		Remarks (measured values)
Plant: growth habit (characteristic 1)		Indeterminate
Plant: sex expression (characteristic 14)		Monoecious
Parthenocarpy (characteristic 17)		Absent
Fruit: length (characteristic 18)		Short
Fruit: colour of skin at market stage (characteristic 23)		Yellow
B. Distinct characteristics of candidate variety: SRIKAR BALARAM-999 has distinguishing character as Fruit: colour of skin at market stage: Yellow and Fruit: type of vestiture hair: Non-hairy		
C. Distinct characteristics of reference variety: Phule Shubhangi and Swarna Ageti has distinguishing character as Fruit: colour of skin at market stage: Light green and Fruit: type of vestiture hair: Prickles		
D. Date of commercialization of the variety		16/10/2024
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	Southern India
	: Time of Sowing	Round the year
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	Good fertility of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	80:80:100
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Medium to good tolerance to adverse temperature
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	Medium tolerance to water stagnation
6.	Resistance/Tolerance to Pest/s	Tolerant to PM and DM
7.	Staking & pruning Practices	Spreading /Open field cultivation
8.	Winter-spring cropping seasons Type	Spring , rainy and post rainy seasons
9.	Fruit Yield q/acre	130-140 q/acre
10.	Fruit Yield/Plant (kg/p) (average)	1.8- kg/p
11.	Fruit quality and Fruit firmness	Very good

12.	Fruit Picking Schedule	Once in 3-4 days
13.	Transport Potential (Days)	14-15 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Good shelf life of 250-300 days
15.	Any other relevant information specific to the variety/hybrid	Fruits looks attractive and good flesh with high yield
DUS Characteristics of SRIKAR BALARAM-999		

254. Application No.

E3	CS7	25	1263

 filed on 17/11/2025 by **Dr. Prafull S. Kamble, Deputy Manager- R&D, Kalash Seeds Pvt. Ltd., Mantha Road, Jalna-431203, Maharashtra** on behalf of **Kalash Seeds Pvt. Ltd., Mantha Road, Jalna-431203, Maharashtra** for Extant (VCK), Hybrid variety of crop **Cucumber** (*Cucumis sativus* L.) having denomination **KSP 1614** has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no.-----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : **KSP 1614**
Applicant : Kalash Seeds Pvt. Ltd.
Address of the applicant : Mantha Road, Jalna-431203, Maharashtra
Nationality of applicant : Indian

Application details

a. Number :

E3	CS7	25	1263

b. Date of receipt : 17/11/2025
c. Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Cucumber (*Cucumis sativus* L.)
Denomination : KSP 1614
Type of variety : Extant (VCK)
Classification of variety : Hybrid
Previously proposed denomination : NA
Name of parental material : CM 15140 x CM 15175
Source of parental material : Own germplasm
Name of reference variety : Kalyanpur Green and Indam Jaya

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: growth habit (characteristic 1)	Indeterminate

Plant: sex expression (characteristic 14)		Gynoecious
Parthenocarpy (characteristic 17)		Absent
Fruit: length (characteristic 18)		Medium
Fruit: colour of skin at market stage (characteristic 23)		Dark green
B. Distinct characteristics of candidate variety: KSP 1614 has distinguishing character as Plant: sex expression: Gynoecious and Fruit: length of peduncle: Long		
C. Distinct characteristics of reference variety: Kalyanpur Green and Indam Jaya has distinguishing character as Plant: sex expression: Monoecious and Fruit: length of peduncle: Medium		
D. Date of commercialization of the variety		13/09/2021
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early 38-41 days
2.	Production condition: Suitability Area in the Country	Maharashtra, Karnataka, Andhraadesh, Telangana, Tamil Nadu, Gujarat, Madhya Pradesh, Rajasthan, Uttar Pradesh, Punjab, Haryana, Chhattisgarh
	: Time of Sowing	June to September, January - February
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	High fertility
3.	Fertilizer requirement to attain potential yield (N:P:K:S) kg/acre	61:30:30 kg/acre
4.	Tolerance to adverse Temperature/Frost/ &Heat Sensitive/Tolerance	Sensitive to heat & frost
5.	Tolerance to water Stagnation: Sensitive/ Tolerant	Sensitive
6.	Resistance/Tolerance to Pest/s	Tolerant to sucking pest
7.	Staking & pruning Practices	Required
8.	Winter-spring cropping seasons Type	Rainy, Spring
9.	Fruit Yield q/acre	250-300
10.	Fruit Yield/Plant (kg/p) (average)	3.5-4.5 kg
11.	Fruit quality and Fruit firmness	Uniform fruit
12.	Fruit Picking Schedule	1-2 days gap between picking
13.	Transport Potential (Days)	3-4 days
14.	Unique Selling Propositions and Optimal Shelf-Life (Days)	Early hybrid with high yielding and 5-6 days shelf life
15.	Any other relevant information specific to the variety/hybrid	Suitable for protected cultivation
DUS Characteristics of KSP 1614		

255. Application No.

F7	TA20	24	787

 filed on 22/10/2024 by **Mr. Ramesh Chauhan, Village: Sanda Dasau, Block: Chakrata, Dist: Dehradun-248123 Uttarakhand India** for **Farmer typical Variety** of crop **Bread Wheat (*Triticum aestivum* L.)** having denomination **DASAU GOTHAM** the specification includes its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
---NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **DASAU GOTHAM**
Applicant : Mr. Ramesh Chauhan,
Address of the applicant : Village: Sanda Dasau, Block: Chakrata, Dist: Dehradun-248123 Uttarakhand India
Nationality of applicant : Indian
Application details
a. Number :

F7	TA20	24	787

b. Date of receipt : 22/10/2024
c. Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Bread Wheat (*Triticum aestivum* L.)
Denomination : DASAU GOTHAM
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of parental material :
Source of parental material : Own Germplasm
Name of reference varieties : J 1-7

Variety description: A. Group characteristics	Remarks (measured values)
Flag leaf: Anthocyanin coloration of auricle (Characteristic 4)	Absent (1)
Time of ear emergence (Characteristic 7)	Early (3)
Plant length (Characteristic 14)	Medium (5)
Outer glume: Pubescence (Characteristic 23)	Absent (3)
Ear: Colour (Characteristic 24)	White (1)
Grain: Colouration with phenol (Characteristics 31)	Very dark (9)
Grain hardness (Characteristic 38)	Semi-hard (5)

B. Distinct characteristics of candidate variety:

DASAU GOTHAM has distinguishing characters as Flag leaf: Hairs on auricle Strong, Ear: Waxiness Absent and Lower glume: Shaller width Narrow.

C. Distinct characteristics of reference variety:

J 1-7 has distinguishing characters as Flag leaf: Hairs on auricle Absent, Ear: Waxiness Very strong and Lower glume: Shaller width Medium.

[DUS Characteristics of DASAU GOTHAM](#)

256. Application No.

F9	TA22	24	789

 filed on 22/10/2024 by **Mr. Surendra Singh Chauhan, Villge: Thatleo, PO: Samalta, Tehsil: Chakrata, Dist: Dehradun-248165 Uttarakhand India** for **Farmer typical Variety** of crop **Bread Wheat (*Triticum aestivum* L.)** having denomination **WAH GEHUN** the specification includes its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **WAH GEHUN**

Applicant : Mr. Surendra Singh Chauhan

Address of the applicant : Villge: Thatleo, PO: Samalta, Tehsil: Chakrata, Dist: Dehradun-248165 Uttarakhand India

Nationality of applicant : Indian

Application details

a. Number

F9	TA22	24	789

b. Date of receipt

: 22/10/2024

c. Date of acceptance

: 31/08/2026

Crop (taxonomical lineage) : Bread Wheat (*Triticum aestivum* L.)

Denomination : WAH GEHUN

Type of variety : Farmer

Classification of variety : Typical

Previously proposed : Not applicable

Denomination

Name of parental material :

Source of parental material : Own Germplasm

Name of reference varieties : HD 3118

Variety description: A. Group characteristics	Remarks (measured values)
Flag leaf: Anthocyanin coloration of auricle (Characteristic 4)	Absent (1)
Time of ear emergence (Characteristic 7)	Medium (5)
Plant length (Characteristic 14)	Medium (5)
Outer glume: Pubescence (Characteristic 23)	Absent (3)
Ear: Colour (Characteristic 24)	White (1)
Grain: Colouration with phenol (Characteristics 31)	Dark (7)
Grain hardness (Characteristic 38)	Hard (7)
B. Distinct characteristics of candidate variety: WAH GEHUN has distinguishing characters as Grain: Colouration with phenol Dark and Brush hair: Length Medium.	
C. Distinct characteristics of reference variety: HD 3118 has distinguishing characters as Grain: Colouration with phenol Very dark and Brush hair: Length Absent/Short	
DUS Characteristics of WAH GEHUN	

257. Application No.

E5	SM7	24	507

 filed on 17/09/2024 by **Onkar Singh ACSEN Agriscience Pvt. Ltd., Village- Nunhera, Near Toll Plaza, Opp. Veda International School, Sohna-Ballabgarh Road, Sohna, Gurugram-122103** on behalf of **ACSEN AGRISCIENCE PVT LTD , No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015, Coimbatore , Tamil Nadu** for Extant (VCK) variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **PARUL** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety	:	PARUL				
Applicant	:	ACSEN AGRISCIENCE PVT LTD				
Address of the applicant	:	No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015, Coimbatore , Tamil Nadu				
Nationality of applicant	:	Indian				
Application details		<table><tr><td>E5</td><td>SM7</td><td>24</td><td>507</td></tr></table>	E5	SM7	24	507
E5	SM7	24	507			
a. Number	:					
b. Date of receipt	:	17/09/2024				
c. Date of acceptance	:	31/08/2026				

Crop (taxonomical lineage)	: Brinjal (<i>Solanum melongena</i> L.)
Denomination	: PARUL
Type of variety	: Extant
Classification of variety	: Hybrid
Previously proposed denomination	:
Name of parental material	: RHEP2003 x RHEP2002
Source of parental material	: Own germplasm
Name of reference varieties	: ARKA SHIRISH

Variety description:

A. Grouping characteristics		Remarks (measured values)
Fruit: Length (Characteristic 20)		Medium(5)
Fruit: Diameter (Characteristic 21)		Medium(5)
Fruit: General shape (Characteristic 23)		Ovoid(2)
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Green (2)
Fruit: Stripes (Characteristic 30)		Absent(1)
Fruit: Colour of calyx (Characteristic 35)		Green(1)
B. Distinct characteristics of candidate variety:		
PARUL has distinguishing character as Leaf: Width: Small (<10 cm), Flower: Colour: Purple and Fruit: Curvature (only for cylindrical types): Absent.		
C. Distinct characteristics of reference varieties:		
ARKA SHIRISH has distinguishing character as Leaf: Width: Medium (10-20 cm), Flower: Colour: Greenish white and Fruit: Curvature (only for cylindrical types): Medium.		
D. Date of commercialization of the variety		13 April 2013
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Medium
2.	Production condition: Suitability Area in the Country	Tamil nadu, MP, Gujrat
	: Time of Sowing	Sep-Oct & Feb-June
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	It can be grown in both type of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	80: 60: 40
4.	Tolerance to adverse Temperature/Frost/ &Heat- Sensitive/Tolerance	Tolerance
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	NA
6.	Resistance/Tolerance to Pests	NA

7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	
9.	Fruit Yield (q/ ac)	185
10.	Fruit Yield/plant (kg/p)(average)	1.25 kg/plant
11.	Fruit quality and Fruit firmness	Good
12.	Fruit picking Schedule	First picking at 55-60 days after transplanting and then every 4 th to 5 th days after first picking
13.	Transport Potential (Days)	3 days
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	Strong plant type , fruit color and green calyx, self life 2 days
15	Any other relevant information specific to the variety/hybrid	NA
DUS Characteristics of PARUL		

258. Application No.

E6	SM8	24	508

 filed on 17/09/2024 by **Onkar Singh ACSEN Agriscience Pvt. Ltd., Village- Nunhera, Near Toll Plaza, Opp. Vedas International School, Sohna-Ballabgarh Road, Sohna, Gurugram-122103** on behalf of **ACSEN AGRISCIENCE PVT LTD , No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015, Coimbatore , Tamil Nadu** for **Extant (VCK)** variety of crop **Brinjal (*Solanum melongena* L.)** having denomination **NANO** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----
-NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety	: NANO
Applicant	: ACSEN AGRISCIENCE PVT LTD
Address of the applicant	: No-47, Co-operative colony, Uppilipalayam, Coimbatore-641015, Coimbatore , Tamil Nadu
Nationality of applicant	: Indian

Application details

a. Number	:	E6	SM8	24	508
b. Date of receipt	:	17/09/2024			
c. Date of acceptance	:	31/08/2026			
Crop (taxonomical lineage)	:	Brinjal (<i>Solanum melongena</i> L.)			
Denomination	:	NANO			
Type of variety	:	Extant			
Classification of variety	:	Hybrid			
Previously proposed denomination	:				
Name of parental material	:	RHEP024 x RHEP023			
Source of parental material	:	Own germplasm			
Name of reference varieties	:	CO-2			

Variety description:

A. Grouping characteristics		Remarks (measured values)
Fruit: Length (Characteristic 20)		Medium(5)
Fruit: Diameter (Characteristic 21)		Small (3)
Fruit: General shape (Characteristic 23)		Ovoid(2)
Fruit: Colour of skin at commercial harvesting (Characteristic 27)		Purple (3)
Fruit: Stripes (Characteristic 30)		Absent(1)
Fruit: Colour of calyx (Characteristic 35)		Green(1)
B. Distinct characteristics of candidate variety:		
NANO has distinguishing character as Flower: Size: Medium , Fruit: Length of peduncle: Long (>5.0 cm) and Fruit: Colour of skin at physiological maturity: Brown .		
C. Distinct characteristics of reference varieties:		
CO-2 has distinguishing character as Flower: Size: Large , Fruit: Length of peduncle: Medium (1.0-5.0 cm) and Fruit: Colour of skin at physiological maturity: yellow.		
D. Date of commercialization of the variety		5 May 2012
E. Agronomic and commercial attributes		
S.No.	Attributes	Details
1.	Days to maturity: Early/Medium/Late	Early
2.	Production condition: Suitability Area in the Country	MP, Haryana, UP, Punjab, Bihar, Jharkhand, Rajasthan
	: Time of Sowing	Oct- Nov & Feb-April
	: Irrigated/Rainfed	Irrigated
	: Low fertility/High fertility of Soil	It can be grown in both type of soil
3.	Fertilizer requirement to attain potential yield (N:P:K:) kg/acre	80: 60: 40
4.	Tolerance to adverse Temperature/Frost/	Tolerance

	&Heat- Sensitive/Tolerance	
5.	Tolerance to Water Stagnation: Sensitive/Tolerant	NA
6.	Resistance/Tolerance to Pests	Susceptible to FSB
7.	Staking & pruning Practices	NA
8.	Winter – spring cropping seasons Type	
9.	Fruit Yield (q/ ac)	195
10.	Fruit Yield/plant (kg/p)(average)	1.32 kg/plant
11.	Fruit quality and Fruit firmness	Good
12.	Fruit picking Schedule	First picking at 55-60 days after transplanting and then every 4 th to 5 th days after first picking
13.	Transport Potential (Days)	3 days
14.	Unique Selling Propositions and Optimal shelf-Life (Days)	Strong plant type , fruit color and green calyx, self life 4-5 days
15	Any other relevant information specific to the variety/hybrid	NA
DUS Characteristics of NANO		

259. Application No.

F3	TA16	24	735

 filed on 14/10/2024 by **Mr. Bhikhari Rai, Village: Surhuriya, Block: Suryapura, PO: Agareikala, Dist: Rohtas-802226, Bihar, India** for **Farmer typical Variety** of crop **Bread Wheat (*Triticum aestivum* L.)** having denomination **ESHIKA GOLD** the specification includes its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA -----on ---- NA -----.

The convention application no. ----NA-----, in respect of the said variety has been filed on ---NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **ESHIKA GOLD**
Applicant : Mr. Bhikhari Rai
Address of the applicant : Village: Surhuriya, Block: Suryapura, PO: Agareikala, Dist: Rohtas-802226, Bihar, India
Nationality of applicant : Indian
Application details

a. Number	:	F3	TA16	24	735
b. Date of receipt	:	14/10/2024			
c. Date of acceptance	:	31 /08/2026			
Crop (taxonomical lineage)	:	Bread Wheat (<i>Triticum aestivum</i> L.)			
Denomination	:	ESHIKA GOLD			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination					
Name of parental material	:	-			
Source of parental material	:	Own Germplasm			
Name of reference varieties	:	HUW 510			

Variety description: A. Group characteristics	Remarks (measured values)
Flag leaf: Anthocyanin coloration of auricle (Characteristic 4)	Absent (1)
Time of ear emergence (Characteristic 7)	Early (3)
Plant length (Characteristic 14)	Short (3)
Outer glume: Pubescence (Characteristic 23)	Absent (3)
Ear: Colour (Characteristic 24)	White (1)
Grain: Colouration with phenol (Characteristics 31)	Dark (7)
Grain hardness (Characteristic 38)	Semi-hard (5)
B. Distinct characteristics of candidate variety: ESHIKA GOLD has distinguishing characters as Flag leaf: Hairs on auricle: Medium; Flag leaf: Waxiness of blade: Weak; Grain: Shape: Oblong; Grain: Size (weight of 1000 grains): Medium.	
C. Distinct characteristics of reference variety: HUW 510 has distinguishing characters as Flag leaf: Hairs on auricle: Absent; Flag leaf: Waxiness of blade: Medium; Grain: Shape: Ovate; Grain: Size (weight of 1000 grains): Large.	
DUS Characteristics of ESHIKA GOLD	

260. Application No.

F4	TA17	24	736

 filed on 14/10/2024 by **Mr. Lalbabu Singh, Village: Motha, PO: Motha, Dist: Rohtas, Bihar, India** for **Farmer typical Variety** of crop **Bread Wheat (*Triticum aestivum* L.)** having denomination **SONAM** the specification includes its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **SONAM**
 Applicant : Mr. Lalbabu Singh
 Address of the applicant : Village: Motha, PO: Motha, Dist: Rohtas, Bihar, India
 Nationality of applicant : Indian
Application details
 a. Number :

F4	TA17	24	736

 b. Date of receipt : 14/10/2024
 c. Date of acceptance : 31 /08/2026
 Crop (taxonomical lineage) : Bread Wheat (*Triticum aestivum* L.)
 Denomination : SONAM
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of parental material : -
 Source of parental material : Own Germplasm
 Name of reference varieties : HI 1544 & HUW 510

Variety description: A. Group characteristics	Remarks (measured values)
Flag leaf: Anthocyanin coloration of auricle (Characteristic 4)	Absent (1)
Time of ear emergence (Characteristic 7)	Medium (5)
Plant length (Characteristic 14)	Long (7)
Outer glume: Pubescence (Characteristic 23)	Absent (3)
Ear: Colour (Characteristic 24)	White (1)
Grain: Colouration with phenol (Characteristics 31)	Dark (7)
Grain hardness (Characteristic 38)	Hard (7)
B. Distinct characteristics of candidate variety: SONAM has distinguishing characters as Plant: Flag leaf attitude: Erect; Flag leaf: Waxiness of sheath: Very strong; Culm: Waxiness of neck (Peduncle): Very strong; Grain: Shape: Oblong.	
C. Distinct characteristics of reference variety: HI 1544 has distinguishing characters as Plant: Flag leaf attitude: Drooping; Flag leaf: Waxiness of sheath: Medium; Culm: Waxiness of neck (Peduncle): Medium; Grain: Shape: Ovate. HUW 510 has distinguishing characters as Plant: Flag leaf attitude: Semi-erect; Flag leaf: Waxiness of sheath: Strong; Culm: Waxiness of neck (Peduncle): Medium; Grain: Shape: Ovate.	
DUS Characteristics of SONAM	

261. Application No.

F5	TA18	24	785

 filed on 22/10/2024 by **Mr. Tirepan Singh, Village & PO: Dabla Justa, Block: Chakrata, Dist: Dehradun-248123, Uttarakhand, India** for **Farmer typical Variety** of crop **Bread Wheat (*Triticum aestivum* L.)** having denomination **SUDOL GODHAM** the specification includes its drawing and or

photograph(s) of which are given below, has been accepted and given registration number ----
---NA -----on ----- NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on ---
--NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection
of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR
Authority, New Delhi – 110 012.

Passport data of the variety : **SUDOL GODHAM**
Applicant : Mr. Tirepan Singh
Address of the applicant : Village & PO: Dabla Justa, Block: Chakrata, Dist:
Dehradun-248123, Uttarakhand, India
Nationality of applicant : Indian
Application details
a. Number :

F5	TA18	24	785

b. Date of receipt : 22/10/2024
c. Date of acceptance : 31 /08/2026
Crop (taxonomical lineage) : Bread Wheat (*Triticum aestivum* L.)
Denomination : SUDOL GODHAM
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of parental material : -
Source of parental material : Own Germplasm
Name of reference varieties : HUW 510

Variety description: A. Group characteristics	Remarks (measured values)
Flag leaf: Anthocyanin coloration of auricle (Characteristic 4)	Absent (1)
Time of ear emergence (Characteristic 7)	Early (3)
Plant length (Characteristic 14)	Medium (5)
Outer glume: Pubescence (Characteristic 23)	Absent (3)
Ear: Colour (Characteristic 24)	-
Grain: Colouration with phenol (Characteristics 31)	Very Dark (9)
Grain hardness (Characteristic 38)	Semi-hard (5)
B. Distinct characteristics of candidate variety: SUDOL GODHAM has distinguishing characters as Plant: Flag leaf attitude: Drooping; Ear: Length (excluding awns and scurs): Short; Brush hair: Length: Long.	
C. Distinct characteristics of reference variety: HUW 510 has distinguishing characters as Plant: Flag leaf attitude: Semi-erect; Ear: Length (excluding awns and scurs): Long; Brush hair: Length: Absent/Short.	
DUS Characteristics of SUDOL GODHAM	

262. Application No.

E2	CN4	26	2165

 filed on by **Director, Central Plantation Crops Research Institute, Kasargod, Kerala-671124** on behalf of **Indian Council of Agricultural Research, Krishi Bhawan, Rajendra Prasad Road. New Delhi-110114** for **Extant, Hybrid** variety of crop **Coconut (*Cocos nucifera* L.)** having denomination **Kalpa Nakshatra** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----
----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : Kalpa Nakshatra
Applicant : Indian Council of Agricultural Research
Address of the applicant : Krishi Bhawan, Rajendra Prasad Road. New Delhi-110114
Nationality of applicant : Indian
Application details
 a. Number :

E2	CN4	26	2165

 b. Date of receipt : 25/08/2026
 c. Date of acceptance : 24/08/2026
Crop (taxonomical lineage) : Coconut (*Cocos nucifera* L.)
Denomination : Kalpa Nakshatra
Type of variety : Extant
Classification of variety : Hybrid
Previously proposed : Not applicable
Denomination
Name of parental material : IND 007S x IND 091S
Source of parental material : CPCRI, Kasargod, Kerala
Name of reference varieties : Chandra Laksha and Chandra Sankara
Notification Details : S.O. No. 3708(E), Dt:08/07/2026

Variety description:

A. Grouping characteristics	Remarks (measured values)
Plant: Petiole Colour (Characteristic 1)	Brown (7)
Plant: Height (Characteristic 4)	Medium (5)
Inflorescence: Intra spadix overlapping of male and female phases (Characteristic 15)	Present (9)
Fruit: Colour (Characteristic 17)	Brown (9)
Fruit: shape (Polar view) (Characteristic 18)	Oval (3)

Husked fruit: shape (Characteristic 23)		Round (5)
B. Distinct characteristics of candidate variety:		
Kalpa Nakshatra has distinguishing character as Leaflet: Breadth(cm) (Characteristic- 7)- Broad, Fruit: Husk thickness (cm) (Characteristic-22)- Medium, Shell: Weight (Characteristic-23)- High		
C. Distinct characteristics of reference varieties:		
Chandra Laksha has distinguishing character as Leaflet: Breadth(cm) (Characteristic- 7)- Medium, Fruit: Husk thickness (cm) (Characteristic-22)- Thick, Shell: Weight (Characteristic-23)- Medium		
Chandra Sankara has distinguishing character as has distinguishing character as Leaflet: Breadth(cm) (Characteristic- 7)- Medium, Fruit: Husk thickness (cm) (Characteristic-22)- Thin, Shell: Weight (Characteristic-23)- Low		
D. Date of commercialization of the variety		Yet to be sold commercially
E. Agronomic and commercial attributes		
S. No.	Attributes	Details
1	Tree growth habit	Tall
2	Area of cultivation	Kerala
3	Inflorescence: Emergence (Months)	46
4	Inflorescence: Time of flowering 50% of the tree (Main flowering season of the area)	55.8 months (Flowers throughout the year with one inflorescence per month)
5	Maturity: Fruits ready to harvest (days)	335-365
6	Fertilizer requirement (N:P:K) to attain potential yield	500gN:320gP:1200gK
7	Yield Potential (Average) per acre (q/Acre)	26,497
8	Yield of fruits per plant (Average)	151.41
9	Fruit weight (g)	1020
10	Husked fruit weight (g)	643
11	Dry Endosperm weight (g)	206.58
12	Resistance/ Tolerance to pests / Disease	No major pest and disease incidence observed under field conditions at Kasargod
13	Any other relevant information specific to the variety	Multipurpose variety, suitable for tender coconut, copra, and Neera production
DUS Characteristics of Kalpa Nakshatra		

263. Application No.

F2	AV2	24	841

 filed on 10/10/2024 by **Shri. Jawahar Singh Negi, Village: Dungroli, PO: Dungiyara, Dist: Dehradun-248123, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis.*)** having denomination **JAWA CHUA**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : JAWA CHUA
Applicant : Shri. Jawahar Singh Negi
Address of the applicant : Village: Dungroli, PO: Dungiyara,
Dist: Dehradun-248123, Uttarakhand
Nationality of applicant : Indian

Application details

Number :

F2	AV2	24	841

Date of receipt : 10/10/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth
Denomination : JAWA CHUA
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of reference varieties : EC 169657

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Present
Leaf blade: presence of blotch (characteristic 4)	Present
Inflorescence: colour (characteristic 7)	Pink
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: JAWA CHUA has distinguishing characters as Leaf blade: width (cm): Narrow, Inflorescence colour: Pink, Inflorescence spininess: Present and Plant height (cm): Short	

C. Distinct characteristics of reference varieties:

EC 169657 have distinguishing characters as Leaf blade: width (cm): Medium, Inflorescence colour: Red, Inflorescence spininess: Absent and Plant height (cm): Tall

D. Date of commercialization of the variety

NA

[DUS Characteristics of JAWA CHUA](#)

264. Application No.

F3	AV3	24	842

 filed on 04/11/2024 by **Shri. Mohar Singh, Village: Matiyawa, Block: Chakrata, Dist.: Dehradun-248165, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis*.)** having denomination **MOH CHULAI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----
---- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : MOH CHULAI
Applicant : Shri. Mohar Singh
Address of the applicant : Village: Matiyawa, Block: Chakrata, Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian

Application details

F3	AV3	24	842

Number :
Date of receipt : 04/11/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth
Denomination : MOH CHULAI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of reference varieties : IC 7918

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Absent
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Green

Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: MOH CHULAI has distinguishing characters as Seedling: anthocyanin coloration of hypocotyl: Absent, Plant height (cm): Short and Seed colour: Yellow	
C. Distinct characteristics of reference varieties: IC 7918 have distinguishing characters as Seedling: anthocyanin coloration of hypocotyl: Present, Plant height (cm): Medium and Seed colour: Pink	
D. Date of commercialization of the variety	NA
DUS Characteristics of MOH CHULAI	

265. Application No.

F4	AV4	24	844

 filed on 04/11/2024 by **Shri. Surendra Singh Chauhan, Village: Dabla, PO: Jasta, Block: Chakrata, Dist.: Dehradun-248165, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis*.)** having denomination **CHAMUKH CHOLAI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : CHAMUKH CHOLAI
Applicant : Shri. Surendra Singh Chauhan
Address of the applicant : Village: Dabla, PO: Jasta, Block: Chakrata,
Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian

Application details

Number :

F4	AV4	24	844

Date of receipt : 04/11/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth
Denomination : CHAMUKH CHOLAI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination

Name of reference varieties : Chhattisgarh Rajgira - 1

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Absent
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Green
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: CHAMUKH CHOLAI has distinguishing characters as Plant height (cm): Short, Seed colour: Yellow and Seed weight (g/10 ml.): Medium	
C. Distinct characteristics of reference varieties: Chhattisgarh Rajgira - 1 have distinguishing characters as Plant height (cm): Medium, Seed colour: Creamish and Seed weight (g/10 ml.): High	
D. Date of commercialization of the variety	NA
DUS Characteristics of CHAMUKH CHOLAI	

266. Application No.

F6	AV6	24	847

 filed on 04/11/2024 by **Shri. Sardar Singh, Village: Badnoo, PO: Daantanu, Block: Kalsi, Dist.: Dehradun-248165, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis.*)** having denomination **ASARDAR CHUWAI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----NA-----on-----NA-----

The convention application no.----NA----- in respect of the said variety has been filed on ----NA-----, in ---NA---.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : ASARDAR CHUWAI
Applicant : Shri. Sardar Singh
Address of the applicant : Village: Badnoo, PO: Daantanu, Block: Kalsi,
Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian

Application details

Number :
Date of receipt : 04/11/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth

Denomination : ASARDAR CHUWAI
 Type of variety : Farmer
 Classification of variety : Typical
 Previously proposed : Not applicable
 Denomination :
 Name of reference varieties : Chhattisgarh Rajgira - 1

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Absent
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Green
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Creamish
B. Distinct characteristics of candidate variety: ASARDAR CHUWAI has distinguishing characters as Plant height (cm): Short, Stem: surface: Smooth and Seed weight (g/10 ml.): Medium	
C. Distinct characteristics of reference varieties: Chhattisgarh Rajgira - 1 have distinguishing characters as Plant height (cm): Medium, Stem: surface: Ridged and Seed weight (g/10 ml.): High	
D. Date of commercialization of the variety	NA
DUS Characteristics of ASARDAR CHUWAI	

267. Application No.

F5	AV5	24	848

 filed on 04/11/2024 by **Shri. Surendra Singh Chauhan, Village & PO: Thatleo, Block: Chakrata, Dist.: Dehradun-248165, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis.*)** having denomination **PRASAD CHOLAI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
 ----NA -----on ----- NA -----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : PRASAD CHOLAI
Applicant : Shri. Surendra Singh Chauhan
Address of the applicant : Village & PO: Thatleo, Block: Chakrata,
 Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian

Application details

Number	:	F7	AV5	24	848
Date of receipt	:	04/11/2024			
Date of acceptance	:	31/08/2026			
Crop (taxonomical lineage)	:	Grain Amaranth			
Denomination	:	PRASAD CHOLAI			
Type of variety	:	Farmer			
Classification of variety	:	Typical			
Previously proposed	:	Not applicable			
Denomination	:				
Name of reference varieties	:	GA 7			

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Absent
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Green
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: PRASAD CHOLAI has distinguishing characters as Seedling: anthocyanin coloration of hypocotyl: Absent, Inflorescence spininess: Present and Plant height (cm): Short	
C. Distinct characteristics of reference varieties: GA 7 has distinguishing characters as Seedling: anthocyanin coloration of hypocotyl: Present, Inflorescence spininess: Absent and Plant height (cm): Medium	
D. Date of commercialization of the variety	NA
DUS Characteristics of PRASAD CHOLAI	

268. Application No.

F7	AV7	24	850

 filed on 04/11/2024 by **Shri. Gopal Singh Tomar, Village & PO: Thaina, Block: Kalsi, Dist.: Dehradun-248165, Uttarakhand** for **Farmer** variety of crop **Grain Amaranth (*Amaranthus viridis.*)** having denomination **THAINA CHOLAI** the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number ----
----NA -----on ----- NA -----

The convention application no.---- NA----- in respect of the said variety has been filed on ----NA-----, in ---NA----

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : THAINA CHOLAI
Applicant : Shri. Gopal Singh Tomar
Address of the applicant : Village & PO: Thaina, Block: Kalsi,
Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian
Application details
Number :

F7	AV7	24	850

Date of receipt : 04/11/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth
Denomination : THAINA CHOLAI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination
Name of reference varieties : IC 7920

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Present
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Pink
Inflorescence: shape (characteristic 13)	Drooping
Seed: colour (characteristic 18)	Pink
B. Distinct characteristics of candidate variety: THAINA CHOLAI has distinguishing characters as Inflorescence: compactness: Lax, Stem: surface: Smooth and Seed weight (g/10 ml.): High	
C. Distinct characteristics of reference varieties: IC 7920 have distinguishing characters as Inflorescence: compactness: intermediate, Stem: surface: Ridged and Seed weight (g/10 ml.): Medium	
D. Date of commercialization of the variety	NA
DUS Characteristics of THAINA CHOLAI	

269. Application No.

F10	AV10	24	856

 filed on 04/11/2024 by **Mrs. Bharti**,
Village: Rotiwal, PO: Tilwadi, Block: Sahaspur, Dist.: Dehradun-248165, Uttarakhand
for **Farmer** variety of crop **Grain Amaranth** (*Amaranthus viridis*.) having denomination

CHULBUL CHOLAI the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----

The convention application no.----- NA----- in respect of the said variety has been filed on -----NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPVFR Authority, New Delhi – 110 012.

Passport data of the variety : CHULBUL CHOLAI
Applicant : Mrs. Bharti
Address of the applicant : Village: Rotiwal, PO: Tilwadi, Block: Sahaspur,
Dist.: Dehradun-248165, Uttarakhand
Nationality of applicant : Indian

Application details

Number :

F10	AV10	24	856

Date of receipt : 10/10/2024
Date of acceptance : 31/08/2026
Crop (taxonomical lineage) : Grain Amaranth
Denomination : CHULBUL CHOLAI
Type of variety : Farmer
Classification of variety : Typical
Previously proposed : Not applicable
Denomination :
Name of reference varieties : IC 17936

A. Grouping characteristics	Remark (Measured values)
Seedling: anthocyanin coloration of hypocotyls (characteristic 1)	Present
Leaf blade: presence of blotch (characteristic 4)	Absent
Inflorescence: colour (characteristic 7)	Pink
Inflorescence: shape (characteristic 13)	Erect
Seed: colour (characteristic 18)	Yellow
B. Distinct characteristics of candidate variety: CHULBUL CHOLAI has distinguishing characters as Leaf blade: presence of blotch: Absent and Stem surface: Smooth	
C. Distinct characteristics of reference varieties: IC 17936 has distinguishing characters as Leaf blade: presence of blotch: Present and Stem surface: Ridged	
D. Date of commercialization of the variety	NA
DUS Characteristics of LAL CHUA	

270. Application No.

F1	TF1	25	870

 filed on 31-07-2026 by **Dr. Stuti Sharma, College of Agriculture, Jawahar Lal Nehru Krishi Vishwavidyalaya, Jabalpur-482004, Madhya Pradesh** behalf of **Krashna Bai Rathore, W/o Mahendra Kumar Rathore, Village: Dahalwada Khurd, PO: Singhpur, Tehsil: Bankhedi, Dist: Hoshangabad-461990, Madhya Pradesh** for **Farmer** variety of **Fenugreek (*Trigonella foenum graecum* L.)** having denomination **KRASHNA SUGANDHI METHI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on -----NA -----.

The convention application no. -----NA-----, in respect of the said variety has been filed on --- --NA-----, in ---NA-----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **KRASHNA SUGANDHI METHI**
Applicant : Krashna Bai Rathore
Address of the applicant : W/o Mahendra Kumar Rathore, Village: Dahalwada Khurd, PO: Singhpur, Tehsil: Bankhedi, Dist: Hoshangabad-461990, Madhya Pradesh
Nationality of applicant : Indian
Application details
a. Number :

F1	TF1	25	870

b. Date of receipt : 31-07-2025
c. Date of acceptance : 25/08/2026
Crop (taxonomical lineage) : Fenugreek(*Trigonella foenum graecum* L.)
Denomination : KRASHNA SUGANDHI METHI
Type of variety : Farmer
Classification of variety : NA
Previously proposed : Not applicable
Denomination :
Name of parental material : Not applicable
Source of parental material : Not applicable
Name of reference variety : RMt-351
Variety description:

A. Group characteristics	KRASHNA SUGANDHI METHI (measured values)
Apex shape of first leaf blade (Characteristics No. 2)	-
Size of leaf on first primary branches axis for length and width (L/W) (Ch. No. 3)	Small in length & width
Apex shape of leaf blade on first primary branch (Characteristics No. 5)	Obtuse
Size of leaf on first pod axis for length and width (L/W) (Characteristics No. 1)	Small in length but wider
Size of leaf on fully grown terminal leaf for length and width	Small in length &

(L/W) (Ch. No. 9)	width
Apex shape of leaf blade on fully grown terminal leaf (Characteristics No. 11)	Obtuse
Number of primary branches (Characteristics No. 12)	Less
Plant growth pattern (Characteristics No. 13)	V type
Plant growth habit (Characteristics No. 14)	Indeterminate
Pod length (Characteristics No. 17)	Short
Pod curvature (Characteristics No. 18)	Moderately curved
1000 seed test weight (Characteristics No. 19)	Low
B. Distinct characteristics of candidate variety: KRASHNA SUGANDHI METHI has distinguishing characters as Basal shape of first leaf blade is Obtuse (Ch.1), Apex shape of leaf blade on first primary branch axis is Obtuse (Ch.5).	
C. Distinct characteristics of reference variety: RMt-351 has distinguishing characters as Basal shape of first leaf blade is Acute (Ch.1), Apex shape of leaf blade on first primary branch axis is Rounded (Ch.5).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of KRASHNA SUGANDHI METHI

271. Application No.

F2	TF2	25	1216

 filed on 30-09-2025 by **Dr. Stuti Sharma**, College of Agriculture, Jawahar Lal Nehru Krishi Vishwavidyalaya, Jabalpur-482004, Madhya Pradesh behalf of **Vinod Patidar, S/o Sh. Jairam Singh Patidar, Village: Chakrod, Tehsil: Kalapipal, Dist: Shajapur-465335, Madhya Pradesh** for Farmer variety of **Fenugreek (*Trigonella foenum graecum* L.)** having denomination **CHAKROD METHI**, the specification including its drawing and or photograph(s) of which are given below, has been accepted and given registration number -----NA -----on ----- NA -----.

The convention application no. ----NA----, in respect of the said variety has been filed on --- --NA-----, in ---NA----.

Appropriate office for the opposition of proceeding under Rule 29, of the Protection of Plant Varieties and Farmers' Rights Rules, 2003 is Office of the Registrar, PPV & FR Authority, New Delhi – 110 012.

Passport data of the variety : **CHAKROD METHI**
Applicant : Vinod Patidar
Address of the applicant : S/o Sh. Jairam Singh Patidar, Village: Chakrod, Tehsil: Kalapipal, Dist: Shajapur-465335, Madhya Pradesh
Nationality of applicant : Indian
Application details
a. Number :


F2	TF2	25	1216


b. Date of receipt : 30-09-2025
c. Date of acceptance : 25/08/2026

Crop (taxonomical lineage)	: Fenugreek(TrigonellafoenumgraecumL.)
Denomination	: CHAKROD METHI
Type of variety	: Farmer
Classification of variety	: NA
Previously proposed	: Not applicable
Denomination	:
Name of parental material	: Not applicable
Source of parental material	: Not applicable
Name of reference variety	: GM-2

Variety description:


A. Group characteristics	CHAKROD METHI (measured values)
Apex shape of first leaf blade (Characteristics No. 2)	-
Size of leaf on first primary branches axis for length and width (L/W) (Ch. No. 3)	Small in length & width
Apex shape of leaf blade on first primary branch (Characteristics No. 5)	Obtuse
Size of leaf on first pod axis for length and width (L/W) (Characteristics No. 1)	Small in length & width
Size of leaf on fully grown terminal leaf for length and width (L/W) (Ch. No. 9)	Small in length & width
Apex shape of leaf blade on fully grown terminal leaf (Characteristics No. 11)	Obtuse
Number of primary branches (Characteristics No. 12)	Less
Plant growth pattern (Characteristics No. 13)	V type
Plant growth habit (Characteristics No. 14)	Indeterminate
Pod length (Characteristics No. 17)	Short
Pod curvature (Characteristics No. 18)	Moderately curved
1000 seed test weight (Characteristics No. 19)	Low
B. Distinct characteristics of candidate variety: CHAKROD METHI has distinguishing characters as Size of leaf on first pod axis for length and width (L/W) is Small in length & width (Ch.6), Size of leaf on fully grown terminal leaf for length and width (L/W) is Small in length & width (Ch.9).	
C. Distinct characteristics of reference variety: GM-2 has distinguishing characters as Size of leaf on first pod axis for length and width (L/W) is Small in length but wider (Ch.6), Size of leaf on fully grown terminal leaf for length and width (L/W) is Small in length but wider (Ch.9).	
D. Date of commercialization of the variety	NA
Figure: NA	DUS Characteristics of CHAKROD METHI


चित्र/Fig: 1 आरईजी/आरईजी/REG/2026/1096 TKM 15 [TM 12077] (IET 26645)	चित्र/Fig 2: आरईजी/REG/2026/1850 VNR-2111 PLUS (IET 24075) (VNR 212)
 TKM 15 Individual plant TKM 15 Panicle TKM 15 Paddy and Grain TKM 15 cooked rice	
Panicle: Curvature of main axis is Drooping and Decorticated grain: Shape (in lateral view) Medium slender	Panicle curvature of main axis is Semi-straight
चित्र/Fig 3: आरईजी/REG/2026/1850 VNR-2111 PLUS (IET 24075) (VNR 212)	चित्र/Fig 4: आरईजी/REG/2025/1127 Him Palam Dhan 1 (HPR 2656)
 Grains of IET-24075(VNR-212) Dehusked grains of IET-24075(VNR-212) Milled Rice of IET-24075(VNR-212) Grain: length is Medium (5), Grain: width is Medium (5), Decorticated grain: width is Broad (7) Decorticated grain: shape is Long bold (4)	 HPR 2656 HPR2656
Decorticated grain width is Broad	Decorticated grain shape is Short Bold and Decorticated grain colour is Light brown
चित्र/Fig 5: आरईजी/REG/2025/1128 Him Palam Dhan 2 (HPR 2880)	चित्र/Fig 6: आरईजी/REG/2026/1851 BHEEM-115 (IET28964) (VNR 227)

  	 HPR2880	
Flag leaf attitude of blade (late observation) is Erect, Decorticated grain shape is Medium Slender and Decorticated grain aroma is Absent.	Panicle: Awns is absent	
चित्र/Fig 7: आरईजी/REG/2026/1851 BHEEM-115 (IET28964) (VNR 227)	चित्र/Fig 8: (आरईजी/REG/2026/1092) <u>Bidhan Snigdha</u>	
		
Decorticated grain: Colour is White.	Inflorescence straight	
चित्र/Fig 9: (आरईजी/REG/2026/1093) <u>BIDHAN UJJWAL</u>	चित्र/Fig 10: (आरईजी/REG/2026/1094) <u>BIDHAN GOLD</u>	
 Fig.1 Field view of Bidhan Ujjwal(BR-2)	 Field view of Bidhan Lakshmi (Bidhan Marigold-2)	
Light green leaf colour	Shape of flower head: view from above round	

चित्र/Fig 11: (आरईजी/REG/2026/1095) BIDHAN BASANTI	चित्र/Fig 12: (आरईजी/REG/2026/0977) ARKA CHANDRA
 Field view of Bidhan Basanti (Bidhan Marigold-1)	
Plant growth habit spreading	Fruit core solid
चित्र/Fig 13: (आरईजी/REG/2026/0978) ARKA ANANTHA	चित्र/Fig 14: (आरईजी/REG/2026/1822) PHULE PRIDE
 Fruit shape: Ovoid (5) Fruit core: Hallow (1) Fruit flesh color: Red (1) Seediness: Present (9)	
Fruit shape ovoid	Fruit apex blunt tipped
चित्र/Fig 15: आरईजी/REG/2025/0533 (Pusa Bio fortified Maize Hybrid-4 (APH-4)):	चित्र/Fig 16: आरईजी/REG/2025/0533 (Pusa Bio fortified Maize Hybrid-4 (APH-4)):
	
Ear: Diameter without husk (in middle) is Large	Ear: Type of grain (in middle third of ear) is Flint.

चित्र/Fig 17: आरईजी/REG/2026/1821 (MAH 14-138)	चित्र/Fig 18: आरईजी/REG/2026/1821 (MAH 14-138)
	
Stem: Anthocyanin colouration of brace root is absent.	. Ear: Anthocyanin colouration of silk is present
चित्र/Fig 19: आरईजी/REG/2026/1802 (SMH-4555)	चित्र/Fig 20: आरईजी/REG/2026/1802 (SMH-4555)
	
Tassel: Density of spikelet is dense.	Ear: Shape is cylindrical
चित्र/Fig 21: आरईजी/REG/2026/1852 VNR-2228 (IET 24951) (VNR 218)	चित्र/Fig 22: आरईजी/REG/2026/1852 VNR-2228 (IET 24951) (VNR 218)
	  
Panicle: awns are absent.	Decorticated grain shape is medium slender.

चित्र/Fig 23: आरईजी/REG/2026/1830 Him Palam Mirch-1	चित्र/Fig 24: आरईजी/REG/2026/1831 Him Palam Mirch-2
	
Fruit shape in longitudinal section: Narrowly triangular and Fruit: Calyx Cover: Enveloping.	Plant: Habit: Semi Upright and Fruit: Bearing habit (No of fruit/ node): 1 (Solitary).
चित्र/Fig 25: आरईजी/REG/2026/0360 DRR Dhan 91 (IET-32061)	चित्र/Fig 26: आरईजी/REG/ 2026/1138 Phule Maval-7 (VDN-1808)
DRR Dhan 91- Distinct traits of candidate variety (A Bacterial leaf blight, blast-resistant, and submergence-tolerant rice variety) Ch. 46 Panicle exertion Field View of DRR Dhan 91 (IET- 32061) Ch. 50 Grain weight of 1000 fully developed grains Paddy grains and Milled rice of DRR Dhan 91 	 Phule Maval-7 Kariat-2
Spikelet density of pubescence of lemma is Medium and Panicle Exertion is Well exerted and Grain weight of 1000 fully developed grains is Medium	Panicle: length of the main axis is Long
चित्र/Fig 27: आरईजी/REG/2026/1139 Surma Dhan (AAU-KMJ Dhan-46) (IET-2826)	चित्र/Fig 28: आरईजी/REG/2026/1139 Surma Dhan (AAU-KMJ Dhan-46) (IET-2826)

 Jorhat MB and OG Part 10 March 2026 at 15:32			
Panicle: Length of main axis is Long		Decorticated grain width is Narrow	
चित्र/Fig 29: आरईजी/REG/2026/1614 KBC-12		चित्र/Fig 30: आरईजी/REG/2026/1614 KBC-12	
KBC-12 (Candidate variety) 	KBC-9 (Reference variety) 	 KBC - 12	 KBC - 9
Plant: Growth Habit: Erect		Plant: Twining tendency: Absent	
चित्र/Fig 31: आरईजी/REG/2026/1036 BRG-3		चित्र/Fig 32: आरईजी/REG/2026/1615 Arka Mangala	
Flower Colour  Red (5) Seed colour & Colour pattern  Brown (2) & Mottled (2)			

Flower: Colour of base of petal (standard): Red and Seed : Colour: Brown	Pod: Colour: Green and Pod : Length (cm): Long
चित्र/Fig 33: आरईजी/REG/2026/1828 HIM PALAM MATAR-1 (DPP-SP-22)	चित्र/Fig 34: आरईजी/REG/2026/1828 HIM PALAM MATAR-1 (DPP-SP-22)
 Pod quality of 'Him Palam Matar-1' in comparison to 'Pb-89'	 'DPP-SP-22': Profused pod bearing, long and bright green pods
Pod: curvature: Weak	Pod: Intensity of green: Dark green
चित्र/Fig 35: आरईजी/REG/2026/1829 Him Palam Meethi Phali-2 (DPEPP-10-1)	चित्र/Fig 36: आरईजी/REG/2026/1875 [Kashi Agrim (VRFBB-91)]
 Edible pod pea line 'Him Palam Meethi Phali-2'	
Pod: shape of distal part: Pointed and Plant: Height: Medium	Leaf: Intensity of green colour: Light and Seed: Testa colour: Black
चित्र/Fig 37: आरईजी/REG/2026/1878 Kashi Rajhans (VRFBB-2/NR/BKS-2)	चित्र/Fig 38: आरईजी/REG/2026/1876 Kashi Baingani (VRFBP-14))

	
Pod: Colour: Green & Pod: Stringiness: Absent	Stem: Anthocyanin colouration: Present
चित्र/Fig 39: आरईजी/REG/2026/1876 Kashi Baingani (VRFBP-14))	चित्र/Fig 40: आरईजी/REG/2026/1877 Kashi Sampann (VRFBB-1/NR/BKS-1)
	
Flower: Colour of standard petal: Violet	Pod: Curvature: Absent & Pod: Shape of cross section (through seed): Circular
चित्र/Fig 41: आरईजी/REG/2026/1880 Kashi Sampada	चित्र/Fig 42: आरईजी/REG/2026/1874 Kashi Nidhi


	
Pod: Maturity: Early & Pod: Shape of cross section (through seed): Circular	Pods: Number of pods per nod: Medium & Pod: Degree of curvature at green shell stage: Absent or Very weak
चित्र/Fig 43: आरईजी/REG/2026/1867 KASHI ABHA (VR-339)	चित्र/Fig 44: आरईजी/REG/2026/1866 KASHI GARIMA (CCH-11)
	
Fruit Curvature: Absent and Fruit Pedicel attachment: Weak.	Plant: Habit: Upright and Fruit: neck at basal end: Present
चित्र/Fig 45: आरईजी/REG/2026/1869 KASHI RATNA (CCH-12)	चित्र/Fig 46: आरईजी/REG/2026/1868 KASHI TEJ (CCH-4)


	
Fruit Length(cm): Long (8.5-10 cm) and Fruit: Texture of Surface: Rough	Fruit : Sinuation of Pericarp: Medium and Fruit: Calyx Margin: Dented.
चित्र/Fig 47: आरईजी/REG/2026/1857 Kashi Tamatar-8 (Kashi Chayan)	चित्र/Fig 48: आरईजी/REG/2026/1858 Kashi Abhiman (VRTH-101)
	
Leaf: Intensity of green colour: Medium; Fruit: Size (average weight of 10 fruits) (g): Very large (>1000); Fruit: Size of blossom scar: Medium; Fruit: Firmness (kg/cm²): Soft (<3).	Leaf: Intensity of green colour: Light; Stem: Anthocyanin colouration of upper third portion: Weak; Fruit: Size (average weight of 10 fruits) (g): Medium (201-700); Fruit: Firmness (kg/cm²): Medium.
चित्र/Fig 49: आरईजी/REG/2026/1873 Kashi Basant (VRPK-230)	चित्र/Fig 50: आरईजी/REG/2026/1888 Kashi Shivani (VRPG-27)

	
Fruit: Thickness of flesh: Thin.	Ovary: length (on the day of anthesis): Long; Fruit: skin colour: Light green; Seediness (No. of Seeds/fruit at the time of seed extraction): High.
चित्र/Fig 51: आरईजी/REG/2022/0127 Pusa Basmati 1886	चित्र/Fig 52: आरईजी/REG/2021/0045 Pusa Basmati 1979
 Pusa 1886-13-91-26-9	 Figure 1. Field view of Pusa 1979-14-7-33-99-15 (IET 28813) PB1121 Robin Pusa 1979-14-7-33-99-15 (IET 28813)
Leaf: Pubescence of blade surface is Weak and Panicle: Exertion is Mostly exerted	Stem: Length (excluding panicle; excluding floating rice) is Short
चित्र/Fig 53: आरईजी/REG/2026/1901 VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24)	चित्र/Fig 54: आरईजी/REG/2026/1901 VL Biofortified Maize Hybrid 201 (VL Suposhita) (FMH 24)

	
Leaf: attitude of blade is Drooping	Kernel: Shape is Indented
चित्र/Fig 55: आरईजी/REG/2026/1899 VLQPM Hybrid 45 (FQH 165)	चित्र/Fig 56: आरईजी/REG/2026/1899 VLQPM Hybrid 45 (FQH 165)
	
Ear: Colour of top of grain is Yellow with cap	Kernel: Shape is Indented.
चित्र/Fig 57: आरईजी/REG/2026/1898 VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)	चित्र/Fig 58: आरईजी/REG/2026/1898 VL Sweet Corn Hybrid 4 (VL Madhubala) (FSCH 131)
	
Leaf: attitude of blade is Drooping	Tassel: Attitude of lateral branches is Straight.
चित्र/Fig 59: आरईजी/REG/2022/0129 Pusa Basmati 1847	चित्र/Fig 60: आरईजी/REG/2026/1883 KASHI SUHAAVANI (VRAM-42)

	KASHI SUPHAAYANI  
Leaf: Pubescence of blade surface is Weak & Panicle: Length of main axis is Very Long.	Young leaf: width Narrow, Young leaf: main colour on upper side Light green, Leaf blade: main colour Light green and Stem: shape in cross section Circular.
चित्र/Fig 61: आरईजी/REG/2026/1870 Kashi Nutan (VRCUH -1)	चित्र/Fig 62: आरईजी/REG/2026/1893 Kashi Suphal (VRPG-2)
	
Leaf blade: length Medium, Fruit: shape Cylindrical, Fruit: shape at blossom end Obtuse and Fruit: colour of skin at ripening stage Brown.	Leaf: Shape Auriculate, Leaf blade size: Length/width ratio Large, Fruit: Glossiness Non-Glossy and Number of seeds/fruit Medium.
चित्र/Fig 63: आरईजी/REG/2026/1887 KASHI NANDA (VRRG-6A)	चित्र/Fig 64: आरईजी/REG/2026/1855 Kashi Tapas (VRNTH-19095)



	
Leaf: Length Large	Flower: Stigma Unilobe, Time of flowering Early, Fruit: Size Medium, Fruit: Depression at peduncle end Shallow and Fruit: Total soluble solids High.
चित्र/Fig 65: आरईजी/REG/2026/1512 Pusa Mustard 37 (NPJ-253)	चित्र/Fig 66: आरईजी/REG/2026/1955 Arka Kanaka
	
Seed: Size (Weight of 1000 seeds): Bold.	Inflorescence peduncle length long and Flower diameter large.
चित्र/Fig 67: आरईजी/REG/2026/1956 Arka Chenna	चित्र/Fig 68: आरईजी/REG/2026/1903 CICR-A NC Cotton 67 (CNA 1092)


 Leaf Venation Prominent (9) Inflorescence Rachis length long (>6 cm)	
Leaf Venation prominent and inflorescence rachis length long.	Fibre Length is Medium & Fibre Strength is Strong.
चित्र/Fig 69: आरईजी/REG/2026/1902 VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)	चित्र/Fig 70: आरईजी/REG/2026/1902 VL BIOFORTIFIED MAIZE HYBRID 101 (VL LOPHY)
	
Tassel: Anthocyanin colouration at base of glume and glume excluding base is present.	Kernel shape is indented.
चित्र/Fig 71: आरईजी/REG/2026/1900 VL Poshika (FQH-160)	चित्र/Fig 72: आरईजी/REG/2026/1900 VL Poshika (FQH-160)
	

Ear: Anthocyanin colouration of silks is absent चित्र/Fig 73: आरईजी/REG/2026/1954 VL Triposhi (FQPLH-20) 	Ear: Diameter is large चित्र/Fig 74: आरईजी/REG/2022/0128 Pusa Basmati 1885 
Ear: Anthocyanin colouration of silks is absent चित्र/Fig 75: आरईजी/REG/2026/2064 Gujarat Maize Hybrid 5 (GMH5: Panam Gold) (GYH-1911) 	Leaf: Pubescence of blade surface is weak. चित्र/Fig 76: आरईजी/REG/2026/1856 KASHI ADBHUT (VRNTH-18283) 
Ear: Length without husk is long and ear diameter without husk is large. चित्र/Fig 77: आरईजी/REG/2026/1859 Kashi Utsav (IVBHL-22)	Peduncle: Abscission layer is absent and Time of Flowering is early. चित्र/Fig 78: आरईजी/REG/2026/1860 Kashi Uttam




	
Flowering time is late and Fruit: Length of peduncle is long.	Fruit: Intensity of purple colour of skin is light.
चित्र/Fig 79: आरईजी/REG/2026/1861 Kashi Modak (IVBSR-1)	चित्र/Fig 80: आरईजी/REG/2026/1862 Kashi Brinjal Green Round (IVBR-17)
	
Fruit: Glossiness at harvest maturity is strong	Fruit length (cm) is small and Fruit Shape of apex is indented.
चित्र/Fig 81: आरईजी/REG/2026/1863 Kashi Vijay (IVBL-23)	चित्र/Fig 82: आरईजी/REG/2026/1864 Kashi Himani (IVBL-26)

	
Stem: Pubescence is weak	Leaf: Spininess is absent.
चित्र/Fig 83: आरईजी/REG/2026/1865 Kashi Manohar (IVBHL-20)	चित्र/Fig 84: आरईजी/REG/2026/1879 Kashi Shristi (VROH-12; IC628085)
	
Fruit general shape is club shaped and Fruit: Curvature (only for cylindrical types) is absent.	Stem: Diameter at 10 cm above ground level (cm) is thin, Fruit: Colour is green and Plant: Number of productive branches is few.
चित्र/Fig 85: आरईजी/REG/2026/1881 Kashi Chaman (VRO-109; IC0610502)	चित्र/Fig 86: आरईजी/REG/2026/1882 Kashi Lalima (VROR-157; IC628076)

	
Fruit: length at marketable stage is medium and Fruit: pubescence (trichome) is weak.	Leaf blade: Width is broad, Fruit: Diameter at physiological maturity is medium and Plant: Height is medium.
चित्र/Fig 87: आरईजी/REG/2026/1958 Pusa 1824 (IET-28442)	चित्र/Fig 88: आरईजी/REG/2026/1960 Pusa Basmati 1882 (IET 28788)
 Fig 1. Field view of Pusa 1824 Fig 2: Paddy, milled rice and cooked kernels of Pusa 1824	 Annexure I. Field view of the proposed Basmati rice variety, Pusa 1882-12-111-20 (IET 28788)
Decorticated grain: Shape (in lateral view) is Long bold.	Spikelet density of pubescence of lemma is Medium & Panicle Exertion is Well exerted.
चित्र/Fig 89: आरईजी/REG/2026/0829 Sorghum K 13	चित्र/Fig 90: आरईजी/REG/2026/2090 Pusa Krishna (DBR-03)


	 Fig. 3: Field view of brinjal variety Pusa Krishna (DBR 03) Fig. 1: Fruiting in brinjal variety Pusa Krishna (DBR 03) Fig. 2: Fruits of brinjal variety Pusa Krishna are ovoid, purple in colour with a green calyx and light-coloured stripes on the lower portion of the fruit.
Glume: Colour Greyed orange and Stem: Diameter (at lower one third height of plant) (cm) Large.	Stem: Intensity of anthocyanin colouration Weak, Leaf: Intensity of colour of blade Light and Flower: Colour Purple.
चित्र/Fig 91: आरईजी/REG/2026/2080 PUSA OISHIKI (DBL-175)	चित्र/Fig 92: आरईजी/REG/2026/2083 Pusa Purple Broccoli-1 (DPB-1)


	
Seedling: Intensity of anthocyanin colouration of hypocotyl Weak, Leaf: Blade colour Green and Fruit: Shape of apex Pointed.	Leaf attitude Semi-erect, Leaf: Blade Colour Purplish Green, Head shape in longitudinal section Transverse narrow elliptic and Head: diameter Medium.
चित्र/Fig 93: आरईजी/REG/2026/2078 DC-82 (Pusa Barkha)	चित्र/Fig 94: आरईजी/REG/2026/2079 PUSA PARTHNOCARPIC CUCUMBER-6 (DPaC-6)
	
Fruit: length Short, Fruit: shape at peduncle end Flat, Fruit: shape at blossom end Obtuse and Fruit: colour of skin at ripening stage Brown.	Leaf blade: length Long, Leaf blade: dentation of margin Weak, Plant: sex expression Gynoecious and Parthenocarp Present
चित्र/Fig 95: आरईजी/REG/2026/1963 Bundel Bajra 1 (JHPM-22-2)	चित्र/Fig 96: आरईजी/REG/2026/2059 MH 2417 (PUSA- 1801)

	
Plant: Anthocyanin coloration of first leaf sheath Present, Plant: Node pubescence Present, Spike: Length Long and Seed: Colour Grey brown.	Spike exertion Partial and Spike shape Candle.
चित्र/Fig 97: आरईजी/REG/2026/2058 Pusa Bahar	चित्र/Fig 98: आरईजी/REG/ 2021/0072 Pusa Basmati 1985
	
Flower head diameter very large	Decorticated grain: Shape (in lateral view) is Extra-long slender

चित्र/Fig 99: आरईजी/REG/ 2026/1849 VNR-216 VNR Laxmi Plus (IET 25287) (VNR 216)	चित्र/Fig 100: आरईजी/REG/2026/1957 Pusa 2090 (IET-29217)
	Distinguishable Characteristics of candidate variety Pusa 2090 (IET 29217)  Fig.: Grain dimension of Pusa 2090 (IET 29217)  Fig.: Stem thickness and flag leaf attitude of blade of Pusa 2090 (IET 29217)
Spikelet: Colour of tip of lemma is Purple	Flag leaf: Attitude of blade (late observation) is Semi erect and Grain width is medium

चित्र/Fig 101: आरईजी/REG/2026/1115 BIRSA SOYBEAN-4 (BAUS-96)		चित्र/Fig 102: आरईजी/REG/2026/1973 NRC 130	
			
Can. Var. Seed Hilum color : Brown	Ref. Var. Seed Hilum Black	Can. Var. Seed Hilum color : Yellow	
			
Can. Var. Field View	Ref. Var. Field View	Ref. Var. Seed Hilum color : Brown	
Seed: Hilum colour: Brown.		Seed: Hilum Colour - Yellow	
चित्र/Fig 103: आरईजी/REG/2025/825 Gulab Pasand		चित्र/Fig 104: आरईजी/REG/2026/1114 BIRSA SOYBEAN-3 (BAUS-40)	

	 Can. Var. Flower : color - White  Ref. Var. Flower : color Purple  Can. Var. Field View  Ref. Var. Field View
Petiole: Length is Short चित्र/Fig 105: आरईजी/REG/2026/1984 ALR 4 (CRP 738) (IC 610371)	Flower Color is white. चित्र/Fig 106: आरईजी/REG/2026/1984 ALR 4 (CRP 738) (IC 610371)
 Coconut - IC 610371 Volume of tender coconut (7 months old) - 620 ml	 ALR 4 (CRP 738) (IC 610371) WCT (Check)
Fruit: Quantity of tender nut water (ml) is very high. चित्र/Fig 107: आरईजी/REG/2026/2060 Pusa Jawahar Arhar Dwarf 22-01	Inflorescence: No. of female flowers is medium. चित्र/Fig 108: आरईजी/REG/2026/2061 Pusa Jawahar Arhar 22-02

	 
Leaf: Pubescence on lower surface of the leaf is present and Pod waxiness is present.	Flower: Colour of base of petal is yellow and pod constriction is slight.
चित्र/Fig 109: आरईजी/REG/2026/2088 Pusa Bhendi-5 (DOV-66)	चित्र/Fig 110: आरईजी/REG/2026/1896 [VL Madhuri (VP SP 906-1)]
	
Stem colour is dark green and Leaf blade: colour	Seed: Cotylendon colour: Green & Seed:



between veins is green.	Weight of 1000 seeds: Medium
चित्र/Fig 111: आरईजी/REG/2026/1897 VL Uphaar (VP 1429)	चित्र/Fig 112: आरईजी/REG/2026/1933 Moth bean CAZRI MOTH-4 (CZMO-18-2)
	
Flower: Opening (days): Medium & Pod: Curvature: Weak.	Number of clusters per plant: High
चित्र/Fig 113: आरईजी/REG/2026/1933 Moth bean CAZRI MOTH-4 (CZMO-18-2)	चित्र/Fig 114: आरईजी/REG/2026/1974 Pusa Chickpea 20211 (Pusa Chickpea Manav)
	
Number of pods per plant: High	Plant: Growth habit: Spreading
चित्र/Fig 115: आरईजी/REG/2026/1974 Pusa Chickpea 20211 (Pusa Chickpea Manav)	चित्र/Fig 116: आरईजी/REG/2026/1975 Pusa Chickpea Vijay (BGM 10217)



	
Seed: Colour: Creamy beige	Seed: Size (weight of 100 seeds at 10% moisture content: Small & Seed: Shape: Smooth
चित्र/Fig 117: आरईजी/REG/2026/1976 Pusa Chickpea 10216 (BGM 10216)	चित्र/Fig 118: आरईजी/REG/2026/1977 Pusa Chickpea 3057 (BG 3057)
	
Seed: Ribbing: Present	Seed: Size (weight of 100 seeds at 10% moisture content): Very large
चित्र/Fig 119: आरईजी/REG/2026/1978 Pusa Parvati (BG 3062)	चित्र/Fig 120: आरईजी/REG/2026/2062 Pusa Jawahar Arhar 21-29
	
Seed: Colour: Brown	Plant: Growth habit: Determinate & Leaf:

	Shape: Oblong
चित्र/Fig 121: आरईजी/REG/2026/2063 KCD-11 (KCD-2019-05)	चित्र/Fig 122: आरईजी/REG/2026/2085 Pusa Sona (SEL.153-1) (OSR1347)
	
Seed: Size (weight of 100 seeds at 10% moisture content): Small	Bulb: Time of maturity (from date of sowing): Medium & Bulb: Height: Medium
चित्र/Fig 123: आरईजी/REG/2026/2084 Pusa Shobha (SEL.126)	चित्र/Fig 124: आरईजी/REG/2026/2086 Pusa Hybrid 5 (DBGH 159)
	
Bulb: General shape (in longitudinal section): Globe & Bulb: Basic colour of dry skin: Brown	Fruit: length: Long & Fruit: diameter: Thick
चित्र/Fig 125: आरईजी/REG/2026/2087 Pusa Hybrid 6 (DBGH -542)	चित्र/Fig 126: आरईजी/REG/2026/2077 Pusa Nutan

	
Fruit: Shape of base at peduncle end: Flattened & Fruit: shape in longitudinal section: Spindle shaped	Cotyledon: intensity of green colour is dark and Peduncle length is Short
चित्र/Fig 127: आरईजी/REG/2026/1082 NALBARI (VTL-75)	चित्र/Fig 128: आरईजी/REG/2026/1082 NALBARI (VTL-75)
	
Leaf sheath breadth (cm): Long	Fruit breadth (cm): Broad
चित्र/Fig 129: आरईजी/REG/2026/1083 MADHURAMANGALA (VTL-62) (Shriwardhan 1)	चित्र/Fig 130: आरईजी/REG/2026/1795 CTRI Navya (FCH 2)

	
Color of ripe nuts: Pale orange and Shape of nuts: Oval	Leaf: Undulations of margin: Weak and Leaf: Width of blade (cm): Broad
चित्र/Fig 131: आरईजी/REG/2026/2170 IISR SURYA	चित्र/Fig 132: आरईजी/REG/2025/1350 IISR MANUSHREE
	
Coma bract: Colour: Purple, Rhizome: Status of tertiary rhizome: Present.	Panicle: Number of panicles per plant: Less and Capsules: Number of capsules per panicle: Very High.
चित्र/Fig 133: आरईजी/REG/2025/1351 IISR KAVERI	चित्र/Fig 134: आरईजी/REG/2026/2076 Pusa Sinduri

	 
Capsules: Number of capsules per panicle is Very High	Flower attitude upright
चित्र/Fig 135: CO 3 (Banana) आरईजी/REG/2026/2075	चित्र/Fig 136: आरईजी/REG/2026/1961 JHO-21-1 (Bundel Jai 2021-1)
	
Compact bunch	Panicle: awnness: Present; Flag leaf: blade width: Medium; Main culm: internode length (between 3-4th internode from top): Medium; Primary grain: length of lemma: Short.
चित्र/Fig 137: आरईजी/REG/2026/1962 Budel Dinanath-3 (JHD-19-4)	चित्र/Fig 138: आरईजी/REG/2026/1971 Gujarat Wheat 1346 (GW 1346)

 Fig 4. Variation in Plant Growth Habit and Morphology of Dinanath Varieties		 Fig 2. Variation in Leaf Hairiness among Dinanath Varieties	
Plant growth habit: Decumbent; Branching: High; Leaf hairiness: Dense; Plant height (cm): Short.		Flag leaf: Hairs on auricle: Present; Plant: Flag leaf attitude: Erect; Flag leaf: Waxiness of sheath: Medium; Flag leaf: Waxiness of blade: Medium.	
चित्र/Fig 139: आरईजी/REG/2026/1979 PUSA CHICKPEA ASWINI) BG4037		चित्र/Fig 140: आरईजी/REG/2026/1980 PUSA CHICKPEA 4005	
			
Seed : Size (Weight of 100 sseds at 10 % moisture content: Medium (26-35g) and Seed: Shape: Owl's head.		Plant: Height : Tall (>65 cm) and Seed :Colour: Creamy beige.	
चित्र/Fig 141: आरईजी/REG/2026/1981 (PUSA SUMANGALA) BGD 133)		चित्र/Fig 142: आरईजी/REG/2026/1982 PUSA JG-16(BGM 10221)	
			
Plant: Height : Tall (>65 cm) and Seed :Colour: Creamy beige.		Seed: Shape : Owl's head and Seed: Ribbing: Present.	

चित्र/Fig 143: आरईजी/REG/2026/1983 BGD 111-1 	चित्र/Fig 144: आरईजी/REG/2026/1871 Kashi Kirti (VRBOG-63-02) 
Peduncle: Length: Long (>10mm) and Seed shape: Owl's head.	Fruit: shape of apex at peduncle end: Depressed
चित्र/Fig 145: आरईजी/REG/2026/1872 Kashi Kundal (VRBOG-16) 	चित्र/Fig 146: आरईजी/REG/2026/1885 KASHI KALYANI (VRSG-195) 
Fruit: diameter: Large	Stem: Length of internodes: Short and Stem: Number of primary branches: Less
चित्र/Fig 147: आरईजी/REG/2026/1886	चित्र/Fig 148: आरईजी/REG/2026/1886

KASHI RAKSHITA (VRSGH-1)	KASHI RAKSHITA (VRSGH-1)
	
Fruit: Shape: Elliptical	100 seed weight (g): Medium
चित्र/Fig 149: आरईजी/REG/2026/1889 KASHI SAUMYA (VRSGH-3)	चित्र/Fig 150: आरईजी/REG/2026/1889 KASHI SAUMYA (VRSGH-3)
	
Fruit: Shape of blossom end: Pointed and	Seed: Length: Long

चित्र/Fig 151: आरईजी/REG/2026/1890 KASHI SHREYA (VRSG-194)	चित्र/Fig 152: आरईजी/REG/2026/1891 KASHI VANDANA (VRSG-17-2)
	
Fruit: Girth: Thick and Fruit: Shape: Elongate	Stem: Length of internodes: Short and Fruit: Shape of blossom end: Pointed
चित्र/Fig 153: आरईजी/REG/2026/1892 KASHI JYOTI (VRSG-1-17)	चित्र/Fig 154: आरईजी/REG/2026/2081 PUSA KARTIKI (D C 23000)
	
Fruit Shape: Elliptical and Fruit: Shape of stem end: Pointed	Curd: Covering by inner leaves: Partly covered and Curd: Doming: Medium

चित्र/Fig 155: आरईजी/REG/2026/2082 Pusa Ashwini {DC 31(Sel. 67)}	चित्र/Fig 156: आरईजी/REG/2026/2082 Pusa Ashwini {DC 31(Sel. 67)}
	
Curd: Doming: Medium	Leaf: Colour: Dark green and Leaf: Profile of upper side of blade: Flat
चित्र/Fig 157: आरईजी/REG/2026/1803 SMH-9099	चित्र/Fig 158: आरईजी/REG/2025/819 Divya
	
Leaf: Attitude of blade (on leaf just above upper ear) is Straight & Tassel: Density of spikelet's (in middle third of main axis) is Dense.	Leaf: Shape of apex - Attenuate, Inflorescence: Length (Primary branch) - Medium